

INDEX OF SUBJECTS.

TRANSACTIONS, PROCEEDINGS, AND ABSTRACTS.

1904.

(Marked T., P., and A., i and A., ii respectively.)

A.

Abietene (EASTERFIELD and BAGLEY), T., 1244; P., 112.

Abietic acid, constitution of (EASTERFIELD and BAGLEY), T., 1238; P., 112.

retene from (VESTERBERG), A., i, 151.

Abietic acids from American colophony (TSCHIRCH and STUDER), A., i, 79.

constitution of (TSCHIRCH and STUDER), A., i, 80.

Abrastol, detection of, in wine (GABUTTI), A., ii, 787.

Absorption and kataphoresis (HÖBER), A., ii, 354.

through the skin (SCHWENKENBECHER), A., ii, 423.

of guaiacol derivatives (KNAPP and SUTER), A., ii, 274.

and assimilation of iron (TARTAKOWSKY), A., ii, 189, 354.

of uric acid and sodium urate (VAN LOGHEM), A., ii, 751.

intestinal. See Intestinal.

Absorption- and **wash-bottle**, triple acting (GLATZEL), A., ii, 20.

Absorption spectrum. See under Photo-chemistry.

Acacatechin (PERKIN), P., 172.

Acanthias vulgaris, eggs of (ZDAREK), A., ii, 495.

Acet-. See also Aceto-, Acetyl-, and under the parent Substance.

Acetal, $C_{10}H_{16}O_4Cl_6$, from $\alpha\beta\beta$ -trichloroethyl ether (ODDO and MAMELI), A., i, 281.

Acetals, reduction of (FREUNDLER), A., i, 351.

Acetaldehyde, action of bromine on, in aqueous solution (BUGARSZKY), A., ii, 551.

action of hydrogen sulphide on solutions of (DRUGMAN and STOCKINGS), P., 115.

sodium hydrogen sulphite (KERP), A., i, 714.

amino-, and its platinichloride

(HARRIES and REICHARD), A., i, 295.

Acetaldehyde-2:2:4-tribromophenyl-hydrazone, nitro- (BAMBERGER and FREI), A., i, 124.

Acetamide, bromonitro-, and its ammonium salt, and chloroiodo- (WILLSTÄTTER and HOTTENROTH), A., i, 472.

bromonitro- and dibromonitro- (RATZ), A., i, 858.

cyano-, condensation of, with aldehydes (PICCININI), A., i, 504.

nitro-, and its ammonium salt (RATZ), A., i, 858.

silver salt, methylation of (RATZ), A., i, 859.

Acetanilide, two new reactions of (BARRAL), A., ii, 301.

2:4-diamino-, and trisazo-dyes from (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 700.

Acetic acid in Citrus oils (BURGESS and PAGE), T., 1327; P., 181.

influence of non-electrolytes on the vapour tension of, in solution (BOGDAN), A., ii, 109.

equilibrium in the system, benzene, water, and (LINCOLN), A., ii, 473.

polymerisation of (BATSCHINSKI), A., ii, 326.

Acetic acid, compound of, with aluminium chloride (WALKER and SPENCER), T., 1108; P., 135.
 ferric compounds (ROSENHEIM and MÜLLER), A., i, 468.
 estimation of, in acetate of lime (STILLWELL), A., ii, 374.
Acetic acid, anhydrous salts, action of chlorine on (COLSON), A., i, 3, 134, 469.
 alkaline earth salts (COLSON), A., i, 134.
 barium and lead uranyl salts (ZEHENTER), A., ii, 344.
 basic lanthanum salt, absorption compound of iodine and (BILTZ), A., ii, 339.
 lead salt, interaction of, with sodium arsenate (DOBBIN), A., ii, 406.
 crystalline compound of, with lead thiosulphate (LEMOULT), A., i, 842.
 lead alkali salts (WHITE), A., i, 134.
 mercury salt, action of, on terpenes and compounds containing the C_3H_5 group (BALBIANO and PAOLINI), A., i, 72.
 potassium salt, electrolysis of (FOERSTER and PIGUET), A., i, 965.
Acetic acid, α -bromoethyl ester, condensation of, with the esters of acetoacetic and acetonedicarboxylic acids (HALLER and MARCH), A., i, 712.
 cyanomethyl ester (HENRY), A., i, 982.
 ethyl ester, catalysis of, by nitric acid in presence of alkali nitrates (LUNDÉN), A., ii, 719.
Acetic acid, amino-. See Glycine.
 bromocyano-, ethyl ester, preparation, properties, and reactions of (GOLDTHWAITE), A., i, 151.
 bromocyano- and cyano-, menthyl esters, rotation of (BOWACK and LAPWORTH), T., 43.
 dichloro-, action of, on aniline and the toluidines (HELLER), A., i, 730.
 trichloro-, and its salts in aqueous solution, decomposition of (TIMOFFÉEFF and KOBZEFF), A., i, 470.
 trichloro- and tribromo-, salts, decomposition of, in acetone, and compounds of, with aldehydes and ketones (KOBZEFF), A., i, 223, 469.
 cyano-, synthesis of xanthine bases from (TRAUBE), A., i, 632.
 esters, condensation of, with acyl-cyanoacetic esters (SCHMITT), A., i, 480.
 ethyl ester, acetylation of (DIECKMANN and BREEST), A., i, 845.

Acetic acid, cyano-, ethyl ester, condensation of, with its sodium derivative (BARON, REMFRY, and THORPE), T., 1726; P., 243.
 condensation of, with aldehydes (PICCININI), A., i, 91, 919.
 condensation of, with *o*-, *m*-, and *p*-nitrobenzaldehydes (ISSOGLIO), A., i, 525.
 action of cyanogen on (TRAUBE and SANDER), A., i, 712.
 nitro-, esters (BOUVEAULT and WAHL), A., i, 795.
 nitroso-, esters, action of nitrogen trioxide and peroxide on (BOUVEAULT and WAHL), A., i, 547.
 isonitroso-, esters (BOUVEAULT and WAHL), A., i, 546.
Acetic anhydride, action of mercury acetate on (SAND and SINGER), A., i, 25.
Acetimide chloride, chloro- (TRÖGER and LÜNING), A., i, 562.
Aceto-. See also Acet-, Acetyl-, and under the parent Substance.
Acetoacetic acid, esters, condensation of, with α -bromoethyl acetate (HALLER and MARCH), A., i, 712.
 α -mono-substituted, preparation of (LOCQUIN), A., i, 646.
 ethyl ester, constitution of (KNORR), A., i, 846.
 ultra-violet absorption spectra of (BALY and DESCH), T., 1029; P., 157; (MAGINI), A., ii, 305.
 additive products of, with benzylideneaniline (FRANCIS and TAYLOR), T., 998; P., 113.
 addition of carvone and methylcyclohexenone to (RABE and WEILINGER; RABE), A., i, 509.
 action of cyanogen on (TRAUBE and BRAUMANN), A., i, 710.
 Claisen's transformation of *O*-acyl derivatives of, into the *C*-acyl derivatives (DIECKMANN and STEIN), A., i, 847.
 sodium derivative, action of methyl β -chlorotricarballylate on (BERTRAM), A., i, 12.
 menthyl ester, condensation of, with aldehydes (HANN and LAPWORTH), T., 46.
Acetoacetic acid, γ -chloro-, ethyl ester (LESPIEAU), A., i, 286.
 isonitroso- (H. and A. v. EULER), A., i, 146, 230.
Acetohydroxamic acid, chloro- (FRANCESCONI and BASTIANINI), A., i, 721.
Acetol. See Acetylcarbinol.

Acetone, preparation of (WENGHÖFFER), A., i, 290.
 mixtures of, with carbon tetrachloride and with ether, *Pv* curves of, at 0° (GERRITS), A., ii, 807.
 viscosity of aqueous solutions of, and its hydrates (VARENNE and GODEFROY), A., i, 465.
 condensation of, with formaldehyde (WERNER), P., 196.
 action of halogens on, and the effect of acids on the velocity of the reaction (LAPWORTH), T., 31.
 formation of, in the body (SATTA), A., ii, 829.
 and diabetes (GEELMUYDEN), A., ii, 275.
 additive compounds of, with halogen hydrides (ARCHIBALD and McINTOSH), T., 924; P., 139.
 sodium hydrogen sulphite (KERF), A., i, 714.
 detection of, in methylated spirits and urine (ALBERDA VAN EKENSTEIN and BLANKSMA), A., i, 99.
 detection of, in urine (VOURNASOS), A., ii, 300.

Acetone, γ -chloro- α -hydroxy-. See Acetylcarbinol, chloro-.

Acetomediacetic acid, dibromo-, esters (STRAUS), A., i, 851.

Acetonedicarboxylic acid, esters, condensation of, with α -bromoethyl acetate (HALLER and MARCH), A., i, 712.
 ethyl ester, action of nitric acid on (ULPIANI and BERNARDINI), A., i, 971.

Acetonedicarboxylic acid, cyano-, ethyl ester (BARON, KEMFRY, and THORPE), T., 1738.

Acetonedioxalic acid, ethyl ester (WILLSTÄTTER and PUMMERER), A., i, 973.

Acetonedipropionic acid and its salts, ester, phenylhydrazone, semicarbazone, and isomeride (v. PECHMANN and SIDGWICK), A., i, 971.

Acetonitrile, chlorinated (TRÖGER and LÜNING), A., i, 562.

Acetonitriles, amino-, acyl derivatives (KNOEVENAGEL and LEBACH), A., i, 994.
 alkylated (KNOEVENAGEL and MERCKLIN), A., i, 981; (KNOEVENAGEL), A., i, 989.

Acetonylacetoacetic acid, ethyl ester, action of phenylhydrazine on (BORSCHE and SPANNAGEL), A., i, 778.

Acetophenone, condensation of, with ethyl malonate (EIJKMAN), A., i, 589.

Acetophenone *O*-benzoate. See α -Benzoyloxy- α -phenylethylene.

Acetophenone, α - and p -amino-, acyl derivatives (CHATTAWAY), T., 388; P., 43.
 p -amino-, behaviour of, towards aldehydes (SCHOLTZ and HUBER), A., i, 253.
 $3:5$ -diamino-, and its diacetyl derivative, $3:5$ -dinitro-, and its oxime and *m*-nitrobenzylidene derivative, and 3 -nitro- 5 -amino- (BEREND and HEYMANN), A., i, 671.

Acetophenones, acylchloroamino-, intramolecular rearrangement in (CHATTAWAY), T., 340; P., 44.

Acetophenoneazothioformamide (WOLFF and LINDENHAYN), A., i, 198.

Acetophenoneoxime, velocity of transformation of, in acetanilide (DE BRUYN and SLUITER), A., ii, 473.

γ -Acetoxy- α -acetylbutyric acid, methyl and ethyl esters (HALLER and MARCH), A., i, 712.

4'Acetoxybenzophenone, 4'-nitro- (AUWERS), A., i, 67.

***m*-Acetoxybenzoyltropeine** (CHININFABRIR, BRAUNSCHWEIG, BUCHLER & Co.), A., i, 686.

7-Acetoxy-2-*op*-diethoxyphenyl-4-methylene-1:4-benzopyran (BÜLOW and SAUTERMEISTER), A., i, 262.

3-Acetoxy-4:5-diphenyl-2-*tert*-butylfuran (JAPP and MAITLAND), T., 1498.

α -Acetoxyethylacetonedicarboxylic acid, methyl and ethyl esters (HALLER and MARCH), A., i, 713.

α -Acetoxyalauric acid and its ethyl ester (GUÉRIN), A., i, 138.

6-Acetoxymethyleoumarin and its bromo-derivatives (STOERMER and OETKER), A., i, 245.

γ -Acetoxy- γ -phenylbutyric acid, β -nitro-, methyl ester (WIELAND), A., i, 55.

4'Acetoxyphenyl-2-chloro-4:6-dinitro-3-tolylamine (REVERDIN, DRESEL, and DELÉTRA), A., i, 580.

3-Acetoxy-2-phenyl-4:5-diphenylene-furan (JAPP and WOOD), P., 221.

8-Acetoxyterpan-2-one-6-ylacetooacetic acid, ethyl ester (RABE and WEILINGER), A., i, 509.

***p*-Acetoxytetraphenylmethane** (BISTRZYCKI and GYR), A., i, 315.

Acetyl. See also Acet-, Aceto-, and under the parent Substance.

Acetyl chloride, preparation of (WOHL), A., i, 795.

Acetylacetone, ultra-violet absorption spectra of (BALY and DESCH), T., 1029; P., 157.

Acetylacetone, action of cyanogen on (TRAUBE and BRAUMANN), A., i, 710.
rare earth derivatives (BILTZ), A., i, 714.
metallic derivatives, and their compounds with bases (BILTZ and CLINCH), A., i, 715.
sodium derivative, action of epichlorohydrin on the (HALLER and BLANC), A., i, 180.

Acetylacetone-p-aniside (KOENIGS and MENDEL), A., i, 528.

Acetylacetonedioxime from sorbic acid (FEIST), A., i, 852.

Acetylacetoneglucamine (ROUX), A., i, 230.

Acetylacetone-m-hydroxyanilide (BÜLOW and ISSLER), A., i, 191.

Acetylaceturylhydrazide. See Glycine hydrazide, diacetyl derivative.

Acetylalanine, chloro- (FISCHER), A., i, 652.

Acetylamino-. See under the parent substance.

Acetylaniiline-m-sulphonic acid (*acetyl-metanilic acid*), *p*-nitro- (KALLE & Co.), A., i, 664, 870.

Acetylbenzylanilide (AUGER), A., i, 805.

Acetylcarbinol (*acetol*) and its acyl derivatives, action of organomagnesium compounds on (KLING), A., i, 2, 133.
methyl ether (HENRY; KLING), A., i, 474.

Acetylcarbinol, chloro- (SMIRNOFF), A., i, 214.

Acetylcatechol, ω -chloro-, reaction of, with amines (FARBEWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 873.

Acetyl-di- and -tri-chloroacetamide, chloro- (KÖNIG), A., i, 296.

Acetyl-m-cresols, 4- and 6-, and their methyl and ethyl ethers, and the oximes of the 4-compound (EIJKMAN), A., i, 664.

Acetylcyanamide, cyano- (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 800.

Acetyldesmotroposantoin, optically active, crystalline form of (MILLOSEVICH), A., i, 320.

Acetyl diglycylglycine (*acetyl diglycylaminoacetic acid*), amino-, hydroxy-, and *diiodo*-, ethyl esters, and the hydrazide of the amino- and azoimide of the hydroxy-compounds (CURTIUS), A., i, 477.
chloro- (FISCHER), A., i, 653.

Acetyl- α -diketohydrindene and its reactions (DIECKMANN and STEIN), A., i, 874.

β -Acetyl- α -dimethylisoallitric acid (SIEMONSEN), A., i, 952.

Acetyl diphenylmethyltetrahydropyrimidine (RUHEMANN and WATSON), T., 459; P., 48.

Acetylene, nascent, action of, on benzene in presence of aluminium chloride (PARONE), A., i, 26.
action of magnesium phenyl bromide on (ODDO), A., i, 862.
action of nitric acid on (MASCARELLI), A., i, 277.
use of, for heating germinating stoves by means of an automatic temperature regulator (JOFFRIN), A., ii, 310.
sodium derivatives (SKOSAREWSKY), A., i, 793.

Acetylene, *diiodo*-, decomposition of (SCHENCK and LITZENDORFF), A., i, 841.

Acetylglycolic acid, anilide and phenetidine of (ANSCHÜTZ and BERTRAM), A., i, 990.

Acetyl groups, estimation of (PERKIN), P., 171.

Acetylhydrazide, amino-. See Glycine hydrazide.

Acetyl methylcarbinol, production of, by the bacteria of the group *Bacillus mesentericus* (DESMOTS), A., ii, 276.

α -Acetylphenylcarbamide (BRUCE), A., i, 492.

Acetylphenylisocarbamide methyl ethers, *s*- and *as*-, and their salts (BRUCE), A., i, 492.

Acetylphenylglycine, *p*-amino- and *p*-nitro- (BADISCHE ANILIN- & SODA-FABRIK), A., i, 806.

Acetylphenylglycine-o-carboxylic acid, preparation of (VORLÄNDER and MUMME), A., i, 317; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 806.

β -Acetyl- α -phenylpropionic acid and its amide (RUHEMANN), T., 1455; P., 206.

Acetylresorcinol (EIJKMAN), A., i, 665.

Acetyl salicylic acid, anilide and phenetidine of (ANSCHÜTZ and BERTRAM), A., i, 990.

Acetyl tetramethyldehydrohematoxylins, α - and β - (HERZIG and POLLAK), A., i, 81.

p -Acetyl-o-thymol (EIJKMAN), A., i, 665.

Acetyl toluenes, 4- and 6-, 3-hydroxy-. See Acetyl cresols.

Acetyl triglycylglycine, chloro- (FISCHER), A., i, 653.

Acetyl trityl-lupineine and -tropeine (CHININFABRIK BRAUNSCHWEIG, BUCHLER & Co.), A., i, 685.

Acetyl-l-tyrosine, chloro- (FISCHER), A., i, 652.

Acid, $C_2H_8O_8P_2$, and its salts, from wheat bran (PATTEN and HART), A., ii, 509.

$C_4H_5O_5N$, from the hydrolysis of the methyl derivative of isonitrosomalonamide (RATZ), A., i, 300.

$C_4H_5O_5N_3$, and its salts, from the methylation of silver nitroacetamide (RATZ), A., i, 859.

$C_4H_7O_3N_3$, ethyl ester, from ethyl bisdiazocetoacetate (BETTI), A., i, 533.

$C_8H_8O_2NCl$, from *o*-chloroanilino-acetonitrile (KNOEVENAGEL and KLUCKE), A., i, 989.

$C_8H_{16}O_6N_2$, from casein (SKRAUP), A., i, 539.

$C_9H_{14}O_6$, and its esters, obtained as a by-product of the electrolytic preparation of adipic acid (BOUVEAULT), A., i, 9.

$C_{10}H_{14}O_2$, and its salts, from laurel leaves (THOMS and MOLLE), A., i, 606.

$C_{10}H_{14}O_3$, and $C_{10}H_{16}O_4$, from the oxidation of camphene (WAGNER, MOYCHO, and ZIENKOWSKI), A., i, 438.

$C_{10}H_{14}O_4$ (two), from ethyl Δ^1 -cycloheptenecarboxylate (BUCHNER and SCHEDA), A., i, 412.

$C_{11}H_{16}O_3$ (two), from the nitrile from carvone and hydrogen cyanide (HANN and LAPWORTH), P., 54.

$C_{11}H_{16}O_5$, and its salts, from the oxidation of hexyltartaric acid (FITTIG and SIMON), A., i, 554.

$C_{12}H_{14}O_5N_2$, from the hydrolysis of $C_{16}H_{18}O_8N_3$ (SCHMITT), A., i, 481.

$C_{12}H_{16}O_4$, and $C_{12}H_{17}O_3N$, from the cyanohydrin from carvone and hydrogen cyanide (HANN and LAPWORTH), P., 54.

$C_{12}H_{24}O_2$ (?), from *Suberites domuncula* (HENZE), A., i, 410.

$C_{13}H_{12}O_6$, and its methyl ester and tribromo-derivative, from the oxidation of bisdiphenylbutadiene (RIIBER), A., i, 569.

$C_{13}H_{14}O_2N_2$, from phenylhydrazine and ethyl $\alpha\beta$ -diacetylpropionate (KORSCHUN), A., i, 615.

$C_{14}H_{16}O_3N_4S$, and its salts, from sulphur dioxide and diazotised *m*-toluidine (TRÖGER and HILLE), A., i, 118.

$C_{16}H_{14}O_3$, and its dibromide and bromolactone, from α -oxy- $\beta\gamma$ -diphenylbutyrolactone (ERLENMEYER and ARBENZ), A., i, 1015.

Acid, $C_{17}H_{13}O_3N$, from 2-methylindole and phthalic anhydride (RENZ), A., i, 534.

$C_{17}H_{14}O_5$, from the hydroxylactone from phenylpyruvic acid and piperonaldehyde (ERLENMEYER and BRAUN), A., i, 1017.

$C_{17}H_{16}O_3$, and its ethyl ester, from benzaldehyde and ethyl succinate (STOBBE and NAOÚM), A., i, 589.

$C_{17}H_{16}O_3$, from α -oxy- β -phenyl- γ -benzylbutyrolactone (ERLENMEYER and REIS), A., i, 1018.

$C_{17}H_{16}O_4$, and its lactones, from α -oxy- β -phenyl- γ -methoxyphenylbutyrolactone (ERLENMEYER and LATTERMANN), A., i, 1018.

$C_{17}H_{30}O_4$, and $C_{17}H_{30}O_5$, from the oxidation of chaulmoogric acid (POWER and GORNALL), T., 860; P., 137.

$C_{17}H_{34}O_2$, from the aldehyde, $C_{17}H_{34}O$, from α -hydroxystearic acid (LE SUREUR), P., 14.

$C_{19}H_{16}O_3N_2$, from phenylhydrazine and α -ethylphenacylmalonic acid (ELJKMAN), A., i, 590.

$C_{19}H_{18}O_6$, and $C_{19}H_{20}O_6$, salts, from the condensation of benzaldehyde with itaconic acid (FITTIG and BOCK), A., i, 745.

$C_{19}H_{20}O_3$, from α -hydroxy- β -phenyl- γ -isopropylphenylbutyrolactone (ERLENMEYER and KEHRENN), A., i, 1016.

$C_{19}H_{20}O_4N_2$, from phenylhydrazine and β -ethylphenacylmalonic acid (ELJKMAN), A., i, 590.

$C_{20}H_{32}O_3$, from cholesterol. See Acid, $C_{27}H_{44}O_4$.

$C_{27}H_{42}O_5$, $C_{27}H_{43}O_4Cl$, and $C_{27}H_{44}O_5$, from cholesterol (WINDAUS and STEIN), A., i, 1010.

$C_{27}H_{44}O_4$, and its salts and esters, from cholesterol (DIELS and ABBERHALDEN), A., i, 880.

Acid anhydrides. See Anhydrides.

Acid chlorides, organic, preparation of (BADISCHE ANILIN- & SODA-FABRIK), A., i, 282.

Acidea from coniferous plants (EASTERFIELD and BAGLEY), T., 1238; P., 112; (TSCHIRCH), A., i, 78.

action of, on enzymes (BOKORN), A., i, 129.

sucroclastic action of, as contrasted with that of enzymes (ARMSTRONG and CALDWELL), A., i, 957, 1070.

addition of, to $\alpha\beta$ -unsaturated ketones (VORLÄNDER and HAYAKAWA), A., i, 65; (VORLÄNDER and TUBANDT), A., i, 535; (VORLÄNDER and SIEBERT), A., i, 900.

Acids, condensation of, with sulphinic acids (KOHLER and REIMER), A., i, 233.
 toxic action of, on seedlings (CAMERON and BREAZEALE), A., ii, 283 ; (CAMERON), A., ii, 364.
 indicators for (SALESSKY), A., ii, 319 ; (FELS), A., ii, 320.

Acids, aromatic, and their derivatives in phenol solution, relation between constitution and change of association of (ROBERTSON), T., 1617 ; P., 222.
 aromatic fatty, synthesis of, by means of lactones (EIJKMAN), A., i, 669.
 carboxylic, and their esters, electrolytic reduction of, in sulphuric acid solution (TAFEL and FRIEDRICH), A., i, 849.
 action of nitriles on (KÖNIG), A., i, 296.

dibasic, condensation of, with aldehydes and lactones (FITTIG), A., i, 744.

as- di-, and poly-basic, esterification of (WEGSCHEIDER and GLOGAU), A., i, 249.

dicarboxylic, electrolysis of (VAN-ZETTI), A., i, 850.

action of magnesium aryl haloids on (DILTHEY and LAST), A., i, 667, 1029 ; (VALEUR), A., i, 901.

compounds of, with aromatic bases (ANSELMINO), A., i, 306.

fatty, method of preparing (BLAISE), A., i, 369.

method of characterising (LOCQUIN), A., i, 644.

action of, on starch (KLDIASCHWILI), A., i, 798.

higher fatty, relation between the molecular weight and the physiological action of (MEYER), A., ii, 275.

synthesis of, in the liver (HILDE-SHEIM and LEATHES), A., ii, 355.

lower fatty, solubility of some salts of (STANLEY), A., i, 468.

saturated fatty, estimation and separation of (PARTHEIL and FERIÉ), A., i, 5 ; (FAHRION; FARNSTEINER), A., ii, 788.

highly dissociated, determination and calculation of equilibria for (ROTHMUND and DRÜCKER), A., ii, 281 ; (DRÜCKER), A., ii, 809.

inorganic, can the formation of complexes be deduced from the electrical conductivity of mixtures of ? (HOFMANN), A., ii, 10.

complex (KEHRMANN and FLÜRSCHHEIM), A., ii, 411.

Acids, inorganic, complex, derivatives of (ROGERS and SMITH), A., ii, 178 ; (BALKE and SMITH), A., ii, 179.

metallic (HALL), A., ii, 824.

organic, preparation of, from petroleum (ZELINSKY), A., i, 811.

binary mixtures of, conductivity of (BARMWATER), A., ii, 10.

calculation of the heats of combustion of (LEMOULT), A., ii, 12.

esterification of (WERNER and SEYBOLD), A., i, 1013 ; (MEYER; v. LIEBIG), A., i, 1014.

antimony salts of (JORDIS), A., i, 216, 468 ; (JORDIS and MEYER), A., i, 282 ; (MORITZ), A., i, 845.

thorium salts of (MORGAN), A., i, 892.

complex compounds of, with molybodic and tungstic acids (GROSSMANN and KRÄMER), A., i, 850.

unsaturated (FITTIG), A., i, 966.

measurements of conductivity of (FICHTER and PFISTER), A., i, 965.

action of hydroxylamine on (POSNER), A., i, 160.

transformation of (FITTIG), A., i, 418, 553.

addition of alkali hydrogen sulphites and of sulphurous acid to (KNOEVENAGEL), A., i, 1025.

of the sorbic series, and their transformation into cyclic hydrocarbons (DOEBNER and STAUDINGER), A., i, 149.

volatile, estimation of, in wines (ROBIN), A., ii, 521.

See also Aldehydic acids, Amino-acids, Carbocyclic acids, Diazo-fatty acids, Hydrazo-acids, Hydroxy-acids, α-Hydroxycarboxylic acids, Hydroxyketonic acids, Oximino-acids, Per-acids, and Pseudo-acids.

Aconite, comparison of chemical and physiological methods of assaying (STEVENS), A., ii, 99.

Acorns, composition of the fusel oil obtained in the distillation of (RUDAKOFF and ALEXANDROFF), A., i, 466.

Acraldehyde, β-hydroxy-, dianilide of, and its hydrochloride (CLAISEN), A., i, 14.

Acridine haloids (SENIER and AUSTIN), T., 1200 ; P., 176.

methiodide (BÜNZLY and DECKER), A., i, 344.

Acridine colouring matters (ANILINFARBEN- & EXTRAKT-FABRIKEN VORM. J. R. GEIGY), A., i, 530 ; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 700 ; (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 927.

Acridine series, studies in the (Fox and HEWITT), T., 529 ; P., 9.

Acrylglycylglycine, bromo- (FISCHER), A., i, 653.

Actinium (DEBIERNE), A., ii, 223, 729.

Activity induced by thorium (v. LERCH), A., ii, 8.

Acyl chlorides, action of silver cyanate on (BILLETER), A., i, 397.

thiocyanates, tautomeric character of the (DORAN), P., 20.

O-Acyl compounds, transformation of, into *N*-derivatives (AUWERS), A., i, 1051.

Acylacetic acid, esters, substituted, preparation of (BOUVEAULT and LOCQUIN), A., i, 551 ; (LOCQUIN), A., i, 552, 694.

Acylalkylcarbamides, formation of, in Hofmann's reaction (STIEGLITZ and EARLE), A., i, 40.

Acylaminoketones, isomeric change of diacylanilides into (CHATTAWAY), T., 386 ; P., 43 ; (CHATTAWAY and LEWIS), T., 589, 1663 ; P., 60, 223.

Acyl-p-aminophenols, azo-compounds from (DAHL & Co.), A., i, 207, 459.

Acylation, observations on (AUWERS), A., i, 1051 ; (AUWERS, BONDY, and MÜLLER), A., i, 1052 ; (AUWERS and BONDY), A., i, 1053 ; (AUWERS and BÜRGER) ; AUWERS and SONNENSTUHL), A., i, 1054.

Acylazoinimides, action of, on carbamide (CURTIUS and LENHARD), A., i, 888.

Acyleamphors, metal-organic synthesis of the (BRÜHL), A., i, 435.

chemical and physical properties and constitution of the (BRÜHL), A., i, 436.

1-Acylchloroamino-*di*- and *tri*-halogen-benzenes and their isomerides (CHATTAWAY and WADMORE), T., 180 ; P., 16.

Acyliminothio-ethers, preparation of (AUTENRIETH and BRÜNING), A., i, 35.

Acyldinitrohydrocarbons, semicarbazones of (PONZIO), A., i, 723.

Additive compounds, formation of (HINRICHSEN), A., i, 1012.

Address, congratulatory, to Prof. Mendeléeff, P., 17.

to Sir Henry E. Roscoe, and his reply, P., 84, 106.

presidential (TILDEN), T., 493 ; P., 72.

Adenase (JONES and PARTRIDGE), A., i, 838.

Adenine, and thio-, synthesis of (TRAUBE), A., i, 632.

compound of, with diazobenzenesulphonic acid (BURIÁN), A., i, 355.

Adipic acid and its methyl and ethyl esters, electrolytic preparation of (BOUVEAULT), A., i, 8, 9 ; (VANZETTI and COPPADORO), A., i, 141.

diamino-, from casein (SKRAUP), A., i, 538.

Adipic acids, 2:5-dihydroxy-, A- and B- (ROSENLEW), A., i, 553.

Adrenaline. See Epinephrine.

Adrenalone and **Peradrenalone** (FRIEDMANN), A., i, 1069.

Affinity, CHEMICAL :—

Affinity constants of aniline and its derivatives (FARMER and WARTH), T., 1713 ; P., 244.

Association, effect of one associated solvent on the, of another associated solvent (JONES and MURRAY), A., ii, 387.

change of, of aromatic acids and their derivatives in phenol solution (ROBERTSON), T., 1617 ; P., 222.

Avidity, determination of, by the polarimetric method (WALKER), A., ii, 316.

Kinetics of sugar inversion (MELLOR and BRADSHAW), A., ii, 551.

Changes, intramolecular and originally reversible, extending over prolonged periods of time (FRISWELL), P., 36.

Chemical combination and ionisation (WALKER), T., 1082 ; P., 133.

in the liquefied halogen hydrides and hydrogen sulphide (WALKER, McINTOSH, and ARCHIBALD), T., 1098 ; P., 134.

Chemical dynamics of alkyl iodides (BURKE and DONNAN), T., 555 ; P., 46.

of the reactions between sodium thiosulphate and organic halogen compounds (SLATOR), T., 1286 ; P., 180.

Chemical reactions at very high temperatures (ZENGELIS), A., ii, 232.

supposed change in weight during (Lo SURDO), A., ii, 720.

course of, and hypotheses of valency (MICHAEL), A., ii, 164.

Dynamic isomerism, studies of (LOWRY and ROBERTSON), T., 154 ; (LOWRY), T., 1551 ; P., 108.

of α - and β -crotonic acids (MORRELL and HANSON), T., 1520 ; P., 191.

Catalytic action of metallic chlorides (GOLDSCHMIDT and LARSEN), A., ii, 609.

of platinum black (VONDRAČEK), A., ii, 390.

AFFINITY, CHEMICAL:—

Catalytic reactions, theory of (v. EULER), A., ii, 318.
 heterogeneous (BODENSTEIN), A., ii, 245, 413, 719; (STOCK and GUTTMANN), A., ii, 246, 489.
 at high temperatures and pressures (IPATIEFF), A., ii, 644, 645.
 decomposition of antimony hydride (STOCK and GUTTMANN), A., ii, 246, 489; (BODENSTEIN), A., ii, 413.
 of hydrogen peroxide by means of colloidal platinum, influence of persulphates on (PRICE and DENNING), A., ii, 247.
 oxidation of organic substances with concentrated sulphuric acid (BREDIG and BROWN), A., ii, 247.

Catalysis, negative, in a homogeneous system (TITOFF), A., ii, 113.
 of ethyl acetate by nitric acid in presence of alkali nitrates (LUNDÉN), A., ii, 719.
 of hydrazine (PURGOTTI and ZANICHELLI), A., ii, 329.
 of hydrogen peroxide by iodine ions (WALTON), A., ii, 319.
 by palladium (BREDIG and FORTNER), A., ii, 318.

Chemical equilibrium (PISSARJEWSKY), A., ii, 243.
 and fall of temperature (NERNST), A., ii, 389.
 laws of displacement of (ARIËS), A., ii, 16.
 determination and calculation of, for highly dissociated acids (ROTHMUND and DRUCKER), A., ii, 231; (DRUCKER), A., ii, 809.
 theoretical consideration of reactions which take place in two or more successive stages (JUNGIUS), A., ii, 716.
 systems containing silicic and hydrofluoric acids (BAUR), A., ii, 608.
 of gases in the Bunsen flame (HABER and RICHARDT), A., ii, 166.
 of mixtures of fused salts (BRUNNER), A., ii, 244.
 $\text{CO} + \text{H}_2\text{O} = \text{CO}_2 + \text{H}_2$ (HAHN), A., ii, 643.
 in solutions of glucose and of galactose (LOWRY), T., 1551; P., 108.
 between hydroferrocyanic and hydroferricyanic acids (PRUD'HOMME), A., i, 21.
 between iron, ferrosoferric oxide, hydrogen, and water vapour (PREUNER), A., ii, 317.

AFFINITY, CHEMICAL:—

Chemical equilibrium of lead and tin in presence of solutions of their salts (SACKUR), A., ii, 336.
 $\text{Mg}(\text{OH})_2 + 2\text{NH}_4\text{Cl} = \text{MgCl}_2 + 2\text{NH}_4\text{OH}$ (HERZ and MUHS), A., ii, 171.
 between the n - and ψ -nitro-derivatives of camphor (LOWRY and ROBERTSON), T., 1541.
 between potassium ferrocyanide and ferricyanide in presence of alkali hydroxides (PRUD'HOMME), A., i, 21.
 between silver salts (LUCAS), A., ii, 715.

Equilibrium constants, order of magnitude of the time of formation of (HABER), A., ii, 607, 808; (BÖLÄNDER; ABEGG; DANNEEL), A., ii, 713.

Decomposition of carbon monoxide (SCHENCK), A., ii, 28.

Decomposition-tension of salts, and their anti-fermentative properties (MCGUIGAN), A., ii, 248.

Hydrolytic decomposition of salts, determination by an iodometric method of the degree of (PAWLOFF and Gerasimoff), A., ii, 546.

Distribution of a non-dissociating substance between two solvents (JÄGER), A., ii, 386.

Distribution coefficient of hydrogen peroxide between water and ether (OSSIPOFF and POPOFF), A., ii, 165.

of oxalic acid between water and ether in presence of neutral salts (FEDOROFF), A., i, 221.

Enzyme action (VISSER), A., i, 540; (ARMSTRONG), A., i, 956, 957, 1070; (ARMSTRONG and CALDWELL), A., i, 957, 1070; (LIEBERMANN), A., ii, 474; (BARENDRACHT), A., ii, 551, 719.

Hydrolysis, theory of (LEWKOWITSCH), A., i, 6, 283; (BALBIANO), A., i, 216, 798; (GOLDSCHMIDT), A., i, 468; (FANTO), A., i, 843.
 study of, by conductivity methods (STIEGLITZ and DERBY), A., ii, 464.
 of starch by acids (ROLFE and GEROMANOS; ROLFE and HADDOCK), A., i, 17; (GRÜTERS), A., i, 852.
 by diastase (FORD), T., 980; P., 112.
 of substances containing pentosans by dilute acids or by sulphites (HAUERS and TOLLENS), A., i, 16.

AFFINITY, CHEMICAL:—

Velocity of absorption of gaseous by solid substances (HANTZSCH), A., ii, 541.

Velocity of decomposition of ammonium nitrite (ARNDT), A., ii, 16. of a mixture of sodium nitrite and ammonium chloride (BERGER), A., ii, 483.

Velocity of emulsin action (HERZOG), A., ii, 164.

Velocity of enzymatic action (HERZOG), A., ii, 506.

Velocity of esterification of mannitol and mannide by phosphorous acid (CARRÉ), A., i, 16.

Velocity of formation of iodates (FORSTER), A., ii, 163.

Velocity of hydrolysis by maltase (TERROINE), A., ii, 317; (PHILOCHE), A., ii, 318, 839.

of glucosidic acetates (ARMSTRONG and ARUP), T., 1046; P., 169.

of the isomeric tetramethyl α - and β -methylgalactosides (IRVINE and CAMERON), T., 1079; P., 174.

of tetramethyl α - and β -methylglucosides (PURDIE and IRVINE), T., 1065; P., 173.

of substances containing pentosans by dilute acids or by sulphites (HAUERS and TOLLENS), A., i, 16.

Velocity of liberation of hydrogen from water by the action of sodium and potassium amalgams (FERNNEKES), A., ii, 163.

of iodine from solutions of chromic acid, potassium iodide, and ferrous sulphate, influence of temperature on the (BENSON), A., ii, 316.

of iodine from ethylene iodide and bromoiodide in presence of potassium iodide (SLATOR), T., 1697; P., 221.

Velocity of oxidation of sulphurous acid, influence of hydriodic acid and of metallic salts on the (BERG), A., ii, 394.

of thiocyanic acid and its salts by hydrogen peroxide (KASTLE and SMITH), A., i, 857.

Velocity of reaction and free energy (BODENSTEIN), A., ii, 717.

in non-homogeneous systems, theory of (NEERNST; BRUNNER), A., ii, 315.

influence of various factors on the (VANDEVELDE and WASTEELS), A., ii, 549.

AFFINITY, CHEMICAL:—

Velocity of reaction in aqueous solutions near the point of maximum density (QUARTAROLI), A., ii, 607.

between bromine and acetaldehyde in aqueous solution (BUGARSZKY), A., ii, 551.

between the halogens and carbonyl compounds, and the effect of acids on it (LAPWORTH), T., 30. between iodic and hydriodic acids (DUSHMAN), A., ii, 718.

Velocity of solution of salts in their aqueous solutions (SCHÜRR), A., ii, 543.

Velocity of transformation of acetophenoneoxime into acetanilide (DE BRUYN and SLUITER), A., ii, 473.

of benzidine to hydrazobenzene (HOLLEMAN and VAN LOON), A., i, 193.

of hydrazobenzene into benzidine (VAN LOON), A., i, 452.

Agaricus muscarius, toxicology of (HARMSEN), A., ii, 283.

Agglutination (BILTZ), A., ii, 650.

by chemical precipitates (GENGOU), A., ii, 496.

by colloidal ferric hydroxide, sodium chloride, and different serums (GIRARD-MANGIN and HENRI), A., ii, 496.

in dysentery (HEWLETT), A., ii, 362. of vibrios (CRENDIPOULO and AMOS), A., ii, 363.

bacteria (BECHHOLD), A., ii, 650.

Agglutinins, physical chemistry of (ARRHENIUS), A., ii, 356.

influence of the stromata and liquid of laked corpuscles on the production of (STEWART), A., ii, 497.

Air. See Atmospheric air.

Air-pump, new mercury (BOEKHOUT), A., ii, 477.

α -Alanine and its esters, phthalyl derivatives (ANDREASCH), A., i, 895. combination of, with glycine by means of benzoylalanineazide (CURTIUS and VAN DER LINDEN), A., i, 883.

action of hippurazoinide on (CURTIUS and LAMBOTTE), A., i, 835.

nickel salt (BRUNI and FORNARA), A., i, 855.

Alanine-feeding in dogs without a pancreas (EMBEDEN and SALOMON) A., ii, 625, 827.

Albanan from gutta-percha (TSCHIRCH), A., i, 76.

Albumin, constitution of the indole group in (ELLINGER), A., i, 639.

Albumin, Bence-Jones, nature of (PATEIN and MICHEL), A., ii, 501.
 of fishes' eggs compared with that in the sperm in the same species (HUGOUNENQ), A., ii, 496.
 of frog's eggs (GALIMARD), A., ii, 496.
 in urine soluble in acetic acid (PATEIN), A., ii, 599.
 artificial change of, into globulin (MOLL), A., i, 356.
 concentration of metallic ions in silver nitrate solutions containing (GALEOTTI), A., ii, 649.
 compounds of, with bismuth and formaldehyde (KALLE & Co.), A., i, 790.
 non-reversible precipitation of, by electrolytes (PAULI), A., i, 356.
 detection of, in urine (DUFAU), A., ii, 108, 152; (RENAULT), A., ii, 599.
 detection and estimation of, in urine (BELLOCQ), A., ii, 796.
 estimation of, in serums (REISS), A., ii, 303.
 See also Egg-albumin and Serum-albumin.

Albumins, characterisation of (DE REY PAILHADE), A., i, 837.
 from the white of birds' eggs, separation of (PANORMOFF), A., i, 274.
 from the white of rooks' eggs (WORMS), A., ii, 190.
 soluble in acetic acid (PATEIN), A., i, 954.
 detection of, in urine (DE REY PAILHADE), A., i, 837.

Albuminuria, physiological, relation of blood pressure and pulse pressure to urinary secretion in a case of (ERLANGER and HOOKER), A., ii, 194.

Albumose, coagulative action of autolytic organ extracts on solutions of (NÜRNBERG), A., ii, 187.

Albumoses in the blood (SCHUMM), A., ii, 56; (ABDERHALDEN and OPPENHEIMER), A., ii, 623.
 in tubercular sputum (SIMON), A., ii, 64.

Albumosuria (PATEIN and MICHEL), A., ii, 501.
 and myeloma (WEBER), A., ii, 64.
 Bence-Jones' (PATEIN), A., i, 954.

Alcaptonuria, fate of certain aromatic acids in (NEUBAUER and FALTA), A., ii, 629.

Alcohol. See Ethyl alcohol.

Alcohol, $C_{15}H_{26}O$, and its urethane, from camphenylone (WAGNER, MOYCHO, and ZIENKOWSKI), A., i, 439.
 $C_{10}H_{20}O$, and its acetate, from cinolene (THOMS and MOLLE), A., i, 599.
 $C_{15}H_{14}O$, from cinnamaldehyde (KOHLER), A., i, 596.

Alcohol, $C_{15}H_{26}O$, from oil of roses (v. SODEN and TREFF), A., i, 439.
 $C_{16}H_{16}O$, from benzylideneacetone (KOHLER), A., i, 596.

Alcoholates, existence of, in solutions of certain electrolytes in alcohol (JONES and GETMAN), A., ii, 711.

Alcohols, synthesis of, by means of organomagnesium compounds (TIFFENEAU and DELANGE), A., i, 48; (KONOWALOFF), A., i, 496.
 formation of, by the reduction of acid amides (SCHEUBLE), A., i, 3; (SCHEUBLE and LOEBL), A., i, 466.
 purifying and characterising (BOUVEAULT), A., i, 465.
 heats of combustion of, viewed as additive properties (LEMOULT), A., ii, 12.
 decomposition of, at high temperatures and pressures, catalytic reactions in the (IPATIEFF), A., ii, 644, 645.
 action of chloro-formdiethylamide on (A. and L. LUMIÈRE and PERRIN), A., i, 559.
 action of, on diphenyl- and ditolyl-tetrazonium chlorides (WINSTON), A., i, 274.
 condensation of, with acetylenic esters (MOUREU), A., i, 286.
 condensation of, with acetylenic ketones (MOUREU and BRACHIN), A., i, 811.
 action of nitric acid on (KONOWALOFF and MANEWSKY), A., i, 496.
 additive compounds of, with halogen hydrides (ARCHIBALD and McINTOSH), T., 928; P., 139.
 action of, on enzymes (BOKORNY), A., i, 129.
 assimilation of, by *Sterigmatocystis nigra* (COUPIN), A., ii, 280.

Alcohols, fatty, differentiation between primary, secondary, and tertiary (KLING and VIARD), A., i, 545.
 heats of combustion of (ZUBOFF), A., ii, 159.
 hydroaromatic, preparation of, from phenols (SABATIER and SENDERENS), A., i, 156; (BRUNEL), A., i, 158.
 monohydric, action of phenylcarbimide on (BLOCH), A., i, 152, 236.
 action of, on ciliated epithelium and motor nerve fibres (BREYER), A., ii, 65.

primary, preparation of, by means of the corresponding acids (BOUVEAULT and BLANC), A., i, 642.
 preparation of, from the corresponding amides (BOUVEAULT and BLANC), A., i, 213; (GUARESCHI), A., i, 465.

Alcohols, tertiary, synthesis of, by means of magnesium organic compounds (GRIGNARD), A., i, 213.

halogen ethers of, application of the Grignard reaction to the (BOUVEAULT), A., i, 546.

unsaturated, action of mercury salts on (SAND and SINGER), A., i, 23.

See also Aminoalcohols.

Aldehyde. See Acetaldehyde.

Aldehyde, $C_7H_{34}O$, and its oxime and semicarbazone, from α -hydroxystearic acid (LE SUEUR), P., 14.

Aldehydes, new method of preparing (BLAISE), A., i, 369.

preparation of, by means of magnesium organic compounds (BOUVEAULT), A., i, 13; (GATTERMANN and MAF-FEZZOLI), A., i, 172; (TSCHITSCHIBABIN), A., i, 221.

synthesis of (BÉHAL and SOMMELET), A., i, 222.

synthesis of, by the action of nickel carbonyl on aromatic hydrocarbons (DEWAR and JONES), T., 212; P., 6.

transformation of primary α -glycols into the corresponding (TIFFENEAU), A., i, 133.

heats of combustion of, viewed as additive properties (LEMOULT), A., ii, 12.

condensation of, with dibasic acids (FITTIG), A., i, 744.

condensation of, with *p*-aminoacetophenone (SCHOLTZ and HUBER), A., i, 253.

condensation of, with ethyl cyanoacetate (PICCININI), A., i, 91, 919.

condensation of, with menthyl acetooacetate (HANN and LAPWORTH), T., 46.

condensation of, with hydroxyquinol (LIEBERMANN, LINDENBAUM, and GLAWE), A., i, 443; (LIEBERMANN and LINDENBAUM), A., i, 764.

condensation of, with 2-methylindole (RENZ and LOEW), A., i, 190; (FREUND and LEBACH), A., i, 266.

condensation of, with phenylpyruvic acid (ERLENMEYER and KEHREN), A., i, 1015; (ERLENMEYER and BRAUN), A., i, 1016.

condensation of, with sulphinic acids (KOHLEM and REIMER), A., i, 233.

assimilation of, by *Sterigmatocystis nigra* (COUPIN), A., ii, 280.

compounds of, with tribromo- and trichloro-acetates (KOBZEFF), A., i, 223.

Aldehydes, *p*-nitrophenylhydrazone and *p*-dinitrodibenzylhydrazone of (ALBERDA VAN EKENSTEIN and BLANKSMA), A., i, 99.

new reagents for (PRUD'HOMME), A., ii, 687.

estimation of, in essential oils (BURGESS), A., ii, 371; (SADTLER), A., ii, 372.

estimation of, in wines and spirits (MATHIEU), A., ii, 521.

Aldehydes, acetylenic, new method of preparing, and action of hydroxylamine on (MOUREU and DELANGE), A., i, 650.

aromatic, synthesis of (BODROUX), A., i, 250, 421.

Gattermann's reaction for the synthesis of (MUNDICI), A., i, 897.

purification of (CHEMISCHE FABRIK GRIESHEIM-ELEKTRON), A., i, 1021.

action of ethyl oxalacetate on, in presence of ammonia and of β -naphthylamine (SIMON and CONDUCHE), A., i, 521, 812.

action of nitrogen sulphide on (FRANCIS and DAVIS), T., 259, 1535; P., 21, 204.

aromatic and fatty, reaction of (SADTLER), A., ii, 300.

fatty, condensation of, with phenol (LUNJAK), A., i, 495.

See also Aminoaldehydes and Hydroxyldehydes.

Aldehyde-ammonia and analogous compounds, action of hydrogen cyanide on (DELÉPINE), A., i, 20.

Aldehyde-sulphurous acid in wine (KERP), A., ii, 636.

β -Aldehydic acids, optically active esters of (HANN and LAPWORTH), T., 46.

α -Aldehydic acids, esterification of (WEGSCHEIDER, KUŠÝ VON DÚBRAV, and v. RUŠNOV), A., i, 59; (MEYER), A., i, 746.

Aldehydic compounds, detection of (VELARDI), A., i, 804.

α -Aldehydibenzoic acid. See Phthalaldehydic acid.

β -Aldehydo-esters (BLAISE and MARCILLY), A., i, 285.

α -Aldehydophenyltrimethylammonium iodide (BAMBERGER), A., i, 422.

Aldehydophthalic acid. See Phthalaldehydic acid.

Adol from isobutaldehyde and formaldehyde, action of magnesium ethyl iodide on (FRANKE and KOHN), A., i, 845.

Aldoximes, a third modification of (BECKMANN), A., i, 897.

Algæ, brown colouring matter of (GAIDUKOV), A., i, 439.

Alizarin, formation of, from 1:2-anthraquinol (LAGODZINSKI), A., i, 158.

2-methyl and 2-ethyl ethers, 4-amino- and 4-nitro- (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 513.

Alizarincyanin-green, constitution of (FRIEDLÄNDER and SCHICK), A., i, 69.

Alizarin-pure-blue. See 4-Sulpho-*p*-toluidinoanthraquinone, 2-bromo-1-amino-.

Alizarinirisol, constitution of (FRIEDLÄNDER and SCHICK), A., i, 69.

Alkali bromates, reduction of, by hydrazine sulphate or hydroxylamine sulphate (SCHLÖTTER), A., ii, 146.

ruthenium bromides (HOWE), A., ii, 665.

bromides, electrolysis of (KRETZSCHMAR), A., ii, 814.

carbonate, mixtures of, with calcium carbonate, decomposition of mixtures of, under the action of heat in a vacuum (LEBEAU), A., ii, 561.

carbonates, dissociation of (LEBEAU), A., ii, 121, 561.

action of silica on the melting of (v. WITTORE), A., ii, 400.

estimation of carbon dioxide in (MARRO), A., ii, 445.

cerite-earth carbonates (MEYER), A., ii, 734.

chlorates and iodates, reduction of, with hydrazine sulphate (SCHLÖTTER), A., ii, 167.

chlorides, action of radium rays on, and analogous heat effects (ACKROYD), T., 812; P., 108.

electrolysis of (GUYE), A., ii, 29; (TARDY and GUYE), A., ii, 534.

bell process of electrolysing aqueous solutions of (STEINER), A., ii, 483; (ADOLPH), A., ii, 615.

electrolysis of, in presence of fluorine compounds (FOERSTER and MÜLLER), A., ii, 815.

electrolysis of, using iron plates over which mercury flows (KETTEMBEIL and CARRIER), A., ii, 729.

chromates, action of nitric and acetic acids on (LEUBE), A., ii, 683.

magnesium and nickel chromates, hexahydrated (BRIGGS), T., 677; P., 90.

cyanides and cyanamides, preparation of (DEUTSCHE GOLD- & SILBERSCHEIDE-ANSTALT VORM. RÖSSLER), A., i, 380, 478.

mercury cyanides (GROSSMANN and VON DER FORST), A., i, 983.

Alkali stanni- and titani-fluorides (EMICH), A., ii, 741.

hydroxides, action of bromine on (KRETZSCHMAR), A., ii, 814.

periodides, formation of, in nitrobenzene solution (DAWSON and GOODSON), T., 796; P., 126.

metals, electrolytic preparation of (KETTEMBEIL and CARRIER), A., ii, 729.

flame spectra of the (DE WATTEVILLE), A., ii, 222.

line spectra of the (KONEN and HAGENBACH), A., ii, 153.

magnetisation of the (BERNINI), A., ii, 702.

action of sodium nitroprusside on (REICHARD), A., ii, 514.

nitrites of, and their decomposition by heat (RÄY), P., 240.

uranyl nitrates (MEYER and WENDEL), A., ii, 130.

nitrites, action of, on nickel salts (REICHARD), A., ii, 488, 741.

oxides, preparation of (BADISCHE ANILIN- & SODA-FABRIK), A., ii, 255.

phosphates, action of heat on (BOIDIN), A., ii, 816.

salts, action of, on yeast (PAULESCO), A., ii, 580.

uranyl salts, solubility and decomposition of, in water (RIMBACH, BÜRGER, and GREWE), A., ii, 264.

selenates, electrolytic preparation of (MÜLLER), A., ii, 121.

sulphites, electrolytic oxidation of (FRIESSNER), A., ii, 480.

hydrogen sulphites, addition of, to unsaturated compounds (KNOEVENAGEL), A., i, 1024.

hyposulphites (BADISCHE ANILIN- & SODA-FABRIK), A., ii, 250.

Alkalimetry, new indicator in (ROBIN), A., ii, 440, 445.

Alkaline-earth carbonates, decomposition of, by ammonium chloride in presence of water (CANTONI and GOGUELIA), A., ii, 334.

chlorides, hydrous, behaviour of typical, when heated in hydrogen chloride (GOOCH and McCLENAHAN), A., ii, 484.

mercury cyanides (GROSSMANN and VON DER FORST), A., i, 983.

fluorides, fluorochlorides, fluorobromides, and fluoroiodides (DEFACQZ), A., ii, 333.

periodides, formation of, in nitrobenzene solution (DAWSON and GOODSON), T., 796; P., 126.

Alkaline-earth mangani-manganates (AUGER and BILLY), A., ii, 262. metals, melting points of mixtures of the, with boric anhydride (GUERTLER), A., ii, 654. electrolytic separation of (COEHN and KETTEMBEIL), A., ii, 168. nitrites of, and their decomposition by heat (RÄY), P., 240. salts, action of, on yeast (PAULESCO), A., ii, 633.

Alkaline hydroxides and ammonia, the relative strengths of the, as measured by their action on cotarnine (DOBIE, LAUDER, and TINKLER), T., 121.

Alkalisis, indicators for (SALESSKY), A., ii, 319; (FELS), A., ii, 320. estimation of, in presence of borates (JACOBI), A., ii, 209. estimation of carbon dioxide in (MARRO), A., ii, 445. estimation of, in vegetable substances (NEUBAUER), A., ii, 209.

Alkaloids of angostura bark (BECKURTS and FRERICHS), A., i, 84. Cinchona, reactions of (LYONS), A., ii, 847. bromine derivatives of (CHRISTENSEN), A., i, 184. and the corresponding compounds containing less hydrogen (CHRISTENSEN), A., i, 520. Corydalis (GADAMER; BRUNS), A., i, 185. pharmacological examination of (PETERS), A., ii, 632. jaborandi, physiological action of the (MARSHALL), A., ii, 430. opium, arsenical sulphuric acid as a reagent for (ROSENTHALER and TÜRK), A., ii, 457. of the tropine and scopolaine groups, methyl and ethyl bromides of (MERCK), A., i, 187. identification of (KLEY), A., ii, 99. liquid (SEMMLER), A., i, 685. antagonism between salts and (FISCHER), A., ii, 198. isolation of the, in chemico-legal cases (KIPPENBERGER and v. JAKUBOWSKI), A., ii, 301. detection of (REICHARD), A., ii, 374, 791, 792, 847, 848; (GUIGUES; BALLANDIER), A., ii, 792; (BEHRENS), A., ii, 846; (LYONS), A., ii, 847.

Alkine esters (CHININFABRIK BRAUNSCHWEIG, BUCHLER & Co.), A., i, 685.

Alkyl haloids, chemical dynamics of the reactions between sodium thiosulphate and (SLATOR), T., 1286; P., 180.

Alkyl haloids, action of the halogen derivatives of tervalent and quinquevalent metalloids on (AUGER), A., i, 983. iodides, chemical dynamics of (BURKE and DONNAN), T., 555; P., 46. dihydrogen phosphates, lead and silver salts (CAVALIER), A., i, 365.

Alkylacetooacetic acids, cyano-, esters, refraction of, in relation to the constitution of (HALLER and MULLER), A., ii, 221.

N-Alkylaldoximes, behaviour of, to benzenesulphonic chloride, phthalyl chloride, and picryl chloride (BECKMANN and DÜTSCHKE), A., i, 1023.

Alkyl allyl and propenyl ketones (BLAISE), A., i, 290, 370, 558.

N-Alkylamidines of the naphthalene series, synthesis of (MELDOLA and LANE), T., 1600; P., 214.

Alkylamines containing fluorine (SWARTS), A., i, 853, 977.

p-Alkylaminobenzaldehydes, preparation of (ULLMANN and FREY), A., i, 423.

N-Alkylanthranilic acids, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 50.

Alkylcarbamides, decomposition of (FAWSITT), T., 1581; P., 126, 203.

Alkylecyanoacetamides, action of ethyl ethoxymethyleneacetoacetate on (ERRERA and LABATE), A., i, 189.

Alkylcyclohexanols and their acetates and phenylurethanes (SABATIER and MAILHE), A., i, 666.

1-Alkyl-lutidones and -pyridones, thio- and seleno-derivatives of (MICHAELIS and HOELKEN), A., i, 774.

Alkylmalonic acids, cyano-, esters, refraction of, in relation to the constitution of (HALLER and MULLER), A., ii, 221.

Alkyl-*B*-naphthylamines, 1-nitro-, preparation of, and their salts, and reduction of their acetyl derivatives (MELDOLA and LANE), T., 1601; P., 214.

Alkyloxiides (BRÜHL), A., i, 545.

Alkyloxyalkylethylenic acids and hydrocarbons, preparation of (MOUREU), A., i, 285, 286.

Alkyloxyanthranoles (LIEBERMANN, GLAWE, and LINDENBAUM), A., i, 901.

β -Alkyloxyethylenic ketones, action of hydrazine and of hydroxylamine on (MOUREU and BRACHIN), A., i, 824.

Alkyloxy-halogen compounds and their reactions with magnesium (HAMONET), A., i, 467, 705.

Alkylphosphines (AUGER), A., i, 983 ; (AUGER and BILLY), A., i, 984.

Alkylphthalimides, action of magnesium organic compounds on (SACHS and LUDWIG), A., i, 266.

Alkylsulphinic acids, preparation of (ROSENHEIM and SINGER), A., i, 567.

Alkylurethanes, nitroso-, constitution and optical behaviour of (BRÜHL), A., i, 92, 160.

Allantoic acid (SIMON), A., i, 301.

Allantoin (SIMON), A., i, 301 ; (SUNDVIK), A., i, 478 ; (BEHREND), A., i, 950 ; (MENDEL and WHITE), A., ii, 674.

Allene, action of hypochlorous acid on (SMIRNOFF), A., i, 214.

*iso***Alluric acid** and β -nitro- (SIEMONSEN), A., i, 951.

Alloxan, action of dimethylamine sulphite on, and the salts of the product (PILOTY and FINCKH), A., i, 825.

Alloxantin, constitution of (PILOTY and FINCKH), A., i, 823.

Alloxuric bases in aseptic fevers (MANDEL), A., ii, 275.

Alloys, preparation of, by Escales' method (MUTHMANN), A., ii, 410. structure of (CAMPBELL), A., ii, 820, 822. estimation of antimony, arsenic, and tin in (ANGENOT), A., ii, 784. estimation of carbon in (HEMPEL and RUCKTÄSCHEL), A., ii, 397.

Allyl iodide, action of ethyl succinate on, in presence of zinc (KASANSKY), A., i, 367.

Allylacetic acid and its ethyl ester, action of nitrogen peroxide on (EGOROFF), A., i, 216.

Allylamine, thioacyl derivatives of (SACHS and LOEVY), A., i, 307.

Allylbenzene, synthesis of (TIFFENEAU), A., i, 872.

Allylthiopyrine and its additive salts (MICHAELIS, MOELLER, and KOBER), A., i, 781.

Allyl- ψ -thiopyrine (MICHAELIS, BESSON, MOELLER, and KOBER), A., i, 783.

Allyl- α -toluidine (WEDEKIND and OBERHEIDE), A., i, 992.

Allyl- p -toluidine and its salts (WEDEKIND and OBERHEIDE), A., i, 733.

Almond oil and allied oils, characteristics of (LEWKOWITSCH), A., ii, 456.

Aloe-emodin, rhein from (OESTERLE), A., i, 80.

Aloin, decomposition products of (OESTERLE and BABEL), A., i, 907.

Aloinose (LÉGER), A., i, 907.

Alstol and its dibromide, acetate, and benzoate, **Alstonin**, and *iso***Alstonin** (SACK and TOLLENS), A., i, 1011.

Aluminium, atomic weight of (KOHN-ABREST), A., ii, 820. electrolytic preparation of (GIN), A., ii, 341. anodic behaviour of (FISCHER), A., ii, 534. reducing action of, in quantitative analysis (TARUGI), A., ii, 149. action of certain solutions of (SMITH), A., ii, 486.

Aluminium alloys, light (RICHARDS), A., ii, 735. with antimony and with magnesium (PÉCHEUX), A., ii, 618. with bismuth and with magnesium (PÉCHEUX), A., ii, 564. with copper (CAMPBELL), A., ii, 820. with lead and with zinc (PÉCHEUX), A., ii, 404. with tin (ANDERSON and LEAN), A., ii, 37 ; (SHEPHERD), A., ii, 486 ; (PÉCHEUX), A., ii, 487.

Aluminium chlorate, and its hydrates and its decomposition on heating (DOBROSEROFF), A., ii, 564.

chloride, compounds of, with organic substances containing oxygen (WALKER and SPENCER), T., 1106 ; P., 135.

chlorides and fluorides, some compounds of (BAUD), A., ii, 176.

hydroxide (RUSS), A., ii, 736.

oxide, action of canal rays on (SCHMIDT), A., ii, 307 ; (TAFEL), A., ii, 463.

sulphate, compound of, with sulphuric acid (BAUD), A., ii, 37.

Aluminium organic compounds, catalytic preparation of (FÜRSTENHOFF), A., i, 382.

Aluminium, estimation of metallic, in aluminium powder (AUTENRIETH), A., ii, 844. separation of, from chromium and iron (SOUTHERDEN), A., ii, 449. separation of iron and, from chromium (v. KNORE), A., ii, 92.

separation of, from iron by means of formic acid (LECLÈRE), A., ii, 212.

separation of, from vanadium (GLAS-MANN), A., ii, 450.

Aluminium powder and the oxidation of aluminium (KOHN-ABREST), A., ii, 261.

Aluminosulphuric acid (SILBERBERGER), A., ii, 342.

Aluminous augite (BECKER), A., ii, 51.

Alunogen from Baluchistan (HOOPER), A., ii, 571.

Amalgams. See Mercury alloys.

Amanita muscaria (fly agaric) (HEINISCH and ZELLNER), A., ii, 678.

Amblygonite from California (SCHALLER), A., ii, 348.

IsoAmenylbenzene and α -chloro- β -bromo- (KUNCKELL and STAHEL), A., i, 386.

p-isoAmenyltoluene and α -chloro- β -bromo- (KUNCKELL and STAHEL), A., i, 386.

Amidase (SHIBATA), A., ii, 432.

Amide group, character of the (FAWSITT), A., ii, 323, 469; (RUDORF), A., ii, 607.

Amide chloroiodides and their reactions (LANDER and LAWS), T., 1695; P., 217.

Amides, use of pyridine in the preparation of (FREUNDLER), A., i, 33.

acylation of (TITHERLEY), T., 1673; P., 187.

action of magnesium organic compounds on (BOUVEAULT), A., i, 13; (BÉIS), A., i, 15.

transformation of, into the corresponding primary alcohols (BOUVEAULT and BLANC), A., i, 213; (GUAR-ESCHI), A., i, 465.

inhibitory influence of foreign molecules on the action of histozymes and ferments on (GONNERMANN), A., i, 792.

acid, alkylation of (BÜHNER), A., i, 882.

formation of alcohols from the reduction of (SCHEUBLE), A., i, 3; (SCHEUBLE and LOEBL), A., i, 466.

a group of therapeutically active (FUCHS), A., ii, 832.

See also *Aminoamides*.

Amidine series, isomerism in the (WHEELER and JOHNSON), A., i, 628.

Amidines, trialkylated, formation of (V. BRAUN), A., i, 688.

of the naphthalene series, isomerism of (MELDOLA and LANE), T., 1592; P., 214.

Amines, reactions of, with mercuric iodide (FRANÇOIS), A., i, 151.

compounds of, with chromic chloride (LANG and CARSON), A., i, 800.

salts of, solutions of (v. EULER), A., ii, 544.

reactions of, with glycerol (PAUL), A., i, 925.

Amines, aliphatic, electrolytic preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 295.

reactions of (v. EULER), A., i, 229.

Amines, aliphatic, quantitative separation of, from the pyridine bases (MILBAUER and STANĚK), A., ii, 457.

aromatic, condensation of, with benzylideneaniline (MAYER), A., i, 832.

action of, on ethylenedisulphonic chloride (AUTENRIETH and KOBURGER), A., i, 34.

action of bromine on the salts of, with halogen hydrides (FRIES), A., i, 571.

compounds of, with anthraquinone (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 326.

cyclic, heat of combustion of (LEMOUT), A., ii, 382.

new method of breaking down (v. BRAUN), A., i, 918, 1019.

action of phosphorus trichloride on (LEMOUT), A., i, 572.

primary, secondary, and tertiary, differentiation of (SUDBOROUGH and HIBBERT), P., 165.

secondary, elimination of alkyl groups from (v. BRAUN), A., i, 731.

See also *Bases and Diamines*.

Amino-acids from salmon (KOSSEL), A., i, 211; (ABDERHALDEN), A., i, 463.

in urine (ABDERHALDEN and BARKER), A., ii, 753.

occurrence of, in urine, especially in cases of gout (IGNATOWSKI), A., ii, 674.

transformation of sorbic acid into (FISCHER and SCHLÖTTERBECK), A., i, 549.

action of phenylcarbimide on (PAAL and ZITELMANN), A., i, 100.

condensations with (CURTIUS; CURTIUS and WÜSTENFELD; CURTIUS and LEVY), A., i, 833; (CURTIUS and LAMBOTTE), A., i, 835; (CURTIUS and VAN DER LINDEN), A., i, 883; (T. and H. CURTIUS), A., i, 884; (CURTIUS and GUMLICH), A., i, 886; (CURTIUS and MÜLLER), A., i, 887; (CURTIUS and LENHARD), A., i, 888.

fate of, in the body after intravascular injection (STOLLÉ), A., ii, 196.

copper and nickel salts of (BRUNI and FORNARA), A., i, 855.

and their amides, estimation of, A., ii, 453.

Amino-acids, esters, compounds of, with aromatic sulphonic acids (RITSERT), A., i, 498.

aromatic, compounds of, with phenolsulphonic acids (RITSERT), A., i, 413.

Amino-acids, esters, soluble, crystalline derivatives of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 413.
See also Dipeptides and Polypeptides.

Aminoalcohols of the type OH·CMeR·CH₂·NMe₂ (FOURNEAU), A., i, 377.

Aminoaldehydes, preparation of (HARRIES and REICHARD), A., i, 295.

β-Aminoamides, transformation of, into β-ketoamides (GUARESCHI), A., i, 891.

Amino-compounds, electrolytic preparation of (LILIENFELD), A., i, 295.

Amino-group, removal of the, in the animal body (LANG), A., ii, 427. phosphomolybdic acid a reagent for the (SEILER and VERDA), A., ii, 99.

Aminohydroxy-compounds, acylated, molecular transformation of (AUWERS), A., i, 736.

Aminoketones (KOLSHORN), A., i, 675. formation of, from diacylanilides (CHATTAWAY and LEWIS), T., 589; P., 60.
acyl derivatives, formation of, from diacylanilides (CHATTAWAY), T., 386; P., 43.

Aminoketones, aromatic, intramolecular rearrangement in derivatives of (CHATTAWAY), T., 340; P., 44.

α-Aminonitriles, basicity of (DELÉPINE), A., i, 149.

Ammonia and metalammonium bases (v. EULER), A., ii, 167.
synthesis of (WOLTERECK), A., ii, 115.
electrolytic oxidation of, in presence of copper hydroxide (TRAUBE and BILTZ), A., ii, 727.
solubility of, in salt solutions, as measured by its partial pressure (RIESENFIELD), A., ii, 15.
velocity of absorption of gaseous, by solid organic acids (HANTZSCH), A., ii, 541.
liquid, electric osmose in (ASCOLI), A., ii, 108.
gaseous, action of, on arsenic tribromide, -chloride, or -iodide (HUGOT), A., ii, 559.
action of, on boron bromide and on phosphorus trichloride (JOANNIS), A., ii, 654.
action of, on copper sulphate solutions (LOCKE and FORSSALL), A., ii, 258.
action of sodium nitroprusside on (REICHARD), A., ii, 514.
action of, on esters of sulphonic acids (AUTENRIETH and BERNHEIM), A., i, 978.

Ammonia and the alkaline hydroxides, the relative strengths of, as measured by their action on cotarnine (DOBBIE, LAUDER, and TINKLER), T., 121.
estimation of, gasometrically and gravimetrically (RIEGLER), A., ii, 207.
estimation of, in urine (DEMON; FOLIN), A., ii, 83.
quantitative separation of, from the pyridine bases (MILBAUER and STANĚK), A., ii, 457.

Ammonia salts, solutions of (v. EULER), A., ii, 544.

Ammonia soda process. See under Sodium carbonate.

Ammonio-metallic compounds. See Metalammoniums, and under the separate Metals.

Ammonium, constitution of (LE BEL), A., i, 718.

Ammonium salts, hydrolysis of (VELEY), P., 248.
manurial experiments with (CLAUSEN), A., ii, 586.
acid reaction of, towards blue litmus (REICHARD), A., ii, 30.
titration of (JEAN), A., ii, 680.

Ammonium chloride, velocity of decomposition of a mixture of sodium nitrite and (BERGER), A., ii, 483.
the system, zinc chloride, water, and (MEERBURG), A., ii, 112.
action of, on metallic chlorides (FIREMAN), A., ii, 656.
action of, on magnesium hydroxide (HERZ and MUHS), A., ii, 171.
action of, on tellurium compounds (GUTBIER and FLURY), A., ii, 115.
nickel hydroxide (STARCK), A., ii, 40.
cuprous iodide (GOSSNER), A., ii, 36.
molybdate, action of, on polyphenols and their derivatives (FRABOT), A., ii, 451.
heptamolybdate, action of potassium thiocyanate on (REICHARD), A., i, 20.
nitrate and silver nitrate, equilibria in the system (v. ZAWIDZKI), A., ii, 389.
hydrogen trinitrate, solubility of (GROSCHUFF), A., ii, 400.
nitrates (GROSCHUFF), A., ii, 559.
nitrite, velocity of decomposition of (ARNDT), A., ii, 16.
magnesium phosphate, solubility of, in ammonium citrate (BOLIS), A., ii, 84.
thallic selenate (FORTINI), A., ii, 36.

Ammonium alum, variations of angles in the crystals of (MIEERS), A., ii, 114.

sulphate and organic nitrogen compared with sodium nitrate (WAGNER, DORSCH, ASCHOFF, RUTHS, and HAMANN), A., ii, 78.

gold, iridium, and palladium polysulphides (HOFMANN and HÖCHTLEN), A., ii, 179.

vanadite (KOPPEL and GOLDMANN), A., i, 7.

Ammonium thiocyanate and thiocarbamide, freezing point curves of (FINDLAY), T., 403; P., 49.

Ammonium bases, diacid quaternary (WEDEKIND), A., i, 96.

Ammonium compounds (BÜNZLY and DECKER), A., i, 344; (DECKER and HOCK), A., i, 450, 620.

constitution of (CAIN), A., ii, 726.

Ammonium diureideoxazonate. See Murexide.

Ammonium sulphide group, separation of the metals of the, especially in presence of nickel and cobalt (BÖTTICHER), A., ii, 293.

Amniotic fluid, laevulose in (GÜRBER and GRÜNBAUM), A., ii, 500.

Amorphene from the oil of "Amorpha fruticosa" (PAVESI), A., i, 904.

Amphiboles, Canadian, composition of some (HARRINGTON), A., ii, 52.

*iso***Amygdalin** (DAKIN), T., 1512; P., 200.

Amygdalinic acid, preparation and hydrolysis of (DAKIN), T., 1513; P., 200.

Amyl alcohol, composition of various samples of (SIEGFELD), A., ii, 152.

*iso***Amyl alcohol**, synthetical, and the amyl alcohol of commerce (LOCQUIN), A., i, 546.

Amyl alcohols from fusel oil, derivatives of (MARCKWALD), A., i, 362.

Amyl nitrite, action of, on ethyl β -aminocrotonate (H. and A. V. EULER), A., i, 146, 230.

action of, on dinitriles (LUBLIN), A., i, 890.

*iso***Amyl chloride**, action of fuming sulphuric acid on (WORSTALL), A., i, 1.

iodide (LOCQUIN), A., i, 546.

*iso***Amylacetooacetic acid**, ethyl ester (LOCQUIN), A., i, 646.

Amylamine, ϵ -chloro-, benzoyl derivative (V. BRAUN), A., i, 918.

d-Amylamine and its salts (MARCKWALD), A., i, 363.

Amylase (EFFFRONT), A., i, 1069.

action of heat and acidity on (PETIT), A., i, 702, 839.

sec.-**Amylbenzene**. See α -Methylbutylbenzene.

*sec.-iso***Amylbenzene**. See $\alpha\beta$ -Dimethylpropylbenzene.

"**Amylène** chlorhydrate," action of, on cilia (LAUNOY), A., ii, 631.

toxicity of (LAUNOY and BILLON), A., ii, 501.

Amylene. See β -Methylbutylen.

Amylene, $\alpha\epsilon$ -dibromo- and $\alpha\epsilon$ -diiodo- (HAMONET), A., i, 706.

trichloro- (trichloropentylene) (KUKURITSCHKIN), A., i, 213.

Amylene glycol (KLING), A., i, 2.

See also Pentane, $\alpha\epsilon$ -dihydroxy-.

*iso***Amylheptylideneimine** sodium sulphite (HENRY), A., i, 854.

*iso***Amylisoindolone** (BÉIS), A., i, 503.

*iso***Amylmalonic acid** (PICCININI), A., i, 504.

Amylocellulose, formation of, by the action of diastase (MAQUENNE), A., i, 17, 227, 294; (MAQUENNE, FERNBACH, and WOLFF), A., i, 228; (FERNBACH and WOLFF), A., i, 374.

Amylocoagulase (WOLFF and FERNBACH), A., i, 211; (MAQUENNE), A., i, 227; (BOUDIN), A., i, 276; (FERNBACH and WOLFF), A., i, 374.

5-Amylsooxazole (MOUREU and DELANGE), A., i, 650.

α -**Amyloxyamylene**, ϵ -bromo- (HAMONET), A., i, 705.

α -**Amyloxybutane** and its δ -bromo- and δ -iodo-derivatives (HAMONET), A., i, 467.

d-**Amyl-phthalamic acid** and -phthalimide (MARCKWALD), A., i, 363.

Amylpropionaldehyde α -diethyl ether (MOUREU and DELANGE), A., i, 650.

*iso***Amyltoluene**, $\alpha\beta$ -dibromo- and -diiodo- (KUNCKELL and STAHEL), A., i, 387.

Amyrinic acid (TSCHIRCH and SAAL), A., i, 759.

Anæsthesia, chloroform (HORSLEY), A., ii, 756.

ether (HAWK), A., ii, 194.

Analysis, use of antipyrine in (REICHARD), A., ii, 367.

use of hydrazine in, for the separation of metals (JANNASCH and BETTGES), A., ii, 517, 519; (JANNASCH and STEPHAN), A., ii, 519; (JANNASCH and ROSTOSKY), A., ii, 594.

preparation of hydrogen sulphide solution for use in (SANDER), A., ii, 145.

use of sodium peroxide in (PRINGSHEIM), A., ii, 146, 516, 775; (V. KONEK), A., ii, 588, 589; (V. KONEK and ZÖHLS), A., ii, 775; (ANGENOT), A., ii, 784.

Analysis, electrochemical, use of a mercury cathode in (MYERS), A., ii, 780.

electrolytic, with rotating electrodes (AMBERG), A., ii, 593; (SAND), A., ii, 605.

use of complex salts in (HOLLARD and BERTIAUX), A., ii, 682.

gasometric, use of hydrazine sulphate in (DE GIRARD and DE SAPORTA), A., ii, 678.

microchemical, *p*-nitrophenylhydrazine in (BEHRENS), A., ii, 98.

qualitative, hydroxylamine salts in (TARUGI), A., ii, 297.

quantitative, reducing action of aluminium in (TARUGI), A., ii, 149.

use of persulphates in (v. KNORRE), A., ii, 213; (DITTRICH and HASSEL), A., ii, 679.

toxicological, new method for destroying organic matter in (GASPARINI), A., ii, 785.

rapid ultimate, of certain organic compounds (COLLIE), T., 1111; P., 174.

volumetric (LUNGE), A., ii, 289, 771.

titration apparatus, new (FRINGS), A., ii, 289.

new reagents for titration purposes (RASCHIG), A., ii, 441.

use of hydrochloric acid in (RASCHIG), A., ii, 441; (ROTH), A., ii, 513; (LUNGE), A., ii, 587.

use of potassium hydrogen iodate for standardising volumetric solutions (CASPARI), A., ii, 840.

standardisation of potassium permanganate solutions (SKRABAL), A., ii, 213; (DUPRÉ), A., ii, 591; (CANTONI and BASADONNA), A., ii, 844.

potassium tetroxalate in (KÜHLING), A., ii, 80.

Analytical chemistry, notes on (MORGAN), T., 1001; P., 167.

Anethole, physiological action of (VAR-ENNE, ROUSSEL, and GODEFROY), A., ii, 275.

bromo-derivatives (HOERING), A., i, 577.

nitrite and β -nitro-derivative of (WALLACH and MÜLLER), A., i, 753.

ψ -nitrosite and nitro-oxime of, and β -nitro- (WIELAND), A., i, 56.

nitrosochloride (SCHMIDT and ADLUNG), A., i, 1001.

Angostura bark, alkaloids of (BECKURTS and FRERICHS), A., i, 84.

Anhydrides, $C_{15}H_{19}O_3N$, and $C_{30}H_{36}O_5N_2$, from parasantonin derivatives (FRANCESCONI and CIALDEA), A., i, 170.

Anhydrides, action of Grignard's reaction on (PICKLES and WEIZMANN), P., 201.

action of hydrogen peroxide on (CLOVER and HOUGHTON), A., i, 707.

acid, preparation of (BADISCHE ANILIN- & SODA-FABRIK), A., i, 282.

organic, calculation of the heats of combustion of (LEMOULT), A., ii, 12.

mixed organo-inorganic (FRANCESCONI and CIALDEA), A., i, 707.

Anhydrite and gypsum (VAN'T HOFF, ARMSTRONG, HINRICHSEN, WEIGERT, and JUST), A., ii, 35.

glauberite, syngenite, and polyhalite, deposition of, at 25° (VAN'T HOFF and FARUP), A., ii, 34.

Anhydroaconitic acid (ANSCHÜTZ and BERTRAM), A., i, 972.

Anhydrotriamino-diphenyltolyl- and -triphenyl-carbinols (JENNINGS), A., i, 196.

Anhydro-*o*-aminotriphenylcarbinol and its acetyl derivative (v. BAEYER and VILLIGER), A., i, 898.

"**Anhydrocamphoryl alcohol.**" See 1-Methyl-3-isopropyl- Δ^1 -cyclopentene.

Anhydrodacetarime compounds (LIEBERMANN and KROPF), A., i, 263; (LIEBERMANN and GLAWE), A., i, 765; (KROPF), A., i, 766; (FREUND), A., i, 916.

Anhydrodigitic acid (KILIANI and SCHWEISSINGER), A., i, 505.

4:7-Anhydro-7:8-dihydroxy-2-phenyl-4-di-*m*-methoxyphenyl-1:4-benzopyranol and its salts (BÜLOW and RIESS), A., i, 82.

Anhydroerythric acid (JUILLARD), A., i, 593.

Anhydrohydrastinine compounds (LIEBERMANN and KROPF), A., i, 263; (LIEBERMANN and GLAWE), A., i, 766.

Anhydromethoxytricarballylic acid (*anhydromethylcitric acid*) (ANSCHÜTZ and BERTRAM), A., i, 972.

Anhydromethylaminobenzaldehyde (BAMBERGER), A., i, 423.

α -Anhydropulegonehydroxylamine and its oxime and semicarbazone, and benzylidene, benzenesulphonyl, methyl, and thiocarbamide derivatives, and di- and tetra-hydro-bases (SEMMLER), A., i, 437, 602, 685.

Anilides, new method of preparing (BODROUX), A., i, 662.

Aniline, formation of, from nitrobenzene by means of philothion and yeast reductases (POZZI-ESCOL), A., i, 792.

Aniline and its derivatives, affinity constants of (FARMER and WARTH), T., 1713; P., 244. heat of vaporisation of (LUGININ), A., ii, 606. and its homologues, direct reduction of (SABATIER and SENDERENS), A., i, 660. direct hydrogenation of (SABATIER and SENDERENS), A., i, 305. vapour, conditions of the interaction of, with aluminium chloride solution (DOBROSEROFF), A., i, 661. action of carbon dioxide on aqueous solutions of, in presence of nitrates (MEUNIER), A., i, 208. action of dichloroacetic acid on (HELMER and EMRICH), A., i, 730. action of, on tetrabromo-*o*-quinone (JACKSON and PORTER), A., i, 174. interaction of, with nitrobenzene in presence of alkali (WOHL), A., i, 155. acyl-halogen derivatives, and their isomerides (CHATTAWAY and WADMORE), T., 180; P., 16. diacyl derivatives, isomeric change of, into acylaminoketones (CHATTAWAY), T., 386; P., 43; (CHATTAWAY and LEWIS), T., 589, 1663; P., 60, 223. dibenzoyl derivative (FREUNDLER), A., i, 33. sulphate, chemical kinetics of the oxidation of (BREDIG and BROWN), A., ii, 247.

Aniline, *p*-chloro- (BÖDTKER), A., i, 570. thioacetyl derivative (SACHS and LOEUVY), A., i, 307. 3-chloro-4:6-dinitro- (NIETZKI and ZÄNKER), A., i, 150. fluoronitro-derivatives (HOLLEMAN and BEEKMAN), A., i, 232. 1:6- and 2:4-*di*-iodo-, and their diacetyl derivatives (BRENANS), A., i, 662. 2:3:5-*tri*iodo-, and its acetyl derivative (BRENANS), A., i, 157. *p*-nitro-, preparation of (CLAYTON ANILINE Co.), A., i, 393. 3-nitro-, iodo-derivatives (BRENANS), A., i, 661.

Aniline dyes. See under Colouring matters.

Aniline-*N*-dicarboxylic acid, esters (DIELS and NAWIASKY), A., i, 981.

Aniline-*m*-sulphonic acid, 2:4-*dichloro*- (ZINCKE and KUCHENBECKER), A., i, 458.

Aniline-toluidine oil from Caucasian naphtha (OGLOBLIN), A., i, 729.

Anilinoacetamide nitrosoamine (WARUNIS and SACHS), A., i, 669.

Anilinoacetic acid. See Phenylglycine.

Anilinoacetiminoethyl ether and its salts, and nitroso-derivative (PARADES), A., i, 153.

Anilinoacetonitrile (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 572. and its alkyl and *o*-chloro-derivatives (KNOEVENAGEL, SCHLEUSSNER, and KLUCKE), A., i, 989.

Anilinoamine (WARUNIS and SACHS), A., i, 669.

3-Anilinoanisole, 4:6-dinitro- (BLANKSMA), A., i, 577.

Anilinobenzoylstyrene (WATSON), T., 1326; P., 181.

β-Anilinobenzylacetooacetic acid, ethyl ester (RUHEMANN and WATSON), T., 1177; (RUHEMANN), T., 1451; P., 206.

β-Azinilobenzylacetylacetone, *m*- and *p*-chloro- (RUHEMANN and WATSON), T., 1175; P., 175.

Anilinodibenzoylmethane (WIELAND and BLOCH), A., i, 656.

Anilinodibenzylanthracene (LIPPmann and FRITSCH), A., i, 866.

Anilinodihydrogallorubin (FEUERSTEIN and BRASS), A., i, 344.

1-Anilino-5:5-dimethyl-2-thiohydantoin and its 3-ethyl and 3-phenyl derivatives (BAILEY, ACREE, and MILLER), A., i, 827.

Anilinoethenylaminoxime and its hydrochloride (PARADIES), A., i, 153.

α-Anilinoethylbenzene and its salts and nitroso-derivative (BUSCH), A., i, 664.

β-Anilinofuchsonephenylimine and its salts (v. BAAYER and VILLIGER), A., i, 787.

Anilinoglyoxylic acid, aniline salt (HELLER and EMRICH), A., i, 731.

4-Anilinoindanthrene (SCHOLL and BERBLINGER), A., i, 111.

Anilinoketo-. See Ketoanilino.

Anilinomethylcarbinol and its salts and benzoyl derivative (KOLSHORN), A., i, 675.

Anilinomethylcitraconanil (FICHTER and GOLDHABER), A., i, 648.

β-Anilinonaphthalene, *p*-hydroxy- (BUCHERER and STOHMANN), A., i, 395.

β-Anilinonaphthalenesulphonic acids and their derivatives, preparation of (BUCHERER and STOHMANN), A., i, 395.

3-Anilinophenetole, 4:6-dinitro- (BLANKSMA), A., i, 577.

γ-Anilino-*γ*-phenylbutyric acid, *β*-nitro-, methyl ester (WIELAND), A., i, 55.

Anilinophenylmethanesulphonic acid, aniline and sodium salts (KNOEVENAGEL and KLUCKE), A., i, 989.

5-Anilino-1-phenyl-3-methylpyrazole (MICHAELIS and HEPNER), A., i, 112.

Anilinothioacetamide (PARADIES), A., i, 153.

2-Anilinotoluene- ω -sulphonic acid, 5-nitro, sodium salt (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 662.

o-Anilinotriphenylcarbinol (v. BAEYER and VILLIGER), A., i, 899.

p-Anilinotriphenylcarbinol and its methyl ether (v. BAEYER and VILLIGER), A., i, 309.

Anilopyrine and ψ -**Anilopyrine** and their salts and alkyliodides (MICHAELIS and HEPNER), A., i, 112.

Anils, stereoisomeric, existence of Miller and Plöchl's (EIBNER and AMANN), A., i, 36.

Animal membranes, electromotive forces produced at the surface of, on contact with various electrolytes (GALEOTTI), A., ii, 802.

organism. See **Organism.**

tissues, catalase in different (BATTELLI and STERN), A., ii, 499.

amount of iodine in (JUSTUS), A., ii, 499.

the reputed alcoholic fermentation of (BATTELLI), A., i, 276; (STOKLASA, ČERNÝ, JELÍNEK, SIMÁČEK, and VÍTEK), A., ii, 272.

as water-reservoirs (ENGELS), A., ii, 750.

oxidation in (MEDVEDEFF), A., ii, 627.

detection of arsenic in normal, by means of the biological method (SEGALÉ), A., ii, 680.

tissue extracts, formation of uric acid in (SCHITTENHELM), A., ii, 752.

Animals, lower, arsenic in (HAUSMANN), A., ii, 426.

etheral sulphates, glycine, and taurine in (KELLY), A., ii, 427.

polar, bile of (HAMMARSTEN), A., ii, 831.

simple, action of radium on (WILCOCK), A., ii, 197.

Anisaldehyde, action of nitrogen sulphide on (FRANCIS and DAVIS), T., 261, 1535; P., 21, 204.

Anisaldoxime and its benzoyl derivative (WALLACH and MÜLLER), A., i, 753.

Anisamidine sulphate (FRANCIS and DAVIS), T., 1535; P., 204.

p-Anisidine- ω -sulphonic acid (AKTIEN-GESELLSCHAFT FÜR ANILIN-FABRIKATION), A., i, 310.

Anisole, distillation of, with zinc dust (THOMS), A., i, 401.

compound of, with aluminium chloride (WALKER and SPENCER), T., 1107; P., 135.

Anisole, 3-bromo-6-nitro- and 3-chloro-6-nitro-, nitration of (BLANKSMA), A., i, 577.

*tr*iiodonitro- (JACKSON and LANGMAID), A., i, 861.

p-nitroso- (RISING), A., i, 237.

p-Anisoleazoxy-*p*-phenetole (RISING), A., i, 238.

Anisole-4-sulphonic acid, 2:6-diamino- and 2:6-dinitro- (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 354.

Anisoyl peroxide (VANINO and UHLFELDER), A., i, 1014.

Anisoylanisamidine (FRANCIS and DAVIS), T., 1540; P., 204.

Anisoylpiperidine (v. BRAUN), A., i, 90.

p-Anisylhydroxylamine (RISING), A., i, 237.

Anisylmethyl 1:2-diketone, *amphi*-dioxime of (WIELAND), A., i, 56.

2-Anisyl-3-mono- and -3:5- and -3:7-dimethylindoles (HELL and COHÉN), A., i, 343.

o-Anisylphenylethane. See *o*-Methoxy-*aa*-diphenylethane.

***o*-o-Anisyl-*a*-phenylethylene.** See *o*-Methoxy-*aa*-diphenylethylene.

3-Anisyl-5-phenylisooxazole (MOUREU and BRACHIN), A., i, 96.

2-Anisyl-quinol and its dibenzoyl derivative and -quinone (STOLLÉ and MÖRING), A., i, 875.

Anisyl- See also **Methoxyphenyl-*Annual General Meeting***, T., 477; P., 65.

Anodes. See **Electrochemistry.**

Anthophyllite from Bohemia (ROSICKÝ), A., ii, 419.

with fayalite from Rockport, Mass. (WARREN), A., ii, 45.

Anthracene (LUTHER and WEIGERT), A., ii, 463.

formation of (BARBERIO), A., i, 312.

and its homologues, synthesis of, by the action of nickel carbonyl on aromatic hydrocarbons (DEWAR and JONES), T., 212; P., 6.

nitration of (MEISENHEIMER and CONNERADE), A., i, 391.

electrolytic oxidation of (FONTANA and PERKIN), A., i, 863.

influence of temperature on the solubility of, in sulphur dioxide (CENTNERSZWER and TELETOFF), A., ii, 321.

Anthracene series, colouring matters of the (FRIEDLÄNDER and SCHICK), A., i, 69, 679; (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 439; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 599, 679.
isoAnthraflavic acid, dichloro- (WEDEKIND & Co.), A., i, 813.
Anthranil (BAMBERGER and ELMER), A., i, 93.
 history of (HELLER), A., i, 160.
 constitution and optical behaviour of (BRÜHL), A., i, 93, 160.
 action of methyl sulphate on (BAMBERGER), A., i, 422.
N-methyl ether, and its salts (HELLER), A., i, 160.
Anthranilic acid and its derivatives, stability of (v. PAWLEWSKI), A., i, 316.
 preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 50; (KALLE & Co.), A., i, 159; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 498.
 dimethylbenzamidine, methyl ester, and its additive salts (v. BRAUN), A., i, 688.
Anthranilic acid, methyl ester, and its detection and estimation (FREUNDLER), A., i, 830.
Anthranilic acid, 3:5-dibromo-, and its nitrile (BOGERT and HAND), A., i, 108.
Anthranilic hydrazide (*o*-aminobenzoyl-hydrazide), and its compounds with aldehydes and ketones (THODE), A., i, 347.
Anthranilodiacetic acid, conversion of, into phenylglycine-*o*-carboxylic or anthranilic acids (BADISCHE ANILIN- & SODA-FABRIK), A., i, 498.
2-Anthranilo-3:5-dinitrobenzoic acid (PURGOTTI and LUNINI), A., i, 316.
Anthranilopapaverine and its **sulphonic acid** (PSCHORR, STÄHLIN, and SILBERBACH), A., i, 612.
Anthranoneazine (SCHOLL and BERBLINGER), A., i, 111.
1:2-Anthraquinol and its conversion into alizarin (LAGODZINSKI), A., i, 158.
Anthraquinone and its derivatives, introduction of hydroxyl groups into (BADISCHE ANILIN- & SODA-FABRIK), A., i, 1032.
 influence of temperature on the solubility of, in sulphur dioxide (CENTNERSZWER and TELETOFF), A., ii, 321.
 condensation of, with phenols (SCHARWIN, NAUMOFF, and SANDURIN), A., i, 1032.

Anthraquinone, action of phenylmagnesium bromide on (HALLER and GUYOT), A., i, 314.
 compounds of, with aromatic amines (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 326.
 oxazine derivatives of (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 934.
 preparation of isomeric sulphonic acids of, by means of catalytic agents (ILJINSKY), A., i, 176; (SCHMIDT), A., i, 256.
Anthraquinone, amino- and hydroxy-derivatives, and their halogen compounds, preparation of (BASLER CHEMISCHE FABRIK), A., i, 512.
 1-amino-, and its methyl and ethyl derivatives, preparation of hydroxy-derivatives of (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 1032.
 2-amino-, azo- and azomethine derivatives of (KAUFLER), A., i, 207.
 1-amino-5- and -8-hydroxy- (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 512.
 and the acetyl derivatives of the 1:5-compound (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 435.
 5- and 8-amino-1-hydroxy- (SCHMIDT), A., i, 257.
 2-bromo-, 2-chloro-, 2-iodo-, and 2-nitro- (KAUFLER), A., i, 256.
 bromoamino-, bromonitroamino-, and nitroamino-derivatives (BADISCHE ANILIN- & SODA-FABRIK), A., i, 433.
2,4-dibromo- α -amino- (FRIEDLÄNDER and SCHICK), A., i, 679.
2,4-dibromo-5-nitro-1-amino (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 813.
 chloro-8-hydroxy- (WEDEKIND & Co.), A., i, 813.
 chloro-1:7-dihydroxy- (WEDEKIND & Co.), A., i, 902.
1:6-dihydroxy- (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 68.
 nitro-derivatives, electrochemical reduction of (MÖLLER), A., i, 345.
 1-nitro-5- and -8-amino- (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 434.
Anthraquinones, hydroxy-, preparation of (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 176.
 introduction of amine residues into (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 814.

Anthraquinones, β -hydroxy-, chloro-derivatives of (WEDEKIND & Co.), A., i, 813.

Anthraquinone-azine and -azhydrine (SCHOLL and BERBLINGER), A., i, 110.

Anthraquinonequinolines, polyhydroxy-(FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 686.

Anthraquinone-1-sulphonic acid (DÜNSCHMANN; LIEBERMANN and PLEUS), A., i, 326.

amino- and nitro-derivatives (SCHMIDT), A., i, 256.

Anthraquinone- α -sulphonic acid (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 513.

Anthraquinone- β -sulphonic acid, condensation products from primary aromatic amines and (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 433.

Anthraquinone-1-*p*-toluidinosulphonic acid, 4-hydroxy- (FRIEDLÄNDER and SCHICK), A., i, 69.

Anthrarufin, preparation of (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 176.

dialkyl ether, *p*-diamino-, sulphonic acids of (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 902.

1:2:1':2'-Anthrazine (SCHOLL and BERBLINGER), A., i, 111.

α -Anthrol (SCHMIDT), A., i, 257.

Anthrone, nitro-, and its dimethylacetal, isonitro-, and its salts, and bromonitro- (MEISENHEIMER and CONNERADE), A., i, 393.

Antigorite, pseudo-cubic, from Sweden (HAMBERG), A., ii, 745.

Antimony, so-called explosive (COHEN and RINGER), A., ii, 345.

yellow (STOCK and GUTTMANN), A., ii, 267.

anodic behaviour of (ELBS and THÜM-MEL), A., ii, 541.

mixtures of, with selenium and with sulphur (PÉLALBON), A., ii, 569.

Antimony alloys with aluminium (PÉCHEUX), A., ii, 618.

with copper, and the phenomenon of recalescence observed in them (BAIKOFF), A., ii, 346.

with tin (CAMPBELL), A., ii, 822.

Antimony pentachloride, double salts of, with chromium chloride, constitution of (PFEIFFER), A., ii, 41.

fluorides, new (RUFF and PLATO), A., ii, 266.

halogen derivatives, action of organo-magnesium solutions on (AUGER and BILLY), A., i, 983.

hydride (*stibine*) (STOCK and GUTTMANN), A., ii, 267.

Antimony hydride (*stibine*), catalytic decomposition of (STOCK and GUTTMANN), A., ii, 246, 489; (BODENSTEIN), A., ii, 413, 719.

action of mercuric iodide on (LEMOUT), A., ii, 728.

trisulphide, allotropic forms of (GUINCHANT and CHRÉTIEN), A., ii, 568, 644.

heat of transformation of the black crystallised into the orange modification (BERTHELOT), A., ii, 605.

cryoscopic study of solutions in (GUINCHANT and CHRÉTIEN), A., ii, 538.

mixtures of, with antimony (PÉLALBON), A., ii, 267.

fusibility of mixtures of, with bismuth sulphide (PÉLALBON), A., ii, 42.

Antimony organic compounds (AUGER and BILLY), A., i, 984.

salts with organic acids (JORDIS), A., i, 216, 468; (JORDIS and MEYER), A., i, 282.

Antimony, comparative experiments on the gravimetric estimation of, as trisulphide and tetroxide respectively (GUTBIER and BRUNNER), A., ii, 784.

Herrou and Weller's process for the volumetric estimation of (YOUTZ), A., ii, 150.

estimation of, in alloys and ores (ANGENOT), A., ii, 784.

estimation of, and separation of, from tin by oxalic acid (HENZ), A., ii, 150.

estimation of arsenic and, volumetrically, in nickel ores (NISSENSON and MITTASCH), A., ii, 292.

estimation and separation of (HOLLARD and BERTIAUX), A., ii, 682.

separation of arsenic, tin, and (KOLB), A., ii, 92.

separation of, electrolytically, from copper (HOLLARD and BERTIAUX), A., ii, 682.

separation of silver, electrolytically, from (FISCHER), A., ii, 87.

Antipyrine, use of, in analysis (REICHARD), A., ii, 367.

nitroso-, condensation of, with indoxyl acid (BECHHOLD), A., i, 200.

thio-. See Thiopyrine.

Antirennin, rennin, and renninogen, action of concentrated electric light and radium emanations on (SCHMIDT-NIELSEN), A., ii, 422.

Antiseptic agents, action of (BERTHELOT), A., ii, 69.

Antiseptics, action of certain, on pepsin (GROBER), A., ii, 673.

Antitoxin formation in autolysis (BLUM), A., ii, 356.

Antitoxins and toxins from the physico-chemical point of view (KÖPPE), A., ii, 650.

Apatite, blue, in the Tiree marble (COOMÁRA-SWÁMY), A., ii, 181.

Aphrodaescin from horse-chestnuts (LAVES), A., ii, 74.

Apiole mercuriacetate (BALBIANO, PAOLINI, and MAMMOLA), A., i, 73.

Apioles, dill- and parsley-, constitution of (THOMS), A., i, 742.

*iso***Apiole** glycol and its compound with mercuric acetate (BALBIANO, PAOLINI, and MAMMOLA), A., i, 73.

picroates (BRUNI and TORNANI), A., i, 875.

Apnoea, cause of (HOUARDY), A., ii, 429.

Apo-compounds. See under word to which *apo*- is prefixed.

Apopin oil and **Apopinol** (SCHIMMEL & Co.), A., i, 603.

Apricot kernel oil, analysis of (LEW-KOWITSCH), A., ii, 456.

Arabinamine salts (ROUX), A., i, 291.

Arabinose, derivatives of (RYAN and EBRILL), A., i, 223.

l-**Arabinose**, preparation of, and the action of calcium hydroxide on (KILIANI and KOEHLER), A., i, 475.

Arabinosephenylhydrazones and their melting points (MÜTHER and TOLLENS), A., i, 224.

l-**Arabinosuria** (LUZZATTO), A., ii, 832.

“**Araeopiconometer**”, differential (REBEN-STORFF), A., ii, 704.

Arbutin, benzoyl derivative (VILMAR), A., i, 681.

Arginase (KOSSEL and DAKIN), A., ii, 425, 840.

Argon in the atmosphere (MOISSAN), A., ii, 28.

spectro-analytical recognition of, in atmospheric air (WARBURG and LILIENFELD), A., ii, 689.

presence of, in the gases of the fumerolles of Guadeloupe (MOISSAN), A., ii, 415.

new preparation of (MOISSAN and RIGAUT), A., ii, 29.

and its mixtures, dielectric cohesion of (BOUTY), A., ii, 309.

diffusion of helium and (SCHMIDT), A., ii, 643.

Arnisterol from *Arnica montana* (KLOBB), A., i, 410.

Aromatic compounds, emission spectra of (GOLDSTEIN), A., ii, 690.

Arsenamide (HUGOT), A., ii, 559.

Arsenic, native, from Arizona (WARREN), A., ii, 45.

solubility of, and the molecular condition of the solution (BRUNER and TOLLOCZKO), A., ii, 117.

in lower animals (HAUSMANN), A., ii, 426.

alimentary origin of, in man (GAUTIER and CLAUSMANN), A., ii, 626.

in nutrient (BORDAS), A., ii, 626.

Arsenic pentachloride, non-existence of (SMITH and HORA), A., ii, 560.

halogen derivatives, action of organo-magnesium solutions on (AUGER and BILLY), A., i, 983.

hydride, action of mercuric iodide on (LEMOULT), A., ii, 728.

nitride (HUGOT), A., ii, 559.

disulphide. See *Realgar*.

trisulphide and sulphur, action of magnesium oxide on a mixture of (FOSTER), A., ii, 118.

Arsenious iodide (DUNCAN), A., ii, 148.

oxide, estimation of small quantities of, iodometrically (RUSSO), A., ii, 444.

Arsenates, formation of, from arsenious acid and metallic peroxides (SCHAIRER), A., ii, 166.

Arsenious acid and boric acid ; formation of complexes (AUERBACH), A., ii, 118.

action of, on freshly precipitated iron hydroxide (BILTZ), A., ii, 740.

Thio-oxyarsenic acids, formation of (FOSTER), A., ii, 118.

Trithio-oxyarsenic acid and its salts (McCAY and FOSTER), A., ii, 253, 813.

Arsenic alkyl derivatives (AUGER), A., i, 22, 724 ; (AUGER and BILLY), A., i, 984.

Arsenic, official tests for (DUNSTAN and ROBINSON), A., ii, 777.

detection of minute traces of (TODESCHINI), A., ii, 693.

detection of, in glycerol from soap-lyses (VIZERN and GUILLOT), A., ii, 640.

detection of, in normal animal tissues by means of the biological method (SEGAL), A., ii, 680.

detection and estimation of traces of, in organs (BERTRAND), A., ii, 85.

electrolytic methods for the detection and estimation of minute quantities of, in beer, malt, and food-stuffs (THOMSON), A., ii, 777.

modification of Marsh's apparatus for the estimation of (STRZYZOWSKI), A., ii, 444.

Arsenic, estimation of, electrolytically (TROTMAN), A., ii, 291.
 estimation of minute quantities of, electrolytically (SAND and HACKFORD), T., 1018; P., 123.
 estimation of, in alloys and ores (ANGENOT), A., ii, 784.
 estimation of minute quantities of, in copper ores and metallurgical products (CLOUD), A., ii, 515.
 estimation of antimony and, volumetrically, in nickel ores (NISSENSON and MIRTASCH), A., ii, 292.
 estimation of, in organic compounds (MONTHULÉ), A., ii, 680.
 estimation of, in paints, wall-papers, &c. (KLASON and KÖHLER), A., ii, 208; (KÖHLER), A., ii, 588.
 estimation of, in sulphuric and hydrochloric acids (BLATTNER and BRASSEUR), A., ii, 291.
 separation of, by distillation in hydrogen chloride (MORGAN), T., 1001; P., 167.
 separation of antimony, tin, and (KOLB), A., ii, 92.
 separation of, electrolytically, from copper (HOLLARD and BERTIAUX), A., ii, 682.

Arsenic poisoning. See Poisoning.

Artemisia Herba alba, oil of (GRIMAL), A., i, 605.

Artemisic acid and its salts and esters (BERTOLO), A., i, 177.

Artemisin, action of hydrochloric acid on (BERTOLO), A., i, 177.

Arthropods, blood coagulation in (LOEB), A., ii, 353.

Artinite from Emarese in the Aosta Valley (BRUGNATELLI), A., ii, 48.

Artocarpus integrifolia, cyanomaclurin from (PERKIN), P., 170.

Arylamidino-oxalic esters, formation and transformations of, and the effect of heat on (LANDER), T., 990; P., 132.

Arylaminoanthraquinones (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 434.
 bromo-derivatives (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 813.

Arylaminooxydihydropyridinium bromides (KÖNIG), A., i, 449, 817.

N-Arylanthranilic acids, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 159.

Arylcyclohexanols, synthesis of (SABATIER and MAILHE), A., i, 666.

Arylpyridinium salts (KÖNIG), A., i, 449, 817; (ZINCKE, HEUSER, and MÖLLER), A., i, 921.

Arylsulphamic acids, salts (WEIL), A., i, 567.

Arylsulphon dichloroamides (CHATTAWAY), P., 168.

s-Arylthiocarbamides, study and synetical preparation of some (POZZI-ESCOT), A., i, 869.

Asarone derivatives (THOMS and BECKSTROEM), A., i, 409.
 picrate (BRUNI and TORNANI), A., i, 875.

Ascaris, decomposition of the nitrogenous substances in (WEINLAND), A., ii, 273.

Ascites, milky, in carcinoma (WOLFF), A., ii, 359.

Asclepias syriaca, sap of (MAREK), A., ii, 78, 141.

Ashes, estimation of potash in (HASENBAÜMER), A., ii, 292.

Asparagine, production of (PRIANISCHNIKOFF), A., ii, 434.
 density of (PIUTTI), A., i, 800.

β-l-Asparagine, solubility of (BRESLER), A., i, 380.

Asparagus, constituents of the sap of (WINTERSTEIN and HUBER), A., ii, 582.

Aspartic acid, formation of compounds of, by means of hippurylazoinide (T. and H. CURTIUS), A., i, 884.
 behaviour of, in the organism (SALKOWSKI), A., ii, 674.

β-l-Aspartic acid, solubility of (BRESLER), A., i, 380.

Aspergillus niger. See *Sterigmatocystis nigra*.

Aspergillus Oryzae, fungicide actions of cultivations of (KOZAI and LOEW), A., ii, 764.

Aspidin and ψ -**Aspidin** and their derivatives (BOEHM), A., i, 407.

Aspidium spinulosum, composition of the fatty oil of (FARUP), A., ii, 283.

Assimilation, processes of (v. EULER), A., ii, 761.

Association. See **Affinity**.

Astrolite, a new mineral (REINISCH), A., ii, 268.

Atmospheric air, radioactivity of (ALLAN), A., ii, 222.
 ionisation in (McCLELLAND), A., ii, 111.
 ionised by radioactive substances, phenomena observed in (RIGHI), A., ii, 693.
 cause of the conductivity of, in which phosphorus is oxidised (HARMS), A., ii, 331.
 liquid, composition and temperature of (ERDMANN), A., ii, 328.
 partial liquefaction of, extraction of oxygen by the (CLAUDE), A., ii, 23.

Atmospheric air, rarefied, effect of, on blood pressure (BARTLETT), A., ii, 54.

 effects of breathing (TISSOT), A., ii, 494.

of the House of Commons (BUTTERFIELD; GRAHAM-SMITH), A., ii, 54.

argon in (MOISSAN), A., ii, 28.

spectro-analytical recognition of argon in (WARBURG and LILIENFELD), A., ii, 689.

gases of the, direct separation, with liquefaction, of the most volatile (DEWAR), A., ii, 728.

formaldehyde in (HENRIET), A., i, 289, 649; (TRILLAT), A., i, 718.

gaseous exchange between, and plants separated from their roots and kept in the dark (BERTHELOT), A., ii, 363.

Nile-blue-base as a reagent for carbon dioxide in (HEIDENHAIN), A., i, 179.

estimation of carbon dioxide in (SWAAB), A., ii, 367.

estimation of carbon monoxide in, spectrophotometrically (DE SAINT-MARTIN), A., ii, 589.

estimation of formaldehyde in (HENRIET), A., ii, 598.

Atom, chemical, new conception of the (DE HEEN), A., ii, 553.

Atoms, volume of (TRAUBE), A., ii, 384.

Atomic dimensions, order of magnitude of the time of formation of (HABER), A., ii, 607, 808; (BODLÄNDER; ABEGG; DANNEEL), A., ii, 713.

volume, solution tension, and physiological action of the elements, relation between the (MATHEWS), A., ii, 197.

significance of changing (RICHARDS), A., ii, 704.

Atomic weight and specific heat, relation between (TILDEN), A., ii, 381.

and spectra, relation between (RUNGE), A., ii, 2; (WATTS), A., ii, 720.

of aluminium (KOHN-ABREST), A., ii, 820.

of carbon (GUYE), A., ii, 475.

of the rare earths, determination of (WILD), A., ii, 173.

of fluorine (MEYER), A., ii, 23.

of glucinum (TANATAR), A., ii, 335; (PARSONS), A., ii, 658.

of hydrogen (RAYLEIGH), A., ii, 313; (GUYE and MALLET), A., ii, 392; (GUYE), A., ii, 475.

of indium (THIEL), A., ii, 177, 410; (DENNIS and GEER), A., ii, 342.

of iodine (KÖTHNER and AEUER), A., ii, 556.

Atomic weight of iron (BAXTER), A., ii, 177.

of nitrogen (RAYLEIGH), A., ii, 313; (GUYE), A., ii, 475; (GUYE and BOGDAN; JAQUEROD and BOGDAN), A., ii, 557; (GUYE and PINTZA), A., ii, 812.

of oxygen (RAYLEIGH), A., ii, 313; (GUYE and MALLET), A., ii, 392.

of oxygen and hydrogen, and the probable value of an atomic ratio (GUYE and MALLET), A., ii, 392.

of radium (RUNGE), A., ii, 2; (WATTS), A., ii, 720.

of rubidium (ARCHIBALD), T., 776; P., 85.

of samarium (URBAIN and LACOMBE), A., ii, 486.

of tellurium (PELLINI), A., ii, 26.

of tungsten (SMITH and EXNER), A., ii, 822.

Atomic weights, fifth report of the Commission on (LANDOLT and OSTWALD), A., ii, 20; (WINKLER), A., ii, 113.

report of the International Committee on, P., 2.

International (SAKURAI and IKEDA), A., ii, 553.

table of, P., 4.

Atropine metho- and etho-bromides (MERCK), A., i, 187.

physiological action of (CUSHNY), A., ii, 66.

action of, on embryos (SOLLMANN), A., ii, 182.

action of, on the denervated sphincter iridis (ANDERSON), A., ii, 578.

reaction for (REICHARD), A., ii, 792, 847.

Aucubin and Aucubigenin (BOURQUELOT and HÉRISSEY), A., i, 606.

Angite from Canale Monterano, Prov. Rome (ZAMBONINI), A., ii, 826.

alteration of, to carbonates (MILCH), A., ii, 48.

Augites, aluminous and titaniferous (BECKER), A., ii, 51.

Augite-diorite from Mount Magnitnaia, weathering of (MOROZEWICZ), A., ii, 670.

Auric. See Gold.

Autolysis (ARNHEIM), A., ii, 189.

relation of, to protein metabolism (WELLS), A., ii, 574.

antitoxin formation in (BLUM), A., ii, 356.

of animal organs (CHARRIN), A., ii, 501.

Avidity. See Affinity.

Azelaic acid, hydroxy- (v. PECHMANN and SIDGWICK), A., i, 971.

Aziminobenzene. See 1:2:3-Benzotriazole.

Aziminonaphthalenesulphonic acids, azo-compounds from (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 123.

Azine compounds, preparation of (KALLE & Co.), A., i, 455.

rings, compounds with two and three (HINSBERG and SCHWANTES), A., i, 198.

stability of (HINSBERG), A., i, 200.

Azoacetoacetic acid, methyl and ethyl esters (WOLFF), A., i, 722.

Azobenzaldehydes, *o*-, *m*-, and *p*-, acetals of (FREUNDLER), A., i, 352.

Azobenzene, amino- (benzenearoaniline), isomerism of the salts of (THIELE), A., i, 208.

m-hydroxy-, and its sodium salt and acyl derivatives (JACOBSON and HÖNIGSBERGER), A., i, 205.

p-iodo-, derivatives of, with polyvalent iodine (WILLGERODT and SMITH), A., i, 485.

o-nitro-, and its bromo- and chloro-derivatives (BAMBERGER and HÜBNER), A., i, 116.

Azobenzene-3:3'-disulphonic acid, tetrabromo-, and its sodium salt (ZINCKE and KUCHENBECKER), A., i, 456.

Azobenzene-4:4'-disulphonic acid and 2:2'-diamino- and 2:2'-dinitro-, and their salts (ZINCKE and KUCHENBECKER), A., i, 455.

2:6:2':6'-tetrabromo-, and its salts (LENZ), A., i, 457.

Azobenzenedisulphonic acids, action of hydrogen bromide and hydrogen chloride on (ZINCKE and KUCHENBECKER), A., i, 458.

Azobenzoic acids, *o*- and *p*- (FREUNDLER), A., i, 352.

o-Azobenzyl alcohol and its methyl ether (FREUNDLER), A., i, 121.

Azo-colouring matters from 4-acetyl-2:4-diaminophenol-6-sulphonic acid (CASSELL & Co.), A., i, 537.

from aminoalphyldihydroxynaphthyltriazolesulphonic acids (GESELLSCHAFT FÜR CHEMISCHE INDUSTRIE IN BASEL), A., i, 353.

solid, from 1-aminoanthraquinone (LAUTH), A., i, 123.

from 8-amino-*o*-naphthol-3:6-disulphonic acid (SCHOELLKOPF, HARTFORD & HANNA Co.), A., i, 954.

from anthranilic acid and *p*- cresol (BADISCHE ANILIN- & SODA-FABRIK), A., i, 700.

Azo-colouring matters from 1-chloro-2:6-diaminobenzene-4-sulphonic acid (BADISCHE ANILIN- & SODA-FABRIK), A., i, 536.

from 4-chloro-2-aminophenol (AKTIEN-GESELLSCHAFT FÜR ANILIN-FABRIKATION), A., i, 353.

from chloroaminosalicylic acid (BADISCHE ANILIN- & SODA-FABRIK), A., i, 353.

from 2:4-dichloro-*o*-naphthylamine-sulphonic acid (BADISCHE ANILIN- & SODA-FABRIK), A., i, 953.

from ethers of diaminocresol and chlorodiaminophenol (GESELLSCHAFT FÜR CHEMISCHE INDUSTRIE IN BASEL), A., i, 1064.

from 2-hydroxy-3-naphthoic acid (AKTIEN-GESELLSCHAFT FÜR ANILIN-FABRIKATION), A., i, 700.

from 3:3'-dihydroxy-2:2'-dinaphthyl (POZZI-ESCOLT), A., i, 789.

electrolytic preparation of (LÖB), A., i, 536; (BOEHRINGER & SÖHNE), A., i, 953.

Azo-colouring matters, amino-, fluorazones—new dyes—from, by fusion with resorcinol (PAUL), A., i, 954.

Azo-compounds (FREUNDLER), A., i, 108, 121, 351, 699.

from acyl-*p*-aminophenols (DAHL & Co.), A., i, 207, 459.

from 3:6-diaminoquinol dialkyl ethers and 1:8-dihydroxynaphthalene-3:6-disulphonic acid (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 208.

from aziminonaphthalenesulphonic acids (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 123.

from naphthylaminesulphonic acids (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 207; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 459.

containing an ortho-substituted alcohol radicle, transformation of, into indazyl derivatives (FREUNDLER), A., i, 699.

containing a ψ -aziminobenzene residue (KALLE & Co.), A., i, 460.

additive compounds of, with inorganic acids at low temperatures (VORLÄNDER and TUBANDT), A., i, 535.

reduction products of (JACOBSON, FRANZ, and ZAAR), A., i, 121.

Azo-compounds, amino-, production of (MELDOLA and EYNON), P., 250.

p-hydroxy-, constitution of (JACOBSON and HÖNIGSBERGER), A., i, 205.

Azo-compounds, *p*-hydroxy-, relation between quinonehydrazones and (BORSCHE and ZELLER), A., i, 1056.
o-nitro-, reduction of (BAMBERGER and HÜBNER), A., i, 117.

Azodiazobisisacetoacetic acid, ethyl ester (BETTI), A., i, 564.

Azodibenzoyl (STOLLÉ and BENRATH), A., i, 935; (MOHR), A., i, 1058.

1-Azo-5:5-dimethylhydantoin and its 3-ethyl, 3-methyl, and 3-phenyl derivatives (BAILEY, ACREE, and MILLER), A., i, 828.

4:4'-Azodiphenyl (ULLMANN), A., i, 729.

Azoiimide (*hydrazoic acid, nitrogen hydride*) (DENNIS and BROWNE), A., ii, 558.

Azonium base, $C_{16}H_{20}N_4Cl_2 \cdot 2H_2O$, from the oxidation of dimethyl-*o*-phenylenediamine (FISCHER), A., i, 349.

Azotoluene, diamino- (TRÖGER and HILLE), A., i, 119.
 See also 2:3'-Dimethylazobenzene.

p-Azotoluene, crystallisation of (BRUNI), A., i, 536.

p-Azoxyanisole (RISING), A., i, 237.
 crystallisation of (SCHENCK and EICHWALD), A., i, 118.

m-Azoxylbenzaldehyde and its bisphenylhydrazone, dioxime, and aldazine (HUMAN and WEIL), A., i, 115.

p-Azoxylbenzaldehyde (HUMAN and WEIL), A., i, 115.

o-Azoxylbenzaldoxine (BAMBERGER and EIGER), A., i, 94.

Azoxylbenzene and its dibromide (WOHL and AHLERT), A., i, 201.
 action of benzene on, in presence of aluminium chloride (v. BANDROWSKI and PROKOPECZKO), A., i, 635.

Azoxylbenzene, isomeric dinitro- (BAMBERGER and HÜBNER), A., i, 116.

m-Azoxylbenzylideneaniline (HUMAN and WEIL), A., i, 115.

Azoxyl-compounds (WOHL and AHLERT), A., i, 201.

Azo-*m*-xylene-5:5'-disulphonic acid and its salts (MAUÉ), A., i, 458.

m-Azoxyleucomalachite-green (HUMAN and WEIL), A., i, 115.

2:2-Azoxynaphthalene (MEISENHEIMER and WITTE), A., i, 176, 194.

p-Azoxyphenetole (RISING), A., i, 238.

Azoxyphenyl acetate (WOHL and GOLDENBERG), A., i, 210.

B.

Bacillus coli communis, gelatin surface-colonies of (SAVAGE), A., ii, 362.
 absence of, in unpolluted water (HOUSTON), A., ii, 633.

Bacillus coli communis, the neutral-red reaction for (MOORE and REVIS), A., ii, 848.

Bacillus coli and *B. typhi*, action of caffeine on (ROTH), A., ii, 432.

Bacillus denitrificans fluorescens, two new (CHRISTENSEN), A., ii, 277.

Bacillus dysenteriae (HEWLETT), A., ii, 362.

Bacillus enteritidis sporogenes, detection of, in water (HEWLETT), A., ii, 633.

Bacillus formicicum (OMELIANSKY), A., ii, 277.

Bacillus prodigiosus, physiology of (SAMKOW), A., ii, 198.

Bacillus, tubercle, chemistry of the (BULLOCH and MACLEOD), A., ii, 277.

Bacteria, growth of, in salt solutions of high concentration (LEWANDOWSKY), A., ii, 276.
 which are able, in absence of light, to utilise carbon dioxide as source of carbon (BEYERINCK), A., ii, 362.
 action of, on yeast nucleic acid (SCHITTENHELM and SCHRÖTER), A., i, 539; ii, 139; (OPPENHEIMER), A., ii, 361.
 reduction of sulphates by (VAN DELDEN), A., ii, 67, 68.
 destruction of, in water by aeration and by hydrogen peroxide (KÜSTER), A., ii, 632.
 of the group *Bacillus mesentericus*, production of acetyl methylcarbinol by (DESMOTS), A., ii, 276.
 in gums of the arabin group (SMITH), A., ii, 362.

denitrifying. See *Bacillus denitrificans fluorescens* and Denitrification.

nodule, influence of the assimilable nitrogen of the soil on the action of (NOBBE and RICHTER), A., ii, 139, 140.

thermophile, from various foods and milks and the products formed when these bacteria are cultivated in media containing carbohydrates (SCHARDINGER), A., ii, 67.

nitrifying (BOULLANGER and MASSOL), A., ii, 361.
 See also *Bacillus*, *Bacterium*, *Micro-organisms*, *Moulds*, and *Yeast*.

Bacteria agglutination (BECHHOLD), A., ii, 650.

Bacteriolysis and leucocytes (PETRIE), A., ii, 61.

Bacterium, sorbose, biochemistry of (BERTRAND), A., ii, 760.
 uric acid (ULPIANI), A., ii, 138; (CINGOLANI), A., ii, 139.

Baeyer's tension theory (HOLLEMAN and VOERMAN), A., i, 287.

Bakerite from California (GILES), A., ii, 135.

Baking powders, cream of tartar and tartaric acid, rapid analysis of (BROOKS), A., ii, 789.

Balance sheet of the Chemical Society, and of the Research Fund. See Annual General Meeting, T., 484.

Balsam, copaiva, from Surinam (VAN ITALLIE and NIEUWLAND), A., i, 1037.

white Peru (THOMS and BILTZ), A., i, 1038.

See also Resins.

Barbituric acid, alkyl derivatives (MERCK), A., i, 380.

Barium salts, poisoning by (SANTI), A., ii, 137.

Barium fluoro-bromide, -chloride, and -iodide (DEFACQZ), A., ii, 170.

and mercuric chlorides, solubility of (FOOTE and BRISTOL), A., ii, 658.

and potassium chlorides, solubility of (FOOTE), A., ii, 658.

mangani-manganates (AUGER and BILLY), A., ii, 262.

nitrate, decomposition of, by heat (GOTTLIEB), A., ii, 403.

potassium nitrate (FOOTE), A., ii, 658.

nitrite, preparation of (WITT and LUDWIG), A., ii, 124, 171; (MEYERHOFFER), A., ii, 170.

peroxide, reactions of, with titanom-sulphuric acid (REICHARD), A., ii, 146.

sulphate, solubility and size of grain of (HULETT; KOHLRAUSCH), A., ii, 321.

action of, on colloidal solutions (VANINO and HARTL), A., ii, 808.

hardening of (ROHLAND), A., ii, 257.

presence of chlorine in, precipitated by barium chloride (HULETT and DUSCHAK), A., ii, 616.

uranates (ZEHENTER), A., ii, 344.

vanadite (KOPPEL and GOLDMANN), A., i, 7.

Barium, estimation of, gasometrically (RIEGLER), A., ii, 448.

separation of calcium, strontium, and (REICHARD), A., ii, 88; (ROBIN), A., ii, 149.

Barley, germination of (NILSON), A., ii, 432.

germinating, proteolytic enzyme in (WEIS), A., ii, 280.

carbohydrates of, and their changes during germination (LINDET), A., ii, 284.

amount of tannin in (REICHARD), A., ii, 585.

Barley, estimation of the total nitrogen in, A., ii, 455.

rapid estimation of starch in, A., ii, 451.

Barytes from dep. Lozère (GUÉDRAS), A., ii, 494.

Baryto-celestite (POLLARD), A., ii, 182.

Base from *p*-phenylenediamine (PAUL), A., i, 530.

$C_6H_{12}N_4$, and its salts, from ethyl isocyanide dibromide (GUILLEMARD), A., i, 564.

$C_{10}H_{21}ON$, from the reduction of *a*-anhydronlegonehydroxylamine (SEMMLER), A., i, 438.

$C_{15}H_{15}N_3$, from quinazoline (GABRIEL and COLMAN), A., i, 1061.

$C_{15}H_{19}N_3$, from the reduction of the azonium base, $C_{16}H_{20}N_4Cl_2 \cdot 2H_2O$ (FISCHER), A., i, 349.

$C_{16}H_{16}N_2$, and its hydrochloride, from 8-amino-5-hydroxy-3:7:10-trimethylhydroacridine (FOX and HEWITT), T., 532; P., 9.

$C_{41}H_{34}N_4$, from tetramethylamino-diphenyldiaminonaphthylmethane and phenanthraquinone (NOELTING), A., i, 622.

Bases, condensation of, with ψ -phenols (AUWERS), A., i, 995.

aromatic, formation of salts of, with dicarboxylic acids (ANSELMINO), A., i, 306.

organic, action of, on olefinic ketonic compounds (RUHEMANN and WATSON), T., 1170; P., 175.

salts of, with di-*o*-substituted benzoic acids (SUDBOROUGH and ROBERTS), T., 234.

reactions for the microchemical detection of (BEHRENS), A., ii, 845.

secondary, action of, on carbonates of phenols (BOUCHETAL DE LA ROCHE), A., i, 152.

tertiary, containing an aromatic radicle, action of acid chlorides on (AUGER), A., i, 805.

non-oxygenated tertiary, formation of, from cycl-ammonium hydroxides (DECKER and HOCK), A., i, 620.

See also Amines and Diamines.

Basic salts. See Metallic salts, basic.

Basic slag. See Slag, basic.

Bauxite, analysis of (TAUREL) A., ii, 781.

Bear's fat. See Fat.

Beckmann rearrangement (STIEGLITZ and EARLE), A., i, 39, 40; (DE BRUYN and SLUITER), A., ii, 473.

Becquerel rays. See Photochemistry.

Beer, surface tension effects in (EMSLANDER and FREUNDLICH), A., ii, 705.

Beer, electrolytic methods for the detection and estimation of minute quantities of arsenic in (THOMSON), A., ii, 777.

estimation of fluorine in (TREADWELL and KOCH), A., ii, 841.

Beetroot (sugar), enzymes in (STOKLASA, JELÍNEK, and VÍTEK), A., ii, 365.

invertase of (GONNERMANN), A., ii, 635.

nuclein bases in the juice of (BRESLER), A., ii, 582.

influence of manuring on the quality of (ANDRLÍK), A., ii, 77.

influence of betaine and of amines on the growth of (ANDRLÍK and STANĚK), A., ii, 436.

leaves and heads, composition of, stored by the Rosam process (FALLADA), A., ii, 144.

Beet sections dried by different methods, digestibility of (KELLNER, VOLHARD, and HONGAMP), A., ii, 437.

Behenic acid, amino-hydroxy-, and di-hydroxy- (WARMBRUNN and STUTZER), A., i, 6.

bromo-dihydroxy-, and dibromo-hydroxy- (HAASE and STUTZER), A., i, 6.

chloro- and bromo-hydroxy-, and their transformation products (WARMBRUNN and STUTZER), A., i, 6.

Behenolic acid, esters, amide, chloride, anilide, and acetanilide (HAASE and STUTZER), A., i, 6.

Ben oil (LEWKOWITSCH), A., ii, 218.

Benz-. See also Benzo-, Benzoyl-, and under the parent Substance.

Benzal-. See Benzylidene.

Benzaldehyde, condensation of, with dibenzyl ketone (GOLDSCHMIEDT and SPITZAUER), A., i, 64.

condensation of, with ethyl benzoyl-acetate (BERTINI), A., i, 167.

reaction of, with ethyl α -cyanopropionate (BECCARI), A., i, 62.

action of, on ethyl oxalacetate in presence of, primary amines (SIMON and CONDUCHE), A., i, 522, 812.

condensation of, with ketones (JAPP and MAITLAND), T., 1473; P., 204.

potassium cyanide (LAPWORTH), T., 1208; P., 177.

sodium hydrogen sulphite (KERP), A., i, 714.

Benzaldehyde, *o*-amino- (BAMBERGER), A., i, 422.

4-bromo-2-nitro-, 4-chloro-2-amino-, 4-chloro-2-nitro-, and 4-nitro-2-amino-, and their phenylhydrazones and semicarbazones (SACHS and SICHEL), A., i, 593.

Benzaldehyde, 2-chloro-5-amino-, and its acetyl derivative, and 2-chloro-5-nitro- (COHN and BLAU), A., i, 674.

m-chloro-*p*-hydroxy-, and its oxime and semicarbazone, and *mm*-dichloro-*p*-hydroxy-, and its semicarbazone (BILTZ), A., i, 1022.

p-halogen-*o*-nitro-, and their phenylhydrazones and semicarbazone (SACHS), A., i, 506.

p-hydroxy-, oxidising chlorination of (BILTZ), A., i, 1021, 1022.

3:4-dihydroxy-. See Protocatechic aldehyde.

2:4:6-trihydroxy-, ethers and homologues of (HERZIG and WENZEL), A., i, 251.

o-nitro-, combination of, with phenol in presence of hydrochloric acid (GUYOT and HALLER), A., i, 530.

4-halogen compounds of, and their phenylhydrazones (SACHS and KEMPF), A., i, 62.

o-, *m*-, and *p*-nitro-, condensation of, with ethyl cyanoacetate (ISSOGLIO), A., i, 525.

p-nitroso-, molecular weight of (ALWAY and GORTNER), A., i, 881.

Benzaldehydes, condensation of, with *p*-diketocyclohexane (STOLLE and MÖRING), A., i, 875.

Benzaldehydeacetal, 2:4-dinitro- (SACHS and SICHEL), A., i, 594.

m-Benzaldehydeazobenzoic acid and its ethyl ester, aldazine, and oxime (HUMAN and WEIL), A., i, 115.

p-Benzaldehydeazobenzoic acid and its ethyl ester (HUMAN and WEIL), A., i, 115.

Benzaldehydophenylhydrazone, action of iodine on, in pyridine solution (ORTOLEVA), A., i, 99.

p-hydroxy-, and its mono- and di-acetyl derivatives, decomposition of (ANSELMINO), A., i, 194.

O-benzoate of (AUWERS and SONNENSTUHL), A., i, 1054.

3-nitro-4-hydroxy-, acetyl derivatives of (AUWERS and BÜRGER), A., i, 1054.

Benzaldehyde-phenyl- and *o*- and *p*-tolyl-hydrazones and their properties (REUTT and v. PAWLEWSKI), A., i, 99.

Benzaldehyde-semicarbazone, and -thiosemicarbazone, *N*-alkyl and -aryl substituted (BUSCH, OPFERMANN, and WALTHER), A., i, 629.

Benzaldoxime, 4-bromo-2-nitro-, 4-chloro-2-nitro-, and 4-nitro-2-amino- (SACHS and SICHEL), A., i, 593.

Benzaldoxime, isomeric nitro- (GOLD-SCHMIDT), A., i, 250.

Benzamide, crystallography of (MOHR), A., i, 1059.

m-amino-, acetyl derivative (BOGERT and BEANS), A., i, 584.

m-chloro-*p*-hydroxy- (BILTZ), A., i, 1023.

N-chloro-*m*-nitro- (STIEGLITZ and EARLE), A., i, 39.

thio-, action of ammonium persulphate on (v. WALTHER), A., i, 348.

Benzamide-2-acetic acid (WEGSCHEIDER and GLOGAU), A., i, 250.

Benzamidesulphonic acid and its salts (BÜHNER), A., i, 882.

Benzanilide, compound of, with iodine and potassium iodide (CLOVER), A., i, 322.

p-bromothio- (JAMIESON), A., i, 397.

4-chloro-2-nitroso- (SACHS and SICHEL), A., i, 594.

Benzene and its homologues, preparation of, from Russian naphtha by Niki-foroff's method (OGLOBLIN), A., i, 860.

equilibrium of the system, acetic acid, water, and (LINCOLN), A., ii, 473.

vapour pressures in the system, carbon tetrachloride, ethyl alcohol, and (SCHREINEMAKERS), A., ii, 538.

action of nascent acetylene on, in presence of aluminium chloride (PARONE), A., i, 26.

interaction of aluminium and mercuric chloride with (v. GULEWITSCH), A., i, 565.

reaction of, with formaldehyde (NASTUKOFF), A., i, 242.

part played by, in poisoning by coal gas (STAHELIN), A., ii, 429.

vapour, estimation of, in coal gas (PFEIFFER), A., ii, 786.

Benzene, amino-. See Aniline.

diamino-. See Phenylenediamine.

p-dibromo-, equilibrium curves in the system, *p*-bromotoluene and (BORODOWSKY and BOGOJAWLENSKY), A., ii, 550.

m-bromoiodo-, derivatives of, with polyvalent iodine (WILLGERODT and LEWINO), A., i, 635.

chloro-, condensation of, with carbon tetrachloride (NORRIS and TWIEG), A., i, 63.

isomeric dichloro-, nitration products of (HARTLEY and COHEN), T., 865; P., 143.

1:2-dichloro-, nitration of (NIETZKII and KONWALDT), A., i, 984.

Benzene, 2-chloro-1:3:5-tribromo-, 2-chloro-1:3:5-tribromo-4:6-dinitro-, and 1:2:3:5-tetrachloro-4:6-dinitro- (JACKSON and CARLTON), A., i, 485.

3-chloro-2:4:6-tribromo-1-nitro- (ZINCKE and KUCHENBECKER), A., i, 457.

1:3:5-trichloro-2:4:6-trinitro-, derivatives of (JACKSON and SMITH), A., i, 802.

m-chloroiodo-, derivatives of, with polyvalent iodine (WILLGERODT and SMITH), A., i, 485.

1-chloro-3:4:6-trinitro- (NIETZKII and ZÄNKER), A., i, 150.

fluoro-, and its nitro- and amino-derivatives (HOLLEMAN and BEEKMAN), A., i, 232.

nitration of (HOLLEMAN), A., i, 486.

*d*ihalogen derivatives, organo-magnesium compounds of, action of carbon dioxide on (BODROUX), A., i, 276.

hydroxy-derivatives, toxicity of (CHASSEVANT and GARNIER), A., ii, 197.

1:2-dihydroxy-. See Catechol.

1:3-dihydroxy-. See Resorcinol.

1:4-dihydroxy-. See Quinol.

trihydroxy-. See Quinol, hydroxy-.

1:2:3-trihydroxy-. See Pyrogallol.

1:2:3:4-tetra- and *penta*-hydroxy-, and their acyl derivatives (EINHORN, COBLINER, and PFEIFFER), A., i, 240.

pentahydroxy-, and its diethyl ether, preparation of (WENZEL and WEIDEL), A., i, 48.

m-diiodo-, derivatives of, with polyvalent iodine (WILLGERODT and DESAGA), A., i, 483.

1:3- and 2:4-*d*iodonitro-, and *di*iodo-dinitro- (BRENANS), A., i, 662.

2:3:5-*tri*iodo-1-nitro- (BRENANS), A., i, 157.

1:3:5-*tri*iodo-2:4-dinitro-, derivatives of (JACKSON and LANGMAID), A., i, 861.

nitro-, diazotisation of (BAMBERGER and WETTER), A., i, 352.

freezing point of (HANSEN), A., i, 725.

influence of the cathode material on the electrolytic reduction of (LÖB and MOORE), A., ii, 310.

interaction of, with aniline and with α -naphthylamine in presence of alkali (WOHL), A., i, 155.

action of magnesium ethyl iodide on (ODDO), A., i, 862.

conversion of, into aniline by means of philothion and yeast reductases (POZZI-ESCOR), A., i, 792.

Benzene, isomeric *dinitro*-, comparative study of the (DE BRUYN and VAN GEUNS), A., i, 387; (DE BRUYN), A., i, 388.
 action of potassium cyanide on (DE BRUYN and VAN GEUNS), A., i, 387.
m-dinitro-, compound of, with aluminium chloride (WALKER and SPENCER), T., 1108; P., 135.
o- and *p-dinitro*-, reduction of (MEISENHEIMER), A., i, 150.
s-trinitro-, additive compounds of (VAN ROMBURGH), A., i, 487.
 the three isomeric nitronitroso- (BAMBERGER and HÜBNER), A., i, 115.
o-nitronitroso- (MEISENHEIMER), A., i, 150.

Benzeneazo. See also Phenylazo-.

Benzeneazo-4-aminonaphthalene, *p*-hydroxy-, and its benzoate (WOHL and GOLDENBERG), A., i, 209.

Benzeneazo-*o*-anisidine and -*m*-anisole (JACOBSON and HÖNIGSBERGER), A., i, 205.

Benzeneazo-*m*-anisole (*m*-methoxybenzeneazobenzene), acid reduction of (JACOBSON, FRANZ, and HÖNIGSBERGER), A., i, 202.

5-Benzeneazo-anisole and -phenetole, 2-amino-. See Benzeneazo-*o*-anisidine and Benzeneazo-*o*-phenetidine.

Benzene-*p*-azobenzaldehyde, *m*-nitro- (ALWAY and PINCKNEY), A., i, 953.

Benzeneazobenzoylacetonitrile (BÜLOW), A., i, 623.

Benzeneazobenzoylpyruvic acid and its ethyl ester (BÜLOW), A., i, 623.

3-Benzeneazo-4-*p*-bromobenzeneazo-phenol and its benzoyl derivative (JACOBSON and HÖNIGSBERGER), A., i, 206.

Benzene-2-azo-4-bromo-*a*-naphthylamine, *o*-, *m*-, and *p*-nitro- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 751.

Benzeneazocoumaric acid and its acetate and sulphonic acid (BORSCHE and STREITBERGER), A., i, 1064.

Benzeneazocoumarin, constitution of (BORSCHE), A., i, 246.

Benzeneazocyanamide. See α -Phenyltriazen, β -cyano-.

Benzeneazodiphenylamine-*o*-carboxylic acid. See Benzeneazophenylanthranilic acid.

Benzeneazo-eugenol and -*iso*eugenol (BORSCHE and STREITBERGER), A., i, 1065.

Benzeneazoform-amide and -anilide, *p*-hydroxy-, and their 3:5-dibromo-, ethyl, and benzoyl derivatives (BORSCHE and ZELLER), A., i, 1056.

Benzeneazo-*m*-hydroxy-*cinnamic* and -*m*- and *p*-hydroxydihydrocinnamic acids and their sulphonic acids (BORSCHE and STREITBERGER), A., i, 1064.

Benzeneazoiminobenzene and its oxide and their *p*-bromo- and *p*-chloro-derivatives (BAMBERGER and HÜBNER), A., i, 117.

Benzeneazoiminotoluene and its oxide (BAMBERGER and HÜBNER), A., i, 117.

Benzeneazomelilotic acid and its sulphonic acid (BORSCHE and STREITBERGER), A., i, 1064.

Benzeneazomethyldiphenyl (v. BANDROWSKI and PROKOPECKO), A., i, 635.

Benzeneazo-*a*-naphthol, formation of (ANGELAZO), A., i, 699.

Benzene-*o*-azo-*p*-nitrobenzanilide (SACHS and SICHEL), A., i, 156.

4'-Benzeneazo-2:4-di- and -2:4:6-tri-nitrodiphenylamines, preparation of (v. WALTHER and LEHMANN), A., i, 352.

Benzeneazo-orsellinic acid and its ethyl ester (HENRICH and DORSCHKY), A., i, 502.

Benzeneazo-*o*-phenetidine and -*m*-phenetole (JACOBSON and HÖNIGSBERGER), A., i, 205.

Benzeneazophenetole (*o*-ethoxybenzeneazobenzene), acid reduction of (JACOBSON, FRANZ, and HÖNIGSBERGER), A., i, 202.

bromo-derivatives, reduction of (JACOBSON, FRANZ, and ZAAR), A., i, 121.

Benzeneazophenylanthranilic acid (benzeneazodiphenylamine-*o*-carboxylic acid) and its sulphonic acid (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 353, 637.

Benzene-*o*- and -*p*-azotoluenes, *o*-nitro- (BAMBERGER and HÜBNER), A., i, 116.

Benzeneazotri-*p*-tolylmethane (MOTHWURF), A., i, 879.

Benzenebisazo-*m*-bromobenzene, hydroxy-. (JACOBSON, FRANZ, and ZAAR), A., i, 122.

Benzeneazidoamino. See Diazobenzene-amino-.

Benzene-*m*-disulphinic acid and its salts, and methyl ester (TRÖGER and MEINE), A., i, 30.

Benzene-*p*-disulphinic acid and its salts (TRÖGER and MEINE), A., i, 31.

Benzene-*m*-disulphohydroxamic acid (ANGELI, ANGELICO, and SCURTI), A., i, 311.

Benzene-*m*-disulphon-anilide and -phenylchloroamide (CHATTAWAY), T., 1187.

Benzene-*m*-disulphonic acid and its bromide and chloride (TRÖGER and MEINE), A., i, 30.

Benzenehydrazo-*m*-cresotole (JACOBSON and HUGERSHOFF), A., i, 107.

Benzenehydrazomethylidiphenyl (v. BANDROWSKI and PROKOPECZKO), A., i, 635.

Benzenehydrazotri-*p*-tolylmethane (MOTHWURF), A., i, 879.

Benzene-ring and fluorescence (KAUFFMANN and BEISSWENGER), A., ii, 528; (KAUFFMANN), A., ii, 690.

gradual synthesis of the (DELACRE and GESCHÉ), A., i, 32.

equivalence of positions 2 and 6 in the (NOELTING), A., i, 394.

substitution in the (BLANKSMA), A., i, 565.

Benzenesulphaminomethyl ethyl ketone (KOLSHORN), A., i, 675.

Benzenesulphodianthranyl (HELLER), A., i, 160.

Benzenesulphonanilide, benzoyl derivative (FREUNDLER), A., i, 34.

o-chloro- (v. BRAUN), A., i, 734.

p-iodo- (ULLMANN), A., i, 727.

Benzenesulphon-anilide and -toluidides, and *m*-nitro- (CHATTAWAY), T., 1185.

Benzenesulphon-anilide, -toluidides, -4-*m*-xylylidide, and -naphthalides, action of sodium hypochlorite on (RAPER, THOMPSON, and COHEN), T., 371; P., 55.

Benzenesulphonarylchloroamides and *m*-nitro- (CHATTAWAY), T., 1181; P., 168.

Benzenesulphonchloroalkylamides (CHATTAWAY), P., 208.

Benzenesulphonycyano-anilide, -*p*-anisidide, -ethylamide, -methylamide, and -*p*-toluidide (v. BRAUN), A., i, 734.

Benzenesulphone-carbamide and its *N*-acyl, phenyl, and phenylethyl derivatives and -carbimide and its compound with hydrogen iodide (BILLETER), A., i, 397.

Benzenesulphonic acid, *p*-bromo-*o*-cyano-, and its salts, and chloride (BLANCHARD), A., i, 164.

p-nitroamino-, and its salts (ZINCKE and KUCHENBECKER), A., i, 457.

Benzene-4-sulphonic acid, 2:6-*d*bromo-1-nitroamino-, and its salts (LENZ), A., i, 458.

1-chloro-2:6-diamino-, and azo-dyes from (BADISCHE ANILIN- and SODA-FABRIK), A., i, 536.

Benzenesulphonic methylanilide, *p*-iodo- (ULLMANN), A., i, 727.

Benzenesulphonylcarbamic acid, ethyl and phenyl esters (BILLETER), A., i, 397.

Benzenesulphonyliminopyrine (STOLZ), A., i, 113.

Benzene-triozonide. See Ozobenzene.

Benzene-threne. See 4:4'-Diphenyl-diphenyl.

Benzhydrol (MACKENZIE and JOSEPH), T., 791; P., 124.

di-p-bromo-, and its acetate, oxide, and ethyl ether (GOLDFTHWAITE), A., i, 150.

p-iodo- (ULLMANN), A., i, 728.

Benzidine, formation of (VAN LOON), A., i, 452.

ethylation of (TICHWINSKY), A., i, 268.

transformation of (HOLLEMAN and VAN LOON), A., i, 193.

phthalyl derivatives, and their nitro-compounds (KOLLER), A., i, 778.

quinonoidal derivatives (WILLSTÄTTER and KALB), A., i, 1050.

use of, for the estimation of sulphuric acid (MÜLLER), A., ii, 83.

estimation of, iodometrically (ROESLER and GLASMANN), A., ii, 99.

m-hydroxy-, and its *N*-bis-*p*-methoxybenzylidene derivative (JACOBSON and HÖNIGSBERGER), A., i, 206.

Benzidine isomerism (TICHWINSKY), A., i, 267.

Benzilic acid, esterification of (ACREE), A., i, 747.

condensation of, with phenols (GEIPERT), A., i, 318.

Benzimidazole, benzoyl derivative (HELLER and KÜHN), A., i, 943.

Benzimidazoles and dyes from them (KYM), A., i, 453.

preparation of (v. WALTHER and KESSLER), A., i, 348; (FISCHER), A., i, 349.

Benzo-. See Benz-, Benzoyl-, and under the parent Substance.

o-Benzobetaine and its additive derivatives and *p*-Benzobetaine (WILLSTÄTTER and KAHN), A., i, 235.

Benzodimethylamide, *p*-bromo- (v. BRAUN), A., i, 732.

Benzoic acid, chlorination of (LOSSSEN), A., i, 159.

Benzoic acid, cuprous salt (JOANNIS), A., i, 644.

Benzoic acid, ethyl ester, compound of, with aluminium chloride (WALKER and SPENCER), T., 1107; P., 135.

Benzoic acid, *o*-amino-. See Anthranilic acid.

p-amino-, acetyl derivative, ethyl ester (RITSERT and EPSTEIN), A., i, 805.

Benzoic acid, 3:4-*diamino*-, alkyl esters (RITZERT and EPSTEIN), A., i, 805.
 bromo-, 2:4:6-*tribromo*-3-amino-, nitro-, and *s-trinitro*-derivatives, salts of, with organic bases (SUDBOROUGH and ROBERTS), T., 234.
 4-bromo-2-nitroso-, and its ethyl ester (SACHS and SICHEL), A., i, 595.
 isomeric chlorobromo- and iodo-, methyl esters, rotation of (COHEN and RAPER), T., 1262, 1271; P., 179.
 4-chloro-2-nitroso- (SACHS and KEMPF), A., i, 62.
 isomeric halogen and nitro-derivatives, crystallographic characteristics of (JAEGER), A., i, 159.
o-hydroxy-. See Salicylic acid.
p-hydroxy-, and 2:5-*dihydroxy*-, compounds of, with bismuth (THIBAULT), A., i, 166.
 2:4-*dihydroxy*-. See β -Resorecylie acid.
 3:4-*dihydroxy*-. See Protocatechuic acid.
 3:4:5-*trihydroxy*-. See Gallic acid.
m-iodo-, methyl ester (ULLMANN), A., i, 728.
o- and *p-nitro*-, reduction of (FREUNDLER), A., i, 352.
p-nitro-, ethyl ester (ALWAY and PINCKNEY), A., i, 953.
 2:4:6-*trinitro*-, methyl ester (WERNER and SEYBOLD), A., i, 1013.
o-nitroso- (SACHS and HILPERT), A., i, 876.
m- and *p-nitroso*- (ALWAY), A., i, 316.
 esters, molecular weight of (ALWAY and GORTNER), A., i, 881.
Benzoic anhydride, compound of, with iodine and potassium iodide (CLOVER), A., i, 322.
o-Benzoic-acidazobenzoylpyruvic acid, ethyl ester (BÜLOW), A., i, 624.
Benzoic sulphinide. See "Saccharin."
o-Benzoic sulphinide, *p-bromo*-, and its salts (BLANCHARD), A., i, 164.
p-nitro (CHAMBERS), A., i, 52.
Benzomethylamide, *N-chloro*-*m-nitro*-, and its isomerides (STIEGLITZ and EARLE), A., i, 39.
Benzonitrile, *o-amino*-. See Anthranilonitrile.
m-amino-, and its acyl derivatives, *tribromo*-*m-amino*-, and *m-nitro*- (BOGERT and BEANS), A., i, 583.
o-chloro-*p-bromo*- (BLANCHARD), A., i, 164.
m-chloro-*p-hydroxy*-, and its acetyl derivative (BILTZ), A., i, 1023.
Benzonorcaradienecarboxylic acid and its ethyl ester, and their dibromides, amide, and bromohydroxy-, dihydroxy- and diacetyl derivatives (BUCHNER and HEDIGER), A., i, 56.
Benzophenone, boiling point of, under different pressures (JAQUEROD and WASSMER), A., i, 538.
 conversion of, into triphenylcarbinol (DELANGE), A., i, 173.
 compound of, with iodine and potassium iodide (CLOVER), A., i, 322.
o- and *p-amino*-, dibenzoyl derivatives, transformation of, into 1-benzoyl-amino-2:4-dibenzoylbenzene (CHATTAWAY and LEWIS), T., 1663; P., 223.
 3:4:3':4'-*tetraamino*-, and chloronitro-, nitroamino- and nitrohydroxy-derivatives (CONSONNO), A., i, 676.
 2:4'- and 4:4'-*dichloro*- and 2:5:2':5'-*tetrachloro*- (NORRIS and TWIEG), A., i, 64.
 dihalogen derivatives, synthesis of (BODROUX), A., i, 64.
 halogen-nitro- and nitroamino-derivatives (KUNCKELL and SZULC), A., i, 898.
 2- and 4-hydroxy-, and their nitro-derivatives, and 4':2-*dihydroxy*- (AUWERS), A., i, 67.
 4-hydroxy-1' and 3'-nitro-, and their ethyl ethers (AUWERS), A., i, 66.
Benzophenone chloride, action of sodium alkylides on (MACKENZIE and JOSEPH), T., 790; P., 124.
Benzophenone chloride, 2:4'- and 4:4'-*dichloro*- and 2:5:2':5'-*tetrachloro*- (NORRIS and TWIEG), A., i, 64.
p-nitro-(v. BAEYER and VILLIGER), A., i, 309.
 acylchloroamino-derivatives, intramolecular rearrangement in (CHATTAWAY), T., 342; P., 44.
Benzophenoneoxime, action of phosphorus pentasulphide on (CIUSA), A., i, 425.
Benzophenonesemicarbazone, reaction of, with aniline (BORSCHE and MERK-WITZ), A., i, 946.
Benzophenylimide chloride, action of hydrogen iodide on (LANDER and LAWS), T., 1695; P., 217.
Benzopinacone (DILTHEY and LAST), A., i, 667, 1029; (VALEUR), A., i, 901.
Benzopyranol, quinonoid derivatives, from 3:5-dimethoxybenzoylacetophenone (BÜLOW and RIESS), A., i, 82.
Benzopyranol, 3-alkyl-substituted (BÜLOW and DEIGLMAYR), A., i, 609.
Benzoisopyrazolone. See *isoIndazolone*.
***o*-Benzoquinone**. See *o*-Quinone.

Benzorhodamines (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 700.

Benzothiazolecarboxylic acid and its salts and derivatives (REISSERT), A., i, 991.

Benzo-*p*-tolylamide chloroiodide (LANDER and LAWS), T., 1696; P., 218.

1:2:3-Benzotriazole (*aziminobenzene*), 4-chloro- (ULLMANN and MAUTHNER), A., i, 192.

Benzoxazole derivatives, connection between the fluorescence and chemical constitution of (HENRICH and OPFERMANN), A., i, 934.

Benzoxy. See Benzoyloxy.

Benzoyl. See also Benz-, Benzo-, and under the parent Substance.

Benzoyl chloride, nitro-, compounds of, with iodine and potassium iodide (CLOVER), A., i, 322.

cyanide, *p*-nitro-, 2-carbethoxy-5-bromoanil of (SACHS and SICHEL), A., i, 595.

isocyanochloride (JOHNSON and MENGE), A., i, 949.

Benzoylacenaphthene (PERRIER), A., i, 804.

Benzoylacetamide, formation of, from aminobenzoylacetamide (GUARESCHI), A., i, 891.

Benzoylacetic acid, ethyl ester, condensation of, with benzaldehyde (BERTINI), A., i, 167.

action of cyanogen on (TRAUBE and HEINEMANN), A., i, 711.

Benzoylacetic acid, *o*-nitro-, and its ethyl ester, and its salts (NEEDHAM and PERKIN), T., 148; P., 10.

3:5-dinitro-, ethyl ester (BEREND and HEYMANN), A., i, 670.

Benzoylacetoacetic acid, *o*-nitro-, ethyl ester (NEEDHAM and PERKIN), T., 151; P., 10.

3:5-dinitro-, ethyl ester, hydrolysis of (BEREND and HEYMANN), A., i, 670.

Benzoylacetomethylamide, formation of, from methylaminobenzoylacetomethylamide (GUARESCHI), A., i, 891.

Benzoylacetone, action of cyanogen on (TRAUBE and SANDER), A., i, 712.

3:5-dinitro- (BEREND and HEYMANN), A., i, 670.

Benzoylacetonebenzyl-*o*-carboxylic acid (BÜLOW and KOCH), A., i, 322.

Benzoylalanineazide, compounds of, with alanine and glycine (CURTIUS and VAN DER LINDEN), A., i, 883.

Benzoylaminino. See under the parent Substance.

Benzoylazoimide (THODE), A., i, 348.

***o*-Benzoylbenzoic acid**, and its isomeric methyl esters (MEYER), A., i, 747.

m-amino-, *p*-chloro-*m*-amino-, *p*-chloro-*m*-nitro-, *m*-hydroxy-, and *m*-nitro- (BASLER CHEMISCHE FABRIK), A., i, 512.

***s*-Benzoyl-*p*-chlorophenylcarbamide** (STIEGLITZ and EARLE), A., i, 40.

Benzoyldiglycylaminoacetic acid and its benzylidenehydrazide and azoimide (CURTIUS and LEVY), A., i, 834.

Benzoylfluorene (PERRIER; GOLDSCHMIEDT), A., i, 66.

2-Benzoylfluorene (FORTNER), A., i, 729.

Benzoylformic acid, methyl ester, reduction of, and action of magnesium alkyl haloids on (MCKENZIE), T., 1249; P., 178.

Benzoylglycylaminoacetanilide (CURTIUS and WÜSTENFELD), A., i, 833.

Benzoylglycylaminoacetylbenzylidenehydrazide (CURTIUS and WÜSTENFELD), A., i, 833.

Benzoylhelyxylglycylaminoacetic acid (CURTIUS and LEVY), A., i, 834.

Benzoylhippurylhydrazide. See Glycine hydrazide, dibenzoyl derivative.

Benzoylhydrazide, *o*-amino-. See Anthranilic hydrazide.

3-Benzoyl-4-methylene-1:4-benzopyran-2-phenyl-*o*-carboxylic acid, 7-mono- and 5:7-di-hydroxy-, and their acetyl derivatives (BÜLOW and KOCH), A., i, 610.

Benzoylmethylglyoxime peroxide and *p*-nitro- (HARRIES and TIETZ), A., i, 428.

Benzoylmethylphenylcarbamic acids, 4:2- and 2:4-, esters (CHATTAWAY and LEWIS), T., 593; P., 60.

β -Benzoylnaphthalic acid (DZIEWOŃSKI and WECHSLER), A., i, 803.

and its anhydride, imide, and oxime (DZIEWOŃSKI and DOTTA), A., i, 390.

6-Benzoyloxy-1:5-diphenylbenzodioxazole (EINHORN, COBLINER, and PFEIFFER), A., i, 241.

α -Benzoyloxy- α -phenylethylene, transformation of, into dibenzoylmethane (CLAISEN and HAASE), A., i, 67.

2-Benzoyloxy-3-phenyltetrahydroquinazoline, 1-benzoyl derivative (HELLER and KÜHN), A., i, 943.

Benzoylpentaglycylaminoacetic acid and its ethyl ester and silver salt (CURTIUS and BENRATH), A., i, 499; (CURTIUS and WÜSTENFELD), A., i, 833; (CURTIUS and LEVY), A., i, 834.

Benzoylphenylacetylene, action of aniline on, and its phenylhydrazone (WATSON), T., 1326; P., 181.

***s*-Benzoylphenylcarbamide**, *m*-nitro- (BRUCE), A., i, 491.

***s*-Benzoylphenylisocarbamide** methyl ether and its salts and *m*-nitro- (BRUCE), A., i, 491.

***α*-Benzoyl-*β*-phenylpropane** and its phenylhydrazone (HARRIES and GOLLNITZ), A., i, 427.

***β*-Benzoyl-*α*-phenylpropionic acid**, resolution of, and its oxime, semicarbazone, and *p*-nitrophenylhydrazone (HANN and LAPWORTH), T., 1360; P., 183.

***β*-Benzoyl-*α*-phenylpropionitrile** and its condensation with benzylideneacetophenone (HANN and LAPWORTH), T., 1358; P., 183.

Benzoylphtahylacetone and its dioxime, bis-semicarbazone, and bisphenylhydrazone (BÜLOW and KOCH), A., i, 321. new condensation derivatives of (BÜLOW and KOCH), A., i, 610.

Benzoylpropionic acid and its ethyl ester, physical properties of (EIJKMAN), A., i, 591.

***s*-Benzoylpropylhydrazine**, propyl ether (STOLLÉ and BENRATH), A., i, 936.

1-Benzoylpyrrole and its conversion into 2-benzoylpyrrole (PICTET and RUDSTEIN), A., i, 772.

Benzoylpuryric acid, ethyl ester and its derivatives (BÜLOW), A., i, 623.

Benzoylsalicylic acid, and its anilide and *o*-toluidide (PURGOTTI and MONTI), A., i, 585.

Benzoylstyrene, *α*-chloro-*ωp*-nitro- (WIELAND), A., i, 433.

Benzoylsuccinamic acid (TITHERLEY), T., 1689; P., 188.

Benzoylsuccinimide (TITHERLEY), T., 1685; P., 188.

Benzoyltetraglycylaminoacetic acid and its ethyl ester, and hydrazide, and benzylidene derivative (CURTIUS), A., i, 477; (CURTIUS and WÜSTENFELD), A., i, 833; (CURTIUS and LEVY), A., i, 834.

Benzoylthiobenzanilide and its *p*-bromo-derivatives (JAMIESON), A., i, 396.

Benzoyl-*γ*-thiocarbamides, preparation of, and action of phenylhydrazine on (JOHNSON and MENGE), A., i, 948.

Benzoylthiocarbimide, *m*-nitro- (BRUCE), A., i, 491.

Benzoyltriglycylaminoacetic acid (CURTIUS and WÜSTENFELD), A., i, 833.

***α*-Benzoyl-*β*-trimethylacetylstyrene** and its reactions (JAPP and MALLAND), T., 1496; P., 205.

Benzoyl-*m*-4-xylenol and its dibromo- and benzoyl derivatives and methyl ether (LINARI), A., i, 64.

Benzyl alcohol, *o*-amino-, and its acyl derivatives (AUWERS), A., i, 581. *m*-amino-, benzoyl derivatives of (AUWERS and SONNENSTUHL), A., i, 1055.

3-amino-2-hydroxy-, 3-amino-6-hydroxy-, and its methyl and ethyl ethers and acetate, and 3-nitro-6-hydroxy- (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 810.

***o*-bromo-*p*-hydroxy-** (AUWERS and STRECKER), A., i, 999.

***o*-chloro-** (METTLER), A., i, 1012.

***o*-hydroxy-**. See Saligenin.

***o*-nitro**, action of light on (SACHS and HILPERT), A., i, 876. reduction of (FREUNDLER), A., i, 667.

Benzyl bromide, 3:5-dibromo-*o*-hydroxy-, and its acetyl derivative, decomposition of, by organic bases (AUWERS), A., i, 773.

acyl derivatives (AUWERS, BERGS, and WINTERNITZ), A., i, 740.

acetyl derivative, reaction of, with primary bases (AUWERS and ULRICH), A., i, 739.

*tetrabromo-*o*-hydroxy*, interaction of, with dimethylaniline (AUWERS and ZAUBITZER), A., i, 999.

Benzyl bromides, *o*-, *m*-, and *p*-hydroxy-, substituted; action of aniline on acetyl derivatives of (AUWERS, ANSELMINO, and RICHTER), A., i, 737.

Benzyl chloride, condensation of, with phenols (BAKUNIN; BARBERIO; BAKUNIN and BARBERIO), A., i, 312; (BAKUNIN and ALTIERI), A., i, 313.

o-mono- and *op*-di-nitro-, transformation of, into phenonaphthacridines (BAEZNER), A., i, 928.

Benzyl methyl ether (HAMONET), A., i, 401.

o-nitro-, reduction of (FREUNDLER), A., i, 121.

Benzyl methyl and ethyl ethers, and *m*-bromo- and *o*-chloro-derivatives of the ethyl ether (METTLER), A., i, 1012.

Benzylacetamide, amino-, transformation of, into benzoylacetamide (GUARESCHI), A., i, 891.

Benzylacetooacetic acid, cyano-, ethyl ester, and its reactions (RUHEMANN), T., 1456; P., 206.

Benzylacetone, *p*-nitro-, and its **dicarboxylic acid**, ethyl ester (FICHTER and WORTSMANN), A., i, 592.

Benzylacetylacetone (HARRIES and GOLLNITZ), A., i, 427.

Benzylacetylacetone, cyano-, and its reactions (RUHEMANN), T., 1454; P., 206.

9-Benzylacridine and its additive salts (DECKER and HOCK), A., i, 620.

Benzylalkylconinium salts (SCHOLTZ), A., i, 1044.

Benzylallyl-*o*-toluidine and its compound with methyl iodide (WEDEKIND and OBERHEIDE), A., i, 992.

Benzylallyl-*p*-toluidine and its picrate (WEDEKIND and OBERHEIDE), A., i, 733.

Benzylamine-*o*-carboxylic acid (WEGSCHEIDER and GLOGAU), A., i, 250.

Benzylaminobenzoic acid, and *o*- and *p*-nitro- (v. PAWLEWSKI), A., i, 316.

Benzyl-*m*- and *p*-aminobenzoic acids, 3:5-dibromo-*o*-hydroxy-, and their *N*-acetyl derivatives (AUWERS and ULRICH), A., i, 739.

Benzylaniline, 3:5-dibromo-*o*-hydroxy-, *N*-acyl derivatives (AUWERS, BERGS, and WINTERNITZ), A., i, 740.

N-benzoate of (AUWERS and SONNENSTUHL), A., i, 1055.

o- and *m*-hydroxy-, bromo-derivatives of, and their *O*- and *N*-acetyl derivatives (AUWERS, ANSELMINO, and RICHTER), A., i, 738.

Benzylanthranilic acid, 3:5-dibromo-*o*-hydroxy-, and its *N*-acetyl derivative (AUWERS and ULRICH), A., i, 739.

Benzylbenzylideneacetone and its oxime and phenylhydrazone (HARRIES and GOLLNITZ), A., i, 427.

N-Benzylbromosopapaverine (DECKER and GIRARD), A., i, 1045.

Benzylcyanoacetamide, *m*- and *p*-nitro-, and their condensation products (ISSOGLIO), A., i, 525.

Benzylidethyl and -methyl-carbinols (KONOVALOFF), A., i, 496. and their chlorides and phenylurethanes (KLAGES and HAEN), A., i, 497.

Benzylidhydroberberine (FREUND), A., i, 916.

Benzylethylaniline and its nitro- and nitroso-derivatives and their additive salts (SCHULTZ, ROHDE, and BOSCH), A., i, 992.

Benzylethylanilinophenylthiocarb-amide (SCHULTZ, ROHDE, and BOSCH), A., i, 994.

α-Benzyl-*p*-phenylenediamine and its acyl derivatives and azo-dye from (SCHULTZ, ROHDE, and BOSCH), A., i, 994.

Benzylethyl-*p*-toluidine and its picrate (WEDEKIND and OBERHEIDE), A., i, 733.

Benzyl-*o*-hydroxystyryl ketone (HOU-BEN), A., i, 335.

Benzylidene chloride, action of sodium naphthoxide on (MACKENZIE and JOSEPH), T., 793; P., 124.

Benzylideneacetoacetic acid, and *m*-nitro-, ethyl esters, action of bases on (RUHEMANN and WATSON), T., 1177.

Benzylidene-acetoacetic and -bisacetoacetic acids, menthyl esters, rotation of (HANN and LAPWORTH), T., 54.

Benzylideneacetone dibromide, action of alcoholic potash on (RUHEMANN and WATSON), T., 1180; P., 176.

ψ-nitrosite and nitro-oxime of (WIELAND), A., i, 55.

bromo-, and its phenylhydrazone (RUHEMANN and WATSON), T., 464.

Benzylideneacetonesemicarbazone and *o*-hydroxy-, behaviour of, towards aniline (BORSCHE and MERKWITH), A., i, 946.

Benzylideneacetophenone, polymeride of (WIELAND), A., i, 432.

addition of hydrogen cyanide to (HANN and LAPWORTH), T., 1355; P., 183.

dibromide, and *p*-nitro-, action of alcoholic potash on (RUHEMANN and WATSON), T., 456; P., 48.

p-nitro-, and its piperazine and acetal (WIELAND), A., i, 432.

Benzylideneacetophenone, amino- (RUHEMANN and WATSON), T., 1181, 1323; P., 176, 181.

5-amino-2-hydroxy-, *N*-mono- and tri-acetyl derivatives (KUNCKELL), A., i, 750.

bromo-, action of alkalis and bases on (WATSON), T., 1322; P., 181.

2:4:4':5'-tetrahydroxy-. See Butein.

Benzylideneacetylacetone, action of bases on (RUHEMANN and WATSON), T., 459, 1174; P., 48, 175.

Benzylideneaminoacetylidyglycyl-glycinebenzylidenehydrazine (CURTIUS), A., i, 477.

Benzylidene-2-aminoanthraquinone and its *o*-hydroxy- and nitro-derivatives (KAUFER), A., i, 208.

o-**Benzylideneaminobenzoic acid (v. PAWLEWSKI), A., i, 317.**

Benzylidene-6-aminocoumarin (MORGAN and MICKLETHWAIT), T., 1234; P., 177.

1-Benzylideneamino-5-methyltriazole (WOLFF and HALL), A., i, 120.

Benzylidene-*p*-aminophenyl benzoate (WOHL and GOLDENBERG), A., i, 210.

Benzylideneaniline (RUHEMANN and WATSON), T., 466; P., 48.

condensation of, with aromatic amines and phenols (MAYER), A., i, 784.

additive products of, with ethyl acetooacetate and ethyl methylacetooacetate (FRANCIS and TAYLOR), T., 998; P., 118.

condensation of, with α -ethylenic ketones (MAYER), A., i, 832.

behaviour of magnesium organo-compounds towards (BUSCH), A., i, 663.

Benzylideneaniline. 4-bromo-2-nitro- and 4-chloro-2-nitro- (SACHS and SICHEL), A., i, 594.

2-chloro-5-nitro- (COHN and BLAU), A., i, 674.

p-iodo- (ULLMANN), A., i, 728.

2:4-dinitro-, action of light on (SACHS and SICHEL), A., i, 156.

Benzylideneanilineazobenzoic acid (HUMAN and WEIL), A., i, 115.

Benzylidenebenzoylactic acid, ethyl ester, and its dibromo-derivative (BERTINI), A., i, 167.

Benzylidenebenzoylacetone, action of ammonia, phenylhydrazine, and semicarbazide on (RUHEMANN and WATSON), T., 460; P., 48.

Benzylidenebisacetoacetic acid, *p*-nitro-, esters of the tautomeric forms of (RABE and BILLMANN), A., i, 750.

Benzylidenebisacetylacetone (RUHEMANN and WATSON), T., 1176; P., 175.

Benzylidenebisbenzoylacetic acid, esters (BERTINI), A., i, 167.

Benzylidene-2:6-dibromoquinone (ZINCKE and WALTER), A., i, 1005.

Benzylidene cyanoacetamide, 3:4-di-hydroxy- (PICCININI), A., i, 920.

o-nitro- (ISSOGLIO), A., i, 526.

Benzylidenedibenzyl ketone and its isomeride (GOLDSCHMIEDT and SPITZAUER), A., i, 64.

Benzylidenedi-ethyl- and -methyl-diisocarbamides (BRUCE), A., i, 573.

Benzylidenedivanillin dimethyl ether, *m*- and *p*-nitro-, and their derivatives (ROGOFF), A., i, 173.

Benzylidene-*p*-hydroxylaminophenyl benzoate (WOHL and GOLDENBERG), A., i, 210.

δ -Benzylidene-*l*-ævulic acid from cinnamylidene-*l*-pyruvic acid (ERLENMEYER), A., i, 500.

Benzylidene-*m*-methoxyhydroxylamine. See Benzylmenthone, α -hydroxylamino-.

Benzylidene-meride and -merimidine (FELS), A., i, 618.

Benzylidene-*m*-methylamine, *o*-amino- (GABRIEL and COLMAN), A., i, 1061.

Benzylidene-2-methylbenzimidazole. See Styrylbenzimidazole.

9-Benzylidene-10-methyl-9:10-dihydro-acridine (DECKER and HOCK), A., i, 620; (DECKER and PSCHORR), A., i, 926.

1-Benzylidene-2-methyl-1:2-dihydroisoquinoline and its salts (DECKER and PSCHORR), A., i, 926.

Benzylidene-*m*-methylglyoxime peroxide nitrosate and **Benzylidene-*m*-methylglyoxal ketoxime** and its semicarbazones (HARRIES and MILLS), A., i, 428.

Benzylidene- α -naphthylamine, chloro-nitro- (COHN and BLAU), A., i, 674.

Benzylidene-*m*-nitrosoacetone, *m*-nitro-, and its oxime, phenylhydrazone, and semicarbazone, and **Benzylidene-*m*-nitrosoacetoxime** (HARRIES and MILLS), A., i, 428.

Benzylideneepinacolin and its hydrobromide (VORLÄNDER and HAYAKAWA), A., i, 65.

Benzylidenequinone, hexabromohydroxy-, and ψ -hexabromochlorohydroxy-, and its metallic salts (ZINCKE and KRÜGENER), A., i, 402.

Benzylidenesulphobutyric acid and its salts (KOHLER), A., i, 321.

Benzylidenesulphoethylmalonic acid, potassium salt (KOHLER), A., i, 320.

Benzylidene-*m*-acetone and its hydroxylamine (SEMMLER), A., i, 176.

Benzylidene- α - and -*p*-toluidines, 2-chloro-5-nitro- (COHN and BLAU), A., i, 674.

Benzylmalimides and their benzoyl derivatives (LUTZ), A., i, 831; (LADBURG and HERZ), A., i, 992.

Benzylmalonic acid, α -bromo- (FISCHER), A., i, 890.

Benzylmenthone, and α -hydroxylamino-, and **Benzylmenthol**, and α -amino- (SEMMLER), A., i, 260.

Benzylmethylacetic chloride, interaction of, with bases (KIPPING and SALWY), T., 443; P., 40.

Benzylmethyldimethylaminomethylcarbinol and its benzoate (FOURNEAU), A., i, 378.

Benzylmethylethylcarbinol (KONOWALOFF), A., i, 496.

Benzyl methyl ketone, formation of (TIFFENEAU), A., i, 63.

β -Benzylnaphthalic acid (DZIEWONSKI and WECHSLER), A., i, 803.

and its anhydride and imide (DZIEWONSKI and DOTTA), A., i, 390.

Benzyl- α -naphthol and its acyl and nitro-derivatives (BAKUNIN and BARBERIO), A., i, 312.

Benzyl- β -naphthol and its acyl derivatives (BAKUNIN and ALTIERI), A., i, 313.

2-Benzyl-6-nitroindazole (NOELTING), A., i, 691.

1-Benzylendioxytriazole, 5-thiol-, and its 4-methyl and 4-allyl derivatives (BUSCH and OPFERMANN), A., i, 630.

N-Benzylisopapaverine and its picrate (DECKER and KLAUSER), A., i, 338; (DECKER and HOCK), A., i, 620.

Benzylphenol, preparation of, and its benzoate (BAKUNIN), A., i, 312.

Benzyl-phthalimide and -isophthalimide, crystallography of (JAEGER), A., i, 895.

Benzylpiperidine and its salts (HAASE and WOLFFENSTEIN), A., i, 856.

Benzylpyridines, 2- and 4-, condensation of, with formaldehyde (TSCHITSCHIBABIN), A., i, 524.

oxidation of (TSCHITSCHIBABIN), A., i, 524.

2-Benzyl-quinol [and -quinone (STOLLÉ and MÖRING), A., i, 875.

2-Benzylquinoline and **1-Benzyliso-quinoline**, methiodides of (DECKER and PSCHORR), A., i, 926.

2-Benzyl-1-isoquinolone, 6:7-dihydroxy- (DECKER and KLAUSER), A., i, 339.

Benzylsulphonic acid. See Toluene- ω -sulphonic acid.

Benzylthiol-toluquinol and its diacetate and -toluquinone (POSNER and LIPSKI), A., i, 1031.

Benzyl- ψ -thiopyrine and its sulphone (MICHAELIS, BESSON, MOELLER, and KOBER), A., i, 783.

1-Benzylthiourazole, and its 4-allyl, 4-methyl, and 4-phenyl derivatives (BUSCH and OPFERMANN), A., i, 631.

Bergamot oil, constituents of (BURGESS and PAGE), T., 1327; P., 181.

Beri-beri, the urine in (DURHAM), A., ii, 194.

Beryl, composition of (POLLOK), T., 1630; P., 189.

Beryllium. See Glucinum.

Berzelium (BASKERVILLE), A., ii, 663.

Beta vulgaris. See Beetroot.

Betaine, isolation of, from the waste liquors from the desaccharification of molasses by means of strontia (ANDRLÍK), A., i, 652.

physiological action of, extracted from raw beet-sugar (WALLER and PLIMMER), A., ii, 65.

Betaine periodide, and the estimation of betaine by a solution of iodine in potassium iodide (STANĚK), A., ii, 790.

Betaines (WILLSTÄTTER and KAHN), A., i, 560.

synthesis of, from dialkylated amino-nitriles (KLAGES and MARGOLINSKY), A., i, 145.

aromatic (WILLSTÄTTER and KAHN), A., i, 235.

behaviour of, towards sodium amalgam (WILLSTÄTTER and KAHN), A., i, 561.

Betol, behaviour of, towards various solvents (LUSINI), A., i, 397.

Beverages, detection of saccharin in (VILLIERS, MAGNIER DE LA SOURCE, ROCQUES, and FAYOLLE), A., ii, 599.

Bile, toxic properties of (RUFFER and CRENDIROPOULOU), A., ii, 357.

action of chloral on the secretion of (FALLOISE), A., ii, 357.

influence of hydrochloric acid introduced into the intestine on the secretion of (FALLOISE), A., ii, 58.

effect of phosphorus and arsenic poisoning on the (PILZECKER), A., ii, 276.

human bladder (KIMURA), A., ii, 428.

of the musk ox (HAMMARSTEN), A., ii, 831.

of the ox, bile salts of (TENGSTRÖM), A., ii, 428.

Bile pigments, sensitive test for, in urine (JOLLES), A., ii, 303.

Bile salts, estimation of, in urine (GRÜNBAUM), A., ii, 103, 460.

Bilirubin, estimation of, in serum (GILBERT, HERSCHER, and POSTERNAK), A., ii, 303.

Biochemical synthesis (SCHRYVER), A., ii, 190.

Birotation. See under Photochemistry.

Bisanhydronitroacetic acid, esters (BOUVEAULT and WAHL), A., i, 547.

Bis-2:2:4-tri-bromo- and -chloro-phenyl-azonitroethanes (BAMBERGER and FREI), A., i, 123.

Bischofite, origin and specific gravity of (PRZIBYLLA), A., ii, 416.

Bis-*o*-coumaric acid and its alkyl derivatives and **Biscoumarin** (STRÖM), A., i, 505.

Bisidazooacetoacetic acid, ethyl ester, hydrolysis of (BETTI), A., i, 533.

Bisidazooacetone and its sodium salt and dibenzoyl derivative (BETTI), A., i, 564.

Bisidazooaminorosaniline (PELET and REDARD), A., i, 638.

Bisdibenzylideneanthracene (LIPPMANN and FRITSCH), A., i, 866.

N-Bis-2:5-dimethylpyrrole-3:4-dicarboxylic acid and its ethyl ester (BÜLOW and SAUTERMEISTER), A., i, 690.

p-Bisdiphenyl. See 4:4'-Diphenyldiphenyl.

Bisdiphenylbutadiene, oxidation of (RIIBER), A., i, 569.

1:4-Bisdiphenylmethylene- $\Delta^{2:5}$ -cyclohexadiene. See Tetraphenyl-p-xylylene.

4-Bis-3-methylpyrazolone. Curtius's. See 3:6-Dimethyldihydropyridazine-4:5-dicarboxylic acid, cyclohydrazide.

Bismuth, pyrophoric (THIBAULT), A., i, 247.

anodic behaviour of (ELBS and THÜM-MEL), A., ii, 541.

electrical resistance of, action of sodium bromide on the (PAILLOT), A., ii, 155.

influence of pressure on the melting point of (TAMMANN), A., ii, 567.

fusibility of mixtures of sulphur and (PÉLACION), A., ii, 42.

mixtures of, with selenium and with sulphur (PÉLACION), A., ii, 569.

compounds of, with the hydroxybenzoic acids (THIBAULT), A., i, 166.

physiological action of (FUCHS), A., ii, 195.

Bismuth alloys with aluminium and with magnesium (PÉCHEUX), A., ii, 564.

with tin, magnetic susceptibility of (LAWS), A., ii, 537.

Bismuth salts, compounds of, with thiocarbamide (HOFMANN and GONDER), A., i, 231.

Bismuth chloride, compound of, with pyridine (HAUSER and VANINO), A., i, 92.

nitrates, compounds of, with cobalt, magnesium, manganese, nickel, and zincnitrates (URBAIN and LACOMBE), A., ii, 43.

oxide (GUERTLER), A., ii, 130.

tetroxide (HAUSER and VANINO), A., ii, 569.

peroxide, precipitated, iodometry of (RUPP), A., ii, 211.

oxybromide and oxychloride (HERZ), A., ii, 42.

oxyhaloids, interaction of, with an aqueous solution of potassium hydroxide (HERZ and MUHS), A., ii, 413.

sulphide, fusibility of mixtures of, with antimony sulphide and with silver sulphide (PÉLACION), A., ii, 42.

Bismuth, new reaction for (REICHARD), A., ii, 845.

estimation of, colorimetrically (PLANÈS), A., ii, 93.

estimation of, electrolytically (HOL-LARD and BERTIAUX), A., ii, 684.

estimation of minute quantities of, in copper and copper ores (CLOUD), A., ii, 518.

Bismuthoprotocatechuic acid and its alkali salts and anilide (THIBAULT), A., i, 320.

Bismuthose (KALLE & Co.), A., i, 790.

Bisnitroso-benzoylacetone, -benzoyl-p-anisoylmethane, and -dibenzoylmethane and their oximes (WIELAND and BLOCH), A., i, 596.

Bistriphenylmethyl (VORLÄNDER), A., i, 659.

Bistriphenylmethylhydroxylamine (MÖTHWURF), A., i, 877.

Bistri-p-tolylmethylhydroxylamine (MÖTHWURF), A., i, 879.

Bitumens, estimation of sulphur in (GRAEFE), A., ii, 514.

Black coating for laboratory benches, &c., resisting acids and alkalis (JEAN), A., ii, 611.

Blackthorn. See *Prunus spinosa*.

Bladder, action of adrenaline on the (ELLIOTT), A., ii, 832.

Blast-furnace gases, determination of the calorific power of, by means of the calorimetric bomb (ARTH), A., ii, 516.

Bleaching liquors, estimation of chlorine in (PONTIUS), A., ii, 204.

Blondlot's rays. See *n*-Rays under Photochemistry.

Blood, changes in, after exercise (HAWK), A., ii, 270.

changes in the, by injection of proteid (MOLL), A., ii, 184.

effect of altitude on the (KEMP), A., ii, 183.

specific gravity of (BAUMANN), A., ii, 183; (INCHLEY), A., ii, 622.

agglutination and haemolysis of, by chemical precipitates (GENGOU), A., ii, 496.

alkalinity of (FOLIN), A., ii, 826.

coagulation of (BORDET and GENGOU), A., ii, 270; (BÜRKER; MORAWITZ), A., ii, 353; (LOEB), A., ii, 496, 747.

coagulation of, and leucocytes (KRÜGER), A., ii, 747.

coagulation of, in Arthropods (LOEB), A., ii, 353.

influence of cathions on the coagulability of (BUGLIA), A., ii, 747.

ether-laking of (PESKIND), A., ii, 747.

Blood, increase in the glycolytic power of the, after ligation of Wirsung's duct (LÉPINE and BOULUD), A., ii, 183.
 action of naphthalene- β -sulphonic chloride on (v. BERGMANN), A., ii, 826.
 physiological action of extracts of (VINCENT and CRAMER), A., ii, 66.
 hepatotoxic action of, after intraperitoneal injection of the nucleo-proteids of the liver (BIERRY and MAYER), A., ii, 578.
 oxidation of dextrose in (JOLLY), A., ii, 183.
 albumoses in (SCHUMM), A., ii, 56 ; (ABDERHALDEN and OPPENHEIMER), A., ii, 623.
 catalase in (LOEW), A., i, 358.
 choline in (ALLEN), A., ii, 623.
 colouring matter of (HETPER and MARCHLEWSKI), A., i, 463, 839 ; (LAIDLAW), A., i, 1067.
 glycerol in (MOUNEYRAT), A., ii, 56, 183 ; (NICLOUX), A., ii, 56, 270.
 formation of glycuronic acid in (LÉPINE and BOULUD), A., ii, 422.
 lipase of (GARNIER), A., ii, 184.
 proteids of (v. BERGMANN and LANGSTEIN), A., ii, 826.
 sugar in (LÉPINE and BOULUD), A., ii, 56.
 hydroxyl ions of (HÖBER), A., ii, 55.
 in disease, diffusible alkali and alkali-tension of (BRANDENBURG), A., ii, 496.
 in acute atrophy of the liver, free amino-acids in (NEUBERG and RICHTER), A., ii, 500.
 human, quantity of fat in (RUMPF, DENNSTEDT, and GRONOVER), A., ii, 136.
 of the new born infant (FEHRSEN), A., ii, 55.
 leucämic, proteolytic ferment in (ERBEN), A., ii, 573 ; (SCHUMM), A., ii, 747.
 selachian, toxicity of (GEY), A., ii, 579.
 of the skate (HARRIS), A., ii, 55.
 of vertebrate animals, amount of urea in (GRÉHANT), A., ii, 60.
 detection of (O. and R. ADLER), A., ii, 459.
 forensic detection of (UTZ), A., ii, 152.
 test for choline in (ALLEN and FRENCH), A., ii, 100.
 detection of urobilin in (SCHLESINGER), A., ii, 103.
 estimation of the alkalinity of (SALASKIN and PUPKIN), A., ii, 795.
 estimation of iron in, by Meisling's colorimeter (OERUM), A., ii, 449.
 estimation of oxygen in (MÜLLER), A., ii, 795.
Blood corpuscles, permeability to ions of (HÖBER), A., ii, 352.
 red, diurnal variations in (WARD), A., ii, 573.
 action of radium emanations on (HENRI and MAYER), A., ii, 184.
 agglutination of, by colloidal ferric hydroxide, sodium chloride, and different serums (GIRARD-MANGIN and HENRI), A., ii, 496.
 the laking of (KÖPPE), A., ii, 650.
 laked, influence of the stromata and liquid of, on the production of haemolysins and agglutinins (STEWART), A., ii, 497.
 white, relation between, and uric acid excretion (WILLIAMSON), A., ii, 62.
Blood crystals, Moser's (FRIEBOES), A., ii, 104.
Blood plasma, influence of inanition and removal of blood on the composition of (GITHENS), A., ii, 747.
 amount of proteids in (LEWINSKI), A., ii, 183.
 proteids of, in experimental infections (LANGSTEIN and MAYER), A., ii, 184.
Blood platelets (BÜRKER), A., ii, 353.
Blood pressure, effect of rarefied air on (BARTLETT), A., ii, 54.
Blood serum, diastases and anti-diastases in (ASCOLI and BONFANTI), A., ii, 827.
 the rennin action of (BANG), A., ii, 422.
 action of antitoxins on the toxins of (BILTZ), A., ii, 740.
 See also Serum.
Blood spots, van Deen's reaction for (VITALI), A., ii, 104, 600 ; (TARUGI), A., ii, 220.
Body temperature, influence of inversion of the daily routine on (BENEDICT), A., ii, 421.
Bog-iron ore from North Brabant (INGERMAN), A., ii, 744.
Boiling point, relation of the raising of the, and the depression of the freezing point to osmotic pressure (VAUBEL), A., ii, 606.
 molecular elevation of the, of mixtures of volatile liquids (MARIE), A., ii, 804.
 of ethers (HENRY), A., i, 466.
 of homologous compounds (RAMAGE), A., ii, 467.
 of sulphur, selenium, and tellurium in the vacuum of the cathode light (KRAFFT and MERZ), A., ii, 114.

Boiling point apparatus (WALTHER), A., ii, 234; (EIJKMAN), A., ii, 537.

Boldoia fragrans, oil of (TARDY), A., i, 331.

Bone-marrow of rabbits, action of lead, mercury, phosphorus, iron, and quinine on the (STOCKMAN and CHARTERIS), A., ii, 65.

Bone meal phosphoric acid, manurial value of (SÖDERBAUM), A., ii, 79.

Boothite from California (SCHALLER), A., ii, 348.

Borates and **Boric acid**. See under Boron.

Borax. See Sodium borate.

Borneol, an isomeride of (BÉHAL), A., i, 329.

Bornite, formula of (HARRINGTON), A., ii, 46.

Bornylalkylether (HALLER and MARCH), A., i, 751.

isocyanide (FORSTER and ATTWELL), T., 1193.

Bornylamine bornyldithiocarbamate and thiocyanate (FORSTER and ATTWELL), T., 1194; P., 91.

Bornylcarhamic acid, ethyl ester (NEVILLE and PICKARD), T., 686; P., 114.

Bornylcarbamide and its nitrate, and *s*-naphthyl-, *p*-iperidyl, and *p*-tolyl derivatives (FORSTER and ATTWELL), T., 1189; P., 91.

Bornylcarbimide (NEVILLE and PICKARD), T., 687; P., 114; (FORSTER and ATTWELL), T., 1188; P., 91.

s-**Bornylphenylsemicarbazide** (FORSTER and ATTWELL), T., 1191; P., 91.

Boron, crystalline, preparation of (KÜHNE), A., ii, 331.

Boron bromide, action of ammonia on (JOANNIS), A., ii, 654.

trioxide (*boric anhydride*), limits of miscibility of, in the fused condition (GUERTLER), A., ii, 614.

melting points of mixtures of the alkaline earths with (GUERTLER), A., ii, 654.

Boric acid and arsenious acid, formation of complexes (AUERBACH), A., ii, 118.

action of, on iodides, and its use for the separation of iodine from iodides in presence of bromides and chlorides (BAUBIGNY and RIVALS), A., ii, 81.

detection of, by a new indicator (ROBIN), A., ii, 445.

estimation of (SCHAAK), A., ii, 640.

estimation of, gravimetrically, by extraction with ether (PAPTHEIL and ROSE), A., ii, 842.

Boron :—

Boric acid, estimation of, as phosphate (MYLIUS and MEUSSER), A., ii, 209.

estimation of, in borax (JACOBI), A., ii, 209.

estimation of, in cider and fruits (ALLEN and TANKARD), A., ii, 777.

Borates, limits of miscibility of, in the fused condition (GUERTLER), A., ii, 614.

estimation of alkalis in presence of (JACOBI), A., ii, 209.

Boro-oxalic acid, potassium salt (WERNER), T., 1449; P., 187.

Borylphosphoric acid (MYLIUS and MEUSSER), A., ii, 209.

Botryogen, identity of palacheite with (EAKLE), A., ii, 49.

Bournonite from Sardinia (LOVISATO), A., ii, 825.

Brain, cholesteatoma of the (FLETCHER), A., ii, 64.

reaction of (MÜLLER and OTT), A., ii, 627.

of the rat, effect of inanition on the (HATAI), A., ii, 673.

analysis of (Koch), A., ii, 498.

Brassidic acid and bromo- (HAASE and STUTZER), A., i, 6.

Brazilein, acetyl derivatives (HERZIG, POLLAK, and GALITZENSTEIN), A., i, 908.

Brazilin and haematoxylin (HERZIG and POLLAK), A., i, 81, 333, 908.

from brazilein (HERZIG and POLLAK), A., i, 178.

Bread, stale, condition of starch in (ROUX), A., ii, 625.

Breads, some ancient (LINDET), A., ii, 75.

Breccia, eclogite-bearing, from the Bingera Diamond Field (CARD), A., ii, 350.

Brewing, changes of proteids during (WEIS), A., ii, 761.

Bright's disease, variations in the permeability of the kidney for sodium chloride in the course of (WIDAL and JAVAL), A., ii, 194.

Brine purification of, by barium carbonate (ARTH and FERRY), A., ii, 30.

Bromates, **Bromic acid**, and **Bromides**. See under Bromine.

Bromine, Budde effect with reference to chlorine and (CALDWELL), A., ii, 105.

spark potential in (RITTER), A., ii, 463.

addition of, to carbon atoms united by a double linking (BAUER), A., i, 841.

Bromine, combination of, with iodine (ROOZEBOOM), A., ii, 165.

Hydrobromic acid (*hydrogen bromide*), dissociation of (BODENSTEIN and GEIGER), A., ii, 717.

liquefied, physical constants of, as solvent (MCINTOSH and STEELE), A., ii, 533; (ARCHIBALD and MCINTOSH), A., ii, 534.

Bromides, viscosity of aqueous solutions of (TAYLOR and RANKEN), A., ii, 539.

Bromic acid, action of, on metals (HENDRIXSON), A., ii, 656.

Bromates, pharmacological action of (MATHews), A., ii, 501.

estimation of chlorates, iodates, and (DÉBOURDEAUX), A., ii, 204.

use of ferrous sulphate in the estimation of chlorates and (PHELPS), A., ii, 205.

gas-volumetric estimation of (SCHLÖTTER), A., ii, 146.

Bromine, detection of free (GANASSINI), A., ii, 441.

detection of chlorides in presence of (JONES), A., ii, 440.

estimation of chlorine, iodine, and (BENEDICT and SNELL), A., ii, 145, 771; (DITZ and MARGOSCHES), A., ii, 366; (THILO), A., ii, 771.

estimation of chlorine, iodine, and, in organic compounds by means of sodium peroxide (PRINGSHEIM), A., ii, 146, 447.

Bromoform, electrolytic preparation of (MÜLLER and LOEBE), A., i, 705.

Brown-coal tar, pyridine bases in (KREY), A., i, 615.

Brucine, reaction for (REICHARD), A., ii, 791; (BEHRENS), A., ii, 847.

Brushite, artificial production of (DE SCHULTEN), A., ii, 491.

Bryoidin from colophonia elemi (TSCHIRCH and SAAL), A., i, 758.

Bubbles, observations on (RAMSDEN), A., ii, 323.

Buckwheat in presence of a mixture of Alga and Bacteria (BOUILHAC and GIUSTINIANI), A., ii, 198.

Budde effect. See under Photo-chemistry.

Buffalo milk, composition of (WINDISCH), A., ii, 752.

Bungarus ceruleus venom. See Poison, krait.

Bungkil, heating of (VAN DER JAGT), A., ii, 79.

Burette arranged to fill and level to an automatic zero and to return unused liquid to reservoir (ALVERGNIAT-CHABAUD), A., ii, 366.

Burette pinch clamps, substitute for (KIPPENBERGER), A., ii, 439.

Burette stands (KIPPENBERGER), A., ii, 440.

Burner, new, for spectra (RUPP), A., ii, 153.

Buusen, safety (STEINLEN), A., ii, 722, 811.

combustion in, without gas (GIBBS), A., ii, 770.

high temperature gas (HORMUTH), A., ii, 383.

ring (HORMUTH), A., ii, 384.

Butadiene compounds (STOBBE), A., i, 588, 589; (STOBBE, NAOÚM, and KAUTZSCH), A., i, 589; (STOBBE, K. and P. KOHLMANN, and NAOÚM), A., i, 672; (STOBBE and V. VIGIER), A., i, 672, 673.

Butadiene- $\beta\gamma$ -dicarboxylic acids, coloured anhydrides of (STOBBE), A., i, 589.

Butadienedicarboxylic acids, aromatic (STOBBE), A., i, 588.

See also $\Delta\beta\gamma$ -Dihydromuconic acid.

*iso***Butaldehyde**, action of calcium hydroxide on (HERRMANN), A., i, 370.

action of hydrogen sulphide on solutions of (DRUGMAN and STOCKINGS), P., 117.

action of potassium carbonate on (KIRCHBAUM), A., i, 473.

Butane, $\alpha\gamma$ -dihydroxy-. See Butane- $\alpha\gamma$ -diol and Butylene glycol.

Butanedicarboxylic acids, formation of stereoisomeric, by reduction of butanedicarboxylic acids (STOBBE and V. VIGIER), A., i, 673.

See also Adipic acid, Dimethylsuccinic acids, and α -Methylglutaric acid.

Butane- $\alpha\gamma$ -diol, action of sulphuric acid on (BAUER), A., i, 279; (KADIERA), A., i, 466.

See also Butylene glycol.

*n***Butane- $\alpha\beta\gamma\delta$ -tetracarboxylic acid** and its α -acetyl derivative and its trimethyl ethyl ester (BERTRAM), A., i, 13.

Butane- $\alpha\gamma\delta$ -tri- and $\alpha\gamma\gamma\delta\delta$ -penta-carboxylic acids (SILBERRAD), T., 611; P., 61.

Butane- $\alpha\alpha\beta\gamma\delta$ -pentacarboxylic acid and its esters (BERTRAM), A., i, 13.

Butea frondosa, colouring matter of the flowers of (PERKIN and HUMMEL), T., 1459; P., 169.

Butein and its acetyl derivative and trimethyl ether (PERKIN and HUMMEL), T., 1463; P., 169.

Butenoic acids. See Crotonic acids.

Butenylanisoles, *m*-and *p*- (KLAGES), A., i, 1004.

Butenylbenzenes. See Phenylbutylenes.
isoButenylmesitylene and its nitrosochloride (KLAGES and STAMM), A., i, 303.

Butenylphenetoles, *o*-*n*- and *p*-*iso*- (KLAGES), A., i, 1004.

Butin and its acetyl and benzoyl derivatives and trimethyl ether (PERKIN and HUMMEL), T., 1461; P., 169.

Butter, analysis of (PARTHEIL and FERIE), A., i, 5. estimation of fat and water in (BIRD), A., ii, 772.

Butter-fat, relation of Zeiss number, amount of soluble and insoluble acids, saponification equivalent, mean molecular weight, and specific gravity of, to the Reichert-Wollny number (THORPE), T., 248; P., 12. interdependence of the physical and chemical criteria in the analysis of (THORPE), T., 248; P., 12.

d-sec.-Butylamine (GADAMER), A., i, 375.

Butylanisoles, *m*- and *p*-, and the sulphonate acid of the *p*-compound (KLAGES), A., i, 1004.

Butylbenzene, γ -hydroxy-, and its phenylurethane (KLAGES), A., i, 569.

Butylbenzenes (BÖDTKER), A., i, 801.

***d*-Butyl-carbamides** and *-thiocarbamides*, alkylated (URBAN), A., i, 375.

3-isoButylisocarbostyryl, 4-hydroxy- (ULRICH), A., i, 530.

Butylchloral, distinction between chloral and (GABUTTI), A., ii, 300.

isoButyl- α -cyanoethylamine (HENRY), A., i, 854.

isoButylidisoamylcarbinol (GRIGNARD), A., i, 213.

Butylene glycol (KLING), A., i, 2. See also Butane- α -diol.

Butylenedicarboxylic acids. See Methylitaconic acid, Methylitaconic acid, and Methylmesaconic acid.

isoButylethyldeneimine and its compound with hydrogen cyanide (HENRY), A., i, 854.

Butylidenebisacetooacetic acids, *n*- and *iso*-, menthyl esters, rotation of (HANN and LAPWORTH), T., 53.

isoButylisoindolone (BÉIS), A., i, 503.

isoButylitaconic acid, action of bromine on (FITTIG and SHEEN), A., i, 555. dibromide (FITTIG and KRAENCKER), A., i, 556.

isoButylmesitylene and its sulphonic acid (KLAGES and STAMM), A., i, 483.

m-Butylolanisole and its phenylurethane (KLAGES), A., i, 1004.

r-sec.-Butyloxamic acid (URBAN), A., i, 375.

Butylisopapaverine (DECKER and KLAUSER), A., i, 1045.

isoButylparaconic acid, bromo- (FITTIG and KRAENCKER), A., i, 556.

***o*-Butylphenetole** (KLAGES), A., i, 1004.

5-Butyltetroloxaazoline, 2-thiol- (ROUX), A., i, 292.

isoButyl- ψ -thiopyrine (MICHAELIS, BES-SON, MOELLER, and KOBER), A., i, 783.

Butyramide, $\beta\gamma$ -dibromo- (LESPIEAU), A., i, 471.

isoButyramide, α -aminothio-, acetyl derivative (HELLSING), A., i, 563.

***n*-Butyric acid** from the fusion of iso-pilocarpine with potassium hydroxide (JOWETT), P., 14. uranyl potassium salt (RIMBACH, BÜRGER, and GREWE), A., ii, 265.

***n*-Butyric acid**, cyanomethyl ester (HENRY), A., i, 982. ethyl ester, hydrolysis of, by lipase (KASTLE, JOHNSTON, and EL-VOVE), A., i, 702. effect of ions on the hydrolysis of, by pancreatic extract (NEILSON and BROWN), A., ii, 229.

***n*-Butyric acid**, α -amino-, esters, hydrochloride (CURTIUS and MÜLLER), A., i, 482.

β -amino-, compounds of, with hipurylazoimide (CURTIUS and GUM-LICH), A., i, 886.

γ -amino-, compounds of, with hipurylazoimide (CURTIUS and MÜLLER), A., i, 887.

β -dibromo-, and -dichloro- (LESPIEAU), A., i, 471.

α -hydroxy-, nitrate of (DUVAL), A., i, 137.

$\alpha\beta$ -dihydroxy-, resolution of, into its optically active constituents (MORRELL and HANSON), T., 197; P., 20.

α -hydroxylamino- (POSNER), A., i, 161.

β -imino- α -cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1739.

α -isonitroso- β -nitrosoamino-, ethyl ester (H. and A. v. EULER), A., i, 146, 230.

isoButyric acid, α -amino-, acetyl derivative, and its salts, ethyl ester, and nitrile (HELLSING), A., i, 563.

isoButyric acid, γ -isonitroso- β -imino- α -cyano- (BARON, REMFRY, and THORPE), T., 1738.

Butyrohydroxamic acid (FRANCESCONI and BASTIANINI), A., i, 721.

Butyronepinacone, action of dilute sulphuric acid on (ZUMPF), A., i, 291.

Butyronitrile, β -imino-, action of amylnitrite on (LUBLIN), A., i, 891.
isoButyrylacet-amide and -anilide (FREUNDLER), A., i, 34.
Butyrylacetic acid, ethyl ester, homologues of (LOCQUIN), A., i, 552.
Butyrylacetic acid, cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1757.
n-Butyrylacetonehydrazide (STOLLÉ and ZINSSER), A., i, 696.
isoButyrylacetonehydrazide (STOLLÉ and GUTMANN), A., i, 696.
Butyrylacetophenone, *m*-hydroxyanilide of (BÜLOW and ISSLER), A., i, 191.
Butyrylbenzylidenehydrazide (STOLLÉ and ZINSSER), A., i, 695.
isoButyrylbenzylidenehydrazide (STOLLÉ and GUTMANN), A., i, 696.
isoButyrylformaldol, condensation of, with malonic acid (SILBERSTEIN), A., i, 288.
n-Butyrylhydrazide (STOLLÉ and ZINSSER), A., i, 695.
n-Butyrylhydrazides, conversion of, into heterocyclic compounds (STOLLÉ and ZINSSER), A., i, 695.
isoButyrylhydrazide (STOLLÉ and GUTMANN), A., i, 696.
isoButyrylhydrazides, conversion of, into heterocyclic compounds (STOLLÉ and GUTMANN), A., i, 696.
isoButyrylmesitylene (KLAGES and STAMM), A., i, 303.
isoButyrylmethylacetic acid (isobutyrylpropionic acid), cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1756.
Butyrylphenylacetylene, and the action of hydroxylamine on (MOUREU and BRACHIN), A., i, 96.

C.

Cacodylic acid, physico-chemical properties of (MULLER and BAUER), A., i, 482.
 the amphoteric nature of (v. ZAWIDZKI), A., i, 232, 564; (HANTZSCH), A., i, 381, 725; (JOHNSTON), A., i, 984; (BREDIG), A., ii, 802.
Cadaverine. See Pentamethylenediamine.
Cadinene, compound of, with paraformaldehyde (GENVRESSE), A., i, 603.
Cadmium, satellite rays in the spectrum of (FABRY), A., ii, 305.
 complex ions of (v. EULER), A., ii, 11.
Cadmium-ammonium hydroxide, complex (BONSDORFF), A., ii, 733.

Cadmium alloy with sodium, crystallography of (v. SUSTSCHINSKY), A., ii, 30.
Cadmium arsenide, Cd₃As₂ (GRANGER), A., ii, 258.
 bromide and chloride, specific gravities of (BAXTER and HINES), A., ii, 257; (BAXTER), A., ii, 484.
 bromide and iodide, double salts of (EDER), A., ii, 36.
 chromates (GRÖGER), A., ii, 659.
Cadmium ferrocyanides, change in the composition of, after precipitation (MILLER and FALK), A., i, 794.
Cadmium, detection of, in silver ornaments (L'HÔTE), A., ii, 682.
Cæsium, relation of, to potassium and rubidium as illustrated by the crystalline forms of uranyl double salts (SACHS), A., ii, 30.
Cæsium iodide, compound of, with mercuric cyanide (MATHEWSON and WELLS), A., i, 21.
Cæsium iodocyanide (MATHEWSON and WELLS), A., i, 21.
Cæsium, estimation of rubidium and (MONTEMARTINI and MATTUCCI), A., ii, 148.
Caffearine from coffee (GRAF), A., i, 915.
Caffeine, amount of, in coffee used as a beverage (KATZ), A., ii, 301.
 from plants (WEEVERS and WEEVERS-DE GRAAF), A., ii, 72.
 dichloro-derivatives (BOEHRINGER & SÖHNE), A., i, 188, 824, 950.
Caffeine-ethylenediamine, preparation of, and its acetyl and lactyl derivatives (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 85.
Caisson disease (HILL and MACLEOD), A., ii, 54.
Calcium, electrolytic preparation of (RUFF & PLATO), A., ii, 731.
 amount of, in various animal organs (TOYONAGA), A., ii, 751.
 and iron in nutriment (v. BUNGE), A., ii, 271.
 and magnesium, influence of the relative amounts of, in the soil on the crop yield (LOEW), A., ii, 144.
Calcium salts, action of soap on solutions of (GOTTSCHALK and ROESLER), A., ii, 785.
Calcium borosilicate. See Bakerite.
 carbide, new mode of formation of (MOISSAN), A., ii, 333, 483; (BULLIER), A., ii, 403.
 estimation of phosphorus in (LIDHOLM), A., ii, 776.
 estimation of sulphur in (LIDHOLM), A., ii, 442.

Calcium carbonate, mixtures of, with an alkali carbonate, decomposition of, under the action of heat in a vacuum (LEBEAU), A., ii, 561. influence of, in the decomposition of organic matter (KOSROWITSCH and TRETIJAKOFF), A., ii, 142. chloride, electrolysis of (MOISSAN), A., ii, 333, 483. fluoride, crystalline, preparation of (DEFACQZ), A., ii, 123. spectrum of, in the electric arc (FABRY), A., ii, 601. colloidal properties of (PATERNÒ and MAZZUCHELLI), A., ii, 169. action of, on Vesuvian soil (AMPOLA), A., ii, 767. fluorobromide and fluoroiodide (DEFACQZ), A., ii, 334. fluorochloride (DEFACQZ), A., ii, 123. oxide (*lime, quicklime*), action of carbon on, at the temperature of fusion of platinum (MOISSAN), A., ii, 256. isomorphous mixtures of, with lithia (LEBEAU), A., ii, 616. rapid estimation of, in cement (ENRIGHT), A., ii, 681. manurial experiments with (PRIANISCHNIKOFF), A., ii, 586. manurial value of a mixture of phosphoric acid and (BACHMANN), A., ii, 145. and marl, influence of, on the yield of potatoes and on the amount of nitrogen and mineral substances (ULBRICHT), A., ii, 76. free, estimation of, and so-called "dead-burnt" lime (KEISER and FORDER), A., ii, 210. phosphate, manurial experiments with (SÖDERBAUM), A., ii, 78. tricalcium phosphate, action of sterilised and fermenting organic matter on the solubility of the phosphoric acid of (STÅLSTRÖM), A., ii, 438.

Calcium sulphate, first anhydrous modification of (ROHLAND), A., ii, 33. solubility and size of grain of (HULETT; KOHLRAUSCH), A., ii, 321. solubility of, in solutions of nitrates (SEIDELL and SMITH), A., ii, 731. solubility of, in aqueous solutions of sulphuric acid (CAMERON and BREAZEALE), A., ii, 34. solubility of, in aqueous solutions of potassium and sodium sulphates (CAMERON and BREAZEALE), A., ii, 544. reactivity of, in colloidal media (ROHLAND), A., ii, 560.

Calcium sulphate. See also Gypsum. potassium sulphate, $K_2Ca_5(SO_4)_6$ (VANTHOFF), A., ii, 561. sulphide, luminous, possibility of showing by a contrast phenomenon the objective action of *n*-rays on (MACÉ DE LÉPINAY), A., ii, 307. use of, for destroying dodder and other injurious parasites (GABRIGOU), A., ii, 637. hyposulphite, electrolytic preparation of (ELBS and BECKER), A., ii, 556; (FRANK), A., ii, 615.

Calcium cyanamide (CYANID-GESELLSCHAFT IN BERLIN), A., i, 562. agricultural use of (TACKE), A., ii, 768; (GERLACH), A., ii, 839.

Calcium, estimation of (KETTLER), A., ii, 517, 780; (BRÜCK), A., ii, 681. estimation of, gasometrically (RIEGLER), A., ii, 448. indirect estimation of magnesium and (CHRISTOMANOS), A., ii, 87. separation of barium, strontium, and (REICHARD), A., ii, 88; (ROBIN), A., ii, 149. separation of, from magnesium (STOLBERG), A., ii, 591.

"Californite." See Idocrase.

Calomel. See Mercurous chloride under Mercury.

Calorimeter, comparison of different types of (GRAY and ROBERTSON), A., ii, 637. See also Coal calorimeter.

Camphene, solid, preparation of (CHEMISCHE FABRIK AUF AKTIEN), A., i, 680, 904, 1035. oxidation of (WAGNER, MOYCHO, and ZIENKOWSKI), A., i, 438. compounds of, with mercury salts (BALBIANO and PAOLINI), A., i, 72.

Camphene, 1-nitro-, action of nitrogen peroxide on (FORSTER and MICKLETHWAIT), T., 325; P., 19.

i-a-Campholactone, synthesis of (PERKIN and THORPE), T., 128.

β-Campholan-*α,β*-diol and **Campholan oxide** (BÉHAL), A., i, 330.

Campholene derivatives (BÉHAL), A., i, 329, 514.

α-Campholenic acid, derivatives of (BLANC and DESFONTAINES), A., i, 366.

β-Campholenol and its acetate, butyrate, and formate (BÉHAL), A., i, 329.

Campholyl alcohol and its phenylurethane (BOUVEAULT and BLANC), A., i, 642.

i-a-Campholytic acid, synthesis of (PERKIN and THORPE), T., 128.

α-Campholytic acid, derivatives of (BLANC and DESFONAINES), A., i, 366.

β-Campholytic acid (*isolauronic acid*), synthesis of, and its methyl ester (PERKIN and THORPE), T., 128.

Camphor, constitution of (ODDO), A., i, 330. fate of, in the organism (FROMM and CLEMENS), A., i, 177; (FROMM), A., ii, 360.

magnesium bromide, insoluble (BRÜHL), A., i, 435; (BRÜHL and RÜDIGER), A., i, 601.

derivatives, action of magnesium alkyl haloids on (FORSTER), P., 207.

physiological behaviour of some (BRÜHL, KOBERT, and GOTTLIEB), A., ii, 501.

enolic derivatives (BRÜHL), A., i, 140.

Camphor, bromo-, and chloro-, equilibrium between (PAODOA), A., i, 756.

α-bromo- and *α*-mono- and *αα*-di-iodo- (BRÜHL and RÜDIGER), A., i, 601.

n- and *ψ*-nitro-derivatives, equilibrium between (LOWRY and ROBERTSON), T., 1541.

isonitroso-, and its isomeride, and their benzoyl derivatives and methyl ethers, and the action of potassium ferricyanide on (FORSTER), T., 892; P., 138.

Camphorcarboxylic acid and its salts, esters, and ester salts (BRÜHL and SCHRÖDER), A., i, 646, 969.

and its bromo-derivative, reactions of (BRÜHL), A., i, 139.

Camphor group, metallo-organic syntheses in the (ODDO), A., i, 602.

Camphoric acid and *di*hydroxy-, synthesis of (KOMPPA), A., i, 141.

reduction of (BALBIANO and ANGELONI), A., i, 860.

Camphoroxime and its *m*-nitrobenzoyl derivative (FORSTER), T., 906.

d-Camphorphenylcarbamic acid hydrazone (BORSCHE and MERKWTZ), A., i, 946.

Camphorphorone and its oxime, semicarbazone, and semicarbazide-semicarbazone (WALLACH and COLL-MANN), A., i, 752.

derivatives (SEMMLER), A., i, 260.

Camphorquinone potassium cyanide (LAPWORTH), T., 1210; P., 177.

Camphorquinonedioximes, acyl derivatives of (FORSTER), T., 909; P., 138.

Canal rays. See Photochemistry.

Caoutchouc (*indiarubber*) (HARRIES), A., i, 1038.

Caoutchouc (*indiarubber*) from *Castilloa elastica* (DE JONG and TROMP DE HAAS), A., i, 762, 763.

chemistry of, and its distillation products (DITMAR), A., i, 680.

decomposition of the colloid molecule of, and its conversion into a cyclic hydrocarbon (DITMAR), A., i, 757.

See also *Castilloa elastica*.

Paracaoutchouc, decomposition of, by ozone (HARRIES), A., i, 757.

Caoutchouc substances containing oxygen (ALEXANDER), A., i, 905.

Capaloin, does, contain methoxyl? (TSCHIRCH and v. KÜYLENSTJERNA), A., i, 178.

Caper-rutin. See Rutin.

Capillary film, thickness of the, between the homogeneous phases of liquid and vapour and its relation to the critical phenomena (BAKKER), A., ii, 806.

Capillarity, theory of (BAKKER), A., ii, 540.

theory of, and colloidal solutions (DONNAN), A., ii, 240.

Capillarity constants and specific gravity of salts at their melting points (MOTYLEWSKI), A., ii, 240.

*iso*Caproic acid. See *iso*Hexoic acid.

*iso*Caprolactone. See *iso*Hexolactone.

Caproyl. See Hexoyl.

Caramelan, decomposition products of (STOLLE), A., i, 228.

Carbamide, formation of, by fermentations (KOSSEL and DAKIN), A., i, 840.

basic properties of (v. ZAWIDZKI), A., i, 564.

action of acylazoimides on (CURTIUS and LENHARD), A., i, 888.

oxygen ethers of (BRUCE), A., i, 491, 573.

See also Urea.

Carbamide, thio-. See Thiocarbamide and Thiourea.

*iso*Carbamide methyl ether, acetyl and *m*-nitrobenzoyl derivatives (BRUCE), A., i, 492.

Carbamides, trisubstituted, action of phosphorus pentachloride on (STEIN-DORFF), A., i, 452.

Carbamide oximes (v. BRAUN and SCHWARZ), A., i, 38.

α-Carbamido-*αβ*-diphenylcarbamide (BAILEY, ACREE, and MILLER), A., i, 827.

Carbamidomalonic acid and its salts (PILOTY and FINCKH), A., i, 825.

Carbamido-5-methyl-2-thiohydantoin, and its 3-allyl and 3-ethyl derivatives (BAILEY, ACREE, and MILLER), A., i, 826.

1-Carbamido-3-phenyl-5-methylhydantoin (BAILEY, ACREE, and MILLER), A., i, 827.

1-Carbamido-3-phenyl-5-mono- and -dimethyl-2-thiohydantoins (BAILEY, ACREE, and MILLER), A., i, 826.

1-Carbamido-5-phenyltriazole-4-carboxylic acid and its ethyl ester (WOLFF and HALL), A., i, 120.

1-Carbamido-5-piperonyl-4-5-pyrazoline and its salts (SCHOLTZ and KIPKE), A., i, 508.

o-Carbaminebenzenesulphonic acid. See *o*-Sulphobenzamide.

Carbamine-*p*-ethoxyphenylhydrazide (BORSCHE and ZELLER), A., i, 1057.

***m*-Carbaminesuccinianilic acid** (BOGERT and BEANS), A., i, 585.

Carbanilide, aromatic derivatives, and *di-m*-nitro- (TAUSSIG), A., i, 663.

m-cyano-, *di-m*-cyano-, and *m*-cyano-thio- (BOGERT and BEANS), A., i, 584.

Carbanilino-dibenzylhydroxylamine and *-piperidine oxide* and their *p*-nitro-phenylhydrazone (HAASE and WOLF-FENSTEIN), A., i, 856.

C-Carbanilinotriacetic- δ -lactone and its salts (DIECKMANN and BREEST), A., i, 846.

Carbazole and 2- and 3-chloro- (ULLMANN, DELETRA, and KOGAN), A., i, 776.

3-amino-, and its acetyl derivative (DELETRA and ULLMANN), A., i, 271.

tetraamino- and tetranitro- (ESCALES and WOLGAST), A., i, 1063.

Carbazoles (DELETRA and ULLMANN), A., i, 270; (ULLMANN, DELETRA, and KOGAN), A., i, 776.

Carbides, preparation and properties of (HEMPPEL and RUCKTASCHEL), A., ii, 397.

See also under the separate Metals and Metalloids.

Carbimides, optically active (NEVILLE and PICKARD), T., 685; P., 114.

Carbindo-phenine and *-phthenine* (OSTER), A., i, 914.

Carbocyclic acids, physiological action of (PRIBRAM), A., ii, 757.

Carbodinaphthylimides, α - and β -, hydro-cyano- (C. and H. DREYFUS), A., i, 832.

Carbohydrates of barley and their changes during germination (LIND-ET), A., ii, 284.

in plants (SCHULZE), A., ii, 433.

from serum globulins (LANGSTEIN), A., i, 790.

Carbohydrates, some complex (ZANOTTI), A., ii, 836.

combustion of (COHNHEIM), A., ii, 675.

action of oxidising enzymes on (SIEBER), A., i, 129.

influence of, on the relations of the gas-exchange in yeast (KOLLEGORSKY and ZASSOUCHE), A., ii, 68.

See also Hexoses, Pentoses, and Sugars.

Carbon, atomic weight of (GUYE), A., ii, 475.

deposition of, from chemically-combined carbonic acid (HABER and TOLLOCZKO), A., ii, 813.

a filamentous variety of (CONSTANT and PÉLABON), A., ii, 28.

sublimed (BERTHELOT), A., ii, 27, 653.

specific heat of, at high temperatures (KUNZ), A., ii, 466.

in soils and subsoils (CAMERON and BREAZEALE), A., ii, 286.

ternary, mode of utilisation of, by plants and microbes (MAZÉ), A., ii, 581.

Carbon tetrachloride, vapour pressures in the system, benzene, ethyl alcohol, and (SCHREINEMAKERS), A., ii, 588.

Px curves of mixtures of, with acetone at 0° (GERRITS), A., ii, 807.

condensation of, with chlorobenzene (NORRIS and TWIEG), A., i, 63.

monoxide (*carbonic oxide*), free energy of formation of (v. JÜPTNER), A., ii, 383.

compressibility of, between one and half an atmosphere (RAYLEIGH), A., ii, 313.

combining volumes of, with oxygen (SCOTT), P., 85.

equilibrium of water and (HAHN), A., ii, 643.

decomposition of (SCHENCK), A., ii, 28.

behaviour of, in the organism (GIACOSA), A., ii, 56, 429.

estimation of, spectrophotometrically, in air (DE SAINT-MARTIN), A., ii, 589.

dioxide (*carbonic anhydride*), free energy of formation of (v. JÜPTNER), A., ii, 383, 549.

decomposition of, by light (v. EULER), A., ii, 761; (BACH), A., ii, 836.

electrolytic reduction of (COEHN and JAHN), A., ii, 614.

Carbon dioxide (*carbonic anhydride*), comparative solubility of, in water and in aqueous solutions (GEFFCKEN), A., ii, 708.
 behaviour of borax towards (GRÜNHUT), A., ii, 615.
 action of, on magnesium hydroxide (MONHAUPT), A., ii, 731.
 action of, on metal ammoniums (RENGADE), A., ii, 333.
 reaction between, and soluble nitrates (MEUNIER), A., i, 208; ii, 252; (MARIE and MARQUIS), A., ii, 252, 333; (MOORE), A., ii, 653.
 action of, under pressure, on metallic phosphates (BARILLÉ), A., ii, 27.
 sensibility to, diminished by barometric depression (MOSO), A., ii, 577.
 influence of the barometric pressure on the amount of, in the pulmonary alveoli (AGGazzOTTI), A., ii, 746.
 of the soil, influence of the, on vegetation (DEMOUSSY), A., ii, 286.
 assimilation of (LÖB), A., ii, 835.
 effect of temperature on the assimilation of, by leaves (MATTHAEI), A., ii, 70.
 origin of, in seeds during germination (URBAIN), A., ii, 835.
 Nile-blue-base as a reagent for, in the atmosphere (HEIDENHAIN), A., i, 179.
 improved Geissler apparatus for the estimation of (KETTLER), A., ii, 779.
 estimation of, by densimetry (WALLER and COLLINGWOOD), A., ii, 292, 622.
 estimation of, volumetrically (MÁCARA), A., ii, 516.
 estimation of, in presence of sulphites, sulphides, and organic substances (STANÉK and MILBAUER), A., ii, 86.
 estimation of, in air (SWaab), A., ii, 367.
 estimation of, in alkalis and alkali carbonates (MÁKRO), A., ii, 445.
 estimation of, in electrolytic chlorine (OFFERHAUS), A., ii, 86; (SCHLÖTER), A., ii, 367.
 estimation of, in natural waters (WINKLER), A., ii, 215; (MCGILL), A., ii, 367.
Carbonates, action of sodium nitro-prusside on (REICHARD), A., ii, 514.
 manganeseous, from Kuttenberg, Bohemia (BUKOVSKÝ), A., ii, 417.
Carbon monosulphide, Thomsen's supposed synthesis of (STOCK and KÜCHLER), A., ii, 119.
Carbon, organic, estimation of (KONER V. NORWALL), A., ii, 588, 589.
 estimation of, by oxidation with chromic acid (MORGAN), T., 1004; P., 167.
 estimation of, in alloys (HEMPEL and RUCKTÄSCHEL), A., ii, 397.
 estimation of total, in coal and soil (PARR), A., ii, 445.
 estimation of, in iron and steel (MÜLLER), A., ii, 779.
Carbon atom, asymmetric (MOHR), A., i, 1.
Carbon atoms united by a double linking, addition of bromine to (BAUER), A., i, 841.
Carbon compounds. See *Organic compounds*.
Carbo- α - and - β -naphthyl-, -phenyl-, and - α - and - p -tolyl-imides, hydro-cyano- (C. and H. DREYFUS), A., i, 893.
Carbonates. See under *Carbon*.
Carbon-nitrogen system, doubly-linked (HENRY), A., i, 854.
Carbon steels, cementation of (GUILLET), A., ii, 619.
Carbonyl. See also *Keto*.
Carbonyl compounds, action of halogens on, and the effect of acids on the velocity of the reaction (LAPWORTH), T., 30.
Carbonyl-*p*-cresol, 3-amino- (UPSON), A., i, 735.
Carbonyldiphenyldicarbamide (BRUCE), A., i, 573.
Carbonylferricyanides (MULLER), A., i, 147.
Carbonylferrocyanides (STOECKER), A., i, 655.
 and their stability towards oxidising agents (MULLER), A., i, 147.
 action of chlorine on (MULLER), A., i, 147.
Carbonylphenol, 4-chloro-2-amino- (UPSON), A., i, 735.
Carbonyl-*o*-tolidine (TAUSSIG), A., i, 663.
isoCarbostyryl derivatives containing a meta-substituted benzene nucleus (KUSEL), A., i, 618.
isoCarbostyryl, 4-hydroxy-, derivatives (ULRICH), A., i, 529.
Carboxybenzene-3:5-dinitrobenzoic acids, *m*- and *p*-amino- (PURGOTTI and LUNINI), A., i, 316.
4-Carboxybenzyl-1:5-diphenyl-3-methylpyrazole, 1-*p*-nitro- (BÜLOW and KOCH), A., i, 322.

4-o-Carboxybenzyl-5-phenyl-3-methyl-isooxazole (BÜLOW and KOCH), A., i, 322.

2-Carboxy-5:6-dimethoxyphenoxyacetic acid, methyl ester (HERZIG and POLAK), A., i, 909.

α-Carboxy-Δ^{αβ}-glutaconic acid and its ethyl ester (SILBERRAD and EASTERFIELD), T., 862; P., 114, 141.

Carboxyglutaric acid, ethyl ester, sodium derivative, action of halogens and of ethyl bromocarboxyglutarate on (SILBERRAD and EASTERFIELD), T., 862; P., 114, 141.

Carboxyhexamethenyl-δ-ketohexa-hydrobenzoic acid and its ethyl ester (PERKIN), T., 419; P., 51.

Carboxyiminazole-1-diazobenzenesulphonic acid and its 2-methyl and 2-phenyl derivatives (BURIÁN), A., i, 354.

Carboxylic acids. See under Acids.

o-Carboxyphenylaminoacetonitrile (KNOEVENAGEL and KLUCKE), A., i, 989.

2-Carboxyphenyliminoacetic acid, phenylhydrazide and semicarbazide of, and their salts (GÄRTNER), A., i, 788.

Carboxyphenyltrimethylenetrans-1:2-dicarboxylic acid and its amino- and nitro-derivatives (BUCHNER and HEDIGER), A., i, 57.

1-Carboxyisopropylamino-5:5-dimethylhydantoin and its 3-allyl, 3-ethyl, 3-methyl, and 3-phenyl derivatives (BAILEY, ACREE, and MILLER), A., i, 827.

1-Carboxyisopropylamino-5:5-dimethyl-2-thiohydantoin, and its 3-allyl, 3-ethyl, 3-methyl, and 3-phenyl derivatives (BAILEY, ACREE, and MILLER), A., i, 827.

p-Carboxytriphenylacetic acid (BISTRZYCKI and GYR), A., i, 315.

Carbylamines, action of organo-magnesium compounds on (SACHS and LOEVY), A., i, 307.

Carcinoma, milky ascites in (WOLFF), A., ii, 359.

Carielemic acids, *isoCarieleminic acid*, and *Carieleresen* from "caricari" elemi (TSCHIRCH and REUTTER), A., i, 332.

Carnallite, specific gravity of (PRZIBILLA), A., ii, 416.

Carobs, commercial, composition of (BALLAND), A., ii, 582.

Carolinium (BASKERVILLE), A., ii, 663.

Carone, Nikitin's, oxidation of (KONDAKOFF), A., i, 755.

Caro's acid, formula of (MUGDAN), A., ii, 115.

effect of colloidal platinum on mixtures of hydrogen peroxide and (PRICE and FRIEND), T., 1526; P., 187.

Caragheen moss, products of hydrolysis of (MÜTHER and TOLLENS), A., i, 225.

Cartilage, glutin from (SADIKOFF), A., i, 126.

Carvacrol, 3:5-dinitro- (DAHMER), A., i, 871.

Carvacryl arabinoeside (RYAN and EBRILL), A., i, 223.

Carvone, action of hydrogen cyanide on (HANN and LAPWORTH), P., 54.

addition of ethyl acetoacetate to (RABE and WEILINGER), A., i, 509.

auto-oxidation products of (HARRIES and STÄHLER), A., i, 430.

d-Carvonehydroxylamino-oxime and its dioxime (HARRIES and STÄHLER), A., i, 430.

Carvoneoxamino-oximes, *d*- and *l*, and their derivatives (HARRIES and STÄHLER), A., i, 431.

d-Carvonephenylcarbamic acid hydr-azone (BORSCHE and MERKWITZ), A., i, 946.

Caryophyllene, compound of, with paraformaldehyde, and its acetate (GENVRESSE), A., i, 602.

Caseanic acid and **Caseic acids** and their salts (SKRAUP), A., i, 539, 955.

Casein, hydrolysis of (SKRAUP), A., i, 538, 954.

solubility of, in pepsin-hydrochloric acid (ŽAITSCHEK and V. SZONTAGH), A., ii, 749.

hydrolysed, feeding experiments with (ABDERHALDEN and RONA), A., ii, 749.

digestion of, by pepsin-hydrochloric acid and by pancreas-ferment (FISCHER and ABDERHALDEN), A., i, 210.

and paracasein, compounds of, in cottage and Cheddar cheese, artificial digestion of some (VAN SLYKE and HART), A., ii, 749.

amount of sulphur in the digestion products of (V. MORACZEWSKI), A., i, 790.

Caseinokyrine and its phosphotungstate (SIEGFRIED), A., i, 955.

Cassia oil (V. SODEN), A., i, 516.

Castilloa elastică, milk of, and cause of its coagulation (DE JONG and TROMP DE HAAS), A., ii, 762, 763.

See also Caoutchouc.

Castor oil bean. See *Ricinus seed*.
Castration, influence of (BREUER and v. SEILLER), A., ii, 189.
 influence of, on the phosphorus of the female organism (HEYMANN), A., ii, 355.

Catalase in different animal tissues (BATTELLI and STERN), A., ii, 499.
 from blood (LOEW), A., i, 358.
 from yeast (WENDER), A., i, 542; (ISSAEW), A., i, 959.

Catalysis and Catalytic reactions. See *Affinity*.
Catechins (PERKIN), P., 171.

Catechol ether, *hexabromo-o-dihydroxy*, and its benzoyl derivative (JACKSON and PORTER), A., i, 174.
 diphenylmethylene ether (SACHS and THONET), A., i, 878.

Cathode. See *Electrochemistry*.
Cathode rays. See under *Photochemistry*.
Catolechin (ZOPF), A., i, 1020.

Cattle, feeding experiments on (ROSAM), A., ii, 838.

Cell, mathematical expression for the velocity of flow of water through a, according to Pfeffer's first and third schemes (LEPESCHKIN), A., ii, 634.
 living, function of peroxides in the (CHODAT and BACH), A., i, 359; (BACH and CHODAT), A., i, 542, 792.

Cells, galvanic. See *Electrochemistry*.
Cellobionic acid and its salts (MAQUENNE and GOODWIN), A., i, 800.

Cellose and its two octa-acetyl derivatives, hexaphenylurethane, and oxime (MAQUENNE and GOODWIN), A., i, 799.

Cellulose and its nitro-derivatives, optical activity of (VIGNON), A., i, 227.
 constitution of (CROSS and BEVAN), A., i, 652.
 action of dilute acids on (STERN), T., 336; P., 43.
 separation of the hydrogen from the methane fermentation of (OMELIANSKY), A., ii, 278.
 acetyl derivative (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 853.
 nitrate, labile (KNECHT), A., i, 293.
 estimation of, in vegetable fibres containing lignin (DUSCHETSCHKIN), A., ii, 373.
 estimation of, in foods and in feces (SIMON and LOHRISCH), A., ii, 787.

Cellulose, nitro-, decomposition of, at temperatures below that of ignition (SAPOSHNIKOFF and BORISOFF), A., i, 799.
 testing the stability of (BERGMANN and JUNK), A., ii, 687.

Celluloses, nitro- (HAEUSSERMANN), A., i, 144, 476.

Cement, rapid estimation of lime in (ENRIGHT), A., ii, 681.
 Portland, analysis of (BLOUNT), A., ii, 681.

Cereal meal, vetches in (SCALA), A., ii, 365.

Cereals, influence of the amount of water in soil on the development of (v. SEELHORST and FRECKMANN), A., ii, 76.

Cerebrospinal fluid (CORIAT), A., ii, 63.
 choline in (DONATH), A., ii, 63, 791; (ALLEN; MANSFELD), A., ii, 623.
 phosphoric acid in, in nervous diseases (DONATH), A., ii, 628.

Cerisulphuric acid, salts of, with the elements of the rare earths (MEYER and AUFRECHT), A., ii, 175; (BRAUNER and PICEK), A., ii, 259; (BRAUNER), A., ii, 485.

Cerite metals (MUTHMANN and WEISS), A., ii, 406.
 preparation of, by means of their alkali double carbonates (MEYER), A., ii, 734.
 fractionation of (LACOMBE), A., ii, 485.
 See also *Earths, rare*.
Cerium alloys (MUTHMANN and BECK), A., ii, 408.

Cerium compounds (STERBA), A., ii, 662.

Cerium, lanthanum, and thorium, physico-chemical properties of aqueous solutions of salts of (HOLMBERG), A., ii, 157.
 alkali carbonates (MEYER), A., ii, 735.
 hydride and nitride (MUTHMANN and BECK), A., ii, 409.
 dioxide, preparation of, and its reduction in a current of hydrogen (MEYER), A., ii, 125.
 sulphates, quadrivalent (MEYER and AUFRECHT), A., ii, 175.

Ceric sulphate, stability and solubility relations of the hydrates of (KOPPEL), A., ii, 819.

Cerous salts, autoxidation of (ENGLER), A., ii, 165, 734; (BAUR), A., ii, 339.

Cerium, separation of, by means of potassium permanganate (BOEHM), A., ii, 89.

Ceroptene and its metallic salts and iodo-derivative (BLASDALE), A., i, 81.
Cerussite and phosgenite from Colorado (WARREN), A., ii, 46.
Cetyl phenylurethane (BLOCH), A., i, 152.
Cevadine. See Veratrine.
Cevine and its acyl derivatives, salts, and oxide (FREUND and SPEYER), A., i, 613.
Chamosite from Thuringia (ZALINSKI), A., ii, 571.
Charcoal, cocoa-nut, absorption of gases by, at low temperatures (DEWAR), A., ii, 652, 728.
Chaulmoogra seeds, constituents of (POWER and GORNALL), T., 838 ; P., 135.
Chaulmoogrene (POWER and GORNALL), T., 859 ; P., 137.
Chaulmoogric acid and its salts (POWER and GORNALL), T., 846 ; P., 136.
 constitution of, and its esters and amide (POWER and GORNALL), T., 851 ; P., 136.
Chaulmoogryl alcohol and its chaulmoogryl derivative (POWER and GORNALL), T., 856 ; P., 137.
Cheese, proteids of, rennet as a cause of chemical changes in the (VAN SLYKE, HARDING, and HART), A., ii, 285.
 Cheddar and cottage, artificial digestion of some compounds of casein and paracasein in (VAN SLYKE and HART), A., ii, 749.
 Emmenthaler, constituents of (WINTERSTEIN), A., ii, 585.
 estimation of fat in (SIEGFELD), A., ii, 523, 688.
Cheeses, progressive ripening of (LINDET and AMMANN), A., ii, 636.
Cheese-ripening, chemical changes in, as affected by different conditions (VAN SLYKE and HART), A., ii, 143.
Chelidonic acid and its salts, esters, and amide (WILLSTÄTTER and PUMMERER), A., i, 1043.
Chelidoneine and its acetyl and benzoyl derivatives (SCHLOTTERBECK and WATKINS), A., i, 85.
 colour reaction of (BALLANDIER), A., ii, 793.
Chemical combination, and dynamics. See **Affinity**.
 composition in relation to density of organic substances (FAWSITT), P., 42.
 of compounds, determination of the, without the help of analysis (TAMMANN), A., ii, 113.

Chemical constitution, relation of, to absorption spectra of rosaniline dyes (FORMÁNEK), A., ii, 106.
 and fluorescence of benzoxazole derivatives, connection between (HENRICH and OEFFERMANN), A., i, 934.
 of organic compounds in relation to their heats of combustion (LEMOUT), A., ii, 310, 382, 605 ; (THOMSEN), A., ii, 605.
 equilibrium, and reactions. See **Affinity**.
 stimuli, action of (BRAEUNING), A., ii, 359.
Chemical Society, scientific progress of the (TILDEN), T., 493 ; P., 72.
Cherries, wild, salicylic acid in (JABLINSKY), A., ii, 71.
Chestnuts, fresh, analyses of, and their food value, and manurial requirements (TOMEI), A., ii, 766.
Chitin, digestibility of (ZAITSCHEK), A., ii, 750.
Chloral, distinction between butyl-chloral and (GABUTTI), A., ii, 300.
 action of phosphorus pentachloride on (GIOLITTI), A., i, 557.
 action of, on the secretion of bile (FALLOISE), A., ii, 357.
Chloral hydrate, decomposition of, by sodium hydroxide and by certain salts (WERNER), T., 1376 ; P., 184.
Chloralacetonechloroform (HOFMANN-LA ROCHE & Co.), A., i, 650.
Chloralamino-compounds (GÄRTNER), A., i, 788.
Chloralammonia, action of, on ethyl disodiomalonate (ZWERGER), A., i, 91.
Chloral-2:4-di- and -2:4:6-tri-methyl-quinolines (KOENIGS and MENGEL), A., i, 528.
Chloranil. See **Quinone, tetrachloro-Chlorates, Chloric acid, and Chlorides**. See under **Chlorine**.
Chlorination by means of sulphuryl chloride (WOHL), A., i, 283.
Chlorine, photochemically active (BURGESS and CHAPMAN), P., 52, 164.
 action of light on (MELLOR), P., 53.
 Budde effect with reference to bromine and (CALDWELL), A., ii, 105.
 rate of decay of the activity of gaseous (MELLOR), P., 196.
 spark potential in (RITTER), A., ii, 463.
 combination of, with hydrogen under the influence of light (BEVAN), A., ii, 21.
 action of the silent discharge on, and its union with hydrogen (MELLOR), P., 140.

Chlorine, union of, with hydrogen (MELLOR), P., 196.
 action of temperature on the period of induction (MELLOR), P., 53.
 density of (MOISSAN and BINET DU JASSONEIX), A., ii, 114.

Hydrochloric acid (*hydrogen chloride*), dissociation of (BODENSTEIN and GEIGER), A., ii, 717.
 gaseous, velocity of absorption of, by solid organic bases (HANTZSCH), A., ii, 541.
 liquefied, physical constants of, as solvent (HELBIG and FAUST), A., ii, 225; (MCINTOSH and STEELE), A., ii, 533; (ARCHIBALD and MCINTOSH), A., ii, 534.
 action of dry, dissolved in anhydrous benzene, on dry zinc (FALK and WATERS), A., ii, 403.
 generator for a continuous production of (STEVENSON and MARIOTTE), A., ii, 249.
 as a standard titration liquid (RASCHIG), A., ii, 441; (ROTH), A., ii, 513; (LUNGE), A., ii, 587.
 estimation of arsenic in (BLATTNER and BRASSEUR), A., ii, 291.

Chlorides, anhydrous, general method of preparing (MATIGNON and BOURION), A., ii, 340, 341.
 viscosity of aqueous solutions of (TAYLOR and RANKEN), A., ii, 539.
 local retention of, following injection of different substances (ACHARD and GAILLARD), A., ii, 59.
 detection of, in presence of bromides (JONES), A., ii, 440.
 estimation of bromides, iodides, and (BENEDICT and SNELL), A., ii, 145, 771; (DITZ and MARGOSCHES), A., ii, 366; (THILO), A., ii, 771.
 estimation of, in urine (VILLIE and DERRIEN), A., ii, 513.

Hypochlorous acid (NERNST and SAND), A., ii, 612.
 strength of (SAND), A., ii, 612.
 detection and estimation of (KLEMENKO) A., ii, 205.

Chloric acid and chlorates, electrolysis of (BROCHET), A., ii, 249.
 action of copper on, with and without electrolysis (BROCHET), A., ii, 337.
 action of, on metals (HENDRIXSON), A., ii, 656.
 estimation of (HENDRIXSON), A., ii, 679.

Chlorates, pharmacological action of (MATHEWS), A., ii, 501.

Chlorine:—

Chlorates, gas-volumetric estimation of (SCHLÖTTER), A., ii, 167.
 use of ferrous sulphate in the estimation of bromates and (PHELPS), A., ii, 205.
 estimation of bromates, iodates, and (DÉBORDEAUX), A., ii, 204.

Perchlorate, electrolytic formation of (OECHSLI), A., ii, 22.

Chlorine organic compounds, origin of, in the organism (PERIN), A., ii, 59.

Chlorine, detection of free (GANASSINI), A., ii, 441.
 estimation of bromine, iodine, and, in organic compounds by means of sodium peroxide (PRINGSHEIM), A., ii, 146, 447.
 estimation of, in barium sulphate precipitated by barium chloride (HULETT and DUSCHAK), A., ii, 616.
 estimation of, in bleaching liquors (PONTIUS), A., ii, 204.

Chloroform, electrolytic preparation of, from acetone (TEEPLE), A., i, 545.
 properties of solutions of, in water, saline solutions, serum, and haemoglobin (MOORE and ROAF), A., ii, 501.
 influence of moist alcohol and ethyl chloride on the boiling point of (WADE and FINNEMORE), T., 938; P., 163.
 melting point of solid (ARCHIBALD and MCINTOSH), A., i, 362.
 influence of, on intravital staining with methylene-blue (HERTER and RICHARDS), A., ii, 756.

Chloroform anaesthesia (HORSLEY and others), A., ii, 756.

Chloroimino-acid ethers, stereoisomeric (STIEGLITZ and EARLE), A., i, 39.

Chloromolybdic acid and its salts (WEINLAND and KNÖLL), A., ii, 263.

“**Chlorophyll**,” spectrum of, and its relation to the spectrum of living green tissues (HARTLEY), T., 1607; P., 222.

Chlorophyll, relationship of, to haemoglobin (MARCHLEWSKI), A., i, 463.
 so-called, of silk (VILLARD), A., ii, 628.

Chlorophyll organs, formation of terpene compounds in (CHARABOT and HÉBERT), A., ii, 282.

Chlorosulphonic acid, action of, on guaiacol (A. and L. LUMIÈRE and PERRIN), A., i, 157.

Chlorothecium saccharophilum, normal and intramolecular respiration in (PALLADIN), A., ii, 70.

Chlorothecium saccharophilum, respiration coefficient of the (PETRASCHEVSKY), A., ii, 760.

Cholehæmatin, probable identity of, with phylloerythrin (MARCHLEWSKI), A., i, 909.

Cholestandione and its dioxime and dibromo-derivative (WINDAUS) A., i, 49, 667.

Cholestanone, α -chloro- (MAUTHNER and SUIDA), A., i, 50.

β -chloro-, and its oxime and bromo-derivative (WINDAUS and STEIN), A., i, 1010.

Cholestanonic acid and bromo- (WINDAUS), A., i, 667.

Cholestanol and its acyl derivatives and nitrophenylhydrazone (WINDAUS; MAUTHNER and SUIDA), A., i, 49.

Cholesteatoma of the brain (FLETCHER), A., ii, 64.

Cholestenone and its phenylhyrazones, semicarbazones, oxime, and additive compound with hydroxylamine (DIELS and ABDERHALDEN), A., i, 880.

Cholesterilene (BLOCH), A., i, 236.

Cholesterol (MAUTHNER and SUIDA), A., i, 49; (WINDAUS), A., i, 49, 667; (DIELS and ABDERHALDEN), A., i, 880; (WINDAUS and STEIN), A., i, 1010.

products similar to, in bresk from Borneo (SACK and TOLLENS), A., i, 1011.

Cholesteryl phenylurethane (BLOCH), A., i, 236.

Cholesterylene (MAUTHNER and SUIDA), A., i, 50.

Cholic acid (BECCARI), A., i, 12.

feeding with, in cystinuria (SIMON and CAMPBELL), A., ii, 575.

Choline, protagon, and neurine (CRAMER), A., i, 462.

in blood and cerebrospinal fluid (DONATH), A., ii, 63, 791; (ALLEN; MANSFIELD), A., ii, 623.

in plant and animal organisms (STRUVE), A., ii, 364.

test for, in blood (ALLEN and FRENCH), A., ii, 100.

Chromates and **Chromic acid**. See under Chromium.

Chromatodiperacid. See under Chromium.

Chrome iron ore, analysis of (DUPARC), A., ii, 592; (LEUBE), A., ii, 683.

Chromum compounds (HIGLEY), A., ii, 565.

poisonous action of, on lower fungi, especially *Saccharomycetæ* (POZZI-ESCOT), A., ii, 764.

Chromium [trichloride (or bromide), amount of chlorine which can be precipitated by silver salts from the green hydrate of (WEINLAND and KOCH), A., ii, 488.

double salts of, with antimony pentachloride, constitution of (PFEIFFER), A., ii, 41.

compounds of, with amines (LANG and CARSON), A., i, 800.

hydroxide, behaviour of, towards oxalic and other organic acids (WERNER), T., 1438; P., 186.

nature of the alkaline solution of (HERZ), A., ii, 737.

Chromic acid, chromate, and dichromate (ABEGG and COX), A., ii, 662.

Chromates, hexahydrated double (BRIGGS), T., 677; P., 90.

ammoniacal double (BRIGGS), T., 672; P., 89.

Chromatodiperacid, ammonium salts (HOFMANN and HIENDLMAIER), A., ii, 410, 737.

Chromium sulphate, variable hydrolytic equilibrium of dissolved (RICHARDS and BONNET), A., ii, 343.

Chromous salts, action of nitric oxide on (KOHL SCHÜTTER), A., ii, 737.

Chromorganic acids, researches on (WERNER), T., 1438; P., 186.

Chromium, estimation of, colorimetrically (MOULIN), A., ii, 368.

estimation of, volumetrically, simultaneously present with iron (GLASMANN), A., ii, 844.

estimation of vanadium and, volumetrically, in the same solution (CAMPAGNE), A., ii, 684.

separation of, from aluminium and iron (V. KNORRE), A., ii, 92; (SOUTHERDEN), A., ii, 449.

separation of, from vanadium (NICO-LARDOT), A., ii, 369; (CAMPAGNE), A., ii, 684.

Chromium steels, properties and constitution of (GUILLET), A., ii, 739.

Chromophores, ionisation of (DECKER), A., ii, 702.

Chromophore groupings (RUPE and PORAI-KOSCHITZ), A., i, 107.

“**Chromotrope**” acid. See Naphthalene-3:6-disulphonic acid, 1:8-di-hydroxy-.

Chromous salts. See under Chromium.

Chronostiliscope, applications of the (VARENNE and GODEFROY), A., i, 2; ii, 160.

Chrysazin, preparation of (FARBEN-FABRIKEN VORM. F. BAYER & CO.), A., i, 176.

Chrysean and its methiodide and acyl derivatives (HELLSING), A., i, 100.

Chrysene, dihydroxy-, and its diacyl derivatives (KNESCH), A., i, 812.

Chrysin, synthesis of (v. KOSTANECKI and LAMPE), A., i, 911.

Chymosin. See Rennin.

Cider, estimation of boric acid in (ALLEN and TANKARD), A., ii, 777.

Cilia, action of "amyléine chlorhydrate" on (LAUNOY), A., ii, 631.

Ciliary movement, relation of ions to (LILLIE), A., ii, 273.

Cimolite, chemical nature of (SMIRNOFF), A., ii, 669.

Cinchomeronic acid, derivative of (FELS), A., i, 618.

Cinchona alkaloids. See under Alkaloids.

Cinchona extract, de Vrij's, estimation of quinotannates in (WARIN), A., ii, 303.

Cinchonicine, new isomeric change of (SKRAUP and EGERER), A., i, 86.

Cinchonidine, bromo-derivatives (CHRISTENSEN), A., i, 520.

Cinchonine methiodide, decomposition of (RABE and DENHAM), A., i, 511.

bromo-, and its additive derivatives (CHRISTENSEN), A., i, 185.

*iso***Cinchonine**, isomerides, and their derivatives (SKRAUP and ZWERGER), A., i, 915.

Cineol, reduction of, and **Cinolene** (THOMS and MOLLE), A., i, 599.

Cinnabar, radioactive (LOSANITSCH), A., ii, 743.

See also Mercury (mercuric) sulphide.

Cinnamaldehyde, amounts of, in various kinds of cinnamon (HANUŠ), A., ii, 582.

condensation of, with ethyl cyanoacetate (PICCININI), A., i, 91.

action of formaldehyde and lime on (TOLLENS), A., i, 507.

condensation of, with quinaldine (RENZ and LOEW), A., i, 191.

action of sulphurous acid on (KNOEVENAGEL and MORISSE), A., i, 1025.

Cinnamene. See Styrene.

Cinnamylacrylic acid and its methyl ester, action of bromine on (HINRICHSEN and TRIEPEL), A., i, 1013.

Cinnamylisocrotonic acid and its salts (FITTIG and BATT), A., i, 744.

Cinnamic acid, sodium salt, effect of intravenous injections of (CHARTERIS and CATHCART), A., ii, 832.

Cinnamic acid, esters, in gutta-percha (v. ROMBURGH), A., i, 905.

ethyl ester, action of hydroxylamine on (POSNER), A., i, 160.

Cinnamic acid, *p*-nitroso-, esters, molecular weight of (ALWAY and GORTNER), A., i, 881.

m- and *p*-nitroso-, and their esters (ALWAY and BONNER), A., i, 891.

*iso***Cinnamic acid** (ERLENMEYER), A., i, 892.

*allo***Cinnamic acid** and α - and β -bromo-, influence of radium radiations on (SUDBOROUGH), P., 166.

Cinnamon, amounts of cinnamaldehyde from various kinds of (HANUŠ), A., ii, 582.

Cinnamon oil, detection of, in oil of cloves (POOL), A., ii, 298.

Cinnamoylglycylglycine and *o*-phenylalanine (FISCHER), A., i, 890.

Cinnamylhydroxamic acid, copper salt (VELARDI), A., i, 804.

Cinnamylideneacetic acid, methyl ester and ammonium salt (HINRICHSEN and TRIEPEL), A., i, 1012.

Cinnamylideneacetylacetone and its reactions (RUHEMANN), T., 1458; P., 206.

Cinnamylideneaminobenzoic acid (v. PAWLEWSKI), A., i, 317.

Cinnamylidenemalonic acid and its additive compounds (HINRICHSEN and TRIEPEL), A., i, 1012.

addition of acid sulphites to (KOHLER), A., i, 320.

Cinnamylidenemalonic acid, ethyl ester, dibromide (HINRICHSEN and TRIEPEL), A., i, 415.

methyl ester, bromides of (HINRICHSEN and TRIEPEL), A., i, 1013.

β -Cinnamylidenepropionic acid, α -hydroxy- (ERLENMEYER), A., i, 500.

Cinnamylidenepyruvic acid and its conversion into δ -benzylidenevaleric acid (ERLENMEYER), A., i, 500.

Citraconic anhydride, action of methylamine on (GULLI), A., i, 231.

Citric acid (MEYER), A., i, 13.

in the moss berry (APARIN), A., ii, 200.

production of, by Citromyces (MAZÉ and PERRIER), A., ii, 676.

interaction of, with chromic hydroxide (WERNER), T., 1447; P., 186.

fermentation of, as a cause of disease in currant wine (SEIFERT), A., ii, 138.

decrease in the amount of, in milk on heating (OBERMAIER), A., ii, 522.

iodoform reaction for (BROEKSMIT), A., ii, 688.

detection of tartaric acid in, and estimation of, by the lime method (v. SPINDLER), A., ii, 152.

Citric acid, sodium salt, addition of, to cows' milk in infant feeding (POYNTON), A., ii, 625.

Citric acid, hydroxy-, and its salts (KILIANI and LOEFFLER), A., i, 976.

Citromycetes, production of citric acid by (MAZÉ and PERRIER), A., ii, 676.

Citronellalhydroxamic acid and its copper salt (VELARDI), A., i, 804.

Citronellideneacetonesemicarbazide-semicarbazone (RUPE and SCHLOCHOFF), A., i, 144.

Citrus madurensis, production and distribution of some organic substances in (CHARABOT and LALOUE), A., ii, 142.

Citrylideneacetic acid and its esters and nitrile (VERLEY), A., i, 880.

cycloCitrylideneacetic acid and its esters and nitrile (VERLEY), A., i, 881.

Clapeyron's formula. See under Thermochemistry.

Claudetite, analysis of (LOCZKA), A., ii, 666.

Clays, amounts of nitrogen and organic carbon in some (MILLER), A., ii, 201. "ageing" of (ROHLAND), A., ii, 736.

Clovene, compound of, with paraformaldehyde (GENVRESSE), A., i, 602.

Cloves, oil of, evaluation of (THOMS), A., ii, 93. detection of, in oil of cinnamon (POOL), A., ii, 298.

Clupein, hydrolysis of (KOSSEL and DAKIN), A., i, 355, 702.

Coagulation, mechanical, observations on (RAMSDEN), A., ii, 323.

Coal in the Caucasian naphtha deposits (CHARITSCHKOFF), A., ii, 180. forms in which sulphur exists in, and their effects on the heating power (SOMERMEIER), A., ii, 514, 773. analysis of (PELLET), A., ii, 778. frequent source of error in the analysis of (ALIX and BAY), A., ii, 685. estimation of total carbon in (PARR), A., ii, 445. estimation of sulphur in (PENNOCK and MORTON), A., ii, 206; (GRAEFE), A., ii, 514; (PARR and McCLURE), A., ii, 773.

Coal calorimeter, Parr's, criticism of (LANGBEIN), A., ii, 86.

Coal gas, estimation of benzene vapour in (PFEIFFER), A., ii, 786.

Coal gas poisoning. See Poisoning.

Coal tar, bases from (AHRENS and GORKOW), A., i, 615.

Cobalt, distinctive character of the salts of nickel and (GUÉRIN), A., ii, 294.

Cobalt :—

Cobaltamines, compounds of, with oxygen and nitric oxide (SAND), A., i, 22.

Pentamminenitrosocobalt salts (SAND and GENSSLER), A., ii, 39.

Cobalt chloride (OECHSNER DECONINCK), A., ii, 741, 821. bismuth nitrate (URBAIN and LACOMBE), A., ii, 43.

Cobalt, tervalent, new organic salts of (ORLOFF), A., i, 368.

Cobalt, detection of nickel and (BENEDICT), A., ii, 592. separation of, from nickel (FRASCH), A., ii, 565.

Cobaltamines. See under Cobalt.

Cobaltiferous mispickel from Norway (FLETCHER), A., ii, 743.

Cocaine, crude, assay of (GARSED), A., ii, 100. new reactions for the detection of (REICHARD), A., ii, 374.

Cochenillic acid, condensation of, with succinic acid (LIEBERMANN and VOSWINCKEL), A., i, 903.

Codeine, physiological action of (BOUMA), A., ii, 275. colour reactions of (GABUTTI), A., ii, 375. estimation of, in opium (CASPARI), A., ii, 791.

apoCodeine, physiological action of (DIXON), A., ii, 66.

Codeinone methiodide, decomposition of (KNORR), A., i, 916.

Cod-liver oil (LIVERSEEGE), A., ii, 597.

Coffee used as a beverage, amount of caffeine in the (KATZ), A., ii, 301. composition of the inner fruit shell of (v. BITTO), A., ii, 435.

Coke, estimation of sulphur in (PENNOCK and MORTON), A., ii, 206.

Colamyrin, Colelemic and α - and β -isoColelemic acids, and Coleleresen from Colophonia elemi from *Colophonia mauritiana* (TSCHIRCH and SAAL), A., i, 758.

Collargol (CHASSEVANT), A., ii, 122.

Colloidal metals (BILLITZER), A., ii, 19; (CASTORO), A., ii, 742. of the platinum group (PAAL and AMBERGER), A., ii, 180. See also Gold and Silver.

Colloidal dissolved noble metals, coloration of borax beads by (DONAU), A., ii, 784.

Colloidal solutions (HENRI and MAYER), A., ii, 325. and theory of capillarity (DONNAN), A., ii, 240.

Colloidal solutions, new modes of formation of (VANINO and HARTL), A., ii, 808.
 chemical nature of (DUCLAUX), A., ii, 162.
 coagulation of (DUCLAUX), A., ii, 243, 325.
 internal friction of (LEVITES), A., ii, 471.

Colloids, classification of (MÜLLER), A., ii, 18.
 and suspensions, theory of (BILLITZER), A., ii, 18.
 new points in the theory of (JORDIS), A., ii, 714.
 bibliography of (MÜLLER), A., ii, 392.
 physical changes in the condition of (PAULI), A., i, 356.
 changes produced in, by coagulation (DUCLAUX), A., ii, 243.
 flocculation of (BECHHOLD), A., ii, 650.
 migration of (WHITNEY and BLAKE), A., ii, 809.
 solution and swelling of (SPIRO), A., ii, 325.
 complexes of two (HENRI, LALOU, MAYER, and STODEL), A., ii, 243.
 physiological significance of (HÖBER and GORDON), A., ii, 830.
 in solution, mutual relationships of (BILTZ), A., ii, 324.
 inorganic, behaviour of, towards the fibre in dyeing (BILTZ), A., ii, 392.
 organic, from town sewage (BILTZ and KRÖHNKE), A., i, 540.
 testing (MILLS and GRAY), A., ii, 599.
 precipitation of (SPIRO), A., i, 124.
 application of the phase rule to the precipitation of (HENRI and MAYER), A., ii, 325.

Colophony (FAHRION), A., i, 332.
 American (TSCHIRCH and STUDER), A., i, 79.
 distillation of (EASTERFIELD and BAGLEY), T., 1243; P., 112.
 acid number of (DIETERICH), A., i, 680.

Colorimeter, a polarisation (MEISLING), A., ii, 440.

Colour of aqueous solutions of methyl-orange and the change which acids produce in it (VAILLANT), A., i, 119.

Colour bases, true, transformation of, into carbinol bases (GERLINGER), A., i, 1040.

Colouring matter, $C_{14}H_{12}O_2N_2S_3$, from sulphur and *p*-dimethylamino-*p*-hydroxydiphenylamine (GNEHM and BOTS), A., i, 451.

Colouring matters, new (PAUL), A., i, 925.
 acid, action of, on acetone, alcohol, and cellulose (HEIDENHAIN), A., i, 179.
 behaviour of wool fibre to (KNECHT), A., i, 909.
 relations between organic (PAUL), A., i, 945.
 substantive, containing sulphur (POL-LAK), A., i, 762.
 yellow, of the acridine series (BADISCHE ANILIN- & SODA-FABRIK), A., i, 700.
 containing aminoarylacyl or amino-arylaminoacyl groups (GESELLSCHAFT FÜR CHEMISCHE INDUSTRIE IN BASEL), A., i, 638.
 from amino- and aminohydroxy-diphenylamines (GNEHM and WEBER), A., i, 532.
 aniline, action of, on invertin (MERESH-KOWSKY), A., i, 130.
 of the anthracene series (FRIEDLÄNDER and SCHICK), A., i, 69, 679; (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 439; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 599, 679.
 azo-. See Azo-colouring matters.
 from benziminazoles (KYM), A., i, 453.
 cyanine, constitution of (MIETHE and BOOK), A., i, 622, 776.
 from dimethyl- and diethyl-*p*-toluidines (CASSELLA & Co.), A., i, 804.
 basic diphenylmethane (v. BRAUN), A., i, 344; (v. BRAUN and KAYSER), A., i, 687.
 of the diphenylnaphthylmethane, phenyldiphenylnaphthylmethane, and trinaphthylmethane series (NOELTING), A., i, 621.
 methineammonium (RUPE and PORAI-KOSCHITZ), A., i, 107.
 black, from *m*-phenylenediamine (KALLE & Co.), A., i, 607.
 from pyridine (KÖNIG), A., i, 449, 816; (ZINCKE, HEUSER, and MÖLLER), A., i, 924.
 from quinoline-2-carboxylic acid (BESTHORN and IBELE), A., i, 527.
 rosaniline, relation between constitution and absorption spectra of (FORMÁNEK), A., ii, 106.
 sulphur, from the phenols and their derivatives (LANDSHOFF & MEYER), A., i, 81.
 of the stilbene group (GREEN), T., 1424; P., 184; (GREEN, SCHOLEFIELD, and MARSDEN), T., 1432; P., 185.

Colouring matters, blue sulphur (CASSELLA & Co.), A., i, 681.
 basic, of the triphenylmethane series (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 700.
 triphenylmethane, preparation of, from magnesium dimethylamino-phenyl bromide as a lecture experiment (EHRLICH and SACHS), A., i, 196.
 stable towards alkalis (LAUTH), A., i, 607.
 basic, constitution of (v. BRAUN), A., i, 344; (v. GEORGIEVICS), A., i, 351; (KAUFFMANN), A., i, 534; (v. BRAUN and KAYSER), A., i, 687.
 colour bases of the (v. BAEYER and VILLIGER), A., i, 308, 454, 786; (HANTZSCH), A., i, 943.

Colouring matters, brown, of Algae (GAIDUKOV), A., i, 439.

Colouring matters, natural (PERKIN and PHIPPS), T., 56.

yellow vegetable, synthesis of (v. KOSTANECKI and TAMBOR), A., i, 426; (v. KOSTANECKI, LAMPE, and TAMBOR), A., i, 441, 517, 607, 763; (v. KOSTANECKI and LAMPE), A., i, 911.
 of the flowers of *Butea frondosa* (PERKIN and HUMMEL), T., 1459; P., 169.
 of *Rosa gallica* (NAYLOR and CHAPPEL), A., i, 909.

Colouring matters, natural vegetable.
 See also:—

Acacatechin.
 Alizarin.
 Aloin.
 Brazilein.
 Brazilin.
 Butein.
 Catechins.
 Chrysin.
 Curcumin.
 Fisetin.
 Fukuguetin.
 Galangin.
 Hæmatein.
 Hæmatoxylan.
 Hesperitin.
 Indigotin.
 Indirubin.
 Kampherol.
 Luteolin.
 Maclurin, cyano-.
 Morin.
 Myricetin.
 Quercetin.
 Robigenin.

Columbite (niobite) from Haddam, Conn. (HALL), A., ii, 824.

Columbium (niobium) potassium fluoride, analysis of (HALL), A., ii, 825.

Combustion in Bunsen burners without gas (GIBBS), A., ii, 770.
 retardation of, by oxygen (ARMSTRONG), A., ii, 723.
 formaldehyde in the products of (TRILLAT), A., i, 713.

Comenic acid, ethyl ester, and amide, ethers of (TAMBURELLO), A., i, 142.

Complexes, formation of (ABEGG), A., ii, 32; (AUERBACH), A., ii, 118.
 can the formation of, be deduced from the electrical conductivity of mixtures of acids? (HOFMANN), A., ii, 10.

Compounds containing the C_3H_5 group, action of mercuric acetate on (BALBIANO and PAOLINI), A., i, 72.

Compressibility, new method of determining (RICHARDS and STULL), A., ii, 384.

Condenser, Allihn, new (ULRICH), A., ii, 554.

excelsior (VIGREUX), A., ii, 611.
 reflux, with outer and inner cooling arrangement (LANDSIEDL), A., ii, 554.

Condensers (DURHAM), A., ii, 554.

Conductivity, electrical. See Electrochemistry.

Coniceines and their salts (LÖFFLER), A., i, 616.

Coniferae, resin acids of the (EASTERFIELD and BAGLEY), T., 1238; P., 112; (TSCHIRCH), A., i, 78.

Coniine, molecular refraction of (SEMMELER), A., i, 685.

Coninium iodides, isomeric (SCHOLTZ), A., i, 1044.

Constants, physicochemical, numerical values of some important (NERNST), A., ii, 706.

Convallamarin, sugars of (VOTOČEK and VONDRAČEK), A., i, 177.

Copaivic acid, crystalline (VAN ITALLIE and NIEUWLAND), A., i, 1038.

Copal resin from the fruit of *Dipteryx odorata* (HECKEL and SCHLAGDENHAUFFEN), A., i, 332.
 See also Resin-balsam.

Copper, anodic behaviour of (FISCHER), A., ii, 534.
 freezing point curves of mixtures of cuprous oxide and (HEYN), A., ii, 406.
 action of, on chloric acid with and without electrolysis (BROCHET), A., ii, 337.
 solutions of, in potassium cyanide (KUNSCHERT), A., ii, 818.

Copper, non-precipitation of, by hydrogen sulphide, in presence of potassium cyanide (TREADWELL and V. GIRSEWALD), A., ii, 172.

Copper alloys with aluminium (CAMPBELL), A., ii, 820.

with antimony and the phenomenon of recalescence observed in them (BAIKOFF), A., ii, 846.

with gold, densities of (HOITSEMA), A., ii, 742.

with tin, constitution of (HEYCOCK and NEVILLE), A., ii, 172.

with zinc (SHEPHERD), A., ii, 662.

Cuprammonium compounds, complex (KOHLSCHEUTTER and PUDSCHIES), A., ii, 338.

hydroxide, complex (BONSDORFF), A., ii, 733.

sulphates (HORN and TAYLOR), A., ii, 662.

Cuprosamine iodides (SILBERRAD), P., 241.

See also Copper-ammonia organic compounds.

Copper salts, basic, formation of, under the influence of electrolysis (BROCHET), A., ii, 338.

absorption of light by aqueous solutions of (MÜLLER), A., ii, 4.

reaction of, with titanous salts (KNECHT), A., ii, 448.

Copper carbonate, hydroxide, and oxide, solubility of, in ammonia (MURMANN), A., ii, 733.

chromium fluoride (HIGLEY), A., ii, 566.

iodates, crystallised (GRANGER and DE SCHULTEN), A., ii, 661.

sulphate, electrolysis of solutions of (FOERSTER and COFFETTI), A., ii, 818.

dissociation of (TOMMASI), A., ii, 734.

action of ammonia on solutions of (LOCKE and FORSSALL), A., ii, 258.

Cupric metaborate, preparation of, and evolution of oxygen from (GUERTLER), A., ii, 259.

chlorate, basic (BROCHET), A., ii, 338.

Cuprous ammonium iodide (GOSSNER), A., ii, 36.

sulphide, crystallography of (V. SUSTSCHINSKY), A., ii, 30.

Copper-ammonia compounds, cyano-, complex (TREADWELL and V. GIRSEWALD), A., i, 479.

Copper thiocyanocyanides (GROSSMANN), A., i, 146.

Copper :—

Cuproso-cupric cyanide, compounds of, with pyridine, methylamine, dimethylamine, and trimethylamine (LITTERSCHEID), A., i, 301.

Copper, electrolytic assay of, containing antimony, arsenic, selenium, and tellurium (HEATH), A., ii, 780.

electrolytic precipitation of (RICHARDS and BISBEE), A., ii, 597.

estimation of, gasometrically (RIEGLER), A., ii, 448.

estimation of, volumetrically, and its application to the testing of copper sulphate and commercial copper sulphide (GRIGGI), A., ii, 780.

estimation of small quantities of bismuth in (CLOUD), A., ii, 518.

electrolytic separation of, from antimony and arsenic (HOLLARD and BERTIAUX), A., ii, 682.

new reaction for iron in (CROUZEL), A., ii, 783.

“**Copper-glance**” from smelting works in the Altai, crystallography of (V. SUSTSCHINSKY), A., ii, 30.

Copper ores, estimation of minute quantities of arsenic in (CLOUD), A., ii, 515.

estimation of minute quantities of bismuth in (CLOUD), A., ii, 518.

Coral-rock from borings in the Funafuti Atoll (JUDD), A., ii, 351.

Corals, gorgonian, composition of (COOK), A., ii, 675.

Cork (V. SCHMIDT), A., i, 501.

Corneal endothelium, action of oxygen on (BULLOT), A., ii, 627.

Corvin, **Corvinin**, and **Corvinidin** (WORMS), A., ii, 191.

Corybulbine and *isoCorybulbine* and their additive salts (BRUNS), A., i, 185.

apoCorydaline and its hydrochloride (BRUNS), A., i, 186.

Corydalins alkaloids. See Alkaloids.

Cotarnine, condensation products from (RENZ and HOFFMANN), A., i, 610.

condensation of, with ketones (LIEBERMANN and KROPF), A., i, 263; (LIEBERMANN and GLAWE), A., i, 765; (KROPF), A., i, 766.

the relative strengths of the alkaline hydroxides and of ammonia as measured by their action on (DOBBIE, LAUDER, and TINKLER), T., 121.

hydro-derivatives, preparation of (FREUND), A., i, 916.

Coumalinic acid, bromo-, methyl ester, and its conversion into pyridone derivatives (V. PECHMANN and MILLS), A., i, 1042.

Coumalinic acid, chloro-, and its conversion into pyridine derivatives (v. PECHMANN and MILLS), A., i, 1041.

Coumaranone, dihydroxy-, and its diacetyl and dichlorodiacyl derivatives, and compounds with aldehydes (FEUERSTEIN and BRASS), A., i, 335.

Coumaric acids, polymeric (STRÖM), A., i, 505.

Coumarin, action of organomagnesium compounds on (HOUBEN), A., i, 334.

6-amino-, and its acyl, alkyl, and diazo-derivatives (MORGAN and MICKLETHWAIT), T., 1230; P., 177.

Coumarinaldehyde and its oxime and semicarbazone and **Coumarincarbinol** (STOERMER and OETKER), A., i, 245.

Coumarin-6'-2-azo-4-bromo- α -naphthylamine (MORGAN, MICKLETHWAIT, and WINFIELD), T., 751.

Coumarin-6-carboxylic acid and its methyl ester (STOERMER and OETKER), A., i, 245.

Coumarin-6-diazo-1-amino-4-bromo-tetrahydronaphthalene (MORGAN, MICKLETHWAIT, and WINFIELD), T., 750.

Coumarinic acid, constitution of (BORSCHÉ), A., i, 246.

1:4-Coumaronedicarboxylic acid (STOERMER and OETKER), A., i, 245.

Coumaryl-4-carbinol. See **Methylcoumarone**, 4-hydroxy-.

6-Coumarylyhydrazine (MORGAN and MICKLETHWAIT), T., 1236; P., 177.

6-Coumaryltrimethylammonium haloids (MORGAN and MICKLETHWAIT), T., 1237; P., 177.

Cow, formation of lactose in the (PORCHER), A., ii, 500.

lactating, injection of phloridzin in the (PORCHER), A., ii, 500.

Cranberry leaves, composition and pharmacological action of (KANGER), A., ii, 74.

Creatine and Creatinine in urine (FOLIN), A., ii, 375.

*iso***Creatinine**, identity of, with creatinine, and its oxalate and tartrate (POULSSON; KORNDÖRFER), A., i, 768.

Orenothrix polyspora, occurrence of, in well waters (BEYTHIEN, HEMPEL, and KRAFT), A., ii, 279.

Cresol, diamino-, azo-dyes from ethers of (GESELLSCHAFT FÜR CHEMISCHE INDUSTRIE IN BASEL), A., i, 1064.

trinitro-, mixtures of, with naphthalene (SAPOSHNIKOFF and RDÜLTOWSKY), A., i, 399.

*o***-Cresol**, 5-amino-, acetyl derivative (DAHL & Co.), A., i, 459.

*m***-Cresol**, 4-, 5-, and 6-nitro-, and their benzoyl derivatives, methylene ethers, and methylene ether esters (BORSCHÉ and BERKHOUT), A., i, 416.

trinitro-, melting point of (MURMANN), A., i, 870.

6-nitro-2-amino-, and its oxidation products (COHEN and MARSHALL), T., 527; P., 63.

Cresols, *m*- and *p*-, separation of (CHEMISCHE FABRIK LADENBURG), A., i, 312.

*o***-Cresol-5-azoformanilide** and its benzoyl derivative and 3-bromo- (BORSCHÉ and ZELLER), A., i, 1058.

Cresotic acid. See **Toluic acid**, 3-hydroxy-.

Critical constants and heat of vaporisation, relation between (BAKKER), A., ii, 310; (BATSCHINSKI), A., ii, 385.

points of iron and steel, determination of the (BOUDOUARD), A., ii, 127.

of dilute saline solutions (LEVIBIANCHINI), A., ii, 707.

pressure of luminescence of gases (DE HEMPTINNE), A., ii, 1.

state, theory of the; difference between gasogenic and liquidogenic substances (TRAUBE), A., ii, 110, 237.

temperature, molecular rise of the (VAN'T HOFF), A., ii, 237.

temperatures of solutions (CENTNERSZWER), A., ii, 158; (VAN'T HOFF), A., ii, 237.

volume, application of Cailletet and Mathias' method for the determination of (CENTNERSZWER), A., ii, 706.

Crops, treatment of, by stimulating compounds (LOEW), A., ii, 704.

influence of the relative amounts of calcium and magnesium in the soil on the yield of (LOEW), A., ii, 144.

Crotonic acid, amino-, ethyl ester, condensation of, with thiocarbimides (BEHREND and HESSE), A., i, 379.

β -amino-, ethyl ester, action of amyl nitrite on (H. and A. v. EULER), A., i, 146, 230.

γ -bromo-, amide and nitrile of, and γ -hydroxy-, lactone of (LESPIEAU), A., i, 471.

chloroamino-, ethyl ester, preparation of (LINDNER and BEHREND), A., i, 378.

β **-Crotonic acid**, separation of, from α -crotonic acid (MORRELL and BELLARS), T., 345; P., 47.

Crotonic acids, α - and β -, dynamic isomerism of (MORRELL and HANSON), T., 1520; P., 191.

Crotonyldimethylacetic acid (PERKIN and SMITH), T., 156.

Cryogenine and its elimination (COURAUD), A., ii, 360.

reaction of (PATEIN), A., ii, 218.

Cryohydrate point of nickel sulphate heptahydrate (STEELE and JOHNSON), T., 120.

Cryolithionite from Ivigtut, Greenland (USSING), A., ii, 347.

Cryoscopic behaviour of halogen compounds of the elements when dissolved in phosphorus oxychloride (ODDO and TEALDI), A., ii, 236.

of solutions of oxalic acid in presence of neutral salts (FEDOROFF), A., i, 220.

formulae (ARIÈS), A., ii, 707.

researches on solutions of gases in liquids (GARELLI and FALCIOLA), A., ii, 312.

Cryoscopy, studies on comparative (ROBERTSON), T., 1617; P., 222.

Crystalalban from gutta-percha (TSCHIRCH), A., i, 76; (VAN ROMBURGH), A., i, 905.

Crystalline substances, emission of *n*- and *n₁*-rays by (BICHAT), A., ii, 532.

Crystallisation in binary systems (BANCROFT), A., ii, 242.

in three component systems (GEER), A., ii, 473.

of glassy masses (GUERTLER), A., ii, 610.

spontaneous, of supercooled liquids (FÜCHTBAUER), A., ii, 610.

of dissolved substances under the influence of centrifugal force (VAN CALCAR and DE BRUYN), A., ii, 470.

diminution in the velocity of, caused by foreign substances (PADOA and GALEATI), A., ii, 714.

velocity of, of fused liquid mixtures (DREYER), A., ii, 611.

of isomorphous mixtures (PADOA), A., ii, 390.

Crystallography, application of coloration produced by Becquerel rays to (SALOMONSEN and DREYER), A., ii, 691.

of some artificially prepared compounds (v. SUSTSCHINSKY), A., ii, 30.

of isomeric halogen and nitro-derivatives of benzoic acid (JAEGER), A., i, 159.

Crystals, attractive force of, for like molecules in saturated solutions (SONSTADT), P., 244.

permanence of crystallitic forms in (OSMOND and CARTAUD), A., ii, 648.

Crystals, apparatus for determining the elasticity coefficient of (TUTTON), A., ii, 14.

inclusion and occlusion of solvent by (RICHARDS), A., ii, 242.

variations of angles observed in (MIERS), A., ii, 114.

liquid (SCHEIN and EICHWALD), A., i, 118.

proof of the nature of, by the aid of electric kataphoresis (BREDIG and v. SCHUKOWSKY), A., ii, 714.

liquid mixed, formation and transition of (DE KOCK), A., ii, 548.

Cuminylbutanones, α - and γ - (HARRIES and WARUNIS), A., i, 429.

Cuminylidenebutanones, α - and γ , and their oximes, phenylhydrazones, and semicarbazones, and dibromo-derivatives (HARRIES and WARUNIS), A., i, 429.

Cuminylideneisonitrosoacetone and its oxime, semicarbazone, and ψ -nitrole (HARRIES and MILLS), A., i, 429.

ψ -Cumyl haloids, dibromo-*p*-hydroxy-, methyl ethers (AUWERS and REICHEL), A., i, 997.

ψ -Cumylaniline, 3:6-dibromo-*p*-hydroxy-, acetyl derivatives (AUWERS, ANSELMINO, and RICHTER), A., i, 738.

benzoyl derivatives of (AUWERS and SONNENSTUHL), A., i, 1054.

ψ -Cumyl-aniline and *o*-methylaniline, dibromo-*p*-hydroxy-, methyl ethers, and acetate of the methylaniline (AUWERS and REICHEL), A., i, 997.

Cupric and Cuprous salts. See under Copper.

Cuprodescloizite from Arizona (HEADDEN), A., ii, 347.

Cucumarin, molecular weight of, and its benzoyl derivative (PERKIN and PHIPPS), T., 63.

Currant wine. See Wine.

Currents. See Electrochemistry.

Cusparine and nitro-, and **Cuspareine** (BECKURTS and FRERICHS), A., i, 84.

Cyanamide, preparation of aromatic guanides from (KÄMPF), A., i, 534.

Cyanamides, disubstituted, interaction of, with hydroxylamine (v. BRAUN and SCHWARZ), A., i, 38.

Cyanates, estimation of (EWAN), A., ii, 371.

Cyanide-dyes, true, transformation of, into leuco-cyanides (GERLINGER), A., i, 1040.

Cyanides. See under Cyanogen.

Cyanogen, slow oxidation of, by free oxygen (BERTHELOT), A., i, 793, 860.

Cyanogen, behaviour of, towards methyl-ene compounds (TRAUBE), A., i, 708.
behaviour of, towards potassium cyanide (BERTHELOT), A., i, 721, 860.
solubilities and polymerisation of (BERTHELOT), A., i, 720, 860.
thermochemical studies on the solution and polymerisation of (BERTHELOT), A., i, 721, 860.

Cyanogen compounds, preparation of (MEHNER), A., i, 655.
estimation and separation of, and the impurities contained therein (FELD), A., ii, 215.

Cyanogen bromide, action of, on hydroxylamine (WIELAND), A., i, 628.

Hydrocyanic acid (*hydrogen cyanide*)
in chaulmoogra seeds (POWER and GORNALL), T., 840; P., 135.
in plants (DUNSTAN and HENRY), A., ii, 71.
preparation of (WOLTERECK), A., i, 655.
formation of, by the oxidation of proteinoids (PLIMMER), A., i, 538.
action of, on aldehyde-ammonia and analogous compounds (DELE-PINE), A., i, 20.
addition of, to unsaturated compounds (LAPWORTH), P., 245; (KNOEVENAGEL), A., i, 1028.
action of, on the additive compounds of alkali hydrogen sulphites and unsaturated compounds (KNOEVENAGEL and LANGE), A., i, 1027.
reactions involving the addition of, to carbon compounds (LAPWORTH), T., 1206, 1214; P., 177; (HANN and LAPWORTH), T., 1355; P., 183.
additive compounds of, with unsaturated cyclic ketones (HANN and LAPWORTH), P., 54.
physiological action of, and its toxicological detection (GANAS-SINI), A., ii, 758.

Cyanides, preparation of, from ferrocyanides (GROSSMANN'S CYANIDE PATENTS SYNDICATE), A., i, 562, 860.
slow oxidation of, by free oxygen (BERTHELOT), A., i, 793, 860.

Cyanine dyes, constitution of the (MIETHE and BOOK), A., i, 622, 776.

Cyanohydrins regarded as complex acids (LAPWORTH), T., 1206, 1224; P., 177.

Cyantolin ("*kyantolin*") (FRANCIS and DAVIS), T., 260; P., 21.

Cyaphenine. See Triphenylecyanidine.

Cyclene from camphene (WAGNER, MOYCHO, and ZIENKOWSKI), A., i, 438.

p-Cymene, trinitro- (WALLACH and BESCHKE), A., i, 1036.

Cystin, decomposition products of (MÖRNER), A., i, 836.
fate of, in the body (BLUM), A., ii, 193.

Cystinuria, feeding with cholic acid in (SIMON and CAMPBELL), A., ii, 575.

Cytisine (FREUND), A., i, 263.

Cytisoline, and nitro-, α -*Cytisolidine* and its isomeride, and their salts, and *Cystolinic acid* (FREUND), A., i, 263.

Cytodiagnosis in nervous diseases (DANA and HASTINGS), A., ii, 359.

Cytosine and its additive salts, 5-bromo- and nitro- (WHEELER and JOHNSON), A., i, 625.

D.

Dahlia tubers, hexone bases in (SCHULZE), A., ii, 282.

Damasceninic acid and its salts and methyl ester (POMMEREHNE), A., i, 685.
salts and acetyl derivative (KELLER), A., i, 768.

Damasceninic acid and its salts and methyl ester (POMMEREHNE), A., i, 685; (KELLER), A., i, 769.

Datolite from Líšťe, Bohemia (SLAVÍK and FÍSER), A., ii, 50.
and natrolite, association of, at Pokolbin, N.S.W. (ANDERSON), A., ii, 349.

Decacyclene. See Trinaphthylenebenzene.

Decahydronaphthalene and mono- and di-chloro- (LEROUX), A., i, 987.

Decamethylene $\alpha\kappa$ -glycol (*decan-ak-diol*) and its diacetate (SCHEUBLE), A., i, 3.

Decamethylene- $\alpha\kappa$ -diamine (SCHEUBLE), A., i, 3.

Decinene. See $\beta\delta\zeta$ -Trimethyl- $\beta\epsilon$ -heptadiene.

Decomposition. See Affinity.

tricycloDecane and its isomeride (EIJKMAN), A., i, 25.

Decylene glycol. See Decamethylene $\alpha\kappa$ -glycol.

2-Decyl- β -naphthacinchoninic acid and its oxime and semicarbazone (BLAISE and GUÉRIN), A., i, 142.

Deen's reaction, van (VITALI), A., ii, 104, 600; (TARUGI), A., ii, 220.

Dehydracetic acid, constitution of (DIECKMANN and BREEST), A., i, 846.

Dehydracetic acid, action of iodine on, in pyridine solution (ORTOLEVA and VASSALLO), A., i, 645.

Dehydrobenzylidenebisbenzoylacetic acid and its salts (BERTINI), A., i, 168.

Dehydrocamphoric acid, synthesis of (KOMPPA), A., i, 141.

Dehydrochlorohæmin (KÜSTER), A., i, 357.

Dehydrocinchonidine and its additive salts (CHRISTENSEN), A., i, 520.

Dehydrocorybulbine and its benzoyl derivative, and their additive salts (BRUNS), A., i, 186.

Dehydrodihydroxyparasantonic acid and its salts and esters, and their chlorohydrins (FRANCESCONI), A., i, 171.

Dehydrodivanillin (LERAT), A., i, 360; (BOURQUELOT and MARCHADIER), A., ii, 552.

Dehydrohæmatin (KÜSTER), A., i, 357.

Dehydroquinine and its additive salts (CHRISTENSEN), A., i, 520.

Denitrification in soil (AMPOLA and ULPIANI), A., ii, 139.

See also *Bacteria*, denitrifying.

Density in relation to chemical composition of organic substances (FAWSITT), P., 42.

changes of, caused by passage through draw-plates (KAHLBAUM), A., ii, 805.

of gases, new gravimetric method of determining the (LIDOFF), A., ii, 239.

advantage of hydrogen as unit of comparison in determining the (LIDOFF), A., ii, 239.

and capillarity constants of salts at their melting points (MOTYLEWSKI), A., ii, 240.

of fused salts (BRUNNER), A., ii, 244.

of aqueous salt solutions considered as additive properties of the ions (VAILLANT), A., ii, 469.

of certain substances, diminution of the, induced by compression, and the cause of the phenomenon (SPRING), A., ii, 313, 472.

See also "Araeopiconometer," Pyknometer, and Vapour density.

Dephlegmator, new, for fractional distillation and for reflux distillation (HOUBEN), A., ii, 468.

Desert animals, immunity of, to scorpion venom (WILSON), A., ii, 630.

Desmotropy and the origin of colour (WILLSTÄTTER and PUMMERER), A., i, 973.

Dextrin, hydrolysis of, by dilute acids (NOYES, CRAWFORD, JUMPER, FLORY, and ARNOLD), A., i, 373.

Dextrins of pine-honey (HAENLE and SCHOLZ), A., ii, 96.

Dextrose (*d-glucose*; *grape-sugar*), mutation of (LOWRY), T., 1560; P., 108; (BEHREND and ROTH), A., i, 716.

condensation of, by fusion with ammonium chloride (KLATT), A., i, 372.

formation of, in the liver (SEEGEN), A., ii, 272.

oxidation of, in the blood (JOLLY), A., ii, 183.

stereoisomeric penta-acetates, mutual transformations of the (JUNGIUS), A., i, 651.

sodium hydrogen sulphite (KERP), A., i, 714.

analysis of a mixture of, sucrose, and lævulose (REMY), A., ii, 687.

sodium sulphide as indicator in the estimation of, with Fehling's solution (BEULAYGUE), A., ii, 216.

estimation of, in urine (BEHRENDT), A., ii, 96; (HEGLAND), A., ii, 372.

Diabetes (*glycosuria*) and acetone (GEELMUYDEN), A., ii, 275.

and the pancreas (LÉPINE), A., ii, 60.

effects of salts on (BROWN), A., ii, 273.

carbon dioxide of venous blood and alveolar air in cases of (BEDDARD, PEMBREY, and SPRIGGS), A., ii, 622.

lævulose (SCHLESINGER), A., ii, 195.

Diacet- See also *Diacetyl*, and under the parent Substance.

Diacetamide, *mono*- and *di*-chloro-, and chlorobromo- (KÖNIG), A., i, 296.

s-dichloro- (TRÖGER and LÜNING), A., i, 562.

Diacetone alcohol. See *Dimethylacetonylcarbinol*.

Diacetonealkamines, derivatives of (KOHN), A., i, 378, 932, 933.

Diacetoxypehenic acid, anhydride of (WARMBRUNN and STÜTZER), A., i, 6.

Diacetox- See also under the parent Substance.

Diacetyl- See also under the parent Substance.

Diacetylacetone, sodium salt, action of acetyl chloride on (COLLIE), T., 971; P., 158.

action of phenylhydrazine on (KORSCHUN), A., i, 615.

$\beta\beta$ -**Diacetyl- α -phenylpropionic acid** (RUHEMANN), T., 1456; P., 206.

$\alpha\beta$ -**Diacetylpropionic acid**, ethyl ester, action of hydrazine on (KORSCHUN), A., i, 614; (BÜLOW and SAUTER-MEISTER), A., i, 690.

Diacetylresorcinol (EIJKMAN), A., i, 665.

Diacetylsuccinic acid, ethyl ester, application of Hantzsch's ammonia reaction to the enolic forms of (KNORR and HÖRLEIN), A., i, 846.

Diacrylic acid, hydroxylamino-, methyl ester, oxalate of, and its hydrochloride, and hydroxamic acid of (HARRIES and HARAMANN), A., i, 231.

Diacylanilides, thio- (JAMIESON), A., i, 396.

Dialdehydes, preparation of (ROGOFF), A., i, 173.

Dialkylaminomethanesulphonic acids, preparation of salts of (KNOEVENAGEL), A., i, 867.

αα-Dialkylhydracrylic acids (BLAISE and MARCILLY), A., i, 218.

1:5-Dialkyl-2-cyclopentanone-1-carboxylic acids, esters, and the action of alcoholic potassium hydroxide on (DESFONTAINES), A., i, 288.

Dialkylphthalides, preparation of (BAUER), A., i, 417.

Diallyl, action of nitrogen peroxide on (SIDORENKO), A., i, 793.

γγ-Diallylbutyric acid, γ-hydroxy- and γ-iodo-derivatives, and **γγ-Diallylbutyrolactone**, and their salts (KANSKY), A., i, 367.

Diamines, aromatic, action of phthalic anhydride on (KOLLER), A., i, 778.

m-Diamines, sulphonated, diazotisation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 953.

Diamonds, action of radium rays on (CROOKES), A., ii, 692.

artificial, formation of (v. HASSSLINGER and WOLF), A., ii, 28.

αα-Diamyloxyamylene, synthesis of (HAMONET), A., i, 705.

αα-Diamyloxyptane (HAMONET), A., i, 467.

Diamylthiol-quinol and its diacetyl derivative, -quinone, and **tetrahydro-quinone** (POSNER and LIPSKI), A., i, 1031.

Dianilinoacetanilide (HELLER and EMRICH), A., i, 730.

1:2-Dianilinobenzimidazole, 5-amino-(5-amino-1-p-aminophenyl-2-p-aminophenylbenzimidazole) (KYM), A., i, 454.

4:4'-Dianilinobenzophenone, amino- and nitro-derivatives (CONSONNO), A., i, 676.

Dianilinotrinitrophenylacetic acid, ethyl ester, and its compound with benzene (JACKSON and SMITH), A., i, 802.

Dianilinotetraphenyl-p-xylene (ULLMANN and SCHLAEPFER), A., i, 570.

3:5-Dianilinotoluene, 2:4-di- and 2:4:6-tri-nitro- (BLANKSMA), A., i, 566.

Dianisylideneacetone and its hydrobromides and dihydrosulphate (VORLÄNDER and HAYAKAWA), A., i, 66.

δε-Dianisyllocta-βn-dione and its phenylhydrazone (HARRIES and GOLLNITZ), A., i, 427.

o-Dianisylthiodicyanodiamine and its derivatives (KLUT), A., i, 114.

Dianthracene (LUTHER and WEIGERT), A., ii, 463.

Diararylphosphinic acids (SAUVAGE), A., i, 1072.

Diastase, malt, action of formaldehyde on (SOMLÓ and v. LÁSZLÓFFY), A., i, 541.

action of, on potato starch paste (DAVIS and LING), T., 16.

oxidising-reducing, existence of, in plants (ABELOUS), A., i, 840.

(ABELOUS and ALOY), A., ii, 283.

rennet, probable constitution of (SCALA), A., i, 541.

Diazoacetic acid, ethyl ester, and systems with conjugated double linkings (VON DER HEIDE), A., i, 582.

reaction of, with naphthalene (BUCHNER and HEDIGER), A., i, 56.

reaction of, with toluene (BUCHNER and FELDMANN), A., i, 57.

Diazoacetyl diglycylaminoacetic acid, ethyl ester, and amide (CURTIUS), A., i, 477.

Diazoaminobenzenedisulphonic acids and their sodium salts and cuprous derivatives (MEUNIER), A., i, 637.

Diazoamino-compounds (MEUNIER), A., i, 637.

fatty-aromatic (WOLFF and LINDENHAYN), A., i, 701.

Diazoaminomagenta (PELET and REDARD), A., i, 638.

Diazoaminophenol and its benzoate (WOHL and GOLDENBERG), A., i, 209.

1-Diazol-1-aminotetrahydronaphthalene, 4:4'-dibromo- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 748; P., 109.

2:2'-Diazoaminotoluene and its *p*-sulphonic acid and 5:5-dinitro- (MEUNIER), A., i, 637.

Diazoanhydrides, action of phenylhydrazine on (WOLFF and HALL), A., i, 120.

Diazobenzene, limit of coupling of, with phenol (VIGNON), A., i, 699.

chloride, action of, on diphenylamine (VIGNON and SIMONET), A., i, 637.

action of, on substituted hydroxy-fumaric esters (RABISCHONG), A., i, 273.

Diazobenzene chloride, interaction of, with zinc ethyl (TICHWINSKY), A., i, 268.

Diazobenzeneaminobenzene and its salts (VIGNON and SIMONET) A., i, 637.

bromo-, chloro-, iodo-, and nitro-derivatives (VIGNON and SIMONET), A., i, 1065.

Diazobenzene-1-amino-4-bromotetrahydronaphthalene, *o*- and *p*-nitro- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 749; P., 110.

Diazobenzene-*p*-aminotoluene, *p*-hydroxy-, and its benzoate and its isomeride (WOHL and GOLDENBERG), A., i, 209.

Diazobenzene-*p*-sulphonic acid, *o*-di-bromo-, action of bleaching powder on (LENZ), A., i, 457.

Diazobenzoylacetic acid, ethyl ester, anhydride of (WOLFF and HALL), A., i, 120.

Diazochlorides, action of, on oxalacetic esters (RABISCHONG), A., i, 272, 273.

Diazo-colouring matters (KALLE & Co.), A., i, 1065.

Diazo-compounds, formation of (ANGELI), A., i, 699.

Diazo- and iso-Diazo-compounds, action of bleaching powder on (ZINCKE and KUCHENBECKER), A., i, 455.

Diazo-ethers, hydrolysis of (v. EULER), A., i, 119; (HANTZSCH), A., i, 201, 953.

Diazo-fatty acids (CURTIUS and MÜLLER), A., i, 481; (ANGELI), A., i, 564.

esters (CURTIUS and MÜLLER), A., i, 481.

Diazoindoles (ANGELI and d'ANGELO), A., i, 537.

Diazonium salts. See Diazobenzene salts.

Diazopapaveraldine sulphate (PSCHORR, STÄHLIN, and SILBERBACH), A., i, 612.

Diazopapaverine and its alkyl salts (PSCHORR, STÄHLIN, and SILBERBACH), A., i, 611.

4-Diazophenol-3-sulphonic acid (SCHULTZ and STÄBLE), A., i, 597.

α -Diazio- β -phenylpropionic acid, esters (CURTIUS and MÜLLER), A., i, 481.

Diazo-reaction in the diphenyl series (CAIN), P., 249.

Diazosulphonaphtholsulphonic acids, so-called, of the German patent 121226 (BUCHERER), A., i, 536.

Diazotetrahydronaphthalene-4-sulphonic acid (MORGAN, MICKLETHWAIT, and WINFIELD), T., 755.

***p*-Diazotoluene sulphate** (ALLEMAN), A., i, 202.

***p*-Diazio-*o*-toluidinophenol**, benzoate of (WOHL and GOLDENBERG), A., i, 209.

Diazoxides, isomerism of the (BAMBERGER), A., i, 201; (HANTZSCH), A., i, 460.

Dibarbiturylmethylamine (MÖHLAU), A., i, 654.

Dibenzamide, *N*-chloro- (STIEGLITZ and EARLE), A., i, 40.

Dibenzenedi-*p*-sulphinic acid, thio- (BOURGEOIS and PETERMANN), A., i, 29.

Dibenzenedi-*o*-sulphonic acid and chloride (BOURGEOIS and PETERMANN), A., i, 28.

Dibenzenedi-*p*-sulphonic acid, thio-, and its methyl esters, amide, anilide, and chloride (BOURGEOIS and PETERMANN), A., i, 28.

Dibenzenedi-*p*-thiol, thio-, and its lead mercaptide and methyl thio-ether (BOURGEOIS and PETERMANN), A., i, 29.

Dibenzenesulphohydroxamic acid (ANGELI, ANGELICO, and SCURTI), A., i, 311.

Dibenzenesulphonanilide (FREUNDLER), A., i, 34.

Dibenzenesulphonylcarbamide (BILETER), A., i, 397.

Dibenzenylazoselenime. See 3:5-Diphenyl-1:2:4-selenodiazole.

Dibenzoxy-. See Dibenzoxyloxy..

Dibenzoyl-. See also under the parent Substance.

2:4-Dibenzoylbenzene, 1-amino-, *N*-acetyl and -benzoyl derivatives (CHATTAWAY and LEWIS), T., 1663; P., 223.

Dibenzoylchloroimide (CHATTAWAY), P., 22.

Dibenzoyldiazomethane (WIELAND and BLOCK), A., i, 656.

***o*-Dibenzoyldiphenyl** (WERNER and GROB), A., i, 865.

4:4'-Dibenzoyldiphenyl (ULLMANN), A., i, 728.

$\alpha\delta$ -Dibenzoyl- $\beta\gamma$ -diphenylenebutadiene- $\alpha\delta$ -dicarboxylic acid (diphenylenedibenzoylmuconic acid), ethyl ester (JAPP and WOOD), P., 221.

***s*-Dibenzoylhydrazide** and its crystallographic properties (MOHR), A., i, 1058, 1059.

metallic and acetyl derivatives, acetic and carboxylic acids, ethyl esters, and ethyl and *n*-propyl derivatives (STOLLÉ and BENRATH), A., i, 935.

***s*-Dibenzoylhydrazide**, isomeric *dibromo*, and their conversion into oxadiazole and thiadiazole derivatives (STOLLÉ and JOHANNISSION), A., i, 694.

s-Dibenzoylhydrazide, *di-m*-chloro-, conversion of, into diazole derivatives (STOLLÉ and FOERSTER), A., i, 627.

Dibenzoylmethane, formation of, from α -benzoxo- α -phenylethylene, and its *O*-benzoyl derivative (CLAISEN and HAASE), A., i, 67.

ethyl ether of (RUHEMANN and WATSON), T., 457; P., 48.

compounds of, with silicon salts (DILTHEY), A., i, 132.

Dibenzoylmethane, *p*-nitro- (WIELAND), A., i, 432.

ethyl ether of (RUHEMANN and WATSON), T., 457; P., 48.

Dibenzoylmethane-*m*-hydroxyanilide (BÜLOW and ISSLER), A., i, 191.

s-Dibenzoyl-oxamide and *-succinamide* (TITHERLEY), T., 1681; P., 188.

Dibenzoyloxydiphenylmethane, decomposition of (MACKENZIE and JOSEPH), T., 792; P., 124.

5:6-Dibenzoyloxy-1-phenylbenzoxazole (EINHORN, COBLINER, and PFEIFFER), A., i, 240.

Dibenzoyltartaric acids, *o*-, *m*-, and *p*-nitro-, methyl and ethyl esters, and their rotation (FRANKLAND and HARGER), T., 1571; P., 203.

Dibenzyl, *o*-hydroxy- (STOERMER and REUTER), A., i, 181.

p-hydroxy- and its phenylurethane and isomerides (STOERMER and KIPPE), A., i, 183.

Dibenzylacetic acid, *di-p*-nitro-, and its ethyl ester (FICHTER and WORTSMANN), A., i, 592.

Dibenzylacetone, *tribromo*- (VORLÄNDER and SIEBERT), A., i, 901.

Dibenzylacetones, *s*- and *as*-, *di-p*-nitro-, and their **dicarboxylic acids**, ethyl esters (FICHTER and WORTSMANN), A., i, 591.

Dibenzylamine dibenzylthiocarbamate (HAASE and WOLFFENSTEIN), A., i, 856.

Dibenzylanthracene and hydroxy-, and its ethyl and acetyl derivatives (LIPPmann and FRITSCH), A., i, 865.

Dibenzylcarbamic acid, phenyl, tolyl, and guaiacol esters (BOUCHETAL DE LA ROCHE), A., i, 152.

Dibenzyl-2:2'-dicarboxylic acid and *-4:4'-dicarboxylic acid* and its esters and chloride (FISCHER and WOLFFENSTEIN), A., i, 896.

Dibenzyldimethyl*diaminodiphenylmethane* and its picrate (v. BRAUN and KAYSER), A., i, 688.

Dibenzylidinaphthylenthienophen, synthesis of (DZIEWONSKI and DOTTA), A., i, 803.

Dibenzylhydrazines, isomeric, mono-benzoyl derivatives of (EBERHARDT and BEHREND), A., i, 346.

Dibenzylideneacetone (v. RAEYER and VILLIGER), A., i, 308, 786, 898.

action of ammonia on, and its phenylhydrazone (RUHEMANN and WATSON), T., 1179; P., 176.

conversion of, into derivatives of diphenylcyclopentane (VORLÄNDER and v. LIEBIG), A., i, 426.

additive compounds of, with hydrogen chloride (STRAUS), A., i, 899.

isomeric hydrobromides (VORLANDER and HAYAKAWA), A., i, 65; (VORLÄNDER and SIEBERT), A., i, 900.

4:4'-Dibenzylideneaniline (ULLMANN), A., i, 728.

Dibenzylideneanthracene (LIPPmann and FRITSCH), A., i, 865.

Dibenzylideneazine, *di-o*-amino- (COHN and BLAU), A., i, 674.

Dibenzylidene-benzidine and *-p*-phenylenediamine (RUHEMANN and WATSON), T., 1176; P., 175.

N-Dibenzylidene-*p*-phenylenediamine, *di-p*-chloro-*o*-nitro- and *di-o*- and *tetra*-nitro- (SACHS and SICHEL), A., i, 594.

Dibenzylidenesuccinic acid and its salts, ethyl ester, and anhydride (STOBBE, NAOUM, and KAUTZSCH), A., i, 589.

Dibenzylidenesuccinic anhydride, thermochromic properties of (STOBBE and v. VIGIER), A., i, 672.

Dibenzyl ketone, preparation of (APITZSCH), A., i, 510.

condensation of, with benzaldehyde (GOLDSCHMIEDT and SPITZAUER), A., i, 64.

action of carbon disulphide and potassium hydroxide on (APITZSCH and METZGER), A., i, 510.

Dibenzyl ketone, *diisonitroso*- (WIELAND), A., i, 432.

2:5-Dibenzyl-1:3:4-oxadiazole and *-thiadiazole* (STOLLÉ and STEVENS), A., i, 627.

Dibenzylsuccinic acids, *cis*- and *trans*-, and their anhydrides (STOBBE and v. VIGIER), A., i, 673.

Dibenzylthiol-quinol and its diacetyl derivative, *quinone*, and *-tetrahydroquinone* (POSNER and LIPSKI), A., i, 1030.

Dibenzylthiol-toluquinol and its diacetate and *-toluquinone* (POSNER and LIPSKI), A., i, 1032.

Dibornylcarbamide (NEVILLE and PICKARD), T., 687; P., 114.

s-Dibornylethylcarbamide (FORSTER and ATTWELL), T., 1192; P., 91.

s-Dibornylthiocarbamide (FORSTER and ATTWELL), T., 1193; P., 91.

2:5-Di-*tert.-butylbenzoquinone* and its monoxime (BÖTTKER), A., i, 802.

Diisobutyl-s-dihydrotetrazine (STOLLÉ and HILLE), A., i, 695.

Diisobutyl-oxadiazole and -thiodiazole (STOLLÉ and HILLE), A., i, 695.

s-Di-n-butyrylhydrazide and its copper compound (STOLLÉ and ZINSSER), A., i, 696.

Diisobutrylyhydrazide (STOLLÉ and GUTMANN), A., i, 697.

Dicarbindigotin, dihydroxy- (KUSEL), A., i, 619.

Dicarbo-ethoxy- and -methoxy-phenylacetic acids, $\beta\delta$ -(or ζ), $\gamma\epsilon$ -dihydroxy-, esters (HALLER and MARCH), A., i, 713.

2:4-Dicarboxydihydrocyclohexadiene-acetic acid, 5-hydroxy-, ethyl esters (v. PECHMANN, BAUER, and OBERMILLER), A., i, 592.

Dicarboxyethyl-glycine and -oxamic acid, ethyl esters (DIELS and NAWIASKY), A., i, 980.

Dicarboxylic acids. See under Acids.

2:4-Dicarboxyphenylacetic acid, 5-hydroxy-, and its salts, ethyl ester, acetyl derivative, and methyl ether (v. PECHMANN, BAUER, and OBERMILLER), A., i, 592.

Dicinnamylidene-cyclopentanone and its dihydrobromide (VORLÄNDER and HAYAKAWA), A., i, 66.

Dicinnamylidenesuccinic acid and its salts and anhydride (FITTIG and BATT), A., i, 744.

$\epsilon\zeta$ -Dicumenylocta- $\epsilon\delta$ -dione (HARRIES and WARUNIS), A., i, 429.

$\delta\epsilon$ -Di- γ -cuminyl- $\gamma\zeta$ -dimethylocta- $\beta\eta$ -dione (HARRIES and WARUNIS), A., i, 430.

Dicumylideneacetone, bromides of (VORLÄNDER and HAYAKAWA), A., i, 66.

Dicyclic systems, bridged, syntheses of (RABE and WEILINGER; RABE), A., i, 509.

Didymium chloride and nitrate, influence of dilution on the absorption spectra of concentrated solutions of (PURVIS), A., ii, 4.

oxide and erbium oxide, estimation of the amounts of, by means of absorption bands of their solutions (PURVIS), A., ii, 89.

Dielectric constants. See Electrochemistry.

Diethoxalycarbamic acid, ethyl ester (DIELS and NAWIASKY), A., i, 981.

4'-Diethoxybenzophenone, 3:3'-dinitro- (CONSONNO), A., i, 677.

4'-Diethoxydiphenyl (ULLMANN), A., i, 728.

Diethoxy-*m*-ditolyl and *tetranitro* (WINSTON), A., i, 274.

Diethoxymethyl ether (DESCUDÉ), A., i, 706.

2-*op*-Diethoxyphenyl-4-methyl-1:4-benzopyran, 7-hydroxy-, and its 7-acetoxy derivative (BÜLOW and SAUTERMEISTER), A., i, 262.

5-*op*-Diethoxyphenyl-3-methylisooxazole (BÜLOW and SAUTERMEISTER), A., i, 262.

2-*a*-Diethoxy-4-propylphenol, 6: β -dibromo- (ZINCKE and HAHN), A., i, 42.

Diethylamine acrylate and hydriodide (FLÜRSCHEIM), A., i, 19.

benzenesulphonate (AUTENRIETH and BERNHEIM), A., i, 978.

diethylthiocarbamate (HAASE and WÖLFLENSTEIN), A., i, 856.

Diethylamine, *a*-cyano- (HENRY), A., i, 854.

tetrafluoro-, and its salts and *N*-nitroso-derivative (SWARTS), A., i, 854.

Diethylaminoacetonitrile, methiodide of (KLAGES and MARGOLINSKY), A., i, 145.

p-Diethylaminobenzaldehyde, oxime and phenylhydrazone of (ULLMANN and FREY), A., i, 423.

Diethylamino-3:4-dihydroxyphenyl-acetonitrile, methylene ether (KNOEVENAGEL and MERCKLIN), A., i, 982.

4'-Diethylamino-2:5-dimethyldiphenylmethane, 3:6-*di*- and 3:6:3'-*tribromo-4-hydroxy*, and the acetate of the dibromo-compound (AUWERS and WEHR), A., i, 998.

4'-Diethylamino-3:5-dimethyldiphenylmethane, 2:6-*di*bromo-, and its hydrobromide (AUWERS and HÄHNLE), A., i, 999.

2-*B*-Diethylaminoethylpyridine and its additive salts (LÖFFLER), A., i, 265.

Diethylaminomethanesulphonic acid, sodium salt (KNOEVENAGEL and MERCKLIN), A., i, 981.

Diethylaminomethanol, acetyl derivative (KNOEVENAGEL and MERCKLIN), A., i, 981.

***a*-Diethylamino-*p*-methoxy-benzyl cyanide** and *-phenylacetamide* (KNOEVENAGEL and MERCKLIN), A., i, 982.

Diethylaminonitriles (KNOEVENAGEL and MERCKLIN), A., i, 981.

Diethylaminophenyl alkylaminonaphthyl ketones and their conversion into auramines (NOELTING), A., i, 621.

Diethylaminophenylacetonitrile and its methiodide (KLAGES and MARGOLINSKY), A., i, 145; (KNOEVENAGEL and MERCKLIN), A., i, 981.

Diethyl-*p*-aminophenylidinaphthaxanthen (FOSSE), A., i, 337.

β -Diethylaminopropionic acid and its ethyl ester and derivatives (FLÜRSCHÉIM), A., i, 19.

α -Diethylaminopropionobetaine, methiodide of (KLAGES and MARGOLINSKY), A., i, 145.

Diethylaminoquinoxaline (HINSBERG and SCHWANTES), A., i, 200.

Diethylisoamylcarbinol and its acetate (GRIGNARD), A., i, 213.

Diethylanthranilic acid and its additive salts (MEYER), A., i, 744.

p -Diethylbenzene, tetrahydroxy-, and its di- and tetra-acetates and tetrabenzzoate (FICHTER and WILLMANN), A., i, 678.

Diethylcampholenol and its acetate, and **Diethylcampholadiene** (BÉHAL), A., i, 514.

Diethylcarbamic acid, esters (A. and L. LUMIÈRE and PERRIN), A., i, 559.

phenyl and *o*-tolyl esters (BOUCHETAL DE LA ROCHE), A., i, 152.

2:2-Diethyl-1:2-chromen (HOUBEN), A., i, 335.

Diethylcyanine, *di*iodo- (MIETHE and BOOK), A., i, 777.

Diethylisocyanine. See Ethyl-red.

2:3-Diethylisoindolinone, 3-hydroxy- (SACHS and LUDWIG), A., i, 267.

Diethyloxadiazole (STOLLÉ and HILLE), A., i, 695.

Diethylphthalide and nitro- (BAUER), A., i, 418.

2:5-Diethylpyrazine and its salts (KOLSHORN), A., i, 675.

2:5-Diethylquinone, 3:6-dihydroxy-, and its diacetate and dibenzoate (FICHTER and WILLMANN), A., i, 678.

Diethylisosuccinic acid and its ethyl ester and anilide (A. and L. LUMIÈRE and PERRIN), A., i, 369.

Diethylthallium compounds (MEYER and BERTHEIM), A., i, 656.

Diethylthiodiazole (STOLLÉ and HILLE), A., i, 695.

Diethylthiol-quinol and its diacetyl derivative and **quinone** (POSNER and LIPSKI), A., i, 1031.

Diethyl-*p*-toluidine, triphenylmethane dyes from (CASSELLA & Co.), A., i, 804.

Diffusion and supersaturation in gelatin (MORSE and PIERCE), A., ii, 14.

Diffusion of argon and helium (SCHMIDT), A., ii, 643.

and solubility in solution of dissociated gases (RICHARDSON), A., ii, 240.

of water, velocity of, through a semi-permeable membrane (SEBOR), A., ii, 540.

Osmosis (GUILLEMIN), A., ii, 161; (PONSONT), A., ii, 240.

Osmotic pressure, applicability of Nernst's formula for, for a mixture of two solvents (TIMOFÉEFF), A., i, 162.

relation of the, to the depression of the freezing point and the raising of the boiling point of solutions (VAUBEL), A., ii, 606.

Diformaldehyde (KÖRBER), A., i, 852.

$\alpha\gamma$ -Difurfurylidenepropionic acid and its salts (TITHERLEY and SPENCER), T., 184; P., 13.

Difurfurylidenesuccinic acid and its sodium salt, and anhydride, and its $\alpha\beta\beta$ -tetrabromo-derivative (TITHERLEY and SPENCER), T., 183; P., 13.

Difuroylhydroxamic acid (BAUM), A., i, 910.

Digestion, pancreatic, end-products of (KUTSCHER and LOHMANN), A., ii, 425.

peptic, and tryptic, metabolic experiments with the end-products of (LESSER), A., ii, 271.

tryptic (WEISS), A., ii, 270.

of gelatin, end-products of the (LEVENE), A., ii, 188.

See also Stomach.

Digestive juices, proteolytic and rennet-like action of different (PAWLOFF and PARASTSCHUK), A., ii, 748.

Digitalis tinctures, chemical and physiological assay of (BARGER and SHAW), A., ii, 793.

Digitic acid and **Digitogenic acid** and its decomposition products (KILIANI and SCHWEISSINGER), A., i, 505.

$\alpha\alpha$ -Diglutaric acid. See Hexane- $\alpha\gamma\delta\zeta$ -tetracarboxylic acid.

Diglycylglycine (FISCHER), A., i, 653.

Dihexantanaphthylene (MARKOWNIKOFF), A., i, 383.

Dicyclohexylamine, synthesis of (SABATIER and SENDERENS), A., i, 305.

Dicyclohexylcarbinol (SABATIER and MAILHE), A., i, 810.

Dihydroabietene (EASTERFIELD and BAGLEY), T., 1247; P., 113.

Dihydroanthracene, nitro-, and **Dihydroanthranyl acetate**, nitrate, and nitrite, nitro- (MEISENHEIMER and CONNEDALE), A., i, 391.

N-Dihydro-anthranol- and -anthranone-azines (SCHOLL and BERBLINGER), A., i, 111.

N-Dihydro-1:2:1':2'-anthraquinone-azine. See Indanthrene.

$\Delta^{1:3}$ -Dihydrobenzene and the action of hydrogen bromide on, and its oxidation (CROSSLEY), T., 1403; P., 160.

magnetic rotation and refraction of (PERKIN), T., 1417.

Dihydrobenzylidene-tanacetone and its amine and semicarbazone, and -tanacetyl alcohol (SEMMLER), A., i, 177.

Dihydrocamphorone and its oxime and semicarbazone (SEMMLER), A., i, 261.

Dihydrocamphoryl alcohol and its acetate and phenylurethane (SEMMLER), A., i, 260.

Dihydrocarvone, action of nitric acid on (KONOWALOFF), A., i, 258.

Dihydrocarvonylacetooacetic acid, ethyl ester (RABE and WEILINGER), A., i, 509.

Dihydrochaulmoogric acid and its bromo-derivatives and their esters, and dihydroxy- (POWER and GORNALL), T., 855; P., 136.

Dihydro-*p*-cumaric acid, diamino-, and dinitro-, and its alkali salts and methyl ester (DITMAR), A., i, 757.

Dihydroflavaspidic acid, methyl and ethyl ethers (BOEHM), A., i, 407, 408.

Dihydroflavaspidylxanthen and its ethers (BOEHM), A., i, 407, 408.

β -Dihydrofuran-2:5-dicarboxylic acid, optical isomerides of, and their salts (HILLE and RUSSE), A., i, 681.

Dihydro- α -methylindole, preparation and resolution of, and its salts and acetyl and benzoyl derivatives (POPE and CLARK), T., 1330; P., 182.

$\Delta^{\beta\gamma}$ -Dihydronaconic acid and its ethyl ester (SILBERRAD), T., 612; P., 61.

Dihydronaphthalene, compounds of, with mercury salts (SAND and GENSSLER), A., i, 25.

Dihydro-orexine, acylation of (HELLER and KÜHN), A., i, 943.

Dihydro-oxadiazoles, formation of, from hydrazine derivatives (STOLLE), A., i, 102.

1:4-Dihydropyridine-4:4-dicarboxylic acid, 2:6-dihydroxy-, ethyl ester and its metallic derivatives (ZWERGER), A., i, 91.

Dihydroquinizarin-6(?)-sulphonic acid (FRIEDLÄNDER and SCHICK), A., i, 679.

Dihydrosafrole, 6-mono- and 2:6-diamino-, and their acyl derivatives, 6-hydroxy-, 6-mono- and 2:6-di-nitro-, and 6-nitro-2-amino- (THOMS and BILTZ), A., i, 399.

Dihydroisosafrole, chloro-, and its compound with pyridine (MAMELI), A., i, 1023.

Dihydrostilbazole-*o*-carboxylic acid and its hydrochloride (GAEBELÉ), A., i, 88.

Dihydrotetrazines (STOLLE), A., i, 200.

Dihydrombellulone, bromo-derivatives (LEES), T., 643; P., 89.

$\alpha\beta$ -Diketobutyric acid, esters, and their hydrates and phenylhydrazones, and disemicarbazone of the isobutyl ester (BOUVEAULT and WAHL), A., i, 556.

action of phenylhydrazine on (BOUVEAULT and WAHL), A., i, 789.

isobutyl ester (BOUVEAULT and WAHL), A., i, 557, 796.

Diketocamphoric acid, methyl ester, and its copper salt, synthesis of (KOMPPA), A., i, 141.

Diketocyclohexane (diketohexahydrobenzene), trihydroxy- (POWER and TUTIN), T., 628; P., 87.

ρ -Diketocyclohexane, condensation of, with aldehydes (STOLLE and MÖRING), A., i, 875.

1:3-Diketocyclohexane-2-propionic acid and its dioxime and compound with semicarbazide (V. PECHMANN and SIDGWICK), A., i, 972.

Diketohydrindene series, desmotropism of halogen-substituted acid methylene groups in the (FLATOW), A., i, 511.

$\alpha\beta$ -Diketonaphthaphenazine (FISCHER), A., i, 112.

Diketone, $C_{34}H_{34}O_2$, from the reduction of benzylbenzylideneacetone (HARRIES and GOLLNITZ), A., i, 427.

1:2-Diketones, action of hydrogen peroxide on (HOLLEMAN), A., i, 474.

1:3-Diketones (RUHEMANN and WATSON), T., 456; P., 48.

action of nitrous gases on (WIELAND and BLOCH), A., i, 596.

action of titanium tetrachloride on (DILTHEY), A., i, 290.

1:5-Diketones (RABE), A., i, 747.

$\alpha\beta$ -Diketonic esters, preparation of (BOUVEAULT and WAHL), A., i, 556.

2:6-Diketo-4-phenyldihydropyridine, 3:5-dicyano-*mp*-dihydroxy-, and its dimethyl derivative, ammonium salts (PICCININI), A., i, 919.

Diketo-2-phenyldihydropyrrolidine-3-carboxylic acid, ethyl ester, and its salts, oxime, and phenylhydrazone (SIMON and CONDUCHE), A., i, 522.

Diketophenylhexahydro-1:2:4-triazine and its 1-ethyl derivative (BUSCH, SCHNEIDER, and WALTER), A., i, 97.

1:3-Diketo-2-phenylhydro-6-pyrinden and its derivatives (FELS), A., i, 618.

Diketopimelic acid ($\alpha\epsilon$ -diketopentane- $\alpha\epsilon$ -dicarboxylic acid) (BLAISE and GAULT), A., i, 763.

2:3-Diketotetrahydronaphthalene, *tetra*-chloro-, *dibromodinitro*-, and *di*-chlorodinitro- (ZINCKE and FRIES), A., i, 1008.

Dilactone, $C_{11}H_{18}O_4$, from the oxidation of hexylaticonic acid (FITTIG and SIMON), A., i, 555.

s-Dilaurylhydrazide, conversion of, into diazole derivatives (STOLLÉ and SCHÄTZLEIN), A., i, 697.

i-Dileucylglycylglycine (FISCHER), A., i, 653.

Dimannoxamide (ROUX), A., i, 291.

Di-l-menthylcarbamide (NEVILLE and PICKARD), T., 690; P., 114.

Dimercurammonium series. See under Mercury.

Dimethabeninmethine salts (PSCHORR and MASSACIU), A., i, 767.

2:5-Dimethoxyacetophenone and its semicarbazone (KLAGES), A., i, 1003.

2:4-Dimethoxybenzoic acid (*dimethyl-resorcylic acid*) and its methyl and ethyl esters (PERKIN and SCHIESS), T., 159.

4:4'-Dimethoxybenzophenone (AUWERS), A., i, 67.

3:3'-dinitro- (CONSONNO), A., i, 677.

2:4-Dimethoxybenzoylacetophenone and its copper compound (PERKIN and SCHIESS), T., 160.

3:5-Dimethoxybenzoylacetophenone, condensation of, with pyrogallol and with phloroglucinol (BÜLOW and RIESS), A., i, 82.

3:4-Dimethoxybenzylcyanoacetamide (PICCININI), A., i, 920.

6:7-Dimethoxy-1-benzylisoquinoline methiodide (DECKER and PSCHORR), A., i, 927.

6:7-Dimethoxy-2-benzyl-1-isoquinolone and its picrate (DECKER and KLAUSER), A., i, 339; (DECKER and GIRARD), A., i, 1045.

α-Dimethoxybutane (HAMONET), A., i, 467.

3':4'-Dimethoxychalkone, 2'-hydroxy-, and its acetyl derivative and dibromide (WOKER, v. KOSTANECKI, and TAM-BOR), A., i, 184.

Dimethoxycinnamic acids, 2:4- and 3:4-, and their ethyl esters (PERKIN and SCHIESS), T., 162.

Dimethoxydiphenyl (WINSTON), A., i, 274.

Dimethoxydiphenyls, 2:2'- and 4:4'- (ULLMANN), A., i, 727.

2:9-Dimethoxydiphenyleneazone, 3:8-diamino- (ULLMANN and DIETERLE), A., i, 270.

Dimethoxy-m-ditolyl and *tetranitro*- (WINSTON), A., i, 274.

αα-Dimethoxyethane, $\beta\beta$ -dichloro- (ODDO and MAMELI), A., i, 281.

3':4'-Dimethoxy-7-ethoxy-flavanone and *isonitroso*-, and *flavonol* and its acetyl derivative (v. KOSTANECKI, LAMPE, and TAMBOR), A., i, 442.

Dimethoxy-2-ethylisoquinoline and its hydrochloride (DECKER and PSCHORR), A., i, 927.

3:4-Dimethoxy-flavanone and *flavone* (WOKER, v. KOSTANECKI, and TAM-BOR), A., i, 184.

5:7-Dimethoxy-flavanone, 3:6:8-*tri*-bromo-, and *flavone*, 6:8-*dibromo*- (v. KOSTANECKI and LAMPE), A., i, 911.

5:7-Dimethoxy-flavanone and 3-*iso*-nitroso-, and *flavonol* and its acetyl derivative (DOBRYŃSKI and v. KOSTANECKI), A., i, 764.

6:2'-Dimethoxy-flavanone and *isonitroso*-, and *flavonol* and its acetate (KAT-SHALOWSKY and v. KOSTANECKI), A., i, 608.

6:3'-Dimethoxy-flavanone and *iso*-nitroso-, and *flavonol* and its acetyl derivative (v. KOSTANECKI and OTTMANN), A., i, 442.

6:4'-Dimethoxy-flavanone and *iso*-nitroso-, and *flavonol* and its acetyl derivative (v. KOSTANECKI and STOP-PANI), A., i, 441.

7:8-Dimethoxyflavanone and its com-pounds with aldehydes (KAT-SHALOWSKY and v. KOSTANECKI), A., i, 912.

7:8-Dimethoxy-flavanone and 3-*iso*-nitroso-, and *flavonol* and its acetyl derivative (DOBRYŃSKI and v. KOSTANECKI), A., i, 764.

2:5-Dimethoxy-1- α -hydroxyisopropyl-benzene and *1- α -methylvinylbenzene* (KLAGES), A., i, 1004.

3:4-Dimethoxymandelic acid and its salts (VANZETTI), A., i, 249.

Dimethoxymethyl ether (DESCUDÉ), A., i, 706.

2:5-Dimethoxy-3:4-methyleneoxy-1-allylbenzene (*parsley-apiole*) (THOMS), A., i, 742.

5:6-Dimethoxy-3:4-methyleneoxy-1-allylbenzene (*dill-apiole*) (THOMS), A., i, 742.

Dimethoxy-2-methylisoquinolone and its salts (PSCHORR, STÄHLIN, and SILBER-BACH), A., i, 611; (DECKER and PSCHORR), A., i, 927.

4:5-Dimethoxyphenanthraquinone (SCHMIDT and KÄMPF), A., i, 71.

Dimethoxyphenyl sulphide, tetranitro- (BLANKSMA), A., i, 577.

3:4-Dimethoxyphenyl- $\alpha\beta$ -dibromopropionic acid, ethyl ester (PERKIN and SCHIESS), T., 164.

3:4-Dimethoxyphenyl- α -cyanoacrylic acid, ethyl ester (PICCININI), A., i, 920.

3:4-Dimethoxyphenylpropionic acid (PERKIN and SCHIESS), T., 164.

6:2'-Dimethoxy-3-piperonylideneflavanone (KATSCHALOWSKY and v. KOSTANECKI), A., i, 911.

3:5-Dimethoxypropylbenzene (THOMS), A., i, 47.

2: α -Dimethoxy-4-propylphenol, bromo-derivatives (ZINCKE and HAHN), A., i, 42.

2:6-Dimethoxypyrimidine and its salts, and 4-chloro-derivative (GABRIEL and COLMAN), A., i, 103.

3':4'-Dimethoxytriphenylcarbinol, 3,4-dihydroxy- (SACHS and THONET), A., i, 878.

3:4-Dimethoxytriphenyl-carbinol, -chloromethane, and -methane (SACHS and THONET), A., i, 878.

Dimethylacetonylcarbinol (*diacetone alcohol*), oxidation of (KOHN), A., i, 15.

3:7-Dimethylacridine, 8-amino-, and its acetyl derivative (FOX and HEWITT), T., 531; P., 9.

$\alpha\alpha$ -Dimethyladipic acid, synthesis of (BLANC), A., i, 369, 647.

$\alpha\beta$ -Dimethyladipic acid, synthesis of (NOYES and COX), A., i, 10.

s-Dimethylallene, preparation and properties of (KUKURITSCHKIN), A., i, 213.

$\alpha\alpha$ -Dimethylisoallituiric acid and β -nitro- (SIEMONSEN), A., i, 952.

1:2-Dimethyl-4-allylbenzene, boiling point of (KUNCKELL and STAHEL), A., i, 387.

Dimethylamine, action of, on mesityl oxide (HOCHSTETTER and KOHN), A., i, 18.

compound of, with cuproso-cupric cyanide (LITTERSCHEID), A., i, 301.

Dimethylamine, *N*-bromo- (WILLSTÄTTER and HOTTENROTH), A., i, 472.

p-Dimethylaminoanilino-*m*-hydroxybenzyl alcohol (GNEHM and WEBER), A., i, 533.

Dimethylaminoanthraquinone, 1:5- or 1:8- (SCHMIDT), A., i, 257.

Dimethylaminoanthraquinones, halogen derivatives of (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 325.

Dimethylaminoanthraquinone-1-sulphonic acid, bromo- (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 326.

o-Dimethylaminobenzaldehyde and its salts, phenylhydrazone, and oxime (BAMBERGER), A., i, 422.

and its salts, oxime, and azine, and 5-nitro-, and its salts, oxime, and phenylhydrazone (COHN and BLAU), A., i, 674.

p-Dimethylaminobenzaldehyde and its oxime and additive compounds (SACHS and STEINERT), A., i, 506.

and 2-chloro- and 2-chloro-5-nitro-, and their phenylhydrazone (ULLMANN and FREY), A., i, 423.

3-nitro-, and its oxime (NOELTING and DEMANT), A., i, 424.

4-Dimethylaminobenzoic acid, 3-nitro-, and its ethyl ester and nitrile (NOELTING and DEMANT), A., i, 424.

Dimethylaminobenzoic acids, *m*- and *p*-, methyl esters, methiodides of (WILLSTÄTTER and KOHN), A., i, 235.

Dimethylaminobenzophenone and its salts, and benzoyl derivative, and dicyano-, and its oxime, and nitroso- (v. BRAUN and KAYSER), A., i, 687.

4:4'-Dimethylaminobenzophenone, 3:3'-dinitro- (CONSONNO), A., i, 677.

p-Dimethylaminobenzylidene-acetyl-*benzoyl*-acetones (SACHS and STEINERT), A., i, 507.

Dimethylaminobenzylideneaniline, chloronitro- (ULLMANN and FREY), A., i, 424.

Dimethylamino-*tert*-butyl alcohol and its benzoate (FOURNEAU), A., i, 377.

N-Dimethyl-6-aminocoumarin (MORGAN and MICKLETHWAIT), T., 1237; P., 177.

2-Dimethylamino-2:5-dimethyldiphenylmethane, 3:6-dibromo-5'-amino-4-hydroxy-, and its acetyl derivatives and hydrobromide (AUWERS and WEHR), A., i, 998.

4-Dimethylamino-2:5-dimethyldiphenylmethane, 6-bromo-4-hydroxy-, and 4-hydroxy- (AUWERS and STRECKER), A., i, 1000.

3:6-dibromo-4-hydroxy-, and its ethiodide (AUWERS and WEHR), A., i, 998.

3:6-di- and 3:6:3'-tri-bromo-4-hydroxy-, and their salts and acetyl derivatives (AUWERS and JACOB), A., i, 996.

4-Dimethylamino-3:5-dimethyldiphenylmethane, 2:6-di- and 2:6:3'-tribromo-4-hydroxy-, and its salts, and their acetyl derivatives (AUWERS and HÄHNLE), A., i, 998.

4:4'-Dimethylamino-3:3'-dimethylhexa-phenyl-*p*-xylene (ULLMANN and SCHLAEPFER), A., i, 570.

4'-Dimethylamino-*as*-diphenylethane, 2:3:5-tribromo-4-hydroxy-, and its salts (AUWERS and STRECKER), A., i, 999.

4'-Dimethylaminodiphenylmethane, 3:5-di- and 2:3:5-tri-bromo-4-hydroxy-, and its salts, and 4-hydroxy-, and its benzoyl derivative (AUWERS and STRECKER), A., i, 999.

Dimethylaminodiphenylmethane, and its phenylcarbamide and phenylthiocarbamide derivatives, and dicyano- and nitroso- (v. BRAUN and KAYSER), A., i, 687.

Dimethylaminodiphenylsulphone-2-aldehyde, 4-nitro- (ULLMANN and FREY), A., i, 424.

4'-Dimethylamino-9-diphenylxanthen (ULLMANN and ENGI), A., i, 682.

Dimethylaminoethyl ether, synthesis of, and its salts (KNORR), A., i, 854, 916.

β -4-Dimethylamino-2-hydroxybenzoyl-propionic acid and amide (WEINSCHENK), A., i, 59.

β -Dimethylamino-*p*-hydroxydiphenylamine and its derivatives (GNEHM and BOTS), A., i, 451.

***p*-Dimethylamino-*m*-nitrobenzamide** (SACHS and STEINERT), A., i, 507.

Dimethylaminonitrosophenylhydroxylamine, barium salt (VELARDI), A., i, 805.

***p*-Dimethylaminophenol and its methiodide, acetyl derivatives** (AUWERS and WEHR), A., i, 998.

Dimethylaminophenyl alkylaminonaphthyl ketones and their conversion into auramines (NOELTING), A., i, 621.

4-Dimethylamino-1-phenyl-2:3-dimethyl-5-pyrazolone (FARBEWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 196.

Dimethylaminophenyl*di*aminodiphenylmethane and nitro-, and their dialkyl and diaryl derivatives (NOELTING), A., i, 622.

Dimethyl-*p*-aminophenylidinaphthoxanthen (FOSSE), A., i, 337.

3-*p*-Dimethylaminophenyl- β -naphthoquinoline and β -naphthacinchonic acid, and dinitro- (SACHS and STEINERT), A., i, 507.

***p*-Dimethylaminophenylpropylene** (SACHS and STEINERT), A., i, 507.

γ -Dimethylamino-*a*-isopropylidene-*iso*-hexoamide and its dibromide and methiodide (PAULY and HÜLTENSCHMIDT), A., i, 87.

Dimethylaminothiazone, tetrabromo- (GNEHM and KAUFLER), A., i, 687, 935.

***o*-Dimethylaminotriphenylcarbinol and its salts** (v. BAEYER and VILLIGER), A., i, 899.

***p*-Dimethylaminotriphenylcarbinol and its picrate and oxalate** (v. BAEYER and VILLIGER), A., i, 786.

Dimethylaminotriphenylcarbinol and its zincochloride, nitrosoamine, phenylthiocarbamide, and dicyano-derivative (v. BRAUN), A., i, 345.

Dimethylaminotriphenylmethane and its thiocarbamides, picrate, nitrosoamine, and dicyano-derivative (v. BRAUN), A., i, 344.

5-Dimethylaminouracil (WHEELER and JAMIESON), A., i, 942.

***o*-Dimethylamino-*n*-valeric acid, ethyl ester, and its aurichloride** (WILLSTÄTTER and KAHN), A., i, 561.

Dimethylaminoxyloquinone (FICHTER and WILLMANN), A., i, 678.

***o*:*o*-Dimethylhydroacetonebenzil, reduction products of** (JAPP and MAITLAND), T., 1473; P., 204.

Dimethylaniline, additive compounds of, with derivatives of benzene (JACKSON and CLARKE), A., i, 155.

Dimethylaniline, bromo-compounds (FRIES), A., i, 571.

ω -cyano- (BUCHERER), A., i, 729.

and its *p*-nitroso-derivative (WARUNIS and SACHS), A., i, 669.

nitroso-, constitution of (VELARDI), A., i, 804.

***p*-nitroso-, absorption spectrum of** (HARTLEY), T., 1010; P., 160.

2-*p*-Dimethylanilinonaphthalene, 7-hydroxy-, and its diacetyle derivative (GNEHM and WEBER), A., i, 533.

***N*-Dimethyl-*S*-*p*-anisoyldithiourethane** (v. BRAUN), A., i, 90.

Dimethylantranilic acid and its methyl ester, and their additive derivatives (WILLSTÄTTER and KAHN), A., i, 235.

Dimethylaticonic acid, oxidation of (FITTIG and SCHWÄRTZLIN), A., i, 553.

derivatives (FITTIG and FRIEDMANN), A., i, 418.

2:3'-Dimethylazobenzene, 4'-iodo-, derivatives of, with polyvalent iodine (WILLGERODT and LEWINO), A., i, 635.

2:5 Dimethylbenzaldazine, reduction of (HARDING and COHEN), A., i, 36.

Dimethylbenzaldehyde, 2:4:6-*tri*hydroxy-, and its oxime, and pentaacetyl derivative (HERZIG, WENZEL, and KERÉNYI), A., i, 252.

1:2-Dimethylbenzene. See *o*-Xylene.

***s*-Dimethylbenzidine** and its salts and di-*p*-toluenedisulphone derivative (WILLSTÄTTER and KALB), A., i, 1051.

1:3-Dimethylbenzimidazole, 6-chloro-, and its iodide (FISCHER), A., i, 349.

4:6-Dimethyl-benzimidazole and -benzimidazol, nitro- (FISCHER and HESS), A., i, 196.

1:3-Dimethylbenzimidazolol, 6-chloro-, and its platinichloride (FISCHER), A., i, 349.

6-nitro- (FISCHER and HESS), A., i, 195.

1:3-Dimethylbenzoxazole, 4:6-dibromo-5-hydroxy- (HENRICH, MEYER, and DORSCHKY), A., i, 494.

***N*-Dimethyl-*S*-benzoyldithiourethane** (V. BRAUN), A., i, 90.

$\alpha\gamma$ -Dimethyl- $\Delta\alpha\beta$ -butadienylbenzene and its tetrabromide (KLAGES), A., i, 567.

$\beta\gamma$ -Dimethylbutane, β -bromo- γ -nitroso-(*tetramethylethylene nitrosobromide*) (SCHMIDT and LEIPPRAND), A., i, 279.

$\alpha\alpha$ -Dimethylbutane- $\alpha\beta\beta$ -tricarboxylic acid and its esters, and β -cyano-derivative of the esters, and inner anhydride (PERKIN and THORPE), T., 128.

$\alpha\beta$ -Dimethylbutane- $\alpha\alpha\beta$ -tricarboxylic acid, synthesis of (NOYES and COX), A., i, 10.

$\alpha\gamma$ -Dimethyl- $\Delta\alpha$ and $\Delta\beta$ -butenylbenzenes (KLAGES), A., i, 568.

$\alpha\gamma$ -Dimethylbutylbenzene and its metallic sulphonates, and α -hydroxy- (KLAGES), A., i, 568.

$\beta\gamma$ -Dimethyl- $\Delta\beta$ -butylene and bromo- (SCHMIDT and LEIPPRAND), A., i, 279.

Dimethylcampholenol and its acetyl derivative, **Dimethylcampholandiene**, and **Dimethylcampholadiol** (BÉHAL), A., i, 514.

1:3-Dimethylcarbazole and its picrate (DELÉTRA and ULLMANN), A., i, 271.

Dimethylchloroethylamine and its salts (KNORR), A., i, 938.

2:2-Dimethyl-1:2-chromen (Houben), A., i, 334.

Dimethyl- α -cyano-ethyl- and -propylamines (HENRY), A., i, 854.

Dimethylacetoneamine and its oxime, oxalate, and methiodide (HOCHSTETTER and KOHN), A., i, 18.

***p*-Dimethylbibenzylazoselenime.** See 3:5-Di-*p*-tolyl-1:2:4-selenodiazole.

2:5-Dimethylbibenzylamine and its salts, preparation of (HARDING and COHEN), A., i, 36.

1:1-Dimethyl- $\Delta^{2:4}$ -dihydrobenzene, 3:5-dichloro-, action of bromine on (CROSSLEY), T., 264; P., 21.

2:5-Dimethyl- $\Delta^{2:5}$ -dihydropyridazine-1-carbonamide-3-carboxylic acid, ethyl ester (BORSCHE and SPANNAGEL), A., i, 779.

3:6-Dimethyldihydropyridazine-4:5-dicarboxylic acid *cyclohydrazide* and its hydrochloride and tetrabenzoyl derivative (BÜLOW), A., i, 272.

Dimethyldihydroresorcinol, *O*- and *C*-acetyl derivatives, and their reactions (DIECKMANN and STEIN), A., i, 874.

Dimethyldiphenopyrones (*dimethylxanthones*), 2:7- and 4:5- (FOSSE and ROBYN), A., i, 318.

Dimethyldiphenyls, 2:2', 3:3', and 4:4' (ULLMANN), A., i, 725.

3:8-Dimethyldiphenyleneazone and its oxide (ULLMANN and DIETERLE), A., i, 269.

2:5-Dimethyldiphenylmethane-4'-trimethylammonium hydroxide and salts, 3:6-dibromo-4-hydroxy-, and the acetyl derivative of the hydroxide (AUWERS and JACOB), A., i, 996.

Dimethyl-ethine- and -isoethine-diphthalides, dihydroxy- (LIEBERMANN and VOSWINCKEL), A., i, 903.

2:5-Dimethyl-1-ethyl- and -1-butyl-pyrrole-3-carboxylic acids, ethylesters, synthesis of (KORSCHUN), A., i, 264.

5:7-Dimethylfluorone, 8-hydroxy-, and its reduction product, bromo-derivatives and compounds with methyl and ethyl alcohols (LIEBSCHÜTZ and WENZEL), A., i, 518.

2:5-Dimethylfuran-3-carboxylic acid, ethyl ester (KORSCHUN), A., i, 614.

$\alpha\alpha$ -Dimethylglutaric acid, synthesis of (BLANC), A., i, 369.

$\alpha\beta$ -Dimethylglutaric acid, β -imino- α -cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1751.

Dimethylglutazine and its carboxylic acid, ethyl ester, and their dibenzoyl derivatives (BARON, REMFRY, and THORPE), T., 1753; P., 243.

$\beta\zeta$ -Dimethylheptane, $\beta\zeta$ -dibromo-, and $\beta\zeta$ -Dimethyl- $\Delta^{2\zeta}$ -heptadiene and its diazonide (HARRIES and WEIL), A., i, 361.

$\delta\zeta$ -Dimethylheptane, $\alpha\beta\delta$ -trihydroxy- (MARKO), A., i, 642.

1:1-Dimethylcyclohexane, synthesis of, and its 3-bromo- and 3-hydroxy-derivatives (CROSSLEY and RENOUF), P., 242.

1:3-Dimethylcyclohexane from camphoric acid (BALBIANO and ANGELONI), A., i, 860.

2:6-Dimethylcyclohexane-1-carbinol, 4-hydroxy-, and its diacetate (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 411.

2:6-Dimethylcyclohexane-1-carboxylic acid, 4-hydroxy-, and its lactones and ethyl ester (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 411.

$\beta\epsilon$ -Dimethylhexane- $\beta\epsilon$ -diol. See Octylene *tert*- γ -glycol.

1:3-Dimethylcyclohexan-5-ol-1:5-di-carboxylic acid (KNOEVENAGEL), A., i, 1028.

1:3-Dimethylcyclohexan-5-one, 1-cyano-, and its semicarbazone and 1-carboxylic acid (KNOEVENAGEL and LANGE), A., i, 1027.

2:4-Dimethylcyclohexan-6-one-1:3-di-carboxylic acid, 4-hydroxy-, esters of the tautomeric forms of (RABE and BILLMANN), A., i, 749.

3:3'-Dimethylhexaphenyl-*p*-xylene, 4':4'-diamino-, and its dihydrochloride (ULLMANN and SCHLAEPFER), A., i, 570.

$\beta\epsilon$ -Dimethyl- $\Delta\beta$ -hexene, ϵ -amino-, and its additive salts (PAULY and HÜLTENSCHMIDT), A., i, 88.

2:6-Dimethylcyclo- $\Delta\epsilon$ -hexene-1-carboxylic acid and its ethyl ester (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 412.

$\beta\delta$ -Dimethylhexoic acid, β -hydroxy-, and its salts (MARKO), A., i, 642.

Dimethylindazoles, nitro-derivatives (NOELTING), A., i, 694.

$\alpha\gamma$ -Dimethylitaconic acid (FICHTER and RUDIN), A., i, 473.

$\gamma\gamma$ -Dimethylitaconic acid, oxidation of (FITTIG and SCHWÄRTZLIN), A., i, 553.

2:3-Dimethyl-4-methylene-1:4-benzopyran, 7-mono- and isomeric dihydroxy-, and their acetyl derivatives (BÜLOW and DEIGLMAYR), A., i, 609.

$\beta\gamma$ -Dimethyl- δ -methylene- $\beta\epsilon$ -heptadiene (v. FELLENBERG), A., i, 961.

Dimethylnaphthacenequinone, tetrahydroxy-. See Dimethylisoethinidinephthalide, *d*ihydroxy-.

Dimethyl- α -naphthoamide (v. BRAUN), A., i, 639.

2:5-Dimethylnitroaminotoluene, 2:4:6-trinitro- (BLANKSMA), A., i, 566.

Dimethylol-2-picoline. See 2-*iso*Propylpyridine, $\alpha\gamma$ -dihydroxy-.

$\alpha\gamma$ -Dimethylparaconic acid and its ethyl ester and silver salt (FICHTER and RUDIN), A., i, 473.

$\beta\delta$ -Dimethyl- $\alpha\gamma$ -pentadiene (v. FELLENBERG), A., i, 961.

2:2-Dimethylpentamethylene-1-carboxylic acid, 3-bromo- and *trans*-3-hydroxy- (PERKIN and THORPE), T., 130.

$\beta\delta$ -Dimethyl- γ -pentene, β -hydroxy- (v. FELLENBERG), A., i, 961.

2:2-Dimethylcyclopentene-1-carboxylic acid (PERKIN and THORPE), T., 131.

Dimethyl-*o*-phenoxybenzoic acids, 3:2'- and 5:4'- (FOSSE and ROBYN), A., i, 318.

Dimethyl-*o*-phenylenediamine, 4-chloro-, and its oxidation (FISCHER), A., i, 349.

$\alpha\alpha$ -Dimethyl-*p*-phenylenediamine, acetyl derivatives (ÄUWERS and WEHR), A., i, 998.

Dimethylphloroglucinolaldehyde. See 3-Methylbenzaldehyde, 2:4:6-*tri*-hydroxy-.

Dimethylphthalide and nitro- (BAUER), A., i, 417.

***N*-Dimethylpiperazine** and its additive salts (KNORR), A., i, 938.

2:5-Dimethylpiperidine and its salts and 2:4-Dimethylpiperidine, 1-amino- (AHRENS and GORKOW), A., i, 616.

$\alpha\alpha$ -Dimethylpropionic acid (*pivalic acid*), β -bromo-, and its derivatives (BLAISE and MARCILLY), A., i, 283.

β -hydroxy- (FRANKE and KOHN), A., i, 845.

and its acetyl derivative and their salts, methyl esters, and derivatives (BLAISE and MARCILLY; MARCILLY), A., i, 219.

action of dehydrating agents on (BLAISE and MARCILLY), A., i, 366.

ethyl ester, oxidation of (BLAISE and MARCILLY), A., i, 285.

$\alpha\beta$ -Dimethylpropylbenzene and its sulphonic acid (KLAGES), A., i, 28.

Dimethylisopropylcarbinol, formation of, in the hydrogenation of acetone (DENIGÈS), A., i, 706.

2-Dimethyl-4-*iso*propylidene-5-pyrrolidone and its dibromide (PAULY and HÜLTENSCHMIDT), A., i, 88.

$\beta\beta$ -Dimethylpropylmalonic acid, $\alpha\gamma$ -dihydroxy-, lactonic acid of, and its salts (SILBERSTEIN), A., i, 289.

4:5-Dimethylpyrazole (WALLACH and STEINDORFF), A., i, 106.

Dimethylpyridines, 2:4- and 2:5-, and their additive salts from coal tar (AHRENS and GORKOW), A., i, 615.

2:6-Dimethylpyridinedicarboxylic acid. See 2:6-Lutidine-3:5-dicarboxylic acid.

1:3-Dimethylpyrimidine, 4:5-diamino-2:6-dihydroxy-, formyl derivative, preparation of (FARBENFABRIKEN VORM. F. BAYER & CO.), A., i, 454.

Dimethylpyroarsonic acid and its di-sodium salt (BAUD), A., i, 801.

Dimethylpyrone, diacetyl derivative, and its isomeride (COLLIE), T., 975; P., 158.

Dimethylpyronedicarboxylic acid, ethyl ester, action of hydroxylamine on (PALAZZO), A., i, 762.

Dimethylpyrroles, 2:4- and 2:5-, 3-*iso*-nitroso-, sodium derivatives (ANGELI, ANGELICO, and CALVELLO), A., i, 188; (ANGELICO and CALVELLO), A., i, 447.

2:5-Dimethylpyrrole-3-carboxylic acid, ethyl ester (OSSIPOFF and KORSCHUN), A., i, 264; (KORSCHUN), A., i, 615.

methyl ester, synthesis of (KORSCHUN), A., i, 615.

2:5-Dimethylpyrrole-3:4-dicarboxylic acid, 1-amino-, ethyl ester, as the parent substance of *N*-bispyrrole derivatives (BÜLOW and SAUTER-MEISTER), A., i, 690.

1:2-Dimethylpyrroline and its bromination (MASCARELLI and TESTONI), A., i, 341.

2:4-Dimethylquinoline derivatives (KOENIGS and MENGE), A., i, 527.

7-hydroxy- (BÜLOW and ISSLER), A., i, 191.

2:6-Dimethylquinoline, δ -nitro-, and its hydrochloride (BARTOW and MCCOLLM), A., i, 686.

Dimethylselenodiazole (STOLLÉ and GUTMANN), A., i, 697.

as-**Dimethylsuccinic acid**, formation of (LAPWORTH), T., 1222; P., 177.

Dimethylsuccinic acids, *s*- and *as*-, acid esters (BONE, SUDBOROUGH, and SPRANKLING), T., 545; P., 64.

1:1-Dimethyl- Δ^5 -tetrahydrobenzene, 3:5-dichloro-2:4:5-tribromo- formation of, and its reactions (CROSSLEY), T., 266; P., 21.

1:8-Dimethyltetrahydroquinoline and its additive salts, synthesis of (FREUND), A., i, 267.

Dimethylthallium compounds (MEYER and BERTHEIM), A., i, 656.

Dimethylthionuracil (BEHREND and HESSE), A., i, 379.

Dimethyl-*p*-toluidine, triphenylmethane dyes from (CASSELLA & Co.), A., i, 804.

Dimethyltolylenediamine. See Tolylenedimethyldiamine.

2:5-Dimethyltriphenylacetic acid, 4-hydroxy-, and its acetyl and bromo-derivatives (GEIPERT), A., i, 318.

Dimethyltriphenylacetic acids, 3:5- and 4:5-, 2-hydroxy-, lactones of (GEIPERT), A., i, 318.

Dimethylureideindoaniline (PILOTY and FINCKH), A., i, 821.

Dimethylvinylacetic acid and its isomeride (BLAISE and COURTOT), A., i, 796.

1:3-Dimethylxanthine, diuretic action of (DRESER), A., ii, 360.

4:6-Dimethylxanthine. See Theophylline.

Dimethylxanthones. See Dimethyl-diphenopyrones.

Di- α - and - β -naphthacridine haloids (SENIER and AUSTIN), T., 1204; P., 176.

1:1-Dinaphtha-2:2-o-diazine, and its salts and oxide (MEISENHEIMER and WITTE), A., i, 176, 194.

Dinaphthafluoflavine and its phenylsulphone (HINSBERG and SCHWANTES), A., i, 199.

Dinaphthalene-1- and -2-sulphohydroxamic acids (ANGELI, ANGELICO, and SCURTI), A., i, 311.

Dinaphthaxanthen (*dinaphthapyran*) series (FOSSE), A., i, 83, 336, 337, 816.

Dinaphtha-xanthen-, -xanthones, and -xanthydroxyl (FOSSE), A., i, 519.

Dinaphthaxanthonium salts, compounds of, with tertiary aromatic amines (FOSSE), A., i, 337.

compounds of, with cresols (FOSSE), A., i, 336.

interaction of, with phenols (FOSSE), A., i, 83.

sulphate (FOSSE and BERTRAND), A., i, 1042.

$\alpha\alpha$ -**Dinaphthyl**, 2:2-diamino-, and its hydrochloride (MEISENHEIMER and WITTE), A., i, 194.

$\beta\beta$ -**Dinaphthyl** (ULLMANN), A., i, 726.

3:3'-dihydroxy-, azo-dyes from (POZZI-ESCOLI), A., i, 789.

Dinaphthyltetracaminobenzene, diamino- (NIETZKI and VOLLENBRUCK), A., i, 1063.

Dinaphthylmethiophen, α -mono- and $\alpha\alpha$ -di-bromo- (DZIEWOŃSKI and BACHMANN), A., i, 84.

$\alpha\alpha$ -dinitro- (DZIEWOŃSKI and DOTTA), A., i, 84.

Dinaphthyl ketone, 1:1'-dinitro-4:4'-di-hydroxy- (BORSCHE and BERKHOUT), A., i, 416.

Dinaphthylmethane, 1:1'-dinitro-4:4'-di-hydroxy- (BORSCHE and BERKHOUT), A., i, 416.

Dinaphthylnitro-*m*-phenylenediamine, diamino- (NIETZKI and VOLLENBRUCK), A., i, 1062.

Dinitriles, action of amyl nitrite on (LUBLIN), A., i, 890.

Dioleostearin (PARTHEIL and FERIÉ), A., i, 5.

Diopside, a peculiar, from Moravica, Hungary (WEINSCHENK), A., ii, 50.

Dioscin and its acetyl derivative (HONDA), A., i, 761.

Dioscorea Tokoro Makino, saponin substances from (HONDA), A., i, 761.

Dioxindole and its benzoyl derivative (HELLER), A., i, 417.

2:6-Dioxy-1:3-dimethylpurine-7-diazobenzenesulphonic acid (BURIÁN), A., i, 355.

4:6-Dioxy-2-methylthiopyrimidine and 5-amino-, 5-isonitroso-, and 5-methyl and -ethyl derivatives (WHEELER and JAMIESON), A., i, 940.

2:6-Dioxypurine-7-diazobenzenesulphonic acid (BURIÁN), A., i, 354.

4:6-Dioxypyrimidine, 2-thio-, 5-methyl and 5-ethyl derivatives of (WHEELER and JAMIESON), A., i, 941.

Dioxyquinopyrine and its salts and carboxylic acid, methyl ester (FELS), A., i, 617.

s-Dipalmitylhydrazide, conversion of, into heterocyclic compounds (STOLLE and DELLSCHAFT), A., i, 697.

Dipentadecyl-oxadiazole and -thiodiazole (STOLLÉ and DELLSCHAFT), A., i, 697.

Dipentene, synthesis of, and its dihydrochloride, tetrabromide, and nitrosochloride (PERKIN), T., 654; P., 86.

Dipeptides, hydrolysis of, with pancreas ferment (FISCHER and BERGELL), A., i, 867.

See also Amino-acids and Polypeptides.

Diphenanthraphenazine ketone (CONSONNO), A., i, 677.

Diphenazone (ULLMANN and DIETERLE), A., i, 269.

Di-p-phenetidylmethane, dibenzoyl derivative (HELLER and KÜHN), A., i, 943.

Diphenic acid, amino- and nitro-derivatives (SCHMIDT and AUSTIN), A., i, 69; (SCHMIDT and KÄMPF), A., i, 70, 71.

bromo-derivatives (SCHMIDT and JUNGHÄUS), A., i, 1034; (SCHMIDT and LADNER), A., i, 1035.

Diphenic chloride, 4:4'-dinitro- (SCHMIDT and KÄMPF), A., i, 71.

Diphenoquinone-di- and -tetra-methyl-di-imonium salts (WILLSTÄTTER and KALB), A., i, 1050.

Diphenoxymethylene-1:2-dioxy-5-propylbenzene (DELANGE), A., i, 314.

Diphenyl (WINSTON), A., i, 274.

Diphenyl, boiling point of, under different pressures (JAQUEROD and WASSMER), A., ii, 538.

derivatives, symmetric (ULLMANN, GILLI, LOEWENTHAL, and MEYER), A., i, 725.

sulphur derivatives (KALLE & Co.), A., i, 305.

Diphenyl, halogen derivatives, preparation of (CAIN), T., 7.

3-amino-, 3:4-nitroamino-, and 3:5:4-dinitroamino-, and their acetyl derivatives (FICHTER and SULZBERGER), A., i, 325.

3-amino-, 3-hydroxy-, and 3-nitro- (JACOBSON and LOEB), A., i, 204.

4:4'-diamino-. See Benzidine.

3:3'-dibromo- and *s-di*-, -*tetra*-, and -*hexa*-chloro- (ULLMANN), A., i, 726.

3-mono-, 3:3'-*di*-, and 3:3':5(?)*tri*-chloro-4:4'-dihydroxy- (CAIN), T., 10.

2:2'-dihydroxy-, *p*-toluenesulphonyl derivative (ULLMANN), A., i, 727.

3:3'-dihydroxy-, benzoate of (ULLMANN), A., i, 727.

Diphenylacetic acid, *di*- and *tri*-thio-, and the amide of the trithio- (ULPIANI and CIANCARELLI), A., i, 162.

5-Di-m-phenylacridinyl ether (LANDAUER), A., i, 928.

Diphenylamine, action of diazobenzene chloride on (VIGNON and SIMONET), A., i, 637.

amino- and aminohydroxy-derivatives (GNEHM and BOTS), A., i, 451.

4:4'-diamino-, hydroxyphenyl derivatives of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 1061.

triamino-, *opp'*-trinitrotribenzoyl derivative of, and *p*-nitro-*opp'*-diamino- (KYM), A., i, 453.

4:2-chloroamino- and 4:2-chloronitro- (ULLMANN, DELÉTRA, and KOGAN), A., i, 776.

p-nitroamino- and *p*-nitro-*o*-amino- (SCHOTT), A., i, 35.

2':4'-dinitro-4-hydroxy-, chloronitro- and nitro-derivatives of, and their acetyl compounds, and 3:2:4-*tri*-nitro-4-amino- (REVERDIN and DELÉTRA), A., i, 530.

p-nitroso-, formation of, from diphenyl-nitrosoamine (RAKEN), A., i, 155.

Diphenylamine-2-carboxylic acid. See Phenylanthranilic acid.

Diphenylamine-2:2'-dicarboxylic acid and its sodium salt (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 50, 168.

Diphenylaminedicarboxylic acids, preparation of (FARBERWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 317.

Diphenyl-4:4'-diaminodiphenylamine, *di-p*-hydroxy- (FARBERWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 1062.

Diphenylaminofuchsonephenylimine and its chloride and benzoyl derivative (v. BAEYER and VILLIGER), A., i, 787.

Diphenylanilinomethane and its hydrochloride (BUSCH), A., i, 664.

Diphenyl-*o*-anisylbenzamidine and its picrate (v. BRAUN), A., i, 689.

Diphenyl-*p*-anisylcarbinol anilide (v. BAEYER and VILLIGER), A., i, 309.

3:4-Diphenyl-5-anisylphenol and its acetate (GARNER), A., i, 253.

s-9:10-Diphenylanthracene (HALLER and GUYOT), A., i, 659.

Diphenyl bases, constitution of, derived from *p*-substituted hydrazo-compounds (JACOBSON and LOEB), A., i, 203.

Diphenylbenzamide chloride (v. BRAUN), A., i, 688.

1:5-Diphenyl-4-benzeneazopyrazole-3-carboxylic acid, ethyl ester (BÜLOW), A., i, 623.

Diphenylbenzylaminoamidine and its isomeride (WHEELER and JOHNSON), A., i, 628.

Diphenylbenzylcarbinol (HELL and WIEGANDT), A., i, 490.

and its chloride (KLAGES and HEILMANN), A., i, 488.

γ-Diphenyl-*α*-benzylidene- and -*α*-*p*-tolylideneitaconic acids and their salts, and anhydride (STOBBE, K. and P. KOHLMANN, and NAOÚM), A., i, 672.

αγ-Diphenyl-*α*-benzylsulphone-*β*-methyl-propane-*γ*-one (POSNER), A., i, 324.

Diphenyltetrabromocyclopentanone (JAPP and MAITLAND), T., 1479; P., 204.

αβ-Diphenylbutadiene-*βγ*-dicarboxylic acid. See Dibenzylidenesuccinic acid.

Diphenyl-butanes and -butylenes, *αα*- and *αβ*- (KLAGES and HEILMANN), A., i, 488.

4:5-Diphenyl-2-*tert*-butylfuran and 3-chloro- (JAPP and MAITLAND), T., 1497.

αα-Diphenyl-*γ-tert*-butyl-*γ*-hydroxybutyric acid and its lactone (JAPP and MAITLAND), T., 1500.

βγ-Diphenyl-*α-tert*-butyl-*γ*-hydroxybutyric acid and its lactone (JAPP and MAITLAND), T., 1501.

4:5-Diphenyl-2-*tert*-butyl-2:5-oxidopyrrole (JAPP and MAITLAND), T., 1501.

γ-Diphenylbutyric acid (EIJKMAN), A., i, 669.

Diphenylbutyrophophenes and their oximes (KOHLER), A., i, 596.

s-Diphenylcarbamide. See Carbanilide.

Diphenylcarbazide, action of chromic acid on (MOULIN), A., i, 455.

as a test for chromium (MOULIN), A., ii, 368.

as a test for molybdenum (LECOQ), A., ii, 369.

Diphenylcarbazidodiacetic acid and its ethyl ester (BUSCH, SCHNEIDER, and WALTER), A., i, 98.

Diphenylcarbinol, colourless salts of (LAMPRECHT and WEIL), A., i, 877.

*di*bromo-4-hydroxy-, and its methyl ether and their acetyl derivatives (ZINCKE and WALTER), A., i, 1006.

Diphenylcitraconic acid and its salts and anhydride (FITTIG and RIECHE), A., i, 421.

Diphenyl-*o*-coumaryl alcohol (HOUBEN), A., i, 335.

δδ-Diphenyl-*α*-cumylbutadiene-*αγ*-di-carboxylic acid and its sodium salt and anhydride (STOBBE, K. and P. KOHLMANN, and NAOÚM), A., i, 672.

3:4-Diphenyl-5-cumylphenol and its acetate (GARNER), A., i, 252.

Diphenyldiacetamide, *p*-chloro- (KÖNIG), A., i, 297.

4:4'-Diphenyldialdehyde and its diphenylhydrazone and dioxime (ULLMANN), A., i, 728.

αε-Diphenyl-*αε*-dialkylsulphone-*βδ*-dimethylpentane-*γ*-ones (POSNER), A., i, 324.

αε-Diphenyl-*αγ*-dialkylsulphonepentane-*ε*-ones (POSNER), A., i, 324.

αθ-Diphenyldibutadiene and its bromides (FITTIG and BATT), A., i, 744.

Diphenyl-4:4'-dicarboxylic acid and its nitrile, 3:3'-*dichloro*- (CAIN), T., 9.

Diphenyldicarboxylic acids, 2:2', 3:3', and 4:4', methyl esters (ULLMANN), A., i, 728.

9:10-Diphenyldihydroanthracene and 9:10-*dihydroxy*-, and its monomethyl ether and dichloride (HALLER and GUYOT), A., i, 314, 659.

2:5-Diphenyl-4:5-dihydro-1:2:4-oxadiazole and its 4-acetyl and 4-benzoyl derivatives (STOLLÉ), A., i, 102.

Diphenyldihydrophenanthrene, *dihydroxy*-, and its stereoisomeride and their anhydrides (WERNER and GROB), A., i, 865.

5:6-Diphenyl-2:3-dihydro-1:2:3:4-tetraazine and its mono- and 2:3-di-benzoyl derivatives (STOLLÉ), A., i, 200.

Diphenyldimethylamine, amino-, aminohydroxy-, and nitroamino-hydroxy-derivatives, and their acetyl compounds and salts (GNEHM and WEBER), A., i, 532.

4:5 Diphenyl-1:3-dimethylcyclopentanone-2 and its oxime and di- and tetrabromo-derivatives (JAPP and MAITLAND), T., 1479; P., 204.

4:5-Diphenyl-1:3-dimethylcyclopenten-4-one-2 (JAPP and MAITLAND), T., 1477; P., 204.

4:5-Diphenyl-1:3-dimethylcyclopenten-5-one-2 and its oxime and dibromide (JAPP and MAITLAND), T., 1483; P., 204.

Diphenyldiphenanthraphenazone ketone and its hydrochloride (CONSONNO), A., i, 676.

4:4'-Diphenyldiphenyl (ULLMANN), A., i, 726.

Diphenyldiphenylenemethane, derivatives of (ULLMANN and v. WURSTEMBERGER), A., i, 154.

4:4'-Diphenyldisulphondimethylanilide (ULLMANN), A., i, 727.

Diphenyldisulphonic acids. See Diphenylenedisulphonic acids.

s-Diphenyldi-p-tolylpinacone (ACREE), A., i, 743.

Diphenyleneazone, its oxide, and 3:8-diamino- (ULLMANN and DIETERLE), A., i, 269.

and 3:8-diamino-, and its dibenzylidene and difurfurylidene derivatives (FICHTER and DIETERLE), A., i, 631.

Diphenylenecarbinol. See Fluorene alcohol.

Diphenylenemethane, ω -chloro- (WERNER and GROB), A., i, 864.

α -Diphenylenepyridinediketoxime, dibenzoyl derivative (ERRERA), A., i, 174.

Diphenylenequinoxaline, nitro-derivatives (SCHMIDT and KÄMPF), A., i, 70, 71.

Diphenylenedithiocarbamide, -bisthiocarbamide, and -bisphenylthiocarbamide (JACOBSON and LOEB), A., i, 204.

$\alpha\alpha$ -Diphenylethane, o -hydroxy-, and its sodium derivative and p -hydroxy-, and their phenylurethanes (STOERMER and KIPPE), A., i, 183.

$di\text{-}p$ -hydroxy-, and its dimethyl ether (LUNJAK), A., i, 495.

Diphenylethylamine, 2:4-dinitro-, and 4-nitro-2-amino- (DELÉTRA and ULLMANN), A., i, 272.

Diphenylethylcarbinol (HELL and BAUER), A., i, 241.

Diphenylethyldiamine, ω -tri-bromo- and ω -chloro-*di-m*-cyano- (BOGERT and BEANS), A., i, 585.

Diphenylethyldiphenylcarbinol (KOHLER), A., i, 596.

$\alpha\alpha$ -Diphenylethylene, o -hydroxy-, and its sodium derivative, phenylurethane, and acetate (STOERMER and KIPPE), A., i, 182.

s -Diphenylethylene. See Stilbene.

Diphenylformamidine dibenzoate (HELLER and KÜHN), A., i, 943.

Diphenylformazylformic acid, ethyl ester (RABISCHONG), A., i, 273.

Diphenylformazylloxalic acid, ethyl ester (RABISCHONG), A., i, 273.

Diphenylguanidine, di -hydroxy-, and its hydrobromide (WIELAND), A., i, 628.

Diphenylguanidinedi-*o*-carboxylic acid and its amide (KÖNIG), A., i, 297.

Diphenylheptane, di -*p*-hydroxy-, and its dibenzoyl derivative and dimethyl ether (LUNJAK), A., i, 495.

$\alpha\alpha$ -Diphenyl-heptane and -heptylene, and the bromo-derivatives of the latter (KLAGES and HEILMANN), A., i, 488.

Diphenylheptenedilactone and its isomeride (FITTIG and BOCK), A., i, 745.

Diphenylheptenelactonic acid, hydroxy-, and its salts (FITTIG and BOCK), A., i, 745.

Diphenylheptolactone and its ω -bromo-derivatives (FITTIG and BOCK), A., i, 746.

Diphenylheptolactonic acid, hydroxy-, and its salts (FITTIG and BOCK), A., i, 746.

Diphenylhexylcarbinol (KLAGES and HEILMANN), A., i, 488.

5:5-Diphenylhydroacridine, anhydride of, and its acetyl derivative (v. BAEYER and VILLIGER), A., i, 899.

Diphenylhydroxyethylaniline and the iso-compound, benzoyl derivatives of (AUWERS and SONNENSTUHL), A., i, 1055.

Diphenylhydroxymethane, hexabromo- di -hydroxy-, and its mono- and triacetate, and methyl and ethyl ethers (ZINCKE and KRÜGENER), A., i, 402.

Diphenylhydroxynaphthylacetic acids, lactones of, and their bromo-derivatives (GEIPERT), A., i, 319.

Diphenyl-6-hydroxy-*m*-tolylcarbinol and its ethyl ether and isomeride (BISTRZYCKI and HERBST), A., i, 44.

and its potassium salt, acetyl and *m*-nitrobenzoyl derivatives, and dimethyl ether (BISTRZYCKI and ZURBRIGGEN), A., i, 44.

Diphenyl-6-hydroxy-*m*-tolylmethane and its acetyl and *m*-nitrobenzoyl derivatives, and its methyl and ethyl ethers (BISTRZYCKI and ZURBRIGGEN), A., i, 44.

Diphenylitaconic acid, transformations of (FITTIG and RIECHE), A., i, 421.

Diphenylmethane, preparation of (NASTUKOFF), A., i, 242. derivatives, formation and decomposition of (AUWERS), A., i, 487.

Diphenylmethane, *di-p*-amino-, derivatives of (v. BRAUN and KAYSER), A., i, 687. bromo-derivatives (GOLDTHWAITE), A., i, 150. tetra- and hexa-bromodihydroxy-, and *di*- and *tetra*-bromodinitrodihydroxy-, and their diacetyl derivatives (DAHMER), A., i, 872. 4-hydroxy-, action of bromine on, and their acetyl derivatives (ZINCKE and WALTER), A., i, 1005. *di-p*-hydroxy-, bromo-derivatives of, and their acetyl compounds (ZINCKE and KRÜGENER), A., i, 401.

Diphenylmethane colouring matters, basic, constitution of (v. BRAUN), A., i, 344; (v. BRAUN and KAYSER), A., i, 687.

αβ-**Diphenyl-β-methylallylamine** and its additive salts (HENRICH and WIRTH), A., i, 751.

1:5-**Diphenyl-2-methyl- Δ^2 :5-dihydro-pyridazine-3-carboxylic acid** and its ethyl ester (BORSCHE and SPANNAGEL), A., i, 778.

Diphenyl-*α*-methylpropenone- γ . See Dypnone.

1:3-**Diphenyl-5-methylpyrazole**, 3-*s*-*di*-nitro- (BEREND and HEYMANN), A., i, 671.

1:5-**Diphenyl-3-methylpyrazoline** (KOHLER and REIMER), A., i, 234.

ωω-**Diphenyl-2-methylquinomethane** (BISTRZYCKI and ZURBRIGGEN; BISTRZYCKI and HERBST), A., i, 44.

Diphenylmethyltetrahydro- γ -pyrones, stereoisomeric (JAPP and MAITLAND), T., 1488; P., 204.

Diphenylmethyltriazole, *endo*thio- (BUSCH, OPFERMANN, and WALTER), A., i, 630.

Diphenyl-*α*-naphthylchloromethane and its peroxide (GOMBERG and CONE), A., i, 490.

Diphenyl-*α*-naphthyl glycol (ACREE), A., i, 743.

Diphenylnaphthylmethane colouring matters (NOELTING), A., i, 621.

Diphenylnitrosoamine, transformation of, into *p*-nitrosodiphenylamine (RAKEN), A., i, 155.

Diphenyloctenedilactone (FITTIG and STADLMAYR), A., i, 969.

Diphenyloctolactonic acid and its salts (FITTIG and HADORFF), A., i, 968.

2:5-**Diphenyl-1:3:4-oxadiazole**, *di-o*-, *-m*, and *-p*-bromo- (STOLLÉ and JOHANNISSION), A., i, 694. *di-m*-chloro- (STOLLÉ and FOERSTER), A., i, 627.

3:5-**Diphenylisooxazole** (MOUREU and BRACHIN), A., i, 96. *p*-nitro- (WIELAND), A., i, 433.

Diphenylcyclopentane and its derivatives from dibenzylideneacetone (VORLÄNDER and v. LIEBIG), A., i, 426.

9:10-**Diphenylphenanthrene** (WERNER and GROB), A., i, 865.

1:5-**Diphenyl-4-phthalidyl-3-methylpyrazole**, 1-*p*-nitro- (BÜLOW and KOCH), A., i, 322.

Diphenylpropionanilide (KOHLER), A., i, 596.

Diphenylpropiophenone and its phenylhydrazone and oxime and bromo- (KOHLER), A., i, 596.

Diphenylpropylcarbinol and its chloride (KLAGES and HEILMANN), A., i, 487.

αβ-**Diphenylpropylene** and β -bromo- (HELL and BAUER), A., i, 241.

αγ-**Diphenylpropylene**, β -chloro- (WIELAND), A., i, 432.

Diphenylpyrazine (HARRIES and GOLLNITZ), A., i, 427.

Diphenylpyrazinophenazine (HINSBERG and SCHWANTES), A., i, 198.

Diphenylpyrazole, *p*-amino- and *p*-nitro- (WIELAND), A., i, 433.

1:5-**Diphenyl-3-pyrazolidone**, 4-hydroxy-, and its acetyl and 2-methyl derivatives (JAPP and MAITLAND), T., 1491; P., 205.

1:3-**Diphenyl-5-pyrazolone**, 3-*s*-*di*-nitro- (BEREND and HEYMANN), A., i, 670.

1:5-**Diphenyl-3-pyrazolone** and its 2-acetyl derivative (JAPP and MAITLAND), T., 1491; P., 205.

2:4-**Diphenylquinoline**, 7-hydroxy- (BÜLOW and ISSLER), A., i, 191.

Diphenylquinomethane. See Fuchsone.

Diphenylquinone (FICHTER and SULZBERGER), A., i, 325.

ωω-**Diphenylquinonemethane** phenylimide and its salts (v. BAAYER and VILLIGER), A., i, 309.

Diphenylselenodiazole (STOLLÉ and GUTMANN), A., i, 698.

3:5-**Diphenyl-1:2:4-selenodiazole** and its platinichloride (BECKER and MEYER), A., i, 698.

$\alpha\delta$ -Diphenylsemicarbazido- α -acetic acid and its ethyl ester (BUSCH, SCHNEIDER, and WALTER), A., i, 97.

$\alpha\delta$ -Diphenylsemithiocarbazido- α -acetic acid and its ethyl ester (BUSCH, SCHNEIDER, and WALTER), A., i, 98.

Diphenylsilic平 (DILTHEY and EDUARD-OFF), A., i, 464.

Diphenylsulphone-*o*-carboxylic acid (ULLMANN and LEHNER), A., i, 417.

4:5-Diphenyl-1-tetrazodiphenyliminazole, 2-thiol- (BURIÁN), A., i, 354.

Diphenylthallium bromide (MEYER and BERTHEIM), A., i, 657.

2:5-Diphenyl-1:3:4-thiodiazole, *di-o*, *-m*, and *-p*-bromo- (STOLLÉ and JOHANNISSEN), A., i, 695.

di-m-chloro- (STOLLÉ and FOERSTER), A., i, 627.

3:5-Diphenyl-1:2:4-thiodiazole and its additive salts (v. WALTHER), A., i, 348.

Diphenylthiol-quinones and -quinols, 2:6- and 3:6-, and their diacetyl derivatives (POSNER), A., i, 1029.

Diphenylthiol-toluquinol and its diacetate, -toluquinone, and -tetrahydro-toluquinone (POSNER and LIPSKI), A., i, 1031.

Diphenyl-*p*-tolylcarbinol, preparation of (BISTRZYCKI and GYR), A., i, 315.

Diphenyl-*o*- and *-m*-tolylcarbinols (BISTRZYCKI and GYR), A., i, 497.

Diphenyl-*o*, *-m*, and *-p*-tolylcarbinols (ACREE), A., i, 409.

Diphenyltolylchloroamidine (STEINDORFF), A., i, 452.

Diphenyl-*p*-tolylchloromethane (BISTRZYCKI and GYR), A., i, 315. and its peroxide (GOMBERG and LYNN), A., i, 489.

Diphenyl-*p*-tolyl glycol (ACREE), A., i, 743.

Diphenyl-*m*-tolylmethane (E. and O. FISCHER), A., i, 864.

Diphenyl-*o*- and *-m*-tolylmethanes and the chloro-derivative of the *o*-compound (BISTRZYCKI and GYR), A., i, 498.

1:5-Diphenyl-1:2:4-triazole, 3-amino-, and its *N*-alkyl derivatives (JOHNSON and MENGE), A., i, 948.

2:5-Diphenyl-1:3:4-triazole, *di-m*-chloro- (STOLLÉ and FOERSTER), A., i, 627.

Diphenyl triketone and *p*-nitro-, and its hydrate and diphenylhydrazone (WIELAND and BLOCH), A., i, 597.

$\alpha\alpha$ -Diphenyl- β -trimethylacetylpropionic acid (JAPP and MAITLAND), T., 1499.

$\alpha\beta$ -Diphenylureidopropionic acid, β -*p*-hydroxy-, and its salts (PAAL and ZITELMANN), A., i, 100.

9-Diphenylxanthen, 4'-amino- (ULLMANN and ENGI), A., i, 682.

Diphenyl-*p*-xylylene and its bromide (THIELE and BALHORN), A., i, 491.

Diphtheria antitoxin, purification of (BRIEGER), A., ii, 502.

toxin, power of the liver to destroy (BRUNTON and BOKENHAM), A., ii, 832.

Dipiperido-oxalic dimethyl ether (LANDER), T., 987; P., 131.

Dipiperidinobenzylacetophenone (WATSON), T., 1322; P., 181.

Diplococcus rheumaticus (BEATTIE), A., ii, 363.

Diploicin (ZOPF), A., i, 1020.

$\alpha\alpha$ -Dipropoxyethane, $\beta\beta$ -dichloro- (ODDO and MAMELI), A., i, 281.

Dipropylamine, α -cyano- (HENRY), A., i, 854.

Disopropylbenzene, tetrahydroxy-, tetraacetate (FICHTER and WILLMANN), A., i, 679.

Dipropylcarbamic acid, *o*- and *p*-tolyl and guaiacol esters (BOUCHETAL DE LA ROCHE), A., i, 152.

3:6-Disopropyl-*s*-dihydrotetrazine (STOLLÉ and GUTMANN), A., i, 697.

Disopropylidenepropionamide (PAULY and HÜLTENSCHMIDT), A., i, 88.

Dipropyloxadiazole (STOLLÉ and ZINSSER), A., i, 696.

Disopropyloxadiazole (STOLLÉ and GUTMANN), A., i, 697.

Dipropylpropionamide (v. BRAUN), A., i, 90.

3:4-Dipropyl-5-pyrazolones, *n*- and *n*-iso- (LOCQUIN), A., i, 552.

2:5-Disopropylquinone, 3:6-dihydroxy-, and its diacetate (FICHTER and WILLMANN), A., i, 678.

Dipropylthallium compounds (MEYER and BERTHEIM), A., i, 656.

Dipropylthiodiazole (STOLLÉ and ZINSSER), A., i, 696.

Disopropylthiodiazole (STOLLÉ and GUTMANN), A., i, 697.

2:5-Dipropyl-1:3:4-triazole (STOLLÉ and ZINSSER), A., i, 696.

2:5-Disopropyl-1:3:4-triazole (STOLLÉ and GUTMANN), A., i, 697.

Dipteryx odorata, copal resin and a new kino from the fruit and bark of (HECKEL and SCHLAGDENHAUFFEN), A., i, 332.

1:1'-Dipyridonyl-5:5'-dicarboxylic acid, 3:3'-dibromo-, methyl ester (v. PECHMANN and MILLS), A., i, 1042.

6:6'-Diquinolyl (ULLMANN), A., i, 729.

2:2'-Diquinolyl ketone (BESTHORN and IBELE), A., i, 527.

Disazo-compounds from 2:6-diamino-phenol-4-sulphonic acid (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 459.

Disazo-dyes from 6-amino- α -naphtho-3-sulphonic acid (OEHLER), A., i, 809.

Disbenzeneazo-melilotic acid and *m*-hydroxydihydrocinnamic acid (BORSCHE and STREITBERGER), A., i, 1064.

Diseases, infectious, action of artificial oxydases on (ROBIN and BARDET), A., ii, 429.

Dissociating power of oximes (DUTOIT and FATH), A., ii, 387.

Dissociation and pyrogenic reactions (LÖB), A., ii, 703.

of electrolytes in alcoholic solutions (GODLEWSKI), A., ii, 701.

of ternary electrolytes by means of isohydrie solutions, determination of the nature of the (KÜMPELL), A., ii, 111.

of hydrogen bromide and hydrogen chloride (BODENSTEIN and GEIGER), A., ii, 717.

of the acid esters of methyl substituted succinic acids (BONE, SUDBOROUGH, and SPRANKLING), T., 534; P., 64.

Dissolved substances, contribution to the study of (VANDENBERGHE), A., ii, 111.

Distillation (CHARABOT and ROCHE-ROLLES), A., ii, 234.

Sydney Young's law of (REUDLER), A., ii, 467.

production of high vacua for (ERDMANN), A., ii, 20.

under diminished pressure in quartz vessels (SCHULLER), A., ii, 109.

fractional, laboratory apparatus for (VESTERBERG), A., ii, 158.

and reflux, new dephlegmator for (HOUBEN), A., ii, 468.

vacuum, apparatus for regulating the pressure during (RUTTEN), A., ii, 384.

Distillation column, excelsior (VIGREUX), A., ii, 611.

Distribution. See *Affinity*.

2:4-Distyrylpyrimidine (GABRIEL and COLMAN), A., i, 103.

Disulphinic acids, aromatic (TRÖGER and MEINE), A., i, 30.

3:4-Disulphoazolidine, 2-imino-5-thio- (HANTZSCH and WOLVEKAMP), A., i, 719.

Disulphones (POSNER), A., i, 322.

α -Dithiophenyl- α -diphenylpentane- ϵ -one (POSNER), A., i, 325.

Dithionate. See under Sulphur.

Di-*p*-toluenesulphon-3:3'-methylamino-diphenyl (ULLMANN), A., i, 727.

Di-*o*-toluidinoacetanilide (HELLER and EMRICH), A., i, 730.

1:4-Di-*p*-toluidinoanthraquinone (*quinizarin-green*) and its disulphonic acid (FRIEDLÄNDER and SCHICK), A., i, 679.

4:5-Di-*p*-toluidinoanthraquinone, 2-bromo-1-amino- (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 813.

Di-*p*-toluidinoanthraquinonesulphonic acid (FRIEDLÄNDER and SCHICK), A., i, 69.

Di-*p*-toluidinodihydroanthraquinones, 1:4- and 1:5- (FRIEDLÄNDER and SCHICK), A., i, 679.

Di-*p*-toluidinomethane, dibenzoyl derivative (HELLER and KÜHN), A., i, 943.

Di-*o*-, -*m*-, and -*p*-toluoylhydrazides (STOLLÉ and STEVENS), A., i, 626.

m-Ditaryl (WINSTON), A., i, 274.

Di-*p*-tolylcarbamide, acetyl and benzoyl derivatives (HELLER and KÜHN), A., i, 943.

Di-*o*-tolylformazylformic acid, ethyl ester (RABISCHONG), A., i, 273.

2:5-Di-*o*-, -*m*-, and -*p*-tolyl-1:3:4-oxadiazoles (STOLLÉ and STEVENS), A., i, 626.

3:5-Di-*p*-tolyl-1:2:4-selenodiazole and its platinichloride (BECKER and MEYER), A., i, 698.

Di-*p*-tolyltaurocarbamic anhydride (WOLFAUER), A., i, 869.

Di-*m*-tolyltetrazonium chloride, action of alcohols on (WINSTON), A., i, 274.

2:5-Di-*p*-tolyl-1:3:4-thiodiazole (STOLLÉ and STEVENS), A., i, 627.

Diundecylideneazine (BLAISE and GUÉRIN), A., i, 142.

Diundecyl-oxadiazole and -thiodiazole (STOLLÉ and SCHÄTZLEIN), A., i, 697.

Diuresis, criticism on the researches on (ASHER), A., ii, 500.

phloridzin (LOEWI), A., ii, 274.

Diuretic action of 1:3-dimethylxanthine (DRESEER), A., ii, 360.

See also Urine.

Diuretics, effect of, with a diet poor in salts (HASKINS), A., ii, 191.

See also Urine.

Diveratryl-dichloroethane, and -chloro-ethylene (FRITSCH), A., i, 94.

Divers' palsy (HILL and MACLEOD), A., ii, 54.

Dixylylaminedisulphonic acid, *o*-amino- (ZINCKE and KUCHENBECKER), A., i, 459.

Dixyls. See Tetramethyldiphenyls.
Dodecahydronaphthalene. See *dicyclo*Tridecane.
Dodecamethylacridine haloids (SENIER and AUSTIN), T., 1202; P., 176.
Dodecanoic acid, *diaminotrihydroxy-*, and its hydrochloride and salts (FISCHER and ABDERHALDEN), A., i, 1066.
Dogs, new-born, gastric juice of (GMELIN), A., ii, 672. without a pancreas, feeding experiments on (EMBDEN and SALOMON), A., ii, 625, 827. production of sugar in the kidney of, under the influence of phloridzin (LÉPINE and BOULUD), A., ii, 753.
Dolomite, formation of (PFAFF), A., ii, 48.
 intergrowth of, with nemaphyllite from the Tyrol (FOCKE), A., ii, 419.
Dolomites of Eastern Iowa (KNIGHT), A., ii, 744.
Domeykite, artificial production of crystallised (KOENIG), A., ii, 491.
Drinking water. See under Water.
Drugs, organic, pharmacological action of (MATTHEWS), A., ii, 501.
Drying apparatus, new (BOLM), A., ii, 79.
Duhem's "Regnault Law" (v. ZAWIDZKI), A., ii, 237.
Dulcide and its derivatives (CARRÉ), A., i, 974.
Dulcitol hexaphenylcarbamate (MAQUENNE and GOODWIN), A., i, 372.
Dyeing, theory of (v. GEORGIEVICS), A., i, 81; (BINZ and SCHROETER), A., ii, 333; (KNECHT), A., i, 909; (WILLSTÄTTER), A., i, 1040; (BILTZ), A., ii, 392.
 histological preparations, theory of (HEIDENHAIN), A., i, 179.
Dynamic isomerism. See Affinity.
Dypnone, stereoisomeric oximes of (HENRICH and WIRTH), A., i, 431, 751.
Dypnonehydroxylamine and its derivatives (HARRIES and GOLNITZ), A., i, 427.
Dypnopinacolene (DELACRE and GESCHÉ), A., i, 32.
***α*-isoDypnopinacolin** (EIJKMAN), A., i, 590.
Dyscrasia, acid (DESGREZ and ADLER), A., ii, 193.
Dysentery, agglutination in (HEWLETT), A., ii, 362.
 toxin and antitoxin (TODD), A., ii, 760.

E.

Earths, rare (MUTHMANN and WEISS), A., ii, 406.
 preparation of the, by Escales' method (MUTHMANN), A., ii, 410.
 chemistry of the (BASKERVILLE and MOSS; BASKERVILLE and CATLETT; BASKERVILLE and STEVENSON), A., ii, 260; (BASKERVILLE and TURRENTINE; BASKERVILLE and HOLLAND), A., ii, 261.
 determination of the atomic weight of the (WILD), A., ii, 173.
 atomic volumes of the, and their significance for the periodic classification (BENEDICKS), A., ii, 384.
 oxides of the, action of ultra-violet light on (BASKERVILLE), A., ii, 108.
 acid sulphates of the (BRAUNER and PICEK), A., ii, 259.
 thorium and zirconium, behaviour of, towards organic bases (HARTWELL), A., ii, 89.
 separation of the (URBAIN and LACOMBE), A., ii, 37, 173; (HOLMBERG; MARC), A., ii, 174.
 See also Cerite metals.
Eggonine, optical function of the asymmetric carbon atoms in (GADAMER and AMENOMIYA), A., i, 337.
Echinoderms, osmotic regulation of fluids in the interior of (HENRI and LALOU), A., ii, 59.
Elogite from the Bingera Diamond Field (CARD), A., ii, 350.
Edestin, hydrolysis of (ABDERHALDEN), A., i, 211.
Egg, white and yolk of (POLLACCI), A., i, 639.
Eggs, developing, differences in electrical potential in (HYDE), A., ii, 826.
 unbroken, action of hydrogen sulphide on (POLLACCI), A., i, 639.
 of *Acanthias vulgaris* (ZDAREK), A., ii, 495.
 of Arbacia, fertilised, sensitiveness of (LYON), A., ii, 352.
 birds', method of separating albumins from the white of (PANORMOFF), A., i, 274.
 rooks', albumins from the white of (WORMS), A., ii, 190.
 of Echinoderms, the fertilisation of (LOEB), A., ii, 56.
 fishes', albumin of, compared with that in the sperm in the same species (HUGOUNENQ), A., ii, 496.

Eggs, frog's, albumin of (GALIMARD), A., ii, 496.
sea urchin's, solutions in which, develop (LOEB), A., ii, 624.
See also *Ova*.

Egg-albumin, the carbohydrate group in (ABDERHALDEN, BERGELL, and DÖRPINGHAUS), A., i, 640; (LANGSTEIN), A., i, 790.
plastein of crystalline (KURAÉEFF), A., i, 126.

Eglestonite from Terlingua, Texas (MOSES ; HILL), A., ii, 46.

Elaidic acid, action of nitrogen peroxide on (EGOROFF), A., i, 217.

Elastin, decomposition products of (ABDERHALDEN and SCHITTENHELM), A., i, 539.

Elasmometer, a new interferential form of elasticity apparatus (TUTTON), A., ii, 14.

Elderberries, occurrence of tyrosine in (SACK and TOLLENS), A., ii, 836.

ELECTROCHEMISTRY :—

Electrification, "contact," conditions determining the sign and magnitude of (PERRIN), A., ii, 8; (BAUDOUIN), A., ii, 380.

Cells, carbon (HABER and BRUNER), A., ii, 696.
standard (WILSMORE), A., ii, 695.
and mercury sulphate (HULETT), A., ii, 695.

voltaic, founded on the reciprocal action of saline liquids and of metallic electrodes (BERTHELOT), A., ii, 154.

Conductivity of mixtures of acids, can the formation of complexes be deduced from the? (HOFMANN), A., ii, 10.

of mixtures of electrolytes (BARMWATER), A., ii, 10.

of aqueous solutions of electrolytes with bivalent ions (KOHLRAUSCH and GRÜNEISEN), A., ii, 700.

of flames (BOSSCHE), A., ii, 9.

of solutions of oxalic acid in presence of neutral salts (FEDOROFF), A., ii, 157.

of selenium, relation between the, and the intensity of the incident light (HOPIUS), A., ii, 156.

of sodium, influence of temperature on the (BERNINI), A., ii, 156.

of sodium and potassium chlorides in mixtures of water and ethyl alcohol (SCHAPIRE), A., ii, 801.

of aqueous solutions at high temperatures, apparatus for the (NOYES and COOLIDGE), A., ii, 226.

ELECTROCHEMISTRY :—

Conductivity of solutions in bromine (PLOTNIKOFF), A., ii, 156.
of solutions in thiocyanates and thiocarbimides (KAHLENBERG), A., ii, 225.

change in the, of solutions of salts, produced by alkali hydroxides (EHRENFIELD), A., ii, 157.

of solutions of vanadyl trichloride in water (AGAFONOFF), A., ii, 156.

Conductivity curves of Kraus, significance of the maximum in the, at high temperatures (JONES), A., ii, 464.

Electric currents, behaviour of red colloidal gold solutions towards (BLAKE), A., ii, 180.

alternating, use of, in chemistry, and the reactions which they determine (BERTHELOT), A., ii, 465.

Electric discharge, influence of the, at points on the combination and decomposition of gases (DE HEMPTINNE), A., ii, 224.

Electric emissions in a disruptive discharge in air, and the action of radium on (SOKOLOFF), A., ii, 378.

Electric furnace, new, and other electric heating appliances for laboratory use (MORSE and FRAZER), A., ii, 651.

Electric light, concentrated, action of, on rennin, reuinogen, and antirennin (SCHMIDT-NIELSEN), A., ii, 422.

Electric osmose in liquid ammonia (ASCOLI), A., ii, 108.
in methyl alcohol (BAUDOUIN), A., ii, 380, 466.

Electric spark, improvements in the photographic method for recording the action of *n*-rays on a small (BLONDLOT), A., ii, 604.

Electric transport of dissolved salts, experimental law of (PONSOT), A., ii, 232.

Electrical resistance of bismuth, action of radium bromide on the (PAILLOT), A., ii, 155.

of lead peroxide (STREINTZ), A., ii, 604.

of selenium, change of, under the influence of certain substances (GRIFFITHS), A., ii, 8.

Electrical resistance thermometry at the temperature of boiling hydrogen (DEWAR), A., ii, 380.

Electrodes, luminous effects at (v. BOLTON), A., ii, 2.

ELECTROCHEMISTRY :—

Electrodes, calomel, concentration of mercury ions in (LEY and HEIM-BUCHER), A., ii, 465.
gas, influence of pressure on the E.M.F. of (WULF), A., ii, 533.
gold, palladium, and platinum, polarisation of (ROTHÉ), A., ii, 308.
standard (SAUER), A., ii, 307 ; (DANNEEL), A., ii, 697.

Anodes of aluminium and copper (FISCHER), A., ii, 534.
of antimony, bismuth, and tin (ELBS and THÜMMEL), A., ii, 541.
copper, decomposition of (TOMMASI), A., ii, 734.
unattackable, behaviour of, in the electrolysis of hydrochloric acid (BOSE), A., ii, 697.

Anodic dissolution of metals and their passivity (SACKUR), A., ii, 802.
evolution of oxygen (FOERSTER and PIGUET), A., ii, 697.

Cathode, rotating, material and shape of the (MEDWAY), A., ii, 770.

Electrolysis with alternating currents (LE BLANC and SCHICK), A., ii, 229 ; (BROCHET and PETIT), A., ii, 230 ; (PEARCE and COUCHET), A., ii, 231.
by an alternating current, influence of complex ions on (BROCHET and PETIT), A., ii, 229.
with rapidly moving electrodes (AMBERG), A., ii, 593 ; (SAND), A., ii, 605.
of alkali chlorides (GUYE), A., ii, 29 ; (TARDY and GUYE), A., ii, 534.
of chloric acid and chlorates (BROCHET), A., ii, 249.
of potassium double cyanides (v. HAYEK), A., i, 479.
of fused organic salts (BERL), A., i, 282.
of an aqueous solution of silver selenate (MULDER), A., ii, 32.
of water, history of (NEUBURGER), A., ii, 11.
(lecture experiment) (TECLU), A., ii, 477.

Electrolytes, nature of concentrated solutions of (JONES and GETMAN), A., ii, 386.
with bivalent ions, conductivity of aqueous solutions of (KOHLRAUSCH and GRÜNEISEN), A., ii, 700.
dissociation of, in alcoholic solutions (GODEWSKI), A., ii, 701.

ELECTROCHEMISTRY :—

Electrolytes, fused, new method of determining the freezing points of (LIEBKNECHT and NILSEN), A., ii, 11.
action of, on enzymes (COLE), A., i, 128, 131.
amphoteric, theory of (WALKER), A., ii, 309 ; (BREDIG), A., ii, 802.

Electrochemical changes with solid substances (HABER and TOLLOCZKO), A., ii, 813.

Electrolytic deposition of metals, apparatus for the, using a rotating cathode (SHEPHERD), A., ii, 80.

Electrolytic dissociation, influence of non-electrolytes and electrolytes on the degree (WILDERMAN), A., ii, 232.

Electrolytic formation of adipic acid (BOUVEAULT), A., i, 8, 9.
of adipic, glutaric, and succinic acids (VANZETTI and COPPADORO), A., i, 141.
of amino- and nitro-compounds (LILIENTFELD), A., i, 295.
of fatty amines (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 295.
of perchlorate (OECHSLI), A., ii, 22.
of hydrogen peroxide (RICHARZ), A., ii, 114.
of metallic permanganates (CHEMISCHE FABRIK GRIESHEIM-ELEKTRON), A., ii, 127.
of nitrites from nitrates (MÜLLER and WEBER), A., ii, 116 ; (MÜLLER), A., ii, 117.
of alkali selenates (MÜLLER), A., ii, 121.
of tungsten bronzes (ENGELS), A., ii, 129.
of vanadium and its alloys (GIN), A., ii, 41.

Electrolytic oxidation of gallic acid and pyrogallol (A. G. and F. M. PERKIN), T., 243 ; P., 18.

of organic compounds (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 813.

of sodium thiosulphate and the mechanism of the process (THATCHER), A., ii, 395.

Electrolytic reduction (HABER and RUSS), A., ii, 309.
of nitric acid in metallic nitrates to ammonia (EASTON), A., ii, 84.
of nitro-compounds of the anthracene, naphthalene, and phenanthrene series (MÖLLER), A., i, 345.

ELECTROCHEMISTRY :—

Electrolytic reduction of nitrobenzene, influence of the cathode material on the (LÖB and MOORE), A., ii, 310.

Electromotive behaviour (NERNST and SAND), A., ii, 612.

of vanadium (MARINO), A., ii, 412.

Electromotive force resulting from the contact and reciprocal action of two liquids (BERTHELOT), A., ii, 9, 155.

of some strong oxidising agents, reproduction of the (SCOBAT), A., ii, 9.

produced at the surface of animal membranes on contact with various electrolytes (GALEOTTI), A., ii, 802.

calculation of the, between elements of the calomel element type (BRÖNSTED), A., ii, 108.

Electrons, hypothesis of (JORISSEN), A., ii, 394.

Dielectric cohesion of argon and its mixtures (BOUTY), A., ii, 309.

of saturated mercury vapour and its mixtures (BOUTY), A., ii, 604.

constants of some inorganic solvents (SCHLUNDT), A., ii, 308.

of solvents and solutions (EGGERS), A., ii, 224.

Spark potential in bromine, chlorine, and helium (RITTER), A., ii, 463.

Polarisation of gold, palladium, and platinum electrodes (ROTHÉ), A., ii, 308.

Transference number, determination of a , in the electrolysis of a fused salt (LORENZ and FAUSTI), A., ii, 699.

Ions, velocities of the, in liquid ammonia solutions (FRANKLIN and CADY), A., ii, 466.

relations of, to ciliary movement (LILLIE), A., ii, 273.

combination of a solvent with the (MORGAN and KANOLT), A., ii, 535.

complex, formation of (v. EULER), A., ii, 11, 379.

hydrated, existence of (VAILLANT), A., ii, 469.

mobile, considerations in support of the theory of (REYCHLER), A., ii, 534.

rhodanic, halogen, and cyanogen, relationship among (GROSSMANN), A., i, 147.

ELECTROCHEMISTRY :—

Ionic concentrations, small (HABER), A., ii, 607, 808; (BODLÄNDER; ABEGG; DANNEEL), A., ii, 713.

Ionic reactions, experiments on (DUPRÉ), A., ii, 229.

in organic chemistry (LÖB), A., ii, 535.

Ionisation and chemical combination (WALKER), T., 1082; P., 133.

and chemical combination in the liquefied halogen hydrides and hydrogen sulphide (WALKER, McINTOSH, and ARCHIBALD), T., 1098; P., 134.

caused by the impact of negative ions of incandescent carbon (STARK), A., ii, 228.

in atmospheric air (McCLELLAND), A., ii, 111.

of chromophores (DECKER), A., ii, 702.

of phosphorus (BLOCH), A., ii, 117.

thermal, of salt vapours (MOREAU), A., ii, 536.

Element, supposed new, in beryl (POLLOK), T., 1630; P., 189.

Elements and compounds (OSTWALD), T., 506; P., 78.

theoretical considerations respecting the origin and essence of the (HENTZSCHEL), A., ii, 327.

laws of formation of the (TSCHITSCHERIN), A., ii, 475.

distribution of the, in the earth in relation to their atomic weights (DE LAUNAY), A., ii, 327.

systematic classification of the (TRAUBE), A., ii, 643.

relation between solution tension, atomic volume, and physiological action of the (MATTHEWS), A., ii, 197.

disintegration of the (KAUFFMANN), A., ii, 720.

Elemi, "caricari" (TSCHIRCH and REUTTER), A., i, 332.

colophonia, from Mauritius, and Tamarahaca (TSCHIRCH and SAAL), A., i, 758, 759.

See also Resins.

Elemi group, resins of the (TSCHIRCH and SAAL), A., i, 759.

Emanations. See under Photochemistry.

Emanium (GIESEL), A., ii, 462, 800.

Embryonic ferments (HARTOG), A., ii, 624.

Embryos, action of atropine and pilocarpine on (SOLLMANN), A., ii, 182.

Empyema, bacteriology of (BYTHELL), A., ii, 629.

Emulsin, action of (HERZOG), A., ii, 164.

Emulsions, observations on (RAMSDEN), A., ii, 323.

Endotryptase, activity of, in dead yeast cells under varying conditions (GROMOFF and GRIGORIEFF), A., i, 960.

Energy, free, and reaction velocity (BODENSTEIN), A., ii, 717.

significance of the coefficient *B* in the expression for the alteration of (v. JÜPTNER), A., ii, 549.

of a weak acid in presence of one of its normal salts, apparent diminution of the (CHESNEAU), A., ii, 390.

Energy of formation, free, in several reactions of technical importance (v. JÜPTNER), A., ii, 382, 549.

Enhydrina curtus, and *E. valakadien* venom. See Poison, sea snake.

Entada scandens, saponins of the seeds of (ROSENTHALER), A., ii, 72.

Enzyme action (ARMSTRONG), A., i, 956, 957, 1070 ; (ARMSTRONG and CALDWELL), A., i, 957, 1070 ; (DAKIN), A., i, 1071 ; (FOKIN), A., i, 1071 ; ii, 119, 280 ; (LIEBERMANN), A., ii, 474 ; (BARENDRICHT), A., ii, 551, 719.

as bearing on the validity of the ionic dissociation hypothesis and on the phenomena of vital change (ARMSTRONG), A., i, 958.

considered as equilibria in a homogeneous system (VISSER), A., i, 540.

emission of Blondlot's rays in the course of (LAMBERT), A., ii, 271.

Enzymes and fatty degeneration (WALDVOGEL), A., ii, 751.

lability of (Asō), A., i, 958.

lability and activity of (LOEW), A., i, 463.

influence of acidity on (PETIT), A., i, 541, 839.

action of alcohols and acids on (BOKORNY), A., i, 129.

influence of electrolytes on (COLE), A., i, 128, 131.

action of fluorescent substances on toxins and (v. TAPPEINER), A., i, 131.

action of hydrogen peroxide on (VANDEVELDE), A., i, 958.

inhibitory influence of foreign molecules on the action of, on amides and glucosides (GONNERMANN), A., i, 792.

sucroclastic action of, compared with that of acids (ARMSTRONG and CALDWELL), A., i, 957.

which induce fermentation isolated from the cells of higher animals (STOKLASA and CZERNÝ), A., i, 275.

Enzymes from lactose (BUCHNER and MEISENHEIMER), A., i, 212.

in the seeds of plants which decomposes fats into glycerol and fatty acids (FOKIN), A., i, 1071 ; ii, 199, 280.

in sugar beet (STOKLASA, JELINEK, and VÍTEK), A., ii, 365.

of the thymus and suprarenal (JONES), A., ii, 191.

in "harsh" or "turned" wine (LABORDE), A., ii, 278.

of yeast (SHIGA), A., i, 1071.

amide-splitting, in fungi (SHIBATA), A., ii, 432.

diastatic, of green malt, distribution of the (FÜRSTL v. TEICHEK), A., ii, 761.

embryonic (HARTOG), A., ii, 624.

hydrolytic, from chaulmoogra seeds (POWER and GORNALL), T., 840 ; P., 135.

oxidising (CHODAT and BACH), A., i, 704.

and their action of, on carbohydrates (SIEBER), A., i, 129.

of cow's and human milk, reactions of the (RULLMANN), A., ii, 304 ; (UTZ), A., ii, 848.

oxidising and reducing, in the liver (ABELOUS and RIBAUT), A., i, 704 ; (ABELOUS and ALOY), A., ii, 188 ; (POZZI-ESCOL), A., ii, 272.

peptone-splitting, of the pancreas and intestine (WEINLAND ; VERNON), A., ii, 57.

proteolytic (HERZOG), A., i, 129.

the combined action of (LEVEENE and STOOKEY), A., ii, 674.

in germinating barley (WEIS), A., ii, 280.

in leucæmic blood (SCHUMM), A., ii, 64, 747 ; (ERBEN), A., ii, 573.

of ox-spleen and -serum (HEDIN), A., ii, 58.

respiration-, of moulds (KOSTYTSCHEW), A., ii, 633.

sucroclastic, rate of change conditioned by, and influence of the products of change on the (ARMSTRONG), A., i, 956, 957.

sugar-forming, of the liver (BORCHARDT), A., ii, 188.

sugar destroying, in organs (HIRSCH), A., ii, 60 ; (FEINSCHMIDT), A., ii, 61.

Enzymes. See also :—

Adenase.

Amidase.

Amylase.

Amylocoagulase.

Arginase.

Enzymes. See also :—

Catalase.
Emulsin.
Endotryptase.
Erepsin.
Fibrin ferment.
Guanase.
Hæmase.
Invertase.
Invertin.
Laccase.
Lactase.
Lipase.
Maltase.
Melibiase.
Monilia-invertase.
Oxydases.
Pepsin.
Peroxydase.
Philothion.
Protease.
Pseudo-sarcin.
Reductases.
Rennet.
Thrombin.
Trypsin.
Tyrosinase.
Zymase.

Eosin, action of, on oxidisable substances (STRAUB), A., i, 896.

Ephedrine, conversion of, into ψ -ephedrine (FLAECHER), A., i, 769.

Epichlorohydrin, action of, on the sodium derivative of acetylacetone (HALLER and BLANC), A., i, 180. reaction of, with *p*-toluidine (COHN and FRIEDLÄNDER), A., i, 866.

Epidermis, uptake of water and salt by the (FILEHNE and BIBERFELD), A., ii, 575.

Epilepsy, choline in the cerebrospinal fluid in (DONATH), A., ii, 63 ; (MANSFIELD), A., ii, 623.

Epinephrine (adrenaline) (ABDERHALDEN and BERGELL), A., i, 791.

and its degradation products (ABEL), A., i, 264.

and its urate and benzoyl derivative (PAULY), A., i, 540.

constitution of (JOWETT), T., 192 ; P., 18 ; (PAULY), A., i, 128 ; (BERTRAND), A., i, 956.

constitution and synthesis of (FRIEDMANN ; MEYER), A., i, 1069.

physiological action of (LOEPPER ; BRODIE and DIXON), A., ii, 196 ; (DRUMMOND ; DRUMMOND and NOËL PATON), A., ii, 430 ; (ELLIOTT), A., ii, 577.

intravenous injection of (HAMBURGER), A., ii, 501.

Epinephrine (adrenaline), destruction of, in the organism (EMBDEN and V. FÜRTH), A., ii, 61 ; (WEISS and HARRIS), A., ii, 628.

action of, on the bladder (ELLIOTT), A., ii, 832.

action of, on the hepatic glycogen (DOYON and KAREFF), A., ii, 272.

pupil dilatation caused by (MELTZER and AUER), A., ii, 360.

effect of poisons after injections of (EXNER), A., ii, 276.

Epithelium, ciliated, action of various inonhydric alcohols on (BREYER), A., ii, 65.

Equation of condition for gases (GOEBEL), A., ii, 311, 706.

Equation of state, and the liquid state (VAN DER WAALS), A., ii, 386.

Equations of Clausius and van der Waals for the mean length of path and number of collisions (KOHNSTAMM), A., ii, 473.

EQUILIBRIUM :—

Phase rule, simple proofs of the (PONSOR), A., ii, 314.

elementary demonstration of (RAVEAU), A., ii, 313.

conception of independent components (WEGSCHEIDER), A., ii, 17 ; (VAN LAAR), A., ii, 314.

exceptions to the, especially in the case of optically active substances (BYK), A., ii, 16, 313 ; (WEGSCHEIDER), A., ii, 112, 389.

application of the, to mixtures of iron and carbon (ROOZEBOOM), A., ii, 717.

ammonia soda process from the standpoint of the (FEDOTÉEFF), A., ii, 730.

Equilibrium, Duhem's "Regnault Law" (v. ZAWIDZKI), A., ii, 237.

indifferent points (SAUREL), A., ii, 715.

conditions of the indifferent state (ARIÈS), A., ii, 244.

the ψ -surface in the neighbourhood of a binary mixture, which behaves as a pure substance (VERSCHAFELT), A., ii, 385.

derivation of the formula which gives the relation between the concentration of coexisting phases for binary mixtures (VAN DER WAALS), A., ii, 807.

Px curves of mixtures of acetone and ether and of carbon tetrachloride and acetone at 0° (GERRITS), A., ii, 807.

EQUILIBRIUM :—

Equilibrium, determination of the conditions of coexistence of vapour and liquid phases of mixtures of gases at low temperatures (KAMERLINGH ONNES and ZAKRZEWSKI), A., ii, 807.

conditions of coexistence of binary mixtures of normal substances according to the law of corresponding states (KAMERLINGH ONNES and ZAKRZEWSKI), A., ii, 807.

of a homogeneous phase, stability of (SAUREL), A., ii, 550.

of a solid with a liquid phase, chiefly in the vicinity of the critical state (VAN DER WAALS), A., ii, 389.

of bivariant systems, stability of the (SAUREL), A., ii, 643.

of bi- and multi-variant systems, stability of the (SAUREL), A., ii, 643, 715.

in the system, $\text{NH}_4\text{NO}_3 + \text{AgNO}_3$ (v. ZAWIDZKI), A., ii, 389.

of the system, benzene, acetic acid, and water (LINCOLN), A., ii, 473.

of the system, bromine + iodine (ROOZEBOOM), A., ii, 165.

of the system, sulphur + chlorine (ROOZEBOOM and ATEN), A., ii, 394.

phenomena of solidification and transformation in the systems, $\text{NH}_4\text{NO}_3 \cdot \text{AgNO}_3$, and $\text{KNO}_3 \cdot \text{AgNO}_3$ (ROOZEBOOM), A., ii, 112.

observations on the system—zinc chloride, ammonium chloride, and water (MEERBURG), A., ii, 112.

Equilibrium curves in the system, *p*-bromotoluene and dibromobenzene (BORODOWSKY and BOGOJAWLENSKY), A., ii, 550.

of the hydrates of nickel sulphate (STEELE and JOHNSON), T., 120.

Phases, thermometric analysis of solid (SHEPHERD), A., ii, 314.

Equilibrium, chemical. See Affinity.

Erbium chloride and nitrate, influence of dilution on the absorption spectra of concentrated solutions of (PURVIS), A., ii, 4.

oxide and didymium oxide, estimation of the amount of, by means of absorption bands of their solutions (PURVIS), A., ii, 89.

Erepsin (NAKAYAMA), A., ii, 425.

Erikite from Greenland (BØGGILD), A., ii, 49.

*iso***Erucic acid** and its reactions (PONZIO), A., i, 797.

Erythrin (*erythric acid*) (JUILLARD), A., i, 593; (RONCERAY), A., i, 897.

Erythrolysis, specific (QUINAN), A., ii, 354.

Erythroxylon coca leaves (HARTWICH), A., ii, 73.

Eserine (*physostigmine*), inhibition of the action of, by calcium chloride (MATTHEWS and BROWN), A., ii, 758.

action of, on the denervated sphincter iridis (ANDERSON), A., ii, 578.

Esterification by means of sulphuric acid (MEYER), A., i, 216.

of *as-di*- and *poly*-basic acids (WEGSCHEIDER and GLOGAU), A., i, 249.

velocity of. See Affinity.

Esterification constants of the acid esters of methyl substituted succinic acids (BONE, SUDBOROUGH, and SPRANKLING), T., 534; P., 64.

Esters of high molecular weight, purification of, by vacuum distillation (KRAFFT), A., i, 136.

electrolytic reduction of (TAFEL and FRIEDRICH), A., i, 849; (METTLER), A., i, 1012.

acetylenic, condensation of, with alcohols (MOUREU), A., i, 286.

ethylenic, hydrolysis of (MOUREU), A., i, 285.

optically inactive, hydrolysis of, by means of enzymes (DAKIN), A., i, 1071.

organic, calculation of the heats of combustion of (LEMOULT), A., ii, 12.

unsaturated, action of hydroxylamine on (HARRIES and HAARMANN), A., i, 231.

Estragol, synthesis of (TIFFENEAU), A., i, 872.

Ethane, action of ozone on (BONE and DRUGMAN), P., 127.

slow combustion of (BONE and STOCKINGS), T., 693; P., 106; (BONE and DRUGMAN), P., 128.

Ethanedicarboxylic acid. See Succinic acid.

Ethane- $\alpha\beta$ -disulphonic acid, ethyl ester (AUTENRIETH and BERNHEIM), A., i, 978.

Ethanetetracarboxylic acid, disodium derivative, ethyl ester, action of ethyl β -iodopropionate on (SILBERRAD), T., 611; P., 61.

Ethanolaminoacetocatechol and its hydrochloride (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 873.

Ethenyldiaminonaphthalene, *N*-ethyl derivative, salts of (MELDOLA and LANE), T., 1599 ; P., 214.

Ethenyltriaminonaphthalenes, isomeric, replacement of the amino-group in, by bromine (MELDOLA and LANE), T., 1597 ; P., 214.

2-Ethenylaminophenol, 4-chloro-, and its salts (UPSON), A., i, 736.

Ether. See Ethyl ether.

Ether, $C_5H_{14}O_3Cl_4$, from $\alpha\beta\beta$ -trichloroethyl ester (ODDO and MAMELI), A., i, 281.

Ethers, preparation of (MOUREU), A., i, 285.

preparation of, by means of magnesium compounds and halogen methylethers, XCH_2OR (HAMONET), A., i, 401.

volatility of (HENRY), A., i, 466.

heats of combustion of, viewed as additive properties (LEMOULT), A., ii, 12.

compounds of, with nitric acid (COHEN and GATECLIFF), P., 194.

"Etherates." See Ethyl ether.

Ethereal sulphates, occurrence of, in lower animals (KELLY), A., ii, 427.

Ethoxylylaniline-N-carboxylate (DIELS and NAWIASKY), A., i, 981.

β -Ethoxyacraldehyde acetal (CLAISEN), A., i, 14.

3-Ethoxyazobenzene. See Benzeneazo-phenetole.

***m*-Ethoxybenzamide** and its *N*-mono- and -di-methyl derivatives (FRITSCH), A., i, 58.

Ethoxybenzidine and its *N*-bisbenzylidene derivatives (JACOBSON, FRANZ, and HÖNIGSBERGER), A., i, 202.

diazonium salt of, action of heat on (CAIN), P., 249.

***m*-Ethoxybenzoic acid**, amide, methylamide, and dimethylamide, action of, on tetramethyldiaminobenzhydrol (FRITSCH), A., i, 58.

4-Ethoxybenzophenone, 4'-nitro- (AUWERS), A., i, 67.

6-(or 7-)Ethoxyisocarbostyryl-3-carboxylic acid, 4-hydroxy-, ethyl ester (KUSEL), A., i, 619.

β -Ethoxy- $\alpha\alpha$ -dimethylpropionic acid and its esters (MARCILLY), A., i, 219.

5-Ethoxy-3:4-dimethylpyrazole and nitroso- (WOLFF), A., i, 722.

3-Ethoxydiphenyl (JACOBSON, FRANZ, and HÖNIGSBERGER), A., i, 203 ; (JACOBSON and LOEB), A., i, 204.

Ethoxydiphenylamines, 5- and 4'-, bromoamino-derivatives of, and their salts (JACOBSON, FRANZ, and ZAAR), A., i, 122.

3-Ethoxydiphenyl-4-diazonium hydroxide and salts, 4'-hydroxy-(CAIN), P., 249.

Ethoxydiphenylenebisphenylthiocarbamide (JACOBSON, FRANZ, and HÖNIGSBERGER), A., i, 203.

Ethoxyethylsuccinic acid and its ethyl ester and salts (FITTIG and SCHEIN), A., i, 418.

Ethoxyethylthiophenyl-1:3:5-triazine (JOHNSON and MENGE), A., i, 949.

6-Ethoxy-2-ethylthiopyrimidine (WHEELER and JOHNSON), A., i, 625.

6-Ethoxyflavanone and its compounds with aldehydes (KATSCHALOWSKY and v. KOSTANECKI), A., i, 911.

6-Ethoxyflavonol and its acetyl derivative (v. KOSTANECKI and LAMPE), A., i, 440.

δ -Ethoxy- β -heptanone- ϵ -carboxylamide- γ -carboxylic acid, ϵ -cyano-. See 4-Ethoxy-6-keto-2:5-dimethylpiperidine-3-carboxylic acid, 5-cyano-2-hydroxy-.

δ -Ethoxy- β -hexanone- ϵ -carboxylamide- γ -carboxylic acid, ϵ -cyano-. See 4-Ethoxy-6-keto-2:5-dimethylpiperidine-3-carboxylic acid, 5-cyano-2-hydroxy-.

α -Ethoxyhydrazobenzene (JACOBSON, FRANZ, and HÖNIGSBERGER), A., i, 202.

***m*-Ethoxyhydrazobenzene** (JACOBSON and HÖNIGSBERGER), A., i, 206.

4-Ethoxy-1- α -hydroxyethylbenzene and its phenylurethane (KLAGES and EPPELSHEIM), A., i, 46.

2-Ethoxy-1- α -hydroxypropylbenzene and its phenylurethane (KLAGES), A., i, 1001.

4-Ethoxy-6-keto-2:5-dimethylpiperidine-3-carboxylic acid, 5-cyano-2-hydroxy-, ethyl ester (ERRERA and LABATE), A., i, 190.

4-Ethoxy-6-keto-2-methyl-5-ethylpyridine-3-carboxylic acids, 5-cyano-2-hydroxy-, ethyl esters (ERRERA and LABATE), A., i, 190.

6(or 7-)Ethoxy-3-methylisocarbostyryl, 4-hydroxy- (KUSEL), A., i, 619.

4-Ethoxymethylcoumarilic acid (STOERMER and OETKER), A., i, 245.

5-Ethoxy-2'-methyl diphenylamine, 2-amino- (JACOBSON, FRANZ, and ZAAR), A., i, 122.

Ethoxymethyleneacetoacetic acid, ethyl ester, action of, on alkyleyanooacetamides (ERRERA and LABATE), A., i, 189.

β -Ethoxymethylene pyrotartaric acid (FICHTER and RUDIN), A., i, 473.

Ethoxymethylphenylglyoxylic acids, 2:4- and 4:2- (EIJKMAN), A., i, 665.

5-Ethoxy-3-methylpyrazole and its isomeric nitroso-derivatives (WOLFF), A., i, 722.

2-Ethoxy-4-methylpyrimidine, 6-hydroxy- (BRUCE), A., i, 574.

6-Ethoxy-2-methylthiol-5-methylpyrimidine, 4-chloro- (WHEELER and JAMIESON), A., i, 942.

2-Ethoxy-a-naphthoic acid (BODROUX), A., i, 167.

δ-Ethoxy-β-octanone-ε-carboxylamide-γ-carboxylic acid, ε-cyano-. See 4-Ethoxy-6-keto-2-methyl-5-propylpiperidine-3-carboxylic acid, 5-cyano-2-hydroxy-.

5-Ethoxyphenol, 2-amino-, and its derivatives (HENRICH and SCHIERENBERG), A., i, 1049.

Ethoxyphenyl-. See also Phenetyl.

6-Ethoxy-1-phenylbenzimidazole, o- and m-bromo, and the 2-thiol of the m-bromo-compound (JACOBSON, FRANZ, and ZAAR), A., i, 122.

2-thiol-, and its acetyl and 4-methyl derivatives and mercury compound (JACOBSON and HUGERSHOFF), A., i, 106.

5-Ethoxy-1-phenylbenzoxazole (HENRICH and SCHIERENBERG), A., i, 1049.

4-Ethoxy-3-phenylisocarbostyryl (ULRICH), A., i, 529.

2-Ethoxy-2-phenylcoumaran (STOERMER and KIPPE), A., i, 183.

Ethoxyphenylisocrotonic acids, γ-o- and m-, and their esters (KLAGES), A., i, 1002.

Ethoxyphenyl-1:2:4-oxadiazoles, 3:5- and 5:3- (JOHNSON and MENGE), A., i, 949.

4-Ethoxyphthalyl-alanine and -glycine and their ethyl esters (KUSEL), A., i, 619.

a-Ethoxy-a-propoxyethane, ββ-dichloro- (ODDO and MAMELI), A., i, 281.

Ethoxyterephthalic acids, 2- and 4- (EIJKMAN), A., i, 665.

1-Ethoxy-Δ²-tetrahydrobenzene (CROSSLEY), T., 1416; P., 160.

Ethoxyltoluic acids, 2:p- and 4:o- (EIJKMAN), A., i, 665.

6-Ethoxy-1-o-tolylbenzimidazole (JACOBSON, FRANZ, and ZAAR), A., i, 122.

6-Ethoxy-1-p-tolylbenzimidazole, 2-thiol-, and its acetyl and 5-methyl derivatives (JACOBSON and HUGERSHOFF), A., i, 106.

6-Ethoxy-1-o-tolyl-4-methylbenzimidazole (JACOBSON and HUGERSHOFF), A., i, 107.

7-Ethoxy-1:2:3-triphenyl-1:2-dihydro-quinoxaline, 1-m-bromo-2-hydroxy- (JACOBSON, FRANZ, and ZAAR), A., i, 122.

p-Ethoxytriphenylmethane (BISTRZYCKI and HERBST), A., i, 45.

Ethyl alcohol, preparation of, from acetylene (LA SOCIÉTÉ S. JAY & Co.), A., i, 641.

absolute, preparation and preservation of (EVANS and FETSCH), A., i, 985.

oxidation of, at its boiling point (DUCHEMIN and DOURLEN), A., i, 961.

vapour pressures in the system, benzene, carbon tetrachloride, and (SCHREINEMAKERS), A., ii, 538.

aqueous, and oil of turpentine, reciprocal solubility of (VÉZES and MOULINE), A., ii, 709.

hydrates of (VARENNE and GODEFROY), A., i, 2.

in animal organs (LANDSBERG), A., i, 499.

nutritive value of (ROSEMANN), A., ii, 58, 187; (GODDARD), A., ii, 827.

physiological action of, at great altitudes (MOSO and GALEOTTI), A., ii, 757.

effect of, on the excretion of uric acid in man (BEEBE), A., ii, 673.

detection of methyl alcohol in presence of (HAIGH), A., ii, 94.

estimation of very small quantities of (POZZI-ESCOT), A., ii, 450; (NICKLOUX), A., ii, 595.

estimation of, in wine (MARTIN), A., ii, 520.

estimation of methyl alcohol in presence of (THORPE and HOLMES), T., 1.

Ethyl ββ-dichlorovinyl ether and its polymeride (ODDO and MAMELI), A., i, 280.

Ethyl isocyanide dibromide and its hydrobromide, hydrochloride, and ethiodide (GUILLEMARD), A., i, 563.

Ethyl ether, solid, melting point of (ARCHIBALD and MCINTOSH), A., i, 362.

Px curves of mixtures of, with acetone at 0° (GERRITS), A., ii, 807.

compound of, with aluminium chloride (WALKER and SPENCER), T., 1106; P., 135.

additive compounds of, with halogen hydrides (ARCHIBALD and MCINTOSH), T., 925; P., 139.

compound of, with magnesium oxybromide (HOLROYD), P., 38.

Ethyl ether, compound of, with nitric acid (COHEN and GATECLIFFE), P., 195.
of magnesium haloids (*etherates*) (MENSCHUTKIN), A., i, 215.

Ethyl ether, amino-, and its salts (KNORR), A., i, 854.
 $\alpha\beta$ -trichloro-, and its reactions, and $\beta\beta$ -dichloro- $\alpha\beta$ -dibromo- (ODDO and MAMELI), A., i, 280.

Ethyl ether anæsthesia (HAWK), A., ii, 194.

Ethyl haloids, chemical dynamics of the reactions between sodium sulphate and (SLATOR), T., 1290; P., 180.

Ethylallyl-p-toluidine and its picrate (WEDEKIND and OBERHEIDE), A., i, 733.

Ethylamine, action of, on esters of sulphonic acids (AUTENRIETH and BERNHEIM), A., i, 978.
silver compounds of, composition of (BODLÄNDER and EBERLEIN), A., i, 145.

Ethylamine, difluoro-, and its salts and *N*-nitro-derivative (SWARTS), A., i, 853.

Ethylaminoacetocatechol and its hydrochloride (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 873.

Ethylamino-acetonitrile and its derivatives, *iso*-hexonitrile, and *n*-octonitrile (KNOEVENAGEL and MERCKLIN), A., i, 982.

Ethylaminoanisole, dinitro- (BLANKSMA), A., i, 577.

p-Ethylamino-benzaldehyde and its oxime and phenylhydrazone and *-benzylidenesulphanilic acid* (ULLMANN and FREY), A., i, 423.

N-Ethyl-6-aminocoumarin and its benzenesulphonyl and nitroso-derivatives (MORGAN and MICKLETHWAIT), T., 1238; P., 177.

1-Ethylaminonaphthalene-2-sulphonic acid and its salts (DE RUIJTER DE WILDT), A., i, 572.

6-Ethylamino-3-tolualdehyde and its oxime and phenylhydrazone (ULLMANN and FREY), A., i, 424.

Ethylaniline, hydroxy-, dibenzoyl derivative of (AUWERS and SONNENSTUHL), A., i, 1055.

β -hydroxy-, benzoates of (AUWERS and BERGS), A., i, 740.

2-Ethylanilino-3:5-dinitrobenzoic acid (PURGOTTI and LUNINI), A., i, 316.

Ethylanisoles, *m*- and *p*- (KLAGES and EPPELSHEIM), A., i, 46.

Ethylanthranilic acid, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 50.

Ethylarsine (AUGER), A., i, 725.

p-Ethylbenzaldehydophenylbenzylhydrazone (FOURNIER), A., i, 63.

Ethylbenzene, $\beta\beta$ -dichloro-, preparation of (AUWERS and KEIL), A., i, 27.

p-Ethylbenzoic acid and $\beta\beta$ -dichloro- (AUWERS and KEIL), A., i, 26.

Ethylbenzoic sulphinide, reaction of, with magnesium organic compounds (SACHS and LUDWIG), A., i, 267.

N-Ethyl-S-benzoyldithiourethane (v. BRAUN), A., i, 90.

Ethyl dibromosuccinianil (FICHTER and GOLDHABER), A., i, 648.

p-Ethyl- $\Delta\alpha$ -butenylbenzene and its dibromide (KLAGES and HAEN), A., i, 497.

Ethyl isobutyl ketone, *isonitroso*-, semi-carbazine of (PONZIO), A., i, 723.

4-Ethyl-3-isobutyl-5-pyrazolone (LOCQUIN), A., i, 552.

α-Ethylbutyric acid, β -hydroxy-, and its salts (FITTIG, BORSTELMANN, and LURIE), A., i, 968.

Ethylcampholenone (BÉHAL), A., i, 514.

Ethylcamphor and bromo- (MINGUIN), A., i, 330.

Ethylcamphorcarboxylic acid and its isomeric methyl esters (MINGUIN), A., i, 138.

9-Ethylcarbazole, 3-nitro- (DELÉTRA and ULLMANN), A., i, 272.

Ethylcatechol and its carbonate (DELANGE), A., i, 741.
dichloromethylene ether (DELANGE), A., i, 741.
methylene ether (KLAGES and EPPELSHEIM), A., i, 46.

Ethylcrotonic acid, ethyl ester, and its isomericide (FITTIG, BORSTELMANN, and LURIE), A., i, 967.

Ethyldihydroanthracene, nitration of (MEISENHEIMER and CONNERADE), A., i, 392.

Ethylene, combustion of (BONE and WHEELER), T., 1637; P., 202.
derivatives, action of mercury salts on (SAND), A., i, 22.

Ethylene, tetroiodo- (SCHENCK and LITZENDORFF), A., i, 841.

Ethylene bromoiodide, decomposition of, in presence of potassium iodide (SLATOR), T., 1706; P., 222.
dichloride, decomposition of, by heat (BILTZ and KÜPPERS), A., i, 641.
glycol, compounds of, with phosphoric acid (CARRÉ), A., i, 281.
haloids, chemical dynamics of the reactions between sodium thiosulphate and (SLATOR), T., 1297; P., 180.

Ethylene iodide, decomposition of, under the influence of the iodide ion (SLATOR), T., 1697; P., 221.

2-Ethylenebis-4-ketodihydroquinazoline and its salts (KÖNIG), A., i, 297.

5-Ethylenebis-1-phenyl-3-methylthiopyrazole and its methobromide (MICHAELIS), A., i, 780.

Ethylene bromohydrin, benzoate of (AUWERS and BERGS), A., i, 741.

Ethylenediamine, oxidation of (BAMBERGER and SELIGMAN), A., i, 18.

Ethylenedicarboxylic acids. See Fumaric acid and Maleic acid.

Ethylenedifuramide (BAUM), A., i, 910.

Ethylenedikaiorolinium salts (WEDEKIND), A., i, 96.

Ethylenedisulphonic chloride, action of aromatic amines on (AUTENRIETH and KOBURGER), A., i, 34.

Ethyleneditetrahydroquinoline (WEDEKIND), A., i, 96.

Ethylenesulphonic acid. See Vinylsulphonic acid.

Ethylenetetracarboxylic acid and its ethyl ester (SILBERRAD), T., 613; P., 61.

Ethylenetrifluoromethylenedipiperidylum bromide and its stereoisomeride (ASCHAN), A., i, 350.

α -Ethylenic ketones, condensation of, with imines (MAYER), A., i, 832.

Ethylethyldeneimine and its compound with hydrogen cyanide (HENRY), A., i, 854.

α -Ethylgeraniol (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 842.

α -Ethylglutaric acid, β -imino- α -cyano-esters (BARON, REMFRY, and THORPE), T., 1757.

Ethylglutazine and its carboxylic acid, ethyl ester, and oxime, and their dibenzoyl derivatives (BARON, REMFRY, and THORPE), T., 1758; P., 243.

4-Ethylglyoxaline and its salts, and 2-mercaptop and 2-hydroxy- (KOLSHORN), A., i, 675.

Ethylhexenol (SAND and SINGER), A., i, 23.

Ethyl- β -homocamphoric acid (MINGUIN), A., i, 330.

Ethyldiene dichloride, décomposition of, by heat (BILTZ and KÜPPERS), A., i, 641.

Ethyldene-acetoacetic and -bisacetoacetic acids, menthylesters, rotation of (HANN and LAPWORTH), T., 50.

Ethyldeneacetoacetic acid, chloro-, ethyl ester (PLANCHER and ALBINI), A., i, 334.

Ethyldeneanthranilic acid, trichloro-, action of phenylhydrazine and semicarbazide on (GÄRTNER), A., i, 788.

4-Ethyldenebis-3-methyl-5-isoxazolone (RABE and ELZE), A., i, 749.

Ethyldenecamphor (MINGUIN), A., i, 330.

Ethyldeneimine, action of hydrogen cyanide on (DELÉPINE), A., i, 20.

Ethyliminobisacetonitrile (KNOEVENAGEL and MERCKLIN), A., i, 982.

5-Ethylimino-1-phenyl-2:3-dimethylpyrazolone and its picrate (STOLZ), A., i, 114.

Ethylisoindolone (BÉIS), A., i, 503.

Ethyl- ψ -ionone and its hydrate (COULIN), A., i, 678.

Ethylmalic acid and its ethyl ester, anil, and anilide (FICHTER and GOLDHABER), A., i, 648.

Ethylmesaconic acid, oxidation of (FITTIG and DANNENBERG), A., i, 555.

Ethyl- α -naphthylamine, 4-bromo-2-nitro- (MELDOLA and LANE), T., 1605.

N-Ethylisopapaverine and its picrate (DECKER and KLAUSER), A., i, 338; (DECKER and HOCK), A., i, 620.

β -Ethylpentane, physical properties of (MARCKWALD), A., i, 363.

β -Ethylphenacylactic acid and its ethyl ester, phenylhydrazone, and dibromo-derivative (EIJKMAN), A., i, 590.

α -Ethylphenacylmalonic acid and its diphenylhydrazine salt (EIJKMAN), A., i, 591.

β -Ethylphenacylmalonic acid and its ethyl ester (EIJKMAN), A., i, 590.

ρ -Ethylphenetole and its sulphonic acid and its amide (KLAGES and EPPELSEIM), A., i, 46.

Ethylpiperonyl alcohol (MAMELI), A., i, 1023.

Ethylpiperonylcarbinol and its acetyl derivative (MAMELI), A., i, 1023.

p - α -Ethylpropenylanisole (KLAGES), A., i, 1004.

α -Ethylpropenylbenzene. See γ -Phenyl- $\Delta\beta$ -amylene.

α -Ethylpropylbenzene. See Phenyl-diethylmethane.

2-Ethylpyridine, β -amino-, and its additive salts and acetyl derivative (LÖFFLER), A., i, 265.

β -hydroxy- (2-picolyalkine), and its derivatives (LÖFFLER), A., i, 265, 616.

3-Ethylpyridine. See β -Lutidine.

Ethylpyruvic acid and its salts and phenylhydrazone (FITTIG and DANNENBERG), A., i, 555.

4-Ethylisoquinoline, 1-chloro-4-hydroxy, and its methyl ether (ULRICH), A., i, 529.

3-Ethylquinuclidine and its salts and isomeride (KOENIGS), A., i, 925.

Ethyl-red (MIETHE and BOOK), A., i, 622.

Ethylstibine iodide (AUGER and BILLY), A., i, 984.

Ethylsulphon-p-phenetide, dibromo- (AUTENRIETH and KOBURGER), A., i, 35.

2-Ethylthiol-5-methylpyrimidine, 6-amino-, 6-chloro-, and 6-oxy- (WHEELER and JOHNSON), A., i, 624.

2-Ethylthiopyrimidine, 5-bromo-6-amino-, 5-bromo-6-oxy-, and 6-chloro-5-bromo- (WHEELER and JOHNSON), A., i, 625.

Ethylthiopyrine and its additive salts and trioxide (MICHAELIS, MOELLER, and KOBER), A., i, 781.

Ethyl- ψ -thiopyrine and its methiodide and sulphone (MICHAELIS, BESSON, MOELLER, and KOBER), A., i, 783.

Ethyltrifpropylammonium platinichlorides, two forms of (LE BEL), A., i, 718.

a-Ethylumbelliferone (FICHTER and GOLDHABER), A., i, 648.

Ethyl undecyl ketone and its oxime and semicarbazone (BLAISE and GUÉRIN), A., i, 143.

7-Ethyluramil (PILOTY and FINCKH), A., i, 823.

Ethylurethane, difluoro- (SWARTS), A., i, 853.

Ethylisovalerylacetic acid, ethyl ester (LOCQUIN), A., i, 552.

Eucarvone and its derivatives (HARRIES and STÄHLER), A., i, 431.

*iso***Eugenol**, action of bromine on, and acetyl derivatives of the bromo-derivatives (ZINCKE and HAHN), A., i, 41.

ethyl ether and its derivatives (HELL and BAUER), A., i, 385.

2-isoEugenyl-3-mono- and 3:5-dimethylindoles (HELL and BAUER), A., i, 343.

Europium and its sulphate (URBAIN and LACOMBE), A., ii, 340.

Euxenite, mineral allied to, from Batum, Caucasus (TSCHERNIK), A., ii, 667.

Excretion of guaiacol derivatives (KNAPP and SUTER), A., ii, 274.

minimal, of nitrogen (MAUREL), A., ii, 62.

of protein through the bile (GÜRBER and HALLAUE), A., ii, 274.

of strontium (MENDEL and TREACHER), A., ii, 357.

Excretion of urea in man (LABBÉ and MORCHOISNE), A., ii, 575.

of uric acid, administered in various ways to rabbits (BENDIX and SCHITTENHELM), A., ii, 753.

relation between the, and white corpuscles (WILLIAMSON), A., ii, 62.

See also Urine.

"Exodin" (ZERNIK), A., i, 902.

Expansion coefficient of pure nickel, temperature variation of the (HARRISON), A., ii, 469.

Explosives, progress of the technology of, since the development of organic chemistry (WILL), A., i, 227.

nitroglycerol, estimation of moisture in (MARSHALL), A., ii, 289.

Exradio (RAMSAY and COLLIE), A., ii, 529.

Extraction apparatus (PELIZZA), A., ii, 287; (DURHAM), A., ii, 554.

Extractor, a simple (COPPALLE), A., ii, 511.

F.

Faeces, composition of, during different diets (SCHIERBECK), A., ii, 755.

calorimetric investigations of (LOHRISCH), A., ii, 428.

flesh, composition and energy value of (FRENTZEL and SCHREUER), A., ii, 275.

human, purine substances in (HALL), A., ii, 358.

sheep's, solubility in gastric juice of the nitrogenous constituents of (BECER), A., ii, 186.

detection of urobilin in (SCHLESINGER), A., ii, 103.

estimation of cellulose in (SIMON and LOHRISCH), A., ii, 787.

estimation of sulphur in (LE CLERC and DUBOIS), A., ii, 774.

Faraday lecture, T., 506; P., 45, 67, 77.

Farmland manure, manurial value of (v. SIGMOND), A., ii, 144.

Farnesol (HAARMANN & REIMER), A., i, 513.

Fat, decomposition of, by enzymes (FOKIN), A., i, 1071; ii, 199, 280.

fermentative hydrolysis of (HOYER), A., ii, 433.

hydrolysis and synthesis of, by platinum black (NEILSON), A., i, 4.

formation of sugar from (ABDERHALDEN and RONA), A., ii, 423.

behaviour of, in germinating oil-containing seeds (v. FÜRTH), A., ii, 70.

Fat, quantity of, in human blood and some organs (RUMPF, DENNSTEDT, and GRONOVER), A., ii, 136.
amount of, in muscle (LEATHES), A., ii, 356.
animal, auto-hydrolysis of (PASTROVICH), A., i, 644.
of the bear, composition of (RAIKOW), A., ii, 356.
thermostat for use in connection with the refractometric examination of (THORPE), T., 257; P., 12.
estimation of (PARTHEIL and FERIÉ), A., i, 4; (BRYANT), A., ii, 597.
estimation of, in butter. See Butter.
estimation of, in cheese (SIEGFELD), A., ii, 523, 688.
estimation of, in milk. See Milk.
estimation of, in molasses foods (HIS-SINK), A., ii, 523.
estimation of glycerol in (FANTO), A., ii, 451.
Fatty degeneration and enzymes (WALD-VOGEL), A., ii, 751.
Fatty series, halogen compounds of the, action of reduced nickel on, in presence of hydrogen (SABATIER and MAILHE), A., i, 277.
Feather glands. See Glands.
Feeding stuffs. See Food-stuffs.
Fehling's solution, spontaneous alteration of (ROSENTHALER), A., ii, 95.
Fenchone, action of nitric acid on (KONOWALOFF), A., i, 257.
Fenchyl alcohol, Nikitin's (KONDA-KOFF), A., i, 755.
Fergusonite from the Caucasus (TSCHER-NIK), A., ii, 667.
Fermentation, influence of strong salt solutions on the force and energy of (VANDEVELDE), A., ii, 279.
reactions, velocity of, on the addition of chemically indifferent substances (BRAEUNING), A., ii, 676.
of citric acid as a cause of disease in currant wine (SEIFERT), A., ii, 138.
of the indigo-plant (BERGTHEIL), T., 870; P., 139.
of uric acid (ULPIANI), A., ii, 138; (CINGOLANI), A., ii, 139.
process of, in wine (SEIFERT), A., ii, 579.
alcoholic, the chemical reactions occurring during (BUCHNER and MEISENHEIMER), A., ii, 199.
and zymase (MAZÉ), A., ii, 634.
rôle of micro-organisms in, attributed to zymase (MAZÉ and PERRIER), A., ii, 833.
heat of decomposition in (RUBNER), A., ii, 505.

Fermentation, alcoholic, action of oxidising agents in (ALLIOT and GIMEL), A., ii, 432.
fruit ether formation in (BOKORNY), A., ii, 432.
formation of hydrogen sulphide by (POZZI-ESCOT), A., ii, 580.
behaviour of proteids during (IWANOFF), A., ii, 834.
in animal tissues (STOKLASA, ČERNÝ, JELÍNEK, SIMÁČEK, and VÍTEK), A., ii, 272.
mannitic (GAYON and DUBOURG), A., ii, 759.
methane (MAZÉ), A., ii, 138.
methane and hydrogen, of cellulose, separation of (OMELIANSKY), A., ii, 278.
Fermenting liquids, influence of metals on (NATHAN), A., ii, 505.
Ferments. See Enzymes.
Ferric and Ferrous compounds. See under Iron.
Ferrosilicon, analysis of (LIDHOLM), A., ii, 90; (CANTONI), A., ii, 592.
Ferrotungsten, estimation of, volumetrically (KUKLIN), A., ii, 294.
Ferrovanadium (HERRENSCHMIDT), A., ii, 824.
Fevers, aseptic, alloxuric bases in (MANDEL), A., ii, 275.
Fibrin, *rôle* of leucocytes in the formation of (MAUREL), A., ii, 191.
variations in the action of pepsin on, in acid liquids at 50° (DISDIER), A., i, 211.
Fibrin ferment, the precursors of (MORAWITZ), A., ii, 59.
Fichtelite, constitution of (TSCHIRCH and STUDER), A., i, 80.
Ficus elastica and *F. magnolooïdes*, caoutchouc from (HARRIES), A., i, 1038.
Filycyliazobenzene (BOEHM), A., i, 405.
Filmarone (KRAFT), A., i, 1039.
Filter, new rapid (GIEMSA), A., ii, 722.
Filter stand (ILIOVICI), A., ii, 840.
Fisetin, synthesis of, and its tetra-acetyl derivative (v. KOSTANECKI, LAMPE, and TAMBOR), A., i, 441.
isomeride of, synthesis of (v. KOSTANECKI and KUGLER), A., i, 440.
Fish, chemical composition of (LICHENFELT), A., ii, 628.
Fish oils (LIVERSEEGE), A., ii, 597.
Fishes' eggs. See Eggs.
Flame, characterisation of (TECLU), A., ii, 476.
electrical conductivity of (BOSSCHE), A., ii, 9.
the temperature of (FÉRY), A., ii, 13.

Flame, Bunsen, temperatures of the (HABER and RICHARDT), A., ii, 166.

Flavanone, synthesis of, and its *α*-bromo-derivative (v. KOSTANECKI and SZABRAŃSKI), A., i, 684.

Flavanone, 3:4':5'-trihydroxy-. See *Butin*.

3-isonitroso-. (v. KOSTANECKI and SZABRAŃSKI), A., i, 764.

Flavanthrene (SCHOLL), A., i, 109; (SCHOLL and BERBLINGER), A., i, 110.

Flavaspidic acid and its reactions and acetyl derivatives (BOEHM), A., i, 406.

Flavindogenides (KATSCHALOWSKY and v. KOSTANECKI), A., i, 911.

Flavonol, synthesis of, and its acetyl derivative (v. KOSTANECKI and SZABRAŃSKI), A., i, 764.

Flavonol, 6-hydroxy-, and its diacetyl derivative and dimethyl ether (v. KOSTANECKI and LAMPE), A., i, 440.

7-hydroxy-, and its acetyl derivative (v. KOSTANECKI and STOPPANI), A., i, 443.

isomeric 7-dihydroxy-, tinctorial properties of (KATSCHALOWSKY and v. KOSTANECKI), A., i, 608.

5:7-dihydroxy-. See *Galangin*.

7:8-dihydroxy-, and its acetyl derivative (DOBRZYSKI and v. KOSTANECKI), A., i, 764.

6:2'-dihydroxy-, synthesis of (KATSCHALOWSKY and v. KOSTANECKI), A., i, 607.

6:3'-dihydroxy-, and its triacetyl derivative (v. KOSTANECKI and OTTMANN), A., i, 442.

6:4'-dihydroxy-, and its triacetyl derivative (v. KOSTANECKI and STOPPANI), A., i, 441.

5:7:4'-trihydroxy-. See *Kampferol*.

6:3':4'-trihydroxy-, and its tetra-acetyl derivative (v. KOSTANECKI and KUGLER), A., i, 441.

7:3':4'-trihydroxy-. See *Fisetin*.

7:8:2'-trihydroxy- (COHEN and v. KOSTANECKI), A., i, 683.

7:8:3'-trihydroxy-, and its tetra-acetyl derivative (v. KOSTANECKI and SCHLEIFENBAUM), A., i, 684.

5:7:3':4'-tetrahydroxy-. See *Quercetin*.

Flavone, synthesis of (v. KOSTANECKI and SZABRAŃSKI), A., i, 684.

Flavone, 3:4-dihydroxy-, and its di-acetyl derivative, synthesis of (WOKER, v. KOSTANECKI, and TAMBOR), A., i, 184.

5:7-dihydroxy-. See *Chrysanthemum*.

5:7:3':4'-tetrahydroxy-. See *Luteolin*.

Flax, influence of manganese salts on (FUKUTOME), A., ii, 766.

Flax stems, histological and chemical changes in, under the influence of microbes of pectin- and cellulose-fermentation (OMELIANSKY), A., ii, 504.

Flesh, nitrogenous constituents of (GRINDLEY), A., ii, 829.

Flours, fatty substances and acidity of (BALLAND), A., ii, 74.

Fluorazones, new dyes from aminoazodyes by fusion with resorcinol (PAUL), A., i, 954.

Fluorene, formation of phenanthrene from (GRAEBE), A., i, 988.

Fluorene, 2-cyano-, and 2-carboxylic acid and its methyl ester (FORTNER), A., i, 729.

Fluorene alcohol (WERNER and GROB), A., i, 864.

o-**Fluorenylbenzoic acid** and its methyl esters (GOLDSCHMIEDT and LIPSCHITZ), A., i, 168.

Fluorescence (KAUFFMANN), A., ii, 690, 691.

theory of (FRANCESCONI and BARGELLINI), A., i, 168.

and the nature of the solvent (KAUFFMANN and BEISSWENGER), A., ii, 528; (KEHRMANN), A., ii, 797.

and chemical constitution of benzoxazole derivatives, connection between (HENRICH and OPFERMANN), A., i, 934.

Fluorescent substances, action of, on enzymes and toxins (v. TAPPEINER), A., i, 131.

Fluorindines of the naphthalene series (NIETZKI and VOLLENBRUCK), A., i, 1062.

Fluorine, atomic weight of (MEYER), A., ii, 23.

density of (MOISSAN), A., ii, 328.

Hydrofluoric acid (*hydrogen fluoride*), and silicic acid, systems containing (BAUR), A., ii, 608.

containing hydrofluosilicic acid, titration of (KATZ), A., ii, 442.

Fluorides, preparation and properties of some new (RUFF, PLATO, and GRAF), A., ii, 265.

anhydrous crystalline, new method of preparation (DEFACQZ), A., ii, 123, 170.

detection of, in meat products (FROIDEVAUX), A., ii, 840.

Hydrofluosilicic acid, vapour density of (BAUR and GLAESSNER), A., ii, 119; (BAUR), A., ii, 608.

distillation of (BAUR), A., ii, 119.

Fluorine, estimation of (DELADRIER), A., ii, 441.

Fluorine, estimation of, in fluorides—the Wöhler-Fresenius method (DANIEL), A., ii, 289.
estimation of, in Martin slag (FRICKE), A., ii, 772.
estimation of, in wine and beer (TREADWELL and KOCH), A., ii, 841.

Fluorones, reactivity of substituted phloroglucinols in the formation of (SCHREIER and WENZEL), A., i, 517.

Fluorovanadium compounds (MELIKOFF), A., ii, 346.

Fluorine and its hydrochloride (HINSBERG and SCHWANTES), A., i, 199.

Fly agaric. See *Amanita muscaria*.

Fodder plants, Icelandic (STEFÁNSEN and SÖDERBAUM), A., ii, 509.

Food, human, vetches in (SCALA), A., ii, 365.

Foods, coefficients of digestibility and availability of (ATWATER), A., ii, 186.
passage of different, from the stomach (CANNON), A., ii, 189.
occurrence of sulphurous acid in (SCHMIDT), A., ii, 638.
estimation of cellulose in (SIMON and LOHRISCH), A., ii, 787.
estimation of nitrogen in (SHERMAN, McLAUGHLIN, and OSTERBERG), A., ii, 514.
estimation of sulphur in (LE CLERC and DUBOIS), A., ii, 774.
estimation of organically combined sulphurous acid in (FARNSTEINER), A., ii, 443; (KERP), A., ii, 638.

Food-stuffs, carbohydrates and fibre in (SCHWEITZER), A., ii, 437.
status of phosphorus in certain (HART and ANDREWS), A., ii, 201.
detection of boric acid in, by a new indicator (ROBIN), A., ii, 445.
electrolytic methods for the detection and estimation of minute quantities of arsenic in (THOMSON), A., ii, 777.

Formaldehyde in atmospheric air (HENRIET), A., i, 289, 649; ii, 598; (TRILLAT), A., i, 713.
presence of, in the products of combustion and smoke (TRILLAT), A., i, 713.
in wine (MALLMANN), A., ii, 521.
formation of (KLÖSS), A., i, 1.
condensation of, with acetone (WERNER), P., 196.
reaction of, with benzene (NASTUKOFF), A., i, 242.
action of hydrogen chloride on aqueous (LITTERSCHEID and THIMME), A., i, 962.

Formaldehyde, action of hydrogen sulphide on solutions of (DRUGMAN and STOCKINGS), P., 115.
action of, on inorganic compounds (VANINO and SEEMANN), A., i, 973.
action of, on menthol (WEDEKIND and GREIMER), A., i, 680.
action of, on milk (TRILLAT), A., ii, 424.
action of, on naphtha and its distillation products (NASTUKOFF), A., i, 801.
condensation of, with ethyl oxalacetate (BLAISE and GAULT), A., i, 762.
interaction of, with silver nitrate in presence of strong bases (VANINO), A., i, 13.
oxidation of, by peroxides (GEISOW), A., i, 289.
compound of, with santalol (STEPHAN), A., i, 814.
new polymerides of (SEYEWETZ and GIBELLO), A., i, 557.
sodium hydrogen sulphite (KERP), A., i, 714.
detection of, in milk (EURY), A., ii, 687.
estimation of (KLÖSS), A., i, 1; (SMITH), A., ii, 98; (KLEBER), A., ii, 371.
method of estimating, prescribed by the German Pharmacopœia (KIPPENBERGER), A., ii, 299.
and its polymerides, estimation of (SEYEWETZ and GIBELLO), A., ii, 521.
estimation of, in the atmosphere (HENRIET), A., ii, 598.
estimation of, in milk (SMITH), A., ii, 98.
estimation of methyl alcohol in (GNEHM and KAUFLER), A., ii, 520; (STRITAR), A., ii, 686; (BAMBERGER), A., ii, 786.
See also Paraformaldehyde and Trioxymethylene.

Formalin. See Formaldehyde.

Formidiethylamide, chloro, action of, on alcohols and phenols (A. and L. LUMIÈRE and PERRIN), A., i, 559.

Formic acid, decomposition of, by micro-organisms (OMELIANSKY), A., ii, 277.
oxidation of, by extracts of animal tissues in presence of hydrogen peroxide (BATELLI), A., ii, 428.
action of, on the muscular system (CLÉMENT; GARRIGUE), A., ii, 430.
ferric chloride derivative (ROSENHEIM and MÜLLER), A., i, 469.
new reaction of (COMANDUCCI), A., ii, 845.

Formic acid, alkaline-earth salts, solubility of (STANLEY), A., i, 468.
 ammonium hydrogen salt, solubility of (GROSCHUFF), A., i, 134.
 cuprous salt (JOANNIS), A., i, 644.
Formic acid, cyanomethyl ester (HENRY), A., i, 982.

Formiminoethyl ether and its double salts, preparation of (HILL and BLACK), A., i, 296.

Formolite (NASTUKOFF), A., i, 801.

Formylisobutyric acid, ethyl ester, and its semicarbazone (BLAISE and MARCILLY), A., i, 286.

Formylcamphor, α -bromo- and α -iodo- (BRÜHL and RÜDIGER), A., i, 601.

Formylmenthone, α -bromo- (BRÜHL and RÜDIGER), A., i, 602.

Formylphenylglycine and *p*-amino- and *p*-nitro- (BADISCHE ANILIN- & SODA-FABRIK), A., i, 1019.

β -Formylpyrotartaric acid, ethyl ester (FICHTER and RUDIN), A., i, 472.

Fowls, effect of raw meat diet on (WATSON), A., ii, 426.
 feeding of (LEHMANN), A., ii, 510.

Freezing of solutions in dimorphous solvents (BRUNI and CALLEGARI), A., ii, 545.

Freezing point, relation of the depression of the, and the raising of the boiling point, to osmotic pressure (VAUBEL), A., ii, 606.
 of fused electrolytes, new method of determining (LIEBKNECHT and NILSEN), A., ii, 11.
 of solutions as steady temperatures (PRYTZ), A., ii, 383.
 of water produced by concentrated solutions of certain electrolytes, molecular lowering of the (JONES and GETMAN), A., ii, 235.

Freezing point curves of dynamic isomerides (FINDLAY), T., 403; P., 49.
 of mixtures of copper and cuprous oxide (HEYN), A., ii, 406.

Freezing point method, modification of the (YOUNG and SLOAN), A., ii, 649.

Friedel and Crafts' reaction (BOESEKEN), A., i, 384.

Frog's circulatory system, action of pituitary extracts on the (HERRING), A., ii, 833.
 eggs. See Eggs.
 nerves. See Nerves.
 pupil. See Pupil.

Frost curves (MEYERHOFFER), A., ii, 242.

d-Fructose. See Lævulose.

Fruit tannin. See Tannin.

Fruits, chemistry of (WINDISCH and BOEHM), A., ii, 766.
 dried, occurrence of sulphurous acid in (SCHMIDT), A., ii, 638.
 estimation of boric acid in (ALLEN and TANKARD), A., ii, 777.

Fuchsone (V. BAEYER and VILLIGER), A., i, 786.

Fuchsones, hydroxy- (SACHS and THONET), A., i, 878.

Fuchsoneimine, amino-, and its chloride (V. BAEYER and VILLIGER), A., i, 786.

Fuconic acid, lactone of, and its salts and phenylhydrazide, and its relation to rhodeonic acid (MÜTHER and TOLLENS), A., i, 226.

Fucose and its hydrazones and its relation to rhodeose (MÜTHER and TOLLENS), A., i, 226.
 and rhodeose as optical antipodes (VOTOČEK), A., i, 975.

Fucus, products of hydrolysis of (MÜTHER and TOLLENS), A., i, 225.

Fuels, solid, analysis of (GOUTAL), A., ii, 686.

Fukugetin and its bromo-derivatives, from the Japanese dye-stuff "fukugi" (PERKIN and PHIPPS), T., 58.

Fulminic acid, mercury salt, estimation of, volumetrically (BROWNSDON), A., ii, 591.

Fumaric acids, substituted hydroxy-ethyl esters, action of diazonium chloride on (RABISCHONG), A., i, 273.

Fungi, ammonium thiocyanate and thiocarbamide as sources of nitrogen to (KASTLE and ELVOVE), A., ii, 504.
 fungicide actions of cultivations of (KOZAI and LOEW), A., ii, 764.
 amide-splitting enzymes in (SHIBATA), A., ii, 432.
 lower, influence of radium rays on the development and growth of (DAUPHIN), A., ii, 279.
 poisonous action of chromium compounds on (POZZI-ESCOT), A., ii, 764.

See also Moulds and Yeast.

Fungus found in peat, assimilation of atmospheric nitrogen by a (TERNETZ), A., ii, 761.

Furan derivatives, synthesis of, from chloroacetaldehyde (PLANCHER and ALBINI), A., i, 334.
 sulphonamide derivative, and its bromo- and chloro-compounds (HILL and SYLVESTER), A., i, 815.

Furfuraldehyde, condensation of, with sodium succinate (TITTERLEY and SPENCER), T., 183; P., 13.

Furfuraldehyde-phloroglucide, composition of (GOODWIN and TOLLENS), A., i, 262.

a-Furfurylidenefurylisocrotonic acid. See $\alpha\gamma$ -Difurfurylidenepropionic acid.

Furnace, electric. See under Electrochemistry.

Furodiazole. See 1:3:4-Oxadiazole.

Furoyl derivatives, formation of, by means of pyromucic chloride (BAUM), A., i, 910.

Fusel oil (EMMERLING), A., ii, 834. obtained in the distillation of acorns, composition of (RUDAKOFF and ALEXANDROFF), A., i, 466.

Fusibility of mixtures of bismuth and sulphur (PÉLACION), A., ii, 42. of mixtures of bismuth sulphide and silver sulphide, and of bismuth sulphide and antimony sulphide (PÉLACION), A., ii, 42.

G.

Gabbro-rocks of the Val Tellina (HECKER), A., ii, 351.

Gadolinite from America (TSCHERNIK), A., ii, 419.

Gadolinium oxide, preparation of (MARC), A., ii, 174.

Galactose, mutarotation of (LOWRY), T., 1559; P., 108. equilibrium in solutions of (LOWRY), T., 1551. alkylation of (IRVINE and CAMERON), T., 1071; P., 174.

Galactosides, isomeric, hydrolysis of, by acids and enzymes (ARMSTRONG), A., i, 1070.

Galangin, synthesis of, and its acetyl derivative (v. KOSTANECKI, LAMPE, and TAMBOR), A., i, 763. isomeride of (DOBRYŃSKI and v. KOSTANECKI), A., i, 763.

Galbanic acid and its salts (TSCHIRCH and v. KÜYLENSTJERNA), A., i, 1038.

Gallic acid, electrolytic oxidation of (A. G. and F. M. PERKIN), T., 246; P., 19. estimation of (DREAPER), A., ii, 793.

cycloGallipharic acid and its salts, ethyl ester, and bromo-, nitro-, nitroamino-, and acetyl derivatives, and ketoanhydride (KUNZ-KRAUSE and SCHELLE), A., i, 587.

cycloGallipharol, **cycloGallipharone**, and **Gallipharic acid** (KUNZ-KRAUSE and SCHELLE), A., i, 588.

Galloflavin and its acetyl derivative and methyl ether (HERZIG and TSCHERNE), A., i, 814.

Gallorubin and its triacetyl derivative (FEUERSTEIN and BRASS), A., i, 344.

Garnet from Mexico (COLLINS), A., ii, 134.

Gas, electrolytic, formation of, by an alternating current (VAN NAME and GRÄFENBERG), A., ii, 465. radioactive, from crude petroleum (BURTON), A., ii, 694. from surface water (BUMSTEAD and WHEELER), A., ii, 29, 255.

Gas-absorption apparatus (NOWICKI), A., ii, 555.

Gas-analysis, complete, by means of pressure measurements (WOHL and EICKMANN), A., ii, 203. calculation of the results of (WOHL), A., ii, 202.

Gas constant R, the most probable value of the (BERTHELOT), A., ii, 705.

Gas-generator (ULRICH), A., ii, 555. modification of Ostwald's (McCoy), A., ii, 555. for producing a continuous evolution of hydrogen chloride (STEVENSON and MARRIOTTE), A., ii, 249.

Gas laws, mechanical model to illustrate the (KENRICK), A., ii, 554.

Gas purification residues, constituent of (STOECKER), A., i, 655.

Gases, critical pressure of luminescence of (DE HEMPTINNE), A., ii, 1. influence of the electric discharge at points on the combination and decomposition of (DE HEMPTINNE), A., ii, 224. ionisation of, by polonium rays (BÖHM-WENDT), A., ii, 694. comparison of the ionisation of, produced by Röntgen and radium rays (EVE), A., ii, 797. equation of condition for (GOEBEL), A., ii, 311, 706. equilibrium of, in the Bunsen flame (HABER and RICHARDT), A., ii, 166. advantage of hydrogen as unit of comparison in determining the specific gravity of (LIDOFF), A., ii, 239. new gravimetric method of determining the specific gravity of (LIDOFF), A., ii, 239. cryoscopic researches on solutions of, in liquids (GARELLI and FALCIOLA), A., ii, 312. solubility of, in liquids (CASSUTO), A., ii, 161. absorption of, by wood carbon at low temperatures (DEWAR), A., ii, 652, 728. containing hydrogen, fractional combustion of mixtures of (RICHARDT), A., ii, 167.

Gases, apparatus for collecting, for lecture purposes (RUPP), A., ii, 153.
 new apparatus for washing and absorbing (SCHEUER), A., ii, 555.
 of the air, direct separation, with liquefaction, of the most volatile (DEWAR), A., ii, 728.
 dissolved, estimation of, in sea-water (RUPPIN), A., ii, 214.
Gaseous compounds, chemical action of radiations of short wave-length on (WARBURG and REGENER), A., ii, 692.
 mixtures, liquefaction of (CAUBET), A., ii, 705.
Gastric juice of new-born dogs (GMELIN), A., ii, 672.
Gasvolumeter, new (GRUSZIEWICZ), A., ii, 287.
Gelatin, composition of, rendered insoluble by chromium salts, and the action of light on, in presence of chromates (A. and L. LUMIÈRE and SEYEWETZ), A., i, 210.
 oxidation of (ZICKGRAF), A., i, 462; (KUTSCHER and SCHENCK), A., i, 955.
 diffusion and supersaturation in (MORSE and PIERCE), A., ii, 14.
 sulphur in (KRUMMACHER), A., i, 125.
 end-products of the tryptic digestion of (LEVENE), A., ii, 188, 357.
Gelatinisation (LEVITES), A., ii, 471.
Gelatose, neutral soluble silver compounds of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 357.
Geraniol, α -derivatives of (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 842.
Geranium, essence of, from Cannes (JEANCARD and SATIE), A., i, 176.
 pigment of (GRIFFITHS), A., i, 179.
Geranylhydroxamic acid and its copper salt (VELARDI), A., i, 804.
Germanium, supposed presence of, in euxenite, samarskite, &c. (LINCIO), A., ii, 348.
Germination, evolution of free nitrogen during (CASTORO), A., ii, 506.
Gismondite from Silesia (SACHS), A., ii, 420.
Glands, physiology of (ASHER), A., ii, 500.
 hydrolysis of fresh and self-digested (LEVENE), A., ii, 828.
 feather, secretion of (RÖHMANN), A., ii, 355.
 pituitary, influence of, on metabolism (MALCOLM), A., ii, 58.

Glands, thymus, physiology of the (NOËL PATON and GOODALL), A., ii, 355.
 enzyme of the (JONES), A., ii, 191.
 thyroid and parathyroid, researches on (CHENU and MOREL), A., ii, 498.
Glass, soluble (*sodium silicate*), analysis of (HEERMANN), A., ii, 779.
Glass tubing, resistance of, to bursting pressure (BRADLEY and BROWNE), A., ii, 239.
Glass vessels, danger of using, for analytical work (MOISSAN and SIEMENS), A., ii, 398; (JALOWETZ; BARELT and SCHÖNEWALD), A., ii, 842.
Glauberite, anhydrite, syngenite, and polyhalite, deposition of, at 25° (VAN'T HOFF and FARUP), A., ii, 34.
Glauber's salt, variation of the melting point of, with pressure (TAMMANN), A., ii, 235.
 See also Sodium sulphate.
Glaucous, composition of (CLARKE), A., ii, 134; (LEITH), A., ii, 135.
Gladin, estimation of, polariscopically, in wheat-flour (SNYDER), A., ii, 524.
Globulin, artificial change of albumin into (MOLL), A., ii, 356.
Glucinum (*beryllium*), metallic (POLLOK), T., 605.
 atomic weight of (PARSONS), A., ii, 658.
 atomicity and atomic weight of (TANATAR), A., ii, 335.
Glucinum compounds (HABER and VAN OORDT), A., ii, 257, 659.
Glucinum chloride, heat of formation of (POLLOK), T., 603; P., 61.
 hydroxide (HABER and VAN OORDT), A., ii, 257, 659.
 oxide (*glucina*), extraction of, from beryl (POLLOK), T., 603; P., 61.
*iso***Glucosamine** (MAQUENNE), A., i, 18.
Glucose. See Dextrose.
Glucoses, α - and β -, and their penta-acetates and hydrolysis (ARMSTRONG and ARUP), T., 1043; P., 169.
 equilibrium between (LOWRY), T., 1551; P., 108.
Glucosides in rhubarb grown in Berne (EIJKEN), A., ii, 435.
 synthesis of (RYAN and EBRILL), A., i, 223.
 inhibitory influence of foreign molecules on the action of histozymes and ferment on (GONNERMANN), A., i, 792.
 isomeric, hydrolysis of, by acids and enzymes (ARMSTRONG), A., i, 1070
Glucosides. See also :—
 Aloin.
*iso*Amygdalin.

Glucosides. See also :—

Aphrodaescin.

Arbutin.

Artemisin.

Aucubin.

Caper-rutin.

Chitin.

Convallamarin.

Dioscin.

Gynocardin.

Indican.

Jalapin.

Ononin.

Phaeolunatin.

Phloridzin.

Populin.

Quercetin.

Rhamnosides.

Robinin.

Rutin.

Saponins.

Scammonin.

Solanin.

Sophorin.

Glutaconic acid, ethyl ester, preparation of (BLAISE), A., i, 10.

synthesis of benzene derivatives from (V. PECHMANN, BAUER, and OBERMILLER), A., i, 592.

Glutamic acid, influence of foreign substances on the rotation of (ANDRLÍK), A., i, 10. β -imino- α -cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1744; P., 243.**Glutamine** (SELLIER), A., i, 372.**Glutaric acid**, electro-synthesis of (VAN-ZETTI and COPPADORO), A., i, 141.

electrolysis of (VANZETTI), A., i, 850.

Glutaric acid, diamino-, from casein (SKRAUP), A., i, 538. β -imino- α -cyano-, ethyl ester, and the action of hydrolytic agents on (BARON, REMFRY, and THORPE), T., 1736; P., 243.**Glutaric peroxide acid** (CLOVER and HOUGHTON), A., i, 708.**Glutazine** and its cyanide, and -carboxylic acid, ethyl ester, and their oximes and dibenzoyl derivatives (BARON, REMFRY, and THORPE), T., 1740; P., 243.**Glutin** from cartilage (SADIKOFF), A., i, 126.

from sinews (SADIKOFF), A., i, 125.

Glutins, animal, and their reactions with salt solutions (SADIKOFF), A., i, 462.**Glyceric acid**, preparation of (ZINNO), A., i, 12.

dinitrate (DUVAL), A., i, 11.

Glyceric acids, d- and l- (NEUBERG and SILBERMANN), A., i, 220.**Glycerides**, purification of (KRAFFT), A., i, 137.

higher, combination of, with lead oxide (HANNAY), P., 58.

Glycerol (*glycerin*), reaction of, with salts of amines (PAUL), A., i, 925. action of phosphoric acid on (CARRÉ), A., i, 133, 215.

in the blood (MOUNNEYRAT), A., ii, 56, 183; (NICLOUX), A., ii, 56, 270.

influence of, on muscular contraction (GREGOR), A., ii, 273.

from soap-lyes, detection of arsenic in (VIZERN and GUILLOT), A., ii, 640.

estimation of (STRITAR), A., ii, 95.

estimation of, in fats (FANTO), A., ii, 451.

estimation of, in wine (ZEISEL and FANTO), A., ii, 95; (GUGLIELMETTI and COPPETTI), A., ii, 216; (HERRMANN), A., ii, 595.

Glycerophosphoric acid, salts (WILLSTÄTTER and LÜDECKE), A., i, 1067.**Glycidic acid**, $C_{22}H_{42}O_3$ (WARMBRUNN and STUTZER), A., i, 6.

bromo- (HAASE and STUTZER), A., i, 6.

Glycine (*aminoacetic acid*; *glycocine*), combination of, with alanine by means of benzoylalanineazide (CURTIUS and VAN DER LINDEN), A., i, 883.

action of phenylcarbamic azoimide on (CURTIUS and LENHARD), A., i, 888.

occurrence of, in lower animals (KELLY), A., ii, 427.

fate of, in the dog's system when injected intravenously (SALASKIN and KOWALEWSKY), A., ii, 674.

acyl derivatives (KNOEVENAGEL and LEBACH), A., i, 995.

Glycine, nickel salt (BRUNI and FORNARA), A., i, 855.**Glycine**, ethyl ester, spontaneous decomposition of (CURTIUS), A., i, 477.**Glycine hydrazide** and its benzylidene, di-*o*-hydroxybenzylidene, di- β -propylidene, diacyl, and hippuryl derivatives, and compound with ethyl acetoacetate (CURTIUS and LEVY), A., i, 834.**Glycogen**, pure (GATIN-GRUŽEWSKA), A., i, 295, 838.

molecular weight of (GATIN-GRUŽEWSKA), A., i, 717.

ultramicroscopic observations on solutions of pure (GATIN-GRUŽEWSKA and BILTZ), A., i, 976.

production and decomposition of, by lower vegetable organisms (HEINZE), A., ii, 504.

Glycogen, behaviour of, under the influence of the electric current (GATIN-GRUŽEWSKA), A., ii, 533.

hepatic, action of pilocarpine and epinephrine on the (DOYON and KAREFF), A., ii, 272.

of the foetal liver (PFLÜGER), A., ii, 427.

in organs (LOESCHKE), A., ii, 576.

estimation of (PFLÜGER), A., ii, 595.

Glycol. See Ethylene glycol.

Glycol, $C_8H_{18}O_2$, from the reduction of oxocetol (PRILERZAEFF), A., i, 795.

$C_{11}H_{16}O_4$, (two) from methylisoeugenol (BALBIANO, PAOLINI, and BERNARDINI), A., i, 73.

$C_{28}H_{26}O_2$, from magnesium bromobenzene and ethyl succinate (DILTHEY and LAST), A., i, 667.

Glycols, formation of, by the action of magnesium organic compounds on acetol and its acyl derivatives (KLING), A., i, 2.

α-Glycols, primary, transformation of, into aldehydes (TIFFENAU), A., i, 133.

ethers of, synthesis of, and their decomposition (BÉHAL and SOMMELLET), A., i, 222.

Glycolhydroxamic acid, copper salt (VELARDI), A., i, 805.

Glycollic acid, interaction of, with chromic hydroxide (WERNER), T., 1447; P., 186.

Glycollic acid, calcium salt, water of crystallisation of (DEBUS), T., 1403.

Glycollic acid, methyl ester, nitrate of (DUVAL), A., i, 138.

Glycollic acid, thio-, complex salts (ROSENHEIM and DAVIDSOHN), A., i, 843.

Glycolloglycollic acid nitrate (DUVAL), A., i, 137.

Glycolonitrile, derivatives of (HENRY), A., i, 982.

Glycolylanthranilic acid (*o-glycolylaminobenzoic acid*) (FARBERWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 881.

Glycolysis (ARNHEIM and ROSENBAUM), A., ii, 189; (PORTIER), A., ii, 828.

in the liver (HIRSCH), A., ii, 60; (FEINSCHMIDT), A., ii, 61.

Glycosuria. See Diabetes.

Glycuronic acid, formation of, in the blood (LÉPINE and BOULUD), A., ii, 422.

semicarbazone, melting point of (GIEMSA), A., i, 690; (FROMM), A., ii, 360.

Glycuronic acid, orcinol test for (VAN LEERSUM), A., ii, 688.

Glycyl compounds, formation of, by means of hippurazoinide (CURTIUS and WÜSTENFELD; CURTIUS and LEVY), A., i, 833.

i-**Glycylalanine** (FISCHER), A., i, 652.

Glycyl-l-tyrosine and its ethyl ester (FISCHER), A., i, 652.

Glyoxalic acid, isobutyl ester, and its semicarbazone (BOUVEAULT and WAHL), A., i, 547.

Glyoxaline benzoate (HELLER and KÜHN), A., i, 943.

Glyoxime, formation of (BAMBERGER and SELIGMAN), A., i, 18.

peroxides, formation of (WIELAND), A., i, 54.

Glyoxylic acid, formula of, and some of its basic salts (DEBUS), T., 1882; P., 184.

methyl ester, and its phenylhydrazone (MEYER), A., i, 970.

Goats, effect of feeding on the milk of (MORGEN, BEGER, FINGERLING, DOLL, HANCKE, SIEGLIN, and ZIELSTORFF), A., ii, 750.

Goats' milk. See Milk.

Gold, influence of sunlight on the solution of, in aqueous potassium cyanide (CALDECOTT), P., 199.

melting point of (BERTHELOT), A., ii, 489.

colloidal (HANRIOT), A., ii, 413; (VANINO and HARTL), A., ii, 808; (WHITNEY and BLAKE), A., ii, 809.

absorption phenomena and allotropy (BLAKE), A., ii, 43.

red colloidal solutions, behaviour of, towards the electric current and towards electrolytes (BLAKE), A., ii, 130.

liquid hydrosol of (GUTBIER and RESENSCHEICK), A., ii, 414.

solubility of, in certain oxidising agents (LENHER), A., ii, 490.

effect of light on the action of hydrochloric acid on (BERTHELOT), A., ii, 569.

Gold alloys with copper and with silver, densities of (HOITSEMA), A., ii, 742.

with platinum, cupellation of (CARMICHAEL), A., ii, 151; (SHARWOOD), A., ii, 450.

with platinum and silver (HOLLARD and BERTIAUX), A., ii, 685.

Gold fluoride (LENHER), A., ii, 44.

Auric sulphide, Au_2S_3 (HOFMANN and HÖCHTLEN), A., ii, 179.

Gold ammonium polysulphide (HOFMANN and HÖCHTLEN), A., ii, 179.

Gold, electrolytic analysis of (PERKIN and PREEBLE), A., ii, 370.
 titration of minute quantities of (RUPP), A., ii, 150.
 microchemical detection of, by means of the colloidal coloration of silk fibres (DONAU), A., ii, 684.
 estimation of minute quantities of, volumetrically (RUPP), A., ii, 150 ; (MAXSON), A., ii, 593.
 separation of silver, platinum, and (CARMICHAEL), A., ii, 151 ; (SHARWOOD), A., ii, 450.

Gouft oil (JEANCARD and SATIE), A., i, 517.

Gout, amino-acids in urine in cases of (IGNATOWSKI), A., ii, 674.

Grain, catalytic properties of (WENDER and LEWIN), A., ii, 584.

Grandidierite from Madagascar (LACROIX), A., ii, 52.

Grape residues, distilled (MENSIO and SOMMA), A., ii, 767.
 stones, estimation of lecithin in (WEIRICH and ORTLIEB), A., ii, 304.

Graphic acid or oxide (HYDE), A., ii, 397.

Green manure, manurial value of (V. 'SIGMOND), A., ii, 144.

Greenalite, composition of (CLARKE), A., ii, 184 ; (LEITH), A., ii, 135.

Grignard's reagent, application of, to the esters of hydroxy-acids (FRANKLAND and TWISS), T., 1666 ; P., 245.
 and nitric oxide (SAND and SINGER), A., i, 38.
 See also Magnesium organic compounds.

Group, N·C·N, behaviour of, towards acylating agents (HELLER and KÜHN), A., i, 942.

Guaiacol, distillation of, with lead oxide (PSCHORR and SILBERBACH), A., i, 581.
 oxidation of, by laccase (BERTRAND), A., i, 157.
 derivatives, absorption and excretion of (KNAPP and SUTER), A., ii, 274.
 acetyl-lactate (ANSCHÜTZ and BERTRAM), A., i, 966.

Guaiacolsulphonic acid (A. and L. LUMIÈRE and PERRIN), A., i, 157.

Guaiacum, influence of certain salts and organic substances on the oxidation of (WILCOCK), P., 197.

Guanase (JONES and PARTRIDGE), A., i, 838.

Guanidine, action of, on plants (KAWAKITA), A., ii, 762.

Guanidine, aromatic substituted, from cyanamide (KÄMPF), A., i, 534.
 detection of, amongst the products of the autodigestion of the pancreas (KUTSCHER and OTORI), A., ii, 828.

Guanidine, triamino-, hydrochloride and tribenzylidene derivative (STOLLE), A., i, 980.

Guanine, compound of, with diazobenzenesulphonic acid (BURIÁN), A., i, 355, 358.

Gum of *Manganifera indica* (LEEMELAND), A., ii, 583.

Gums, hydrolysis of (HAUERS and TOLLENS), A., i, 16.
 of the arabin group, bacterial origin of the (SMITH), A., ii, 362.

Gun-cotton, Schönbein's, stability of ; a correction (FICHTER), A., i, 375.

Gotta-percha, presence of esters of cinnamic acid in (VAN ROMBURGH), A., i, 905.
 the alban of (TSCHIRCH), A., i, 76.

Gotta-percha resin, constitution of (WEBER), A., i, 331.

Gymnema sylvestre, *l*-quercitol from (POWER and TUTIN), T., 624 ; P., 87.
 leaves of (POWER and TUTIN), A., ii, 763.

Gynocardin (POWER and GORNALL), P., 137.

Gypsum and anhydrite (VAN'T HOFF, ARMSTRONG, HINRICHSEN, WEIGERT, and JUST), A., ii, 35.
 spontaneous crystallisation of (MEUNIER), A., ii, 33.
 See also Calcium sulphate.

H.

Hæmase (LOEW), A., i, 358.

Hæmtein and **Hæmalum** (MAYER), A., i, 909.

Hæmatin (KÜSTER), A., i, 357 ; (KÜSTER and HAAS), A., i, 647.
 products of distillation of, with zinc dust (MILROY), A., i, 791.

Hæmatoporphyrinuria not due to sulphonal (GARROD), A., ii, 629.

Hæmatoxylin and brazilin (HERZIG and POLLAK), A., i, 81, 333, 908.

Hæmin from different sources (KÜSTER), A., i, 357 ; (MÖRNER), A., i, 791.
 formula of (HETPER and MARCHLEWSKI), A., i, 839.
 action of boiling aniline on (KÜSTER), A., i, 358.

***B*-Hæmin**, Mörner's (HETPER and MARCHLEWSKI), A., i, 463.

Hæmoglobin, relation of oxygen and (BOHR), A., ii, 421.
 relationship of, to chlorophyll (MARCHLEWSKI), A., i, 463.
 in muscles (LEHMANN, WERNER, STADTFELD, MANDELBAUM, EISENLAUER, and IMHOF), A., ii, 60.
 action of radium emanations on (HENRI and MAYER), A., ii, 184.
 horse's, heteromorphism of (UHLIK), A., ii, 672.

Hæmoglobinometer (MEISLING), A., ii, 440.

Hæmolsins, influence of the stromata and liquid of laked corpuscles on the production of (STEWART), A., ii, 497.

Hæmolysis by chemical precipitates (GENGOU), A., ii, 496.

Hæmorrhage, influence of, on lymph (POSNER and GIES), A., ii, 185.
 influence of, on proteid katabolism (HAWK and GIES), A., ii, 184, 497.
 severe, effect of intravenous injection of sodium hydrogen carbonate after (DAWSON), A., ii, 195.

Heat. See Thermochemistry.

Haidingerite, artificial production of (DE SCHULTEN), A., ii, 492.

Halloysite from California (SCHALLER), A., ii, 348.

Halogen compounds of the elements when dissolved in phosphorus oxychloride, cryoscopic behaviour of (ODDO and TEALUD), A., ii, 236.
 action of dilute nitric acid on (KONOWALOFF), A., i, 495.
 aromatic, direct reduction of, by nickel and hydrogen (SABATIER and MAILHE), A., i, 303; (BERTHELLOT), A., i, 304.

Halogen salts, double, composition of (WELLS), A., ii, 392.
 mutual rearrangement in molten masses of mixtures of (N. and W. BEKETOFF), A., ii, 657.

Halogen substitution in some nitro-halogenated compounds (BLANKSMA), A., i, 566.

Halogens, action of, on compounds containing the carbonyl group (LAWORTH), T., 30.
 estimation of, in organic compounds (BAUBIGNY and CHAVANNE), A., ii, 203.
 estimation of sulphides and, in presence of each other (FELD), A., ii, 205.

Hausmannite, formula of (GORGEU), A., ii, 126.

Hausmannites, Swedish (GORGEU), A., ii, 133.

Hay-fever (GLEGG), A., ii, 578.

Heart, inhibitory influence of potassium on the (MARTIN), A., ii, 577.
 action of ptomaines on the (WALLER and SOWTON), A., ii, 65.
 mammalian, action of potassium salts on the (BRAUN), A., ii, 631.
 isolated mammalian, action of the salts of Ringer's solution on the (GROSS), A., ii, 55.
 action of sugars on the (LOCKE; LOCKE and ROSENHEIM), A., i, 422.
 perfused with Ringer's solution, activity of nerves on the (HERING), A., ii, 55.

Heart muscle rhythm of strips of (MARTIN), A., ii, 426.

Helianthus, pigment of (GRIFFITHS), A., i, 179.

Helium, production of, from radium (RAMSAY and SODDY), A., ii, 482; (HIMSTEDT and MEYER), A., ii, 729.
 radioactive substances in relation to the presence of (NASINI), A., ii, 399, 461.
 spark potential in (RITTER), A., ii, 463.
 diffusion of argon and (SCHMIDT), A., ii, 643.
 liquefaction of (DEWAR), A., ii, 729.

Hemimellithene. See 1:2:3-Trimethylbenzene.

Heminucleic acid (ALSBERG), A., i, 791.

Heptadecyl aldehyde. See Margaric aldehyde.
 cyanide, α -hydroxy-, and its hydrolysis (LE SUEUR), T., 834; P., 133.

Heptanaphthylenes. See Methylcyclohexenes.

Heptane. See β -Ethylpentane.

Heptanedicarboxylic acid. See Azelaic acid.

Heptanepyrazolinecarboxylic acid, ethyl ester, and its hydrochloride (BUCHNER and SCHEDA), A., i, 412.

Δ^1 -cyclo**Heptenecarboxylic acid**, ethyl ester (BUCHNER and SCHEDA), A., i, 412.

o-**Heptenylanisole** (KLAGES), A., i, 1004.

Heptenylmesitylene and its nitrosochloride (KLAGES and STAMM), A., i, 303.

Heptinene. See $\beta\delta$ -Dimethyl- $\alpha\gamma$ -penta-diene.

Heptinoic acid. See Crotonyldimethyl-acetic acid.

*iso***Heptodilactone** (FITTIG and FRIEDMANN), A., i, 418.

Heptoic acids. See α -Methylhexoic acid and $\alpha\gamma$ -Trimethylbutyric acid.

Heptoylemesylene (KLAGES and STAMM), A., i, 303.

Heptyl alcohol. See *iso*Hexylcarbinol.

α -Heptylanisole and its sulphonic acid (KLAGES), A., i, 1005.

n -Heptyl-cyanoacetic and -malenic acids (PICCININI), A., i, 504.

Heptylene. See $\beta\delta$ -Dimethyl- γ -pentene.

Heptenedicarboxylic acid. See *iso*-Butylitaconic acid.

Heptylmesylene and its sulphonic acid (KLAGES and STAMM), A., i, 483.

Herbivora, parent substance of the hippuric acid produced in the organism of (PFEIFFER, RIECKE, and BLOCH), A., ii, 754.

urine of (SALKOWSKI), A., ii, 753.

Herring-brine, purine bases of (ISAAC), A., ii, 628.

Hesperitin, molecular weight of (PERKIN and PHIPPS), T., 62.

Heterocyclic compounds, formation of, from hydrazine derivatives (STOLLÉ), A., i, 102, 200, 453; (STOLLÉ and STEVENS), A., i, 626; (STOLLÉ and FOERSTER), A., i, 627; (STOLLÉ and JOHANNISSEN), A., i, 694; (STOLLÉ and HILLE; STOLLÉ and ZINSSER), A., i, 695.

Heteropterin from the roots of *Heptopteris pauciflora* (MANNICH), A., i, 853.

Hexadiene. See Diallyl.

2:5-Hexadione-3-carboxylic acid. See $\alpha\beta$ -Diacetylpropionic acid.

Hexahydroacetophenone and its semi-carbazone and sodium bisulphite compound (BOUVEAULT), A., i, 62.

Hexahydroanthracene, dibromo- and dichloro- (GODCHOT), A., i, 988.

Hexahydrobenzene. See *cyclo*Hexane.

Hexahydrobenzaldehyde and its semi-carbazone and sodium bisulphite compound (BOUVEAULT), A., i, 61.

Hexahydrobenzoic acid, *trans*- δ -bromo- and -hydroxy-, and γ -mono- and $\gamma\delta$ -dibromo- (PERKIN), T., 419; P., 51.

Hexahydrocarvacrol (BRUNEL), A., i, 158.

Hexahydrohomoisophthalic acid (KOMPPA and HIRN), A., i, 60.

Hexahydrothymol (BRUNEL), A., i, 158.

Hexahydroterephthalic acid, α -hydroxy, *cis*- and *trans*-, and the nitrile of the trans-acid (PERKIN), T., 420; P., 51.

Hexahydro-*m*-tolualdehyde and its semi-carbazone (TSCHITSCHIBABIN), A., i, 421.

Hexahydro-*p*-toluic acid, δ -mono- and $\gamma\delta$ -dibromo-, and δ -hydroxy-, and its lactone (PERKIN), T., 657; P., 86.

Hexamethylacridine haloids (SENIER and AUSTIN), T., 1202; P., 176.

Hexamethyltriaminocaphenine (SACHS and STEINERT), A., i, 506.

Hexamethyltriaminohydrobenzamide and its derivatives (SACHS and STEINERT), A., i, 506.

Hexamethyltriaminotriphenylcarbinol, methyl ether (v. BAAYER and VILLIGER), A., i, 787.

Hexamethyl diphenyls, 2:4:5:2':4':5' and 2:4:6:2':4':6' (ULLMANN), A., i, 726.

Hexamethylene. See *cyclo*Hexane.

Hexamethylenetetramine methiodide and its picrate (EINHORN and PRETTNER), A., i, 980.

Hexane. See $\beta\gamma$ -Dimethylbutane.

cycloHexane derivatives (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 411.

1:2-dibromo-, and the action of alcoholic potash and quinoline on (CROSSLEY), T., 1414; P., 160.

cycloHexanecarboxylonitrile (*cyanohexamethylene*) (DEMJANOFF), A., i, 410.

Hexanedicarboxylic acids. See *iso*Amylmalonic acid, Diethylsuccinic acid, Dimethyladipic acids, Dimethylisopropylmalonic acid, Tetramethylsuccinic acid, and Trimethylglutaric acids.

cycloHexanerosanilines, carbinol salts of (SCHMIDLIN), A., i, 944.

tetrahydroxy- (SCHMIDLIN), A., i, 944, 1061.

cycloHexane series, synthesis of alcohols of the (SABATIER and MAILHE), A., i, 809.

Hexane- $\alpha\gamma\delta\zeta$ -tetra- and - $\alpha\gamma\gamma\delta\zeta$ -hexa-carboxylic acids (SILBERRAD), T., 614; P., 61.

Hexanetricarboxylic acids. See Dimethylbutanetricarboxylic acids.

Hexane- $\beta\gamma\epsilon$ -trione, trioxime of, and its tribenzoyl derivative (ANGELI, ANGELICO, and CALVELLO), A., i, 188; (ANGELICO and CALVELLO), A., i, 447.

cycloHexanol (HOLLEMAN; BOUVEAULT), A., i, 40; (BRUNEL), A., i, 158.

new series of tertiary alcohols from (SABATIER and MAILHE), A., i, 666.

cycloHexanol and *cyclo*Hexanone, direct preparation of, from phenol (SABATIER and SENDERENS), A., i, 156.

cycloHexanol-4-carboxylic acid. See Hexahydrobenzoic acid, δ -hydroxy.

cycloHexanone-4-carboxylic acid. See δ -Ketohexahydrobenzoic acid.

Hexaphenylethane (VORLÄNDER), A., i, 659.

Hexaphenyl-*p*-xylene, 4':4'-diamino-, and 4':4'-dihydroxy-, and the diacetyl derivative of the amino-compound (ULLMANN and SCHLAEFFER), A., i, 570.

Hexatolylethane (GOMBERG), A., i, 489.

Δ^3 -cycloHexene carboxylic acid. See Δ^3 -Tetrahydrobenzoic acid.

Hexenoic acid and anhydride, amino- (FISCHER and SCHLÖTTERBECK), A., i, 549.

Hexenoic acids and their *p*-toluidides (FICHTER and PFISTER), A., i, 548. See also Dimethylvinylacetic acid, Ethylcrotonic acid, Methylpentenoic acids, and Pyroterebic acid.

isoHexeric acid (FITTIG, BORSTELMANN, and LURIE), A., i, 968.

Hexinoic acid. See Sorbic acid.

Hexoamide, *di*iodo- (CURTIUS and MÜLLER), A., i, 482.

isoHexoic acid (*isocaproic acid*), γ -bromo-, ethyl ester (JONES and TATTERSALL), T., 1693; P., 218.

Hexoic acids. See α -Ethylbutyric acid and α -Methylvaleric acid.

isoHexolactone, new synthesis of (JONES and TATTERSALL), T., 1691; P., 218.

Hexone bases in tubers of potatoes and dahlias (SCHULZE), A., ii, 282. isolation of (SCHULZE), A., ii, 446.

Hexoses, reactions of the (OFNER), A., i, 798.

Hexoylacetic acid and its ethyl ester, and homologues (LOCQUIN), A., i, 552.

isoHexoylacetic acid, ethyl ester, homologues of (LOCQUIN), A., i, 552.

C-isoHexoylacetoacetic acid, ethyl ester (LOCQUIN), A., i, 553.

isoHexoyl-leucine and -tyrosine, α -bromo- (FISCHER), A., i, 652.

isoHexoyl-leucylglycylglycine, α -bromo- (FISCHER), A., i, 653.

Hexoylsec.-octylacetic acid, ethyl ester (LOCQUIN), A., i, 552.

Hexoyl-phenyl- and -phenylbenzyl-thiocarbamides (DIXON), T., 809; P., 128.

Hexoylthiocarbimide (DIXON), T., 807; P., 128.

ab-Hexoyl-*o*- and -*p*-tolyl-carbamides, and -thiocarbamides (DIXON), T., 810; P., 128.

Hexyl alcohols. See Dimethyl*iso*propylcarbinol and Methyl-diethylcarbinol.

cycloHexylamine and its methyl and ethyl derivatives (SABATIER and SENDERENS), A., i, 661.

cycloHexylamine, synthesis of (SABATIER and SENDERENS), A., i, 305.

cycloHexylaniline and its methyl derivative (SABATIER and SENDERENS), A., i, 661.

synthesis of (SABATIER and SENDERENS), A., i, 305.

Hexyltaconic acid and its oxidation (FITTIG and SIMON), A., i, 554.

α -Hexylbenzene and its sulphonic acid (KLAGES and SAUTTER), A., i, 302.

sec.-Hexylbenzene. See α -Dimethylbutylbenzene.

isoHexylcarbinol, β -amino-, action of methyl iodide on (KOHN), A., i, 933.

cycloHexylcarbinol and its mono- and di-methyl and isobutyl derivatives (SABATIER and MAILHE), A., i, 810.

Hexylene. See β - γ -Dimethyl- $\Delta\beta$ -butyl-ene.

Hexylenedicarboxylic acid. See $\alpha\alpha$ -Trimethylglutaconic acid.

cycloHexylcyclohexanol (SABATIER and MAILHE), A., i, 667.

Hexylitaconic acid, oxidation of (FITTIG and SIMON), A., i, 554.

Hexyltitartaric acid and its salts (FITTIG and SIMON), A., i, 554.

cycloHexylmethylcarbinol (BOUVEAULT), A., i, 62.

5-Hexylisooxazole (MOUREU and DELANGE), A., i, 650.

Hexylparaconic acid, hydroxy-, and its salts (FITTIG and SIMON), A., i, 554.

Hexylpropionaldehyde and its *o*-diethyl ether (MOUREU and DELANGE), A., i, 650.

Hippuric acid produced in the organism of herbivorous animals, parent substance of the (PFEIFFER, RIECKE, and BLOCH), A., ii, 754.

Hippurylalanine and its salts, esters, hydrazides, urethane, amide, azoimide, and phenylcarbamide derivative (CURTIUS and LAMBOTTE), A., i, 835.

Hippuryl- α -alanyl- α -alanine and its salts, esters, hydrazides, azoimide, urethane, and carbamide and phenylcarbamide derivatives (CURTIUS and LAMBOTTE), A., i, 835.

Hippurylazoinide, action of, on α -alanine (CURTIUS and LAMBOTTE), A., i, 835.

action of, on carbamide (CURTIUS and LENHARD), A., i, 888.

compounds of, with γ -aminobutyric acid and with β -phenylalanine (CURTIUS and MÜLLER), A., i, 887.

compounds of β -amino- α -hydroxypropionic acid and of β -aminobutyric acid with (CURTIUS and GUMLICH), A., i, 886.

Hippurylazoimide, compounds of aspartic acid with (T. and H. CURTIUS), A., i, 884.

formation of glycyl compounds by means of (CURTIUS and WÜSTENFELD; CURTIUS and LEVY), A., i, 833.

Hippuryldi- α -alanyl- α -alanine (CURTIUS and LAMBOTTE), A., i, 836.

Hips, chemistry of (WITTMANN), A., ii, 435.

Histidine, constitution of (PAULY), A., i, 1068.

Histon (BANG), A., i, 127.

chemical nature of (FOÅ), A., i, 701.

See also Thymus-histon.

Histozymes, inhibitory influence of foreign molecules on the action of, on amides and glucosides (GONNERMANN), A., i, 792.

Histrixite from Tasmania (PETTERD), A., ii, 47.

Holmium (FORSLING), A., ii, 176.

Homatropine methobromide (MERCK), A., i, 187.

Homoallantoic acid, ethylester (SIMON), A., i, 300.

Homofluorindine, 2-chloro-, and 2:10-dichloro-, and the hydrochloride of the monochloro- (ULLMANN and MAUTHNER), A., i, 192.

Homofluorindine-2-carboxylic and -2-sulphonic acids (ULLMANN and MAUTHNER), A., i, 193.

Homologous compounds, surface tension and molecular complexity of active (HOMFRAY and GUYE), A., ii, 388.

boiling points of (RAMAGE), A., ii, 467.

Homophthalic acid, esterification of (WEGHSCHIEDER and GLOGAU), A., i, 249.

Homotanacetonedicarboxylic acid and anhydride (SEMMLER), A., i, 176.

Homo- ψ -thiopyrine (MICHAELIS, BESSON, MOELLER, and KOBER), A., i, 783.

"Honey-dextrins" (HAENLE and SCHOLZ), A., ii, 96.

Horny structures, hygroscopic characters of certain (FILEHNE and BIBERFELD), A., ii, 575.

Horse-chestnuts, examination and evaluation of (LAVES), A., ii, 74.

Howlite from California (GILES), A., ii, 135.

Humus, estimation of, volumetrically, in soil (ISTSCHEREKOFF), A., ii, 796.

Hydantoin and its $\alpha\beta$ -diacetyl derivative (SIEMONSEN), A., i, 952.

Hydantoincarboxylic acid, amino- (PILOTY and FINCKH), A., i, 825.

Hydrargyrum oxycyanatum (HOLDERMANN), A., i, 301.

Hydrastinine, constitution of (DOBIE and TINKLER), T., 1005; P., 162.

condensation of, with ketones (LIEBERMANN and KROPP), A., i, 263; (LIEBERMANN and GLAWE), A., i, 765.

hydro-derivatives, preparation of (FREUND), A., i, 916.

Hydrates in solution (JONES and GETMAN), A., ii, 386, 710; (BILTZ), A., ii, 710.

Hydratropyltropeine (CHININFABRIK BRAUNSCHWEIG, BUCHLER & Co.), A., i, 685.

Hydrazidocarboxylic acid, ethyl ester, hydrochloride (STOLLÉ and BENRATH), A., i, 935.

Hydrazine, catalysis of (PURGOTTI and ZANICHELLI), A., ii, 329.

diazotisation of (BETTI), A., i, 564.

use of, for the separation of metals (JANNASCH and BETTGES), A., ii, 517, 519; (JANNASCH and STEPHAN), A., ii, 519; (JANNASCH and ROSTOSKY), A., ii, 594.

derivatives, formation of heterocyclic compounds from (STOLLÉ), A., i, 102, 200, 453; (STOLLÉ and STEVENS), A., i, 626; (STOLLÉ and FOERSTER), A., i, 627; (STOLLÉ and JOHANNISIEN), A., i, 694; (STOLLÉ and HILLE; STOLLÉ and ZINSSER), A., i, 695.

hydrate, vapour density of (SCOTT), T., 913; P., 84.

sulphate, use of, in gasometric analysis (DE GIRARD and DE SAPORTA), A., ii, 678.

use of, in the estimation of oxidising substances (ROBERTO and RONCALI), A., ii, 773.

free and combined, estimation of (RIMINI), A., ii, 207.

Hydrazines, primary, addition of alkylcarbimides and thiocarbimides to (BUSCH, OFFERMANN, and WALTHER), A., i, 628.

Hydrazo-acids, action of carbimides and thiocarbimides on (BAILEY, ACREE, and MILLER), A., i, 826.

Hydrazobenzene, formation of, from benzidine (HOLLEMAN and VAN LOON), A., i, 193.

m-hydroxy- (JACOBSON and HÖNIGSBERGER), A., i, 206.

Hydrazobenzene-4:4'-disulphonic acid, *di*-*o*-amino-, and its sodium salt (ZINCKE and KUCHENBECKER), A., i, 456.

Hydrazo-compounds, action of carbon disulphide on (JACOBSON and HUGERSHOFF), A., i, 106.

Hydrazoic acid. See Azoimide.

2:2-Hydrazonaphthalene (MEISENHEIMER and WITTE), A., i, 193.

Hydrazones, properties of (REUTT and v. PAWLEWSKI), A., i, 99.

estimation of nitrogen in, by Kjeldahl's method (MILBAUER), A., ii, 207.

p-Hydrazotoluene, crystallisation of (BRUNI), A., i, 536.

β-Hydrindone and its semicarbazone (WALLACH and BESCHKE), A., i, 987.

tetrachloro- (ZINCKE and FRIES), A., i, 1009.

Hydriodic acid. See under Iodine.

*iso***Hydroanisoin** (APITZSCH and METZGER), A., i, 510.

Hydrobromic acid. See under Bromine.

Hydrocarbon, C_9H_{14} , from pinonic acid (SEMMLER), A., i, 261.

$(C_{10}H_{16})x$, from cineol (THOMS and MOLLE), A., i, 600.

$C_{14}H_{12}$, from phenylpropiolyl chloride and benzene (WATSON), T., 1325 ; P., 181.

$C_{16}H_{12}$, from the action of nickel carbonyl on naphthalene (DEWAR and JONES), T., 213 ; P., 6.

$C_{18}H_{14}$, from magnesioacetylene bromide and benzaldehyde (ODDO), A., i, 862.

$C_{25}H_{22}$, from dypnone (DELACRE and GESCHÉ), A., i, 32.

$C_{25}H_{24}$, isomeric, from the reduction of $C_{25}H_{22}$ (DELACRE and GESCHÉ), A., i, 32.

$C_{25}H_{26}$, isomeric, from the reduction of $C_{25}H_{22}$ and $C_{25}H_{24}$ (DELACRE and GESCHÉ), A., i, 33.

Hydrocarbons from cholesterol (MAUTHNER and SUIDA), A., i, 50.

in Italian petroleum (BALBIANO and ZEPPA), A., ii, 45.

in Louisiana petroleum (COATES and BEST), A., ii, 45.

formation of, from haloid derivatives (SABATIER and MAILHE), A., i, 303 ; (BERTHELOT), A., i, 304.

synthesis of, by means of magnesium organic compounds (WERNER), A., i, 25 ; (HOUBEN), A., i, 302.

method of preparing new, from the naphthalenes and terpenes (NASTUKOFF), A., i, 801.

method of testing the purity of (NASTUKOFF), A., i, 801.

conversion of, into alcohols and fatty acids during the saponification of spermaceti (REALE), A., i, 283.

Hydrocarbons, aromatic, action of, on nickel carbonyl in presence of aluminium chloride (DEWAR and JONES), T., 212 ; P., 6.

toxicity of (CHASSEVANT and GARNIER), A., ii, 66.

benzenoid, synthesis of, by the reduction of oxygenated groups (KLAGES and STAMM), A., i, 483.

cyclic, formation of (EIJKMAN), A., i, 25.

from unsaturated acids of the sorbic series (DOEBNER and STAUDINGER), A., i, 149.

halogenated, magnesium compounds, action of selenium and sulphur on (TABOURY), A., i, 493.

unsaturated, formation of (v. FELLENBERG), A., i, 961.

Hydrocarbons. See also Olefines and Sesquiterpenes.

Hydrocellulose (CROSS and BEVAN), T., 691 ; P., 90.

Hydrocellulose, so-called (STERN), T., 336 ; P., 43.

Hydrochloric acid. See under Chlorine.

Hydrocinnamylisocrotonic acid and its salts and dibromide (FITTIG and BATT), A., i, 744.

Hydrocinnamylidenemalonic acids, $\alpha\delta$ - and $\gamma\delta$ - (RIBER), A., i, 894.

Hydrocyanic acid. See under Cyanogen.

Hydrocinnamylidenesuccinic acid and its salts, tetrabromide, and anhydride (FITTIG and BATT), A., i, 745.

Hydroferrocyanic acid and **Hydroferri-cyanic acid**, chemical equilibrium between (PRUD'HOMME), A., i, 21.

Hydrofluoric acid and **Hydrofluosilicic acid**. See under Fluorine.

Hydrogel, absorption compounds of (VAN BEMMEL), A., ii, 18.

Hydrogen, atomic weight of (GUYE and MALLET), A., ii, 392 ; (GUYE), A., ii, 475.

atomic weight of, and compressibility of, between one and half an atmosphere (RAYLEIGH), A., ii, 313.

solid, formation of (TRavers), A., ii, 328.

density of (DEWAR), A., ii, 393.

influence of temperature and pressure on the absorption and diffusion of, in palladium (SCHMIDT), A., ii, 312.

solubility of, in water as affected by different dissociated substances (KNOPP), A., ii, 542.

comparative solubility of, in water and in aqueous solutions (GEFFCKEN), A., ii, 708.

viscosity of (MARKOWSKI), A., ii, 652.

Hydrogen, action of ozone on (PICKEL), A., ii, 248.
 union of, with chlorine (MELLOR), P., 140, 196.
 under the influence of light (BEVAN), A., ii, 21.
 action of temperature on the period of induction (MELLOR), P., 53,
 preparation of an explosive mixture of oxygen and (lecture experiment) (TECLU), A., ii, 477.
 the catalytic combination of, with oxygen in presence of platinum (BODENSTEIN), A., ii, 245.

Hydrogen bromide. See under Bromine.
 chloride. See under Chlorine.
 cyanide. See under Cyanogen.
 fluoride. See under Fluorine.
 iodide. See under Iodine.
 nitride. See Azoimide.

Hydrogen peroxide, electrolytic formation of (RICHARZ), A., ii, 114.
 limits of stability of (NERNST), A., ii, 249.
 catalysis of, by iodine ions (WALTON), A., ii, 319.
 palladium catalysis of (BREDIG and FORTNER), A., ii, 318.
 influence of persulphates on the catalytic decomposition of, by means of colloidal platinum (PRICE and DENNING), A., ii, 247.
 and Caro's persulphuric acid, effect of colloidal platinum on mixtures of (PRICE and FRIEND), T., 1526; P., 187.
 effect of ions on the decomposition of, by pancreatic extract and by platinum black (NEILSON and BROWN), A., ii, 229.
 decomposition of, under the influence of radium bromide (FENTON), A., ii, 477.
 decomposition of, by yeast catalase (WENDER), A., i, 542.
 distribution co-efficient of, between water and ether (OSSIPOFF and POPOFF), A., ii, 165.
 action of, on anhydrides (CLOVER and HOUGHTON), A., i, 707.
 function of peroxydase in the reaction between hydriodic acid and (BACH), A., ii, 810.
 action of, on silver oxide, peroxide, carbonate, and nitrate (MULDER), A., ii, 32.
 action of, on tellurium dioxide (GUTBIER and WAGENKNECHT), A., ii, 613.
 estimation of, in presence of potassium persulphate by means of potassium permanganate (FRIEND), T., 597, 1533; P., 65, 198.

Hydrogen peroxide ions and their discharge potential (CARRARA and BRINGHENTI), A., ii, 228.

Hydrogen phosphide, action of mercuric iodide on (LEMOULT), A., ii, 728.
 liquefied, physical constants of, as solvent (MCINTOSH and STEELE), A., ii, 533; (ARCHIBALD and MCINTOSH), A., ii, 534.
 solid, molecular weight of (SCHENCK and BUCK), A., ii, 252.

Hydrogen selenide, formation of (JONES), A., ii, 723.

Hydrogen sulphide, condition of, in mineral wells (AUERBACH), A., ii, 723.
 formation of (JONES), A., ii, 723.
 formation of, by alcoholic fermentation (POZZI-ESCOL), A., ii, 580.
 formation of, by organic extracts and proteids (POZZI-ESCOL), A., i, 130; (ABELOUS and RIBAUT), A., i, 704.
 solution, preparation of, for use in analysis (SANDER), A., ii, 145.
 liquefied, physical constants of, as solvent (MCINTOSH and STEELE), A., ii, 533; (ARCHIBALD and MCINTOSH), A., ii, 534.
 separation of sulphur by the incomplete combustion of (HABERMANN), A., ii, 165.
 action of, on silicon tetrabromide in presence of aluminium bromide (BLIX), A., ii, 119.

Hydrogen telluride, formation of (JONES), A., ii, 723.

Hydrogen ions in a solution, determination of the concentration of, by means of indicators (SALM), A., ii, 536.
 influence of, on the regeneration and growth of *Tubularia* (LOEB), A., ii, 273.

Hydrolysis. See Affinity.

Hydromagnesite from Emarese in the Aosta Valley (BRUGNATELLI), A., ii, 48.

Hydronitric acid. See Azoimide.

Hydroquinine, hydroxy-, preparation of (VEREINIGTE CHININFABRIKEN ZIMMER & CO.), A., i, 819.

Hydroxamic acids (ANGELI, ANGELICO, and SCURTI), A., i, 310; (FRANCESCONI and BASTIANINI), A., i, 721; (ANGELI and ANGELICO), A., ii, 330.

Hydroxy-acid, $C_9H_5O_2$, from the decomposition of the nitroso-compound from aminolauronic anhydride (NOYES and TAVEAU), A., i, 807.

Hydroxy-acids, nitrates of (DUVAL), A., i, 11, 137.

Hydroxy-acids, esters, application of the Grignard reaction to (FRANKLAND and TWISS), T., 1666; P., 245.

α-Hydroxy-acids, $\beta\gamma$ -unsaturated, mechanism of the transformation of, into the isomeric γ -ketonic acids (ERLENMEYER), A., i, 892; (Houben), A., i, 1014.

Hydroxyaldehydes, acidimetry of (MEYER), A., i, 251.

aromatic, O - and N -acetyl derivatives of the phenylhydrazones of (AUWERS and BONDY), A., i, 1053; (AUWERS and BÜRGER), A., i, 1054.

α-Hydroxycarboxylic acids, action of heat on (LE SUEUR), T., 827; P., 14, 132.

Hydroxy-derivatives. See under the parent Substance.

Hydroxyl groups, estimation of, in carbon compounds (HIBBERT and SUDBOROUGH), T., 933.

Hydroxyketone, $C_8H_{16}O_2$, and its semicarbazone, from the reduction of oxoctenol (PRILERZAEFF), A., i, 795.

$C_{21}H_{18}O_2$, from phenyl magnesium bromide and ethyl malonate (DILTHEY and LAST), A., i, 667.

Hydroxy-ketones, aromatic (AUWERS), A., i, 66.

Hydroxy-ketonic acid, $C_{27}H_{44}O_4$, and its sodium salt, methyl ester, and oxime (WINDAUS), A., i, 667.

Hydroxyl ions, influence of, on the regeneration and growth of *Tubularia* (LOEB), A., ii, 273.

iodine-tannin reaction for (VAUBEL), A., ii, 82.

Hydroxylamine, interaction of, with disubstituted cyanoamides (V. BRAUN and SCHWARZ), A., i, 38.

action of cyanogen bromide on (WIELAND), A., i, 628.

action of, on unsaturated acids (POSNER), A., i, 160; (HARRIES and HAARMANN), A., i, 231.

new reaction of (SIMON), A., ii, 84.

salts in qualitative analysis (TARUGI), A., ii, 297.

estimation of, by means of ferric alum and potassium permanganate (LEUBA), A., ii, 639.

Hydroxylamines (HAASE and WOLFFFESTEIN), A., i, 856.

Hydroxylaminetrisulphonates (*metasulphazilates*) (HAGA), T., 78.

Hydroxylamino-compounds. See under the parent Substance.

Hydurlic acid, acid ammonium salt ("uramitic acid") (PILOTY and FINCKH), A., i, 825.

Hyoscyamine methobromide (MERCK), A., i, 187.

Hyoscyamines, physiological action of the (CUSHNY), A., ii, 66.

Hypochlorous acid. See under Chlorine.

Hypophosphorous acid. See under Phosphorus.

Hyposulphurous acid. See under Sulphur.

Hypoxanthine and thio-, synthesis of (TRAUBE), A., i, 632.

crystallisation of (MICKO), A., ii, 793.

compound of, with diazobenzenesulphonic acid (BURIÁN), A., i, 355.

I.

Idocrase ("californite") as an ornamental stone (KUNZ), A., ii, 50.

Ilmenite, axial ratios and chemical composition of (DOBY and MELCZER), A., ii, 666.

Imiazole-1-diazobenzenesulphonic acid (BURIÁN), A., i, 354.

Imines, condensation of, with α -ethylenic ketones (MAYER), A., i, 832.

cyclic, of the hydroaromatic series, physiological action of (JACOBJ, HAYASHI, and SZUBINSKI), A., ii, 196.

Iminoacetyl-methylmalonamic acid, ethyl ester (BEHREND and HESSE), A., i, 379.

Iminoacetyl-phenyl- and -methyl-thiomalonamic acids, ethyl esters (BEHREND and HESSE), A., i, 379.

Imino-compounds, formation and reactions of (BARON, REMFRY, and THORPE), T., 1726; P., 243.

Iminodicarboxylic acid, methyl ethyl ester (DIELS and NAWIASKY), A., i, 980.

Iminodioxalic acid, ethyl ester (DIELS and NAWIASKY), A., i, 981.

Imino-ethers and the action of dry ammonia on (LANDER), T., 984; P., 132.

Iminopyrine (5-imino-1-phenyl-2:3-dimethylpyrazolone) and its additive salts and benzoyl and ethylurethane derivatives (STOLZ), A., i, 113.

Immedial-pure-blue (GNEHM and KAUFER), A., i, 687, 935.

Immunity, chemical theories of (BORDET), A., ii, 832.

passive, conference of, on the same species, and on a species other than that providing the antitoxic serum (BASHFORD), A., ii 61.

Inanition, comparative physiology of (SLOWTZOFF), A., ii, 59.
 proteids of the body during (BLUMENTHAL), A., ii, 65 ; (ABDERHALDEN, BERGELL, and DÖRPINGHAUS), A., ii, 272.
 effect of, on the brain of the rat (HATAI), A., ii, 673.

Incinerator, new (SCHNEIDER), A., ii, 722.

Indanthrene and its amino-, bromo-, and chloro-derivatives (SCHOLL), A., i, 109 ; (SCHOLL and BERBLINGER), A., i, 110.

Indazole, amino- and nitro-derivatives, and their additive salts, and acyl, alkyl, and aryl derivatives (NOELTING), A., i, 690.

*iso***Indazolone** (*benzoisopyrazolone*) (THODE), A., i, 347.

Indazyl derivatives, formation of (FREUNDLER), A., i, 667.

*o***Indazylbenzoic acid** (FREUNDLER), A., i, 699.

*o***Indazyl-benzoic acid**, *-benzylacetal*, and *-benzaldehyde*, and the nitrate and hydrazone of the aldehyde (FREUNDLER), A., i, 108.

Indazyl-*o*-benzyl alcohol and its methyl ether and acetate (FREUNDLER), A., i, 121, 667, 699.

Indene, nitrite and β -nitro- (WALLACH and BESCHKE), A., i, 987.

Indenophenazineglycolic acid (FISCHER), A., i, 112.

Indiarubber. See Caoutchouc.

Indican, urinary (MONFET ; HERVIEUX), A., ii, 63 ; (MAILLARD), A., ii, 193.
 origin and precursors of (UNDERHILL), A., ii, 193, 754.
 estimation of, in urine (BOUMA ; MONFET), A., ii, 102 ; (ELLINGER), A., ii, 303 ; (MAILLARD), A., ii, 500.

Indicator, new (ROBIN), A., ii, 440, 445.
 iris flower extract as (OSSENDOWSKY), A., ii, 202.
 ρ -nitrophenol as (SPIEGEL), A., ii, 512.
 phenolphthalein as (McCoy), A., ii, 512.
 sodium sulphide as, in the estimation of dextrose with Fehling's solution (BEULAYGUE), A., ii, 216.
 new sensitive, from *m*-toluidine (TRÖGER and HILLE), A., i, 118.

Indicators, theory of (STIEGLITZ), A., ii, 17.
 for acids and alkalis (SALESSKY), A., ii, 319 ; (FELS), A., ii, 320.
 mixed (SCHOLTZ), A., ii, 771.

Indifferent state, the conditions of the (ARIÈS), A., ii, 244.

Indifferent states, extension of Clapeyron's formula to all the (ARIÈS), A., ii, 110.
 the properties of the curves representing the (ARIÈS), A., ii, 314.

Indigo, chemistry of (BLOXAM), P., 159.
 Java, constituent of (PERKIN), P., 172.

Indigo-plant, fermentation of the (BERGTHEIL), T., 870 ; P., 139.

Indigotin, synthesis of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 500, 881 ; (KALLE & CO.), A., i, 1019.
 and its bromo-derivatives, reduction of (FARBWERKE VORM. MEISTER LUCIUS, & BRÜNING), A., i, 318.
 bromination of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 57, 167, 500, 586, 894, 1019.
 brominated homologues of (BADISCHE ANILIN- & SODA-FABRIK), A., i, 1020.
 estimation of, with sodium hyposulphite (BINZ and KUFFERATH), A., ii, 102.

Indirubin (*indigo-red*) (BLOXAM), P., 160.
 5:6-dihydroxy-. See Gallorubin.

Indium and its salts (THIEL), A., ii, 177, 410, 618 ; (RENZ), A., ii, 487.
 atomic weight of (THIEL), A., ii, 177, 410 ; (DENNIS and GEER), A., ii, 342.
 crystalline form of, and its position in the periodic system (SACHS), A., ii, 38.

Indium, separation of, from zinc (RENZ), A., ii, 149.

Indole, preparation of (VORLÄNDER and APELT), A., i, 450 ; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 816.
 derivatives (HELL and COHÉN ; HELL and BAUER), A., i, 343.

Indole, 3-nitro, and its 2-carboxylic acid (ANGELICO and VELARDI), A., i, 526.

Indole-3-acetic acid, methyl ester (ELLINGER), A., i, 640.

Indophenine, nitro- (OSTER), A., i, 914.

Indophenine reaction (SCHWALBE), A., i, 337 ; (BAUER), A., i, 519, 914 ; (STORCH), A., i, 610 ; (LIEBERMANN and PLEUS), A., i, 684.

Indophenines (OSTER), A., i, 914.

Indopheninesulphonic acid (LIEBERMANN, PLEUS, and MAUTHNER), A., i, 684.

Indophenol derivatives (BADISCHE ANILIN- & SODA-FABRIK), A., i, 945.

Indophthalone and its derivatives (RENZ), A., i, 534.

Indophthenine, bromo- (OSTER), A., ii, 915.

Indoxyl, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 167; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 893. urinary (HERVIEUX), A., ii, 63. estimation of, by nitration of the indigo dyes (MAILLARD), A., ii, 303.

Indoxylic acid, preparation of (BADISCHE ANILIN- & SODA-FABRIK), A., i, 893. condensation of, with nitrosoantipyrine (BECHHOLD), A., i, 200.

Indoxyluria (ROSENFIELD), A., ii, 193.

Infants, addition of sodium citrate to cows' milk for the feeding of (POYNTON), A., ii, 625. new-born, blood of (FEHRSEN), A., ii, 55.

Inorganic compounds, liquid and solid, polymerisation of (LONGINESCU), A., ii, 112. action of formaldehyde on (VANINO and SEMANN), A., i, 973.

Inorganic trinitrides. See Metallic azoimides.

Insecticidal agents, action of (BERTHELOT), A., ii, 69.

Insects, nutritive value of some (ZAITSCHEK), A., ii, 750.

Internal friction. See Viscosity.

Intestinal absorption of propeptone in dogs (NORF), A., ii, 425.

Intestine, local application of saline purgatives to the peritoneal surface of the (MACCALLUM), A., ii, 191. proteolytic action of extracts of (WEINLAND; VERNON), A., ii, 57. rabbits', fate of strychnine in (HATCHER), A., ii, 752. small, can the, absorb calcium stearate? (KNAUER), A., ii, 673. influence of morphine and tannin on the absorption of sodium chloride in the (BIBERFELD), A., ii, 189.

Inulin (DEAN), A., i, 717.

Inversion of sucrose. See Sucrose.

Invertase (BAU), A., i, 464. from *Aspergillus niger*, influence of hydrogen ions on (KANITZ), A., i, 358. of the beet (GONNERMANN), A., ii, 635. from *Monilia candida* (BUCHNER and MEISENHEIMER), A., i, 212. occurrence of, in plants (KASTLE and CLARKE), A., ii, 73. from yeast (HAFNER), A., i, 958. influence of concentrated sugar solution on (BOKORNY), A., i, 212.

Invertebrates, respiratory capacity of certain (DHÉRÉ), A., ii, 54.

Invertin, influence of electrolytes on (COLE), A., i, 128. action of aniline dyes on (MERESH-KOWSKY), A., i, 130.

Iodates, Iodic acid, and Iodides. See under Iodine.

Iodine, atomic weight of (KÖTHNER and AEUER), A., ii, 556. preparation of pure (ANDREWS), A., ii, 22; (BAUBIGNY and RIVALS), A., ii, 81. nature of a solution of, in aqueous potassium iodide (BURGESS and CHAPMAN), T., 1305; P., 62. action of, on silver nitrite (NEEL-MEIER), A., ii, 403. amount of, in animal tissues (JUSTUS), A., ii, 499. localisation of, in the African turtle (DOYON and CHENU), A., ii, 627. combination of, with bromine (ROOZEBOOM), A., ii, 165. adsorption compound of, with basic lanthanum acetate (BILTZ), A., ii, 339.

Hydriodic acid (hydrogen iodide), function of peroxidase in the reaction between hydrogen peroxide and (BACH), A., ii, 810. liquefied, physical constants of, as solvent (MCINTOSH and STEELE), A., ii, 533; (ARCHIBALD and MCINTOSH), A., ii, 534.

Iodides, viscosity of aqueous solutions of (TAYLOR and RANKEN), A., ii, 539.

Iodic acid and hydriodic acid, velocity of the reaction between (DUSHMAN), A., ii, 718.

Iodates, velocity of formation of (FORSTER), A., ii, 163. pharmacological action of (MATTHEWS), A., ii, 501. gas-volumetric estimation of (SCHLÖTTER), A., ii, 167. estimation of chlorates, bromates, and (DÉBOURDEAUX), A., ii, 204.

Periodic acid and its salts, electrolytic formation of (MÜLLER), A., ii, 249. influence of indifferent ions on the electrolytic formation of (MÜLLER), A., ii, 811.

Periodides, formation of, in organic solvents (DAWSON), T., 467; P., 54. formation of, in nitrobenzene solution (DAWSON and GOODSON), T., 796; P., 126.

Iodine compounds, organic polyvalent, derivation of, from existing or hypothetical inorganic iodine compounds (WILLGE:ODT), A., ii, 23.

Iodine, estimation of bromine, chlorine, and (BENEDICT and SNELL), A., ii, 145, 771; (DITZ and MARGOSCHES), A., ii, 366; (THILO), A., ii, 771. estimation of bromine, chlorine, and, in organic compounds by means of sodium peroxide (PRINGSHEIM), A., ii, 146, 447. separation of, from iodides in presence of bromides and chlorides (BAUBIGNY and RIVALS), A., ii, 81. separation of, as cuprous iodide from a mixture of alkali chlorides, bromides, and iodides (BAUBIGNY and RIVALS), A., ii, 81. separation of, as iodic acid, from a mixture of alkali chlorides, bromides, and iodides (BAUBIGNY and RIVALS), A., ii, 81.

Iodine ions, oxidation of, to hypoiodite as an intermediate stage in several reactions (BRODE), A., ii, 718. catalysis of hydrogen peroxide by (WALTON), A., ii, 319.

Iodoform, electrolytic preparation of, from acetone (TEEPLE), A., i, 362.

Iodometry (RASCHIG), A., ii, 441.

Ionisation and Ions. See Electrochemistry.

ψ-Ionone (FARRENFABRIKEN VORM. F. BAYER & Co.), A., i, 425.

hydrate, homologues of (COULIN), A., i, 678.

Ionones, α - and β -, chemically pure (DE LAIRE & Co.), A., i, 260. chemically pure, their separation, oximes, and semicarbazones, and their hydrogen sulphite compounds (CHUIT), A., i, 258.

Iononesemithiocarbazones, α - and β - (CHUIT), A., i, 260.

Iridium sesquiselenide (CHABRIÉ and BOUCHONNET), A., ii, 132.

ammonium polysulphide (HOFMANN and HÖCHTLEN), A., ii, 179.

Iris flower extract as a sensitive indicator (OSSENDOWSKY), A., ii, 202.

Iron, occurrence of, in sulphur (v. HASSLINGER), A., ii, 39.

atomic weight of (BAXTER), A., ii, 177.

electrolytic (SKRABAL), A., ii, 820.

meteoric. See Meteoric iron.

pure, preparation of, for standardising permanganate (SKRABAL), A., ii, 293.

determination of the critical points of (BOUDOUARD), A., ii, 127.

Iron, influence of pressure on the transition temperatures of (TAMMANN), A., ii, 127.

application of the phase rule to mixtures of carbon and (ROOZEBOOM), A., ii, 717.

equilibrium between ferrosoferric oxide, hydrogen, water vapour, and (PREUNER), A., ii, 317.

and calcium in nutriment (v. BUNGE), A., ii, 271.

absorption of, in the rabbit (TARTAKOWSKY), A., ii, 189.

absorption and assimilation of (TARTAKOWSKY), A., ii, 355.

Iron alloys with carbon, unstable and metastable equilibria in (HEYN), A., ii, 737.

Iron salts in voltameter solutions (BELL), A., ii, 155.

Iron hydroxide, freshly-precipitated, action of arsenious acid on (BILTZ), A., ii, 740.

Ferric potassium arsenite, soluble (DOBBIN), A., ii, 410.

phosphates, soluble colloidal form of (SELL), A., ii, 487.

sodium sulphates (SKRABAL), A., ii, 262.

phosphite, basic (BERGER), A., ii, 565.

Ferrous salts, oxidation of solutions of (JORDIS and VIERLING), A., ii, 740.

bromide, analysis of (BAXTER), A., ii, 177.

Iron, native, occurrence of, near Würzburg (BECKENKAMP), A., ii, 666.

Iron ores, estimation of titanium in (BURMAN), A., ii, 369.

Bog-iron ore from North Brabant (INGERMAN), A., ii, 744.

Iron organic compounds (ROSENHEIM and MÜLLER), A., i, 468.

carbonylferrocyanide (STOECKER), A., i, 655.

Steel, determination of the critical points of (BOUDOUARD), A., ii, 127.

Steels, transformation temperatures of (CHARPY), A., ii, 821.

cementation of (GUILLET), A., ii, 619.

Steel alloys, estimation of molybdenum in (CRUSER and MILLER), A., ii, 593.

Steel, estimation of carbon and sulphur in (MÜLLER), A., ii, 779.

estimation of sulphur in (FRICKE), A., ii, 774; (PULSIFER), A., ii, 841.

Iron (in general) **detection, estimation, and separation** :—
 ferric, titration of (CARCANO and NAMIAS), A., ii, 368 ; (HOLLARD), A., ii, 592.
 estimation of small amounts of, by acetylacetone (PULSIFER), A., ii, 683.
 new reaction for, in copper (CROUZEL), A., ii, 783.
 estimation of, volumetrically, simultaneously present with chromium (GLASMANN), A., ii, 844.
 Rivot's quantitative estimation of, in presence of zirconium (GUTBIER and TRENNER), A., ii, 90 ; (DANIEL), A., ii, 149 ; (GUTBIER), A., ii, 449.
 estimation of carbon and sulphur in (MÜLLER), A., ii, 779.
 estimation of sulphur in (KNIGHT), A., ii, 638 ; (FORD and WILLEY), A., ii, 773 ; (FRICKE), A., ii, 774 ; (PULSIFER), A., ii, 841.
 estimation of, in blood by Meisling's colorimeter (OERUM), A., ii, 449.
 rapid estimation of tungsten and, in commercial tin (L. and G. CAM-PREDON), A., ii, 295.
 estimation and separation of phosphoric acid and, in water (CAUSSE), A., ii, 93.
 separation of, from aluminium by means of formic acid (LECLÈRE), A., ii, 212.
 separation of, from aluminium and chromium (SOUTHERDEN), A., ii, 449.
 separation of aluminium and, from chromium (v. KNORRE), A., ii, 92.
 separation of, from manganese (SCHOLL), A., ii, 89.
 separation of, from vanadium (GLAS-MANN), A., ii, 450.
 separation of, from zirconium and other metals (v. KNORRE), A., ii, 518.
 separation of, electrolytically, from zinc (HOLLARD and BERTIAUX), A., ii, 682.
Iron powder, behaviour of aqueous salt solutions towards (RAIKOW and GOWORUCHIN-GEORGIEW), A., ii, 38.
Isatin, reduction of (HELLER), A., i, 416.
Isatinindophthenines (OSTER), A., i, 914.
Isatide and its diacetyl and dibenzoyl derivatives (HELLER), A., i, 416.
Isomeric compounds, heat of combustion of some, produced by the action of light (RIIBER and SCHETELIG), A., ii, 539.
Isomerides, *o*-, *m*-, and *p*-, ultra-violet absorption spectra of (MAGINI), A., ii, 107.
dynamic, solubility as a means of determining the proportions of, in equilibrium (LOWRY and ROBERTSON), T., 1541 ; (LOWRY), T., 1551 ; P., 108.
Isomerisation (DELACRE), A., ii, 811.
Isomorphism and solid solutions (BRUNI), A., i, 536 ; (BRUNI and PADOA), A., ii, 388.
Isomorphous mixtures, velocity of crystallisation of (PADOA), A., ii, 390.
Isorthose from the northern Urals (DUPARC), A., i, 350.
Isotonic coefficients of various salts (TIMOFÉEFF), A., ii, 162.
Itaconic acid, condensation of, with benzaldehyde (FITTIG and BOCK), A., i, 745.
Itaconic anhydride, action of ammonia on (FOÀ), A., i, 230.

J.

Jaborandi alkaloids. See Alkaloids.
Jalapin (*scammonin*) (REQUIER), A., i, 908.
Jasmin oil (v. SODEN ; HESSE), A., i, 516.

K.

Kaempferol and its acetyl compound, from *Prunus spinosa* (PERKIN and PHIPPS), T., 57.
 from Java indigo (PERKIN), P., 172.
 synthesis of (v. KOSTANECKI, LAMPE, and TAMBOR), A., i, 607.

Kainite, value of "forty per cent. potassium salts" as compared with (SCHNEIDEWIND), A., ii, 145.

Kaliborate, analogue of (VAN'T HOFF), A., ii, 561.

Kampherol. See Kaempferol.

Kataphoresis and absorption (HÖBER), A., ii, 354.

Kermes mineral (BOUGAULT), A., ii, 42.

Keto-. See also Carbonyl.

β-Ketoamides, formation of, from β -aminoamides (GUARESCHI), A., i, 891.

4-Keto-3-anilinodihydroquinazoline (THODE), A., i, 348.

2-Keto-1-anilino-3:3-diphenyl-5-*tert*-butyl-2:3-dihydropyrrole (JAPP and MAITLAND), T., 1500.

4-Keto-2-benzylidihydroquinazoline and *p*-chloro-, and its 3-benzoyl derivative (KÖNIG), A., i, 297.

a-Ketobutane- $\alpha\gamma$ -dicarboxylic acid, γ -amino, and its phenylhydrazone (DE JONG), A., i, 550.

a-Keto- $\Delta\beta$ -butene- $\alpha\gamma$ -dicarboxylic acid and β -bromo- (DE JONG), A., i, 550.

6-Keto-1,5-dihydropyridazine-5-carboxylic acid, 4-imino-, ethyl ester, and its phenylhydrazone (BARON, REMFRY, and THORPE), T., 1738.

4-Ketodihydroquinazoline, 3-amino- (THODE), A., i, 348.

6:8-dibromo-, and its 2-alkyl derivatives, synthesis of (BOGERT and HAND), A., i, 109.

3-Keto-2:2-dimethylpentamethylene-1-carboxylic acid and its ethyl ester, oxime, and semicarbazone (PERKIN and THORPE), T., 138.

2-Keto-3:3-diphenyl-5-tert.-butyl-2:3-dihydropyrrrole and its 1-methyl derivative (JAPP and MAITLAND), T., 1502.

Keto-3:4-diphenyl- Δ^2 -cyclohexene, 4-hydroxy, 5-aryl derivatives of, and their oximes (GARNER), A., i, 252.

Ketodiphenyloctolactonic acid and its stereoisomeride, and their salts (FITTIG and STADLMAYR), A., i, 969.

Ketodiphenyloctonic acid and its salts (FITTIG and HADORFF), A., i, 969.

1-Keto-2:6-diphenyl-4-thiophen-3:5-dithiol and its ethers, salts, and anhydride (APITZSCH and METZGER), A., i, 510.

8-Ketoheptane- $\alpha\gamma$ -dicarboxylic acid, γ -isonitroso- (v. PECHMANN and SIDGWICK), A., i, 972.

Ketoheptane- $\alpha\gamma\gamma$ -tetracarboxylic acid, ethyl ester (v. PECHMANN and SIDGWICK), A., i, 971.

8-Ketohexahydrobenzoic acid and its esters, oxime, phenylhydrazone, and semicarbazone, and its reactions (PERKIN), T., 416; P., 51.

Keto- Δ^2 -cyclohexene, derivatives of (GARNER), A., i, 252.

chloro-derivatives (BILTZ and GIESE), A., i, 1001; (BILTZ), A., i, 1021.

Ketohydrindene. See β -Hydrindone.

Ketone and its semicarbazone from the oxidation of camphene (WAGNER, MOYCHO, and ZIENKOWSKI), A., i, 438.

$C_8H_{14}O$, and its carbazone, from the dehydration of oxoctenol (PRIER-ZAEFF), A., i, 795.

$C_{10}H_9O_2Br$, from 3:5-dibromo-4-methoxy-1- β -bromopropylenebenzene (HOERING), A., i, 578.

$C_{10}H_{10}O_3$, and its oxime and semicarbazone, from β -nitroisosafrole (WALLACH and MÜLLER), A., i, 754.

Ketone, $C_{10}H_{11}O_3Br$, and its acyl derivatives, from 3-bromo-4-methoxy-1- β -bromopropionylbenzene (HOERING), A., i, 577.

$C_{10}H_{12}O_2$ and its oxime and semicarbazone, from β -nitroanethole (WALLACH and MÜLLER), A., i, 753.

$C_{10}H_{16}O$, and its semicarbazone, from umbellulone (LEES), T., 643; P., 89.

$C_{11}H_{12}O_4$, and its oxime and semicarbazone, from isosafrole nitrosochloride (WALLACH and BESCHKE), A., i, 754.

$C_{11}H_{14}O_3$, and its oxime and semicarbazone, from anethole nitrosochloride (WALLACH and MÜLLER), A., i, 753.

$C_{11}H_{14}O_3$, and its oxime, semicarbazone, and nitrosochloride, from methylisoeugenol (WALLACH and BESCHKE), A., i, 754.

Ketone ethers, synthesis of (BÉHAL and SOMMELET), A., i, 222.

Ketones, new method of preparation of (BÉIS), A., i, 15.

heats of combustion of, viewed as additive properties (LEMOULT), A., ii, 12.

condensation of, with benzaldehyde (JAPP and MAITLAND), T., 1473; P., 204.

condensation of, with cotarnine and hydrastinine (LIEBERMANN and KROPP), A., i, 263; (LIEBERMANN and GLAWE), A., i, 765.

condensation of, with sulphuric acids (KOHLER and REIMER), A., i, 234.

reduction of (APITZSCH and METZGER), A., i, 510.

compounds of, with tribromo- and trichloro-acetates (KOBOZEFF), A., i, 223.

compounds of, with mercury salts (SAND and GENSSLER), A., i, 24.

estimation of, in essential oils (BURGESS), A., ii, 371; (SADTLER), A., ii, 372.

Ketones, acetylenic (WATSON), T., 1319; P., 181.

condensation of, with alcohols and phenols (MOUREU and BRACHIN), A., i, 811.

action of hydroxylamine on (MOUREU and BRACHIN), A., i, 95.

acyclic, hydroxymethylene derivatives of, behaviour of, towards semicarbazide (WALLACH and STEINDORFF), A., i, 106.

anhydrohydroxylamine unsaturated (SEMMLER), A., i, 437.

aromatic (WIELAND), A., i, 432.

Ketones, cyclic, from chloroform and phenol (AUWERS and KEIL), A., i, 26.
 action of nitric acid on (KONOWALOFF), A., i, 257.
 new method of preparing alkyl and alkylidene derivatives of (HALLER), A., i, 600.
 hydroxymethylene derivatives of, transformation of, into pyrazole bases (WALLACH and STEINDORFF), A., i, 104.
 of the hydroaromatic series, physiological action of (JACOBI, HAYASHI, and SZUBINSKI), A., ii, 196.
 cyclic unsaturated, additive hydrogen cyanide compounds with (HANN and LAPWORTH), P., 54.
 α -ethylenic, condensation of, with benzylideneaniline (MAYER), A., i, 832.
 olefinic, combination of, with mercaptans (RUHEMANN), P., 251.
 unsaturated, action of mercaptans on (POSNER), A., i, 322.
 action of semicarbazide on (RUPE and SCHLOCHOFF), A., i, 144.
 compounds of, with metallic chlorides (ROSENHEIM and LEVY), A., i, 1024.
 additive compounds of, with hydrogen cyanide (KNOEVENAGEL), A., i, 1028.
 addition of alkali hydrogen sulphites and of sulphurous acid to (KNOEVENAGEL), A., i, 1024.
 reactions of (HARRIES), A., i, 427.
 $\alpha\beta$ -unsaturated, addition of acids to (VORLÄNDER and HAYAKAWA), A., i, 65; (VORLÄNDER and TUBANDT), A., i, 535; (VORLÄNDER and SIEBERT), A., i, 900.
 See also Acylaminoketones, Amino-ketones, Diketones, and Hydroxyketones.
Ketonic acid, $C_8H_{14}O_3$, and its semicarbazone, from the oxidation of pulenone (WALLACH and KEMPE), A., i, 74.
 $C_9H_{16}O_3$ (two), and their oximes and semicarbazones from dihydro-camphorone (SEMMLER), A., i, 261.
 $C_{27}H_{42}O_4$, from cholesterol (WINDAUS and STEIN), A., i, 1011.
 $C_{27}H_{42}O_5$, and its magnesium salt, methyl ester, oxime, and anhydride, from the oxidation of cholestanol (WINDAUS), A., i, 49; (WINDAUS and STEIN), A., i, 1011.
 α -Ketonic acids and their transformations (ERLENMEYER), A., i, 1015.

α -Ketonic acids, action of hydrogen peroxide on (HOLLEMAN), A., i, 474.
 β -Ketonic acids, esters, optically active (HANN and LAPWORTH), T., 46.
 α -substituted, action of nitrous acid and its derivatives on (BOUVEAULT and LOCQUIN), A., i, 847; (LOCQUIN), A., i, 849.
 theory of the transformation of, into α -oximino-esters (BOUVEAULT and LOCQUIN), A., i, 847, 848; (LOCQUIN), A., i, 849.
 γ -Ketonic acid, $C_{17}H_{14}O_5$, from the hydroxy-lactone from phenylpyruvic acid and piperonaldehyde (ERLENMEYER and BRAUN), A., i, 1017.
 $C_{17}H_{16}O_3$, from α -oxy- β -phenyl- γ -benzylbutyrolactone (ERLENMEYER and REIS), A., i, 1018.
 $C_{17}H_{16}O_4$, from α -oxy- β -phenyl- γ -methoxyphenylbutyrolactone (ERLENMEYER and LATTERMANN), A., i, 1018.
 $C_{19}H_{20}O_3$, from α -hydroxy- β -phenyl- γ -isopropylphenylbutyrolactone (ERLENMEYER and KEHREN), A., i, 1016.
 γ -Ketonic acids, mechanism of the formation of, from $\beta\gamma$ -unsaturated α -hydroxy-acids (ERLENMEYER), A., i, 892; (Houben), A., i, 1014.
Ketonic acids. See also Hydroxyketonic acid.
Ketodicyclo-1:2:3-octane and its semicarbazone (KOMPPA and HIRN), A., i, 60.
s-Ketopentadienedicarboxylic acid and its esters, and their tetrabromides (STRAUS), A., i, 851.
Keto-5-phenyl- Δ^2 -cyclohexene, 3:4-diaryl derivatives, and their oximes (GARNER), A., i, 253.
2-Keto-3-phenyl-5-methyl-2:3-dihydro-pyrrole-4-carboxylic acid, ethyl ester (RUHEMANN), T., 1453; P., 206.
4-Keto-3-phenyltetrahydroquinazoline, 2-thio- (FREUNDLER), A., i, 830.
p-Ketoisopropenylcyclohexane (PERKIN), T., 670; P., 86.
p-Ketoisopropylcyclohexane, ω -hydroxy- (PERKIN), T., 670; P., 86.
Ketostearic acid and its salts, preparation of (N. and A. M. SAYTZEFF), A., i, 368.
Ketotetrahydrobenzene. See Keto- Δ^2 -cyclohexene.
Kidney, decapsulation of the (LEVIN), A., ii, 831.
Kidneys, action of poisons on the (LYON), A., ii, 630.

Kidneys, secretion of acid by the (CUSHNY), A., ii, 576.
lime deposits in the (BEER), A., ii, 65.
of the dog, production of sugar in the, under the influence of phloridzin (LÉPINE and BOULUD), A., ii, 753.

Kidney excretion, effects of salts on (BROWN), A., ii, 273.

Kidney functions (LOEWI), A., ii, 274.

Kinetics. See Affinity.

Kino, constituents of, and **Kino-tannic acid** (WHITE), A., i, 172.

Kipp apparatus, modified (LOCZKA), A., ii, 721.

Kjeldahl apparatus, modification of the (SIEGFRIED), A., ii, 444.
distilling apparatus for the (BLANCK), A., ii, 444.

Kolbe's salicylic acid synthesis, application of, to benzene compounds containing nitrogen (HOUVEN), A., i, 1014.

Krait venom. See Poison.

Krugite, artificial production of (GEIGER), A., ii, 268.

Krypton, spectra of (BALY), A., ii, 3.

Kunzite, phosphorescence of (BASKERVILLE and KUNZ), A., ii, 601.
analysis of (DAVIS), A., ii, 621.

"Kyantolin." See Cyantolin.

Kynurenic acid, source of (ELLINGER), A., i, 639.

L.

Laccase, oxidation of quinol by (BERTRAND), A., i, 157; (RIVIÈRE and BAILHACHE), A., ii, 583.

Lactase (BRACHIN), A., i, 1069.
animal (BIERRY and GOM-SALAZAR), A., i, 840.

Lactic acid (*i*-ethylidene*lactic acid*; *α*-hydroxypropionic acid) and its derivatives, acetyl derivatives of (ANSCHÜTZ and BERTRAM), A., i, 966.
method of resolving into its optically active components (JUNGFLEISCH), A., i, 645.
interaction of, with chromic hydroxide (WERNER), T., 1447; P., 186.
compounds of, with titanic acid (DREHER), A., i, 471.
nitrate (DUVAL), A., i, 137.

Lactic acid, antimony double salts (JORDIS), A., i, 216, 468; (JORDIS and MEYER), A., i, 282; (MORITZ), A., i, 845.

Lactic acid, esters, active (WASSMER and GUYE), A., i, 471.

Lactic acid, β -nitro-, and its salts and acetyl derivative (HILL and BLACK), A., i, 797.
 α -thio-, is a direct decomposition product of proteids? (MÖRNER), A., i, 836.

Lactic acids, *d*- and *l*-, dissimilarity in the reactions of (JUNGFLEISCH), A., i, 796.

Lactone, $C_9H_{12}O_2$, from umbellulone (LEES), T., 645; P., 89.

Lactones (FITTIG), A., i, 966.
condensation of, with dibasic acids (FITTIG), A., i, 744.
action of organomagnesium compounds on (HOUVEN), A., i, 334.

Lactonic acids (FITTIG), A., i, 966.

Lactose (*milk sugar*), origin of (PORCHER; PORCHER and COMMANDEUR), A., ii, 424.
formation of, in the cow (PORCHER), A., ii, 500.
phenomena of rotation of (TREY), A., i, 292.
decomposition of, by calcium oxide (KILIANI and LOEFFLER), A., i, 373.
hydration of, in solution (HUDSON), A., i, 974.

Lactosephenylosazone (PORCHER), A., i, 194.

Lactucerin (*lactucon*) and **Lactucol** (SPERLING), A., i, 607; (POMERANZ and SPERLING), A., i, 907.

Leavulic acid from nucleic acids (INOUYE), A., i, 837.

Leavulose (*d-fructose*) in amniotic fluid (GÜRBER and GRÜNBAUM), A., ii, 500.
analysis of a mixture of dextrose, sucrose, and (REMY), A., ii, 687.

Leavulose diabetes (SCHLESINGER), A., ii, 195.

Laminaria, products of hydrolysis of (MÜTHER and TOLLENS), A., i, 225.

Lanthanates (BASKERVILLE and CATLETT), A., ii, 260.

Lanthanum, cerium, and thorium, physico-chemical properties of aqueous solutions of salts of (HOLMBERG), A., ii, 157.

Lanthanum alloys (MUTHMANN and BECK), A., ii, 408.

Lanthanum alkali carbonates (MEYER), A., ii, 734.
hydride and nitride (MUTHMANN and BECK), A., ii, 409.
new double sulphates of (BASKERVILLE and MOSS), A., ii, 260.

Lard, analysis of (PARTHEIL and FERIÉ), A., i, 5.

Laricopinic and Laricopinonic acids (TSCHIRCH and SCHMIDT), A., i, 761.

Larixinic acid, Stenhouse's, identity of, with maltol (PERATONER and TAM-BURELLO), A., i, 61.

Latent heat. See Thermochemistry.

Laterite, constitution, origin, and dehydration of (HOLLAND), A., ii, 181.

Indian, composition of (H. and F. J. WARTH), A., ii, 181.

Laumontite (POLLARD), A., ii, 182.

Laurel, Californian. See *Umbellularia californica*.

Laurel leaves, oil of (THOMS and MOLLE), A., i, 605.

Lauric acid, physiological action of (MEYER), A., ii, 275. derivatives (GUÉRIN), A., i, 136.

Lauric acid, α -hydroxy-, and its salts, ethyl ester, anilide, and *p*-toluidide (GUÉRIN), A., i, 138.

Lauronic anhydride, amino-, decomposition of the nitroso-compound from (NOYES and TAVEAU), A., i, 807.

Lauronitrile (BLAISE and GUÉRIN), A., i, 143.

*iso***Lauronolic acid**. See β -Campholytic acid.

Lawsonite from California (SCHALLER and HILLEBRAND), A., ii, 350.

Lead, radioactive (DEBIERNE), A., ii, 642. characterisation of (HOFMANN), A., ii, 485.

Lead alloys with aluminium (PÉCHEUX), A., ii, 404. with tin (SACKUR), A., ii, 336, 818.

Lead salt solution sensitive to light (HOFMANN and WÖFLI), A., ii, 172.

Lead salts, basic (STRÖMHLIM), A., ii, 258.

Lead carbonate (SALVADORI), A., ii, 336.

nitrate, dissociation of (BAEKELAND), A., ii, 405; (MORGAN), A., ii, 660.

monoxide. See Litharge.

peroxide, influence of the physical nature of the anode on the constitution of, deposited by electrolysis (HOLLARD), A., ii, 172.

electrical resistance of (STREINTZ), A., ii, 604.

precipitated, iodometry of (RUPP), A., ii, 211.

triplumbic tetroxide (*red lead*), formation of, by light and air (KASSNER), A., ii, 124.

oxychloride. See Petterdite.

sulphate, solubility of, in a hydrochloric acid solution of stannous chloride (VAN RAALTE), A., ii, 212.

dithiodiimide (RUFF and GEISEL), A., ii, 396.

Lead thiosulphate and acetate, crystalline compound of (LEMOULT), A., i, 842.

uranates (ZEHENTER), A., ii, 344.

Lead organic compounds (PFEIFFER and TRUSKIER), A., i, 544.

Lead assaying, use of litharge in dry (COPPALLE), A., ii, 88.

estimation of, volumetrically (ERICSON), A., ii, 780.

Leaves, transpiration in green, when the upper or under surfaces are exposed to light (GRIFFON), A., ii, 70.

effect of temperature on the assimilation of carbon dioxide by (MATTHAEI), A., ii, 70.

Lecanoric acid (RONCERAY), A., i, 897.

Lecithin (WILLSTÄTTER and LÜDECKE), A., i, 1067.

presence of, in wine (ROSENSTIEHL), A., ii, 688.

and snake poison (KYES), A., ii, 431.

estimation of, in grape stones and wines (WEIRICH and ORTLIEB), A., ii, 304.

estimation of, in plants (SCHULZE), A., ii, 794.

Lecithins from plants (SCHULZE and WINTERSTEIN), A., ii, 141.

Legumin, action of 4 per cent. sulphuric acid on (PRIANISCHNIKOFF), A., i, 702.

Lemon oil, constituents of (BURGESS and PAGE), T., 1328; P., 181.

“**Lepidine ethiodide**” (MIETHE and Book), A., i, 776.

Lepranthaic acid and **Lepranthin** (ZOPF), A., i, 1020.

Leucæmia, myelogenic, proteolytic enzyme in the blood in (SCHUMM), A., ii, 64, 747; (ERBEN), A., ii, 573.

Leucanilines and rosanilines, thermal comparison of (SCHMIDLIN), A., i, 944.

Leucine, purification of, A., i, 476.

a naturally-occurring isomeride of, and its derivatives (EHRLICH), A., i, 560.

formation of sugar from (HALSEY), A., ii, 187.

Leucocytes and bacteriolysis (PETRIE), A., ii, 61.

and blood coagulation (KRÜGER), A., ii, 747.

rôle of, in fibrin formation (MAUREL), A., ii, 191.

Leucocytosis, macroscopic detection of (HIRSCH and STADLER), A., ii, 304.

Leucohydroxyanthraquinones, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 434.

Leucyltyrosine and its anhydride (FISCHER), A., i, 652.

Liberation, velocity of. See **Affinity**.

Lichens, compounds from (ZOPF), A., i, 1020.

“archil”, substances in (JUILLARD), A., i, 593; (RONCERAY), A., i, 897.

Light. See **Photochemistry**.

Lime. See **Calcium oxide**.

Limene and its trihydrochloride from distilled oil of limes (BURGESS and PAGE), T., 415; P., 62.

and its trihydrochloride from bergamot oil (BURGESS and PAGE), T., 1328; P., 181.

Limes, distilled oil of, composition of (BURGESS and PAGE), T., 414, 1329; P., 62, 181.

Limonene nitrosocyanides (TILDEN and LEACH), T., 931; P., 163.

l-Limonene. See **Dipentene**.

Linalylallylether (HALLER and MARCH), A., i, 751.

Linolenic acid (HANNAY), P., 59.

Linseed oil, composition of, and the estimation of the saturated fatty acids (FAHRION), A., ii, 217.

estimation of unsaponifiable matters in (NIEGEMANN), A., ii, 217.

Lipase (DOYON), A., i, 131.

of the blood (GARNIER), A., ii, 184.

of the liver (MAGNUS), A., ii, 628.

in cultures of *Sterigmatocystis* (GARNIER), A., ii, 280.

and the hydrolysis of ethyl butyrate by (KASTLE, JOHNSTON, and ELVOVE), A., i, 702.

action of, on esters of mandelic acid (DAKIN), A., i, 1071.

Liquefaction of gaseous mixtures (CAUBET), A., ii, 705.

Liquid, determination of the “reaction” of a, by means of indicators (FRIEDENTHAL), A., ii, 288.

Liquid mixtures, viscosity of (DUNSTAN), T., 817; P., 117, 248; A., ii, 805.

of restricted mutual solubility, vapour pressures of (MARSHALL), P., 142.

Liquid state and the equation of state (VAN DER WAALS), A., ii, 386.

Liquids, molecular weight of (SPEYERS), A., ii, 540.

relative viscosity of (BECK), A., ii, 646.

recognition of tautomerism of (SCHENCK and ELLENBERGER), A., ii, 721.

apparatus for the continuous extraction of (PELLIZZA), A., ii, 287.

apparatus for extracting, with ether (KUTSCHER and STEUDEL), A., ii, 80.

organic, ultra-red absorption spectra of (IKLÉ), A., ii, 601.

Liquids, volatile, molecular elevation of the boiling point of mixtures of (MARIE), A., ii, 804.

Litharge, use of, in dry lead assaying (COPPALLE), A., ii, 88.

Lithium, electro-deposition of (PATTEN and MOTT), A., ii, 379.

Lithium bromide, chloride, and iodide, specific gravity of (BAXTER), A., ii, 484.

chloride, decomposition curves of, in alcohols (PATTEN and MOTT), A., ii, 379.

oxide, isomorphous mixtures of lime and (LEBEAU), A., ii, 616.

Litmus-dyes, formation of (HENRICH and DORSCHKY), A., i, 502.

Liver (BRAUER), A., ii, 188.

end-products of the auto-digestion of (LEVEENE), A., ii, 188.

synthesis of higher fatty acids in the (HILDESHEIM and LEATHES), A., ii, 355.

glycogen of the foetal (PFLÜGER), A., ii, 427.

lipase of the (MAGNUS), A., ii, 628. • an oxidising and reducing ferment in the (ABELOUS and RIBAUT), A., i, 704; (ABELOUS and ALOY), A., ii, 188; (POZZI-ESCOL), A., ii, 272.

nucleo-proteid of the (WOHLGEMUTH), A., ii, 751.

sugar formation in the (SEEGEN), A., ii, 272.

glycogen-free, formation of sugar in artificial perfusion of the (EMBDEN), A., ii, 829.

the sugar-forming enzyme of the (BORCHARDT), A., ii, 188.

glycolytic action of the (HIRSCH), A., ii, 60; (FEINSCHMIDT), A., ii, 61.

power of the, to destroy diphtheria toxin (BRUNTON and BOHENHAM), A., ii, 832.

acute atrophy of the, free amino-acids in the blood in (NEUBERG and RICHTER), A., ii, 500.

occurrence of a volatile, iodoform-forming substance during perfusion of the (ALMAGIA and EMBDEN), A., ii, 829.

Liver cells, physico-chemical behaviour of (PETRY), A., ii, 355.

Lobeliae, physiological action of (EDMUND), A., ii, 431.

Locomotor ataxy, action of a salt solution in (MATTHEWS and BROWN), A., ii, 359.

Lorandite from Allchar, Macedonia (GOLDSCHMIDT), A., ii, 416.

analysis of (LOCZKA), A., ii, 666.

Luminescence. See Photochemistry.
Lucilia Cesar, tyrosinase of (GESSARD), A., ii, 831.
Lupeol from the bark of *Rouheria Griffithiana*, and its dibromide (SACK and TOLLENS), A., i, 1011.
 and its acetate and benzoate (SCHULZE), A., i, 582.
Lupinidine and sparteine (WILLSTÄTTER and MARX), A., i, 613.
Luteolin, synthesis of, and its tetra-acetyl derivative (FAINBERG and v. KOSTANECKI), A., i, 682.
8-Lutidine (3-ethylpyridine) gold salts (OECHSNER DE CONINCK), A., i, 342.
Lutidines, 2:4- and 2:5-. See Dimethyl-pyridines.
2:6-Lutidine-3:5-dicarboxylic acid (MOHR and SCHNEIDER) A., i, 523.
Lymph, influence of haemorrhage on (POSNER and GIES), A., ii, 185.
Lymphatic organs (BANG), A., ii, 426.

M.

Maclurin, cyano-, and its penta-acetyl, pentabenzoyl, and azobenzene derivatives (PERKIN), P., 170.
Magnesites of Greece, estimation of calcium and magnesium in the (CHRISTOMANOS), A., ii, 87.
Magnesium, action of, on isopropyl iodide (TSCHELINZEFF), A., i, 641.
 amount of, in various animal organs (TOYONAGA), A., ii, 751.
 influence of the relative amounts of calcium and, in the soil on the crop yield (LOEW), A., ii, 144.
Magnesium alloys with aluminium (PÉCHEUX), A., ii, 618.
 with mercury as a reducing agent (EVANS and FETSCH), A., i, 984 ; (EVANS and FRY), A., i, 985.
 use of, in organic chemistry (MEUNIER), A., i, 7.
 with tin, crystallography of (v. SUSTSCHINSKY), A., ii, 30.
 with zinc (BOUDOUARD), A., ii, 732.
Magnesium salts, action of soap on solutions of (GOTTSCHALK and ROESLER), A., ii, 785.
Magnesium potassium borate (VAN'T HOFF), A., ii, 561.
 bromide, anhydrous, additive compounds of, with organic oxygen and nitrogen compounds (SUDEBOROUGH, HIBBERT, and BEARD), P., 165.
 carbonate, solubility of, in aqueous solutions of certain electrolytes (CAMERON and SEIDELL), A., ii, 36.

Magnesium potassium carbonate (AUERBACH), A., ii, 325.
 manganese chloride (GOSSNER), A., ii, 37.
 alkali chromates, hexahydrated (BRIGGS), T., 677 ; P., 90.
 haloids, ethyl ethers of (MENSCHUTKIN), A., i, 215.
 hydroxide, action of ammonium chloride on (HERZ and MUHS), A., ii, 171.
 action of carbon dioxide on (MON-HAUPT), A., ii, 731.
 bismuth nitrate (URBAIN and LACOMBE), A., ii, 43.
 oxide, action of, on a mixture of arsenic trisulphide and sulphur (FOSTER), A., ii, 118.
 peroxide, so-called (RUFF and GEISEL), A., ii, 817.
 electrolytic preparation of (HINZ), A., ii, 562.
 oxybromide, compound of, with ether (HOLROYD), P., 38.
 ammonium phosphate, solubility of, in ammonium citrate (BOLIS), A., ii, 84.
Magnesium organic compounds, action of, on acetol and its acyl derivatives (KLING), A., i, 2, 133.
 action of, on alkylphthalimides (SACHS and LUDWIG), A., i, 266.
 action of, on amides (BOUVEAULT), A., i, 13 ; (BÉIS), A., i, 15.
 behaviour of, towards benzylideneaniline (BUSCH), A., i, 663.
 action of, on bromophenotole (GRIGNARD), A., i, 494.
 action of carbon dioxide on (BODROUX), A., i, 166, 276.
 action of, on dicarboxylic acids (DILTHEY and LAST), A., i, 667, 1029 ; (VALEUR), A., i, 901.
 action of, on lactones (HOUBEN), A., i, 334.
 interaction of, with nitric oxide (SAND and SINGER), A., i, 38.
 action of oxygen on (BOUVEAULT), A., i, 40.
 action of, on phthalimide and phenylphthalimide (BÉIS), A., i, 503.
 action of, on piperonal (MAMELI), A., i, 668, 743.
 action of selenium and sulphur on (TABOURY), A., i, 493.
 action of, on thiocarbimides and on carbylamines (SACHS and LOEVY), A., i, 307.
 abnormal condensation of trioxymethylene with (TIFFENEAU and DELANGE), A., i, 48.
 reaction between unsaturated compounds and (KOHLER), A., i, 595.

Magnesium organic compounds, mixed, oxidation of (BODROUX), A., i, 156. syntheses by means of (ACREE), A., i, 742. use of, in the synthesis of alcohols (GRIGNARD), A., i, 213; (KONOWA-LOFF), A., i, 496. use of, in preparation of aldehydes (BOUVEAULT), A., i, 13; (GATTER-MANN and MAFFEZZOLI), A., i, 172; (TSCHITSCHIBABIN), A., i, 221; (BODROUX), A., i, 250. use of, in the preparation of ethers (HAMONET), A., i, 401. use of, for the synthesis of hydrocarbons (WERNER), A., i, 25; (HOUBEN), A., i, 302. See also Grignard's reagent.

Magnesium, non-precipitability of, by ammonia in presence of ammonium salts (TREADWELL), A., ii, 124. estimation of, colorimetrically (SCHREINER and FERRIS), A., ii, 681. estimation of, volumetrically (RUPP), A., ii, 88. indirect estimation of calcium and (CHRISTOMANOS), A., ii, 87. separation of, from calcium (STOLBERG), A., ii, 591.

Magnetic rotation. See under Photochemistry.

Magnetisation of the alkali metals (BERNINI), A., ii, 702.

Magnetite, formation of, by heating iron in carbon dioxide (DONAU), A., ii, 343.

Maize kernel, composition of different parts of the (HOPKINS, SMITH, and EAST), A., ii, 200.

Malachite-green, oxalates of (LAMBERECHT and WEIL), A., i, 877; (SCHMIDLIN), A., i, 1061.

Maleamic acid, nitro-, and its salts (HILL and BLACK), A., i, 797.

Maleic acid, nitro-, potassium ethyl ester-salt, and methyl ester (HILL and BLACK), A., i, 797.

Maleic methylimide, *mono*- and *di*-chloro- and chlorobromo- (MAZZARA and BORG), A., i, 614; (MAZZARA), A., i, 771.

Maleimide (PLANCHER and CATTADORI), A., i, 770. chlorobromo- (MAZZARA and BORG), A., i, 918.

Malic acid, interaction of, with chromic hydroxide (WERNER), T., 1446; P., 186. nitrate (DUVAL), A., i, 11. alkaline earth salts, chemico-physical properties of the (CANTONI and VERATIETTI), A., i, 142.

Malic acid, esters, active (WASSMER and GUYE), A., i, 471.

β -isoMalic acid and its salts (COOPS), A., i, 851.

Malignant growths, chemistry of (BEEBE), A., ii, 429.

Malonamide, action of nitrous acid on (RATZ), A., i, 298, 857. bromonitro- and nitro- (RATZ), A., i, 857. nitro-, action of water on (RATZ), A., i, 300. *isonitroso*. See Mesoxamide, oxime of.

Malonanilide, amino- and nitro- (WHITELEY), P., 93.

Malondialdehyde and its phenylazo-derivative (CLAISEN), A., i, 14.

Malondimethylanilide, amino-, *dihydroxy*, and nitro- (WHITELEY), P., 93.

isonitroso, isomeride of, and its alkali salts (WHITELEY), P., 92.

Malonic acid, condensation of, with isobutyrylformaldo (SILBERSTEIN), A., i, 288. interaction of, with chromic hydroxide (WERNER), T., 1444; P., 186.

Malonic acid, ethyl ester, condensation of, with acetophenone (EIJKMAN), A., i, 589. compound of, with aluminium chloride (WALKER and SPENCER), T., 1108; P., 135. action of cyanogen on (TRAUBE and HOEPNER), A., i, 709.

interaction of, with its sodium derivative (MOORE), T., 165. sodium derivative, action of chloral-ammonia on (ZWERGER), A., i, 91. action of methyl β -chlorotri-carballylate on (BERTRAM), A., i, 12. methyl and ethyl esters, action of sulphur chloride on (WOLFF and OTT), A., i, 8.

Malonic acid, bromonitro-, and *di*-hydroxy-, methyl and ethyl esters (WILLSTÄTTER and HOTTENROTH), A., i, 472. nitro-, ethyl ester, ammonium salt (RATZ), A., i, 857.

Malonic acids, substituted, general method of preparing (PICCININI), A., i, 504.

Malonic hydrazide, thio- (WOLFF and OTT), A., i, 8.

Malonmonophenylamide and *isonitroso* (WHITELEY), P., 93.

Malonobenzylamic acids, optically isomeric, and their derivatives (LUTZ), A., i, 561.

Malontetraphenylamide and its potassium salt, acyl, amino-, and iso-nitroso-derivatives, and ethyl ether (WHITELEY), P., 93.

Malt, green, distribution of the diastatic enzymes of (FÜRSTL v. TEICHEK), A., ii, 761.

quantity of soluble and coagulable nitrogen in (DINKLAGE), A., ii, 584.

solution of the nitrogenous substances of (PIERRE), A., ii, 434.

ready-formed sugars of (LING and RENDLE), A., ii, 507.

amount of tannin in (REICHARD), A., ii, 585.

electrolytic methods for the detection and estimation of minute quantities of arsenic in (THOMSON), A., ii, 777.

estimation of the total nitrogen in, A., ii, 455.

estimation of the proteolytic capacity of (SCHIDROWITZ), A., ii, 460.

rapid estimation of starch in, A., ii, 451.

Malt diastase, action of formaldehyde on (SOMLÓ and v. LÁSZLÓFFY), A., i, 541.

action of, on potato-starch paste (DAVIS and LING), T., 16.

Maltase (BAU), A., i, 464.

law of action of (TERROINE), A., ii, 317.

action of, and its stability (PHILOCHE), A., ii, 318, 839.

Malting, changes of proteids during (WEIS), A., ii, 761.

Maltol, identity of, with Stenhouse's larixinic acid (PERATONER and TAM-BURELLO), A., i, 61.

Maltose, presence of, in acid-hydrolysed starch products (ROLFE and HADDOCK), A., i, 17.

hydrolysis of, by dilute acids (NOYES, CRAWFORD, JUMPER, FLORY, and ARNOLD), A., i, 373.

influence of the concentration of, on the action of maltase (TERROINE), A., ii, 317.

*iso***Maltose**, Lintner and Dierssen's (GRÜTERS), A., i, 852.

Mamanite, identity of, with polyhalite (VAN'T HOFF and VOERMAN), A., ii, 570.

Mammals, action of potassium salts on the heart and vessels of (BRAUN), A., ii, 631.

See also Heart, mammalian.

Mandelic acid, esterification of (ACREE), A., i, 747.

Mandelic acid, esters, action of lipase on (DAKIN), A., i, 1071.

Mandelic acid, methyl ester, compound of, with aluminium chloride (WALKER and SPENCER), T., 1107; P., 135.

Mandelic acid, *o*-nitro-, ethyl ester and nitrile (HELLER and AMBERGER), A., i, 417.

r-**Mandelic acid**, esterification of, by borneol and menthol (MCKENZIE), T., 378; P., 41.

i-**Mandelic acid**, resolution of (DAKIN), A., i, 1071.

Mandelic acids, optically active (DAKIN), T., 1513; P., 200.

d- and *l*-, menthyl esters (MCKENZIE), T., 1254; P., 178.

Manganese, metallic, absorption of gases by (LIDOFF), A., ii, 250.

as an enzyme, stimulating or paralysing influences acting on (TRILLAT), A., i, 278, 359; ii, 38.

Manganese salts, influence of, on flax (FUKUTOME), A., ii, 766.

Manganese bismuth nitrate (URBAIN and LACOMBE), A., ii, 43.

peroxide, precipitated, iodometry of (RUPP), A., ii, 211.

silicates (LEBEAU), A., ii, 343.

sulphate, influence of, on trees (LOEW and HONDA), A., ii, 766.

Manganous acid and tungstic acid, complex double salt of (JUST), A., ii, 38.

salts, behaviour of, towards silver peroxide (KÜHLING), A., ii, 122.

reactions of (OECHSNER DE CONINCK), A., ii, 566.

magnesium chloride (GOSSNER), A., ii, 37.

Manganese thiocyanate (GROSSMANN), A., i, 341.

Manganese, precipitation of, by means of ozone (JANNASCH and GOTTSCHALK), A., ii, 782.

estimation of (DÉBOURDEAUX), A., ii, 212.

estimation of, electrolytically (KÖSTER), A., ii, 781.

estimation of, electrolytically, and its separation from iron and zinc (SCHOLL), A., ii, 89.

estimation of, gasometrically (RIEGLER), A., ii, 448.

estimation of, by the bismuth method (BLAIR), A., ii, 683.

estimation of, by the persulphate method (LÜDERT), A., ii, 448.

estimation of, in drinking water (BAUMERT and HOLDEFLEISS), A., ii, 782.

separation of (FOERSTER), A., ii, 517.

Manganiferous carbonates from Kuttenberg, Bohemia (BUKOVSKÝ), A., ii, 417.

Manganite, formula of (GORGEU), A., ii, 126.

Manganous compounds. See under Manganese.

Mangel-wurzels, amount of increase of the dry matter, sugar, and nitrogenous constituents of, at different periods of growth (LE CLERC), A., ii, 77.

action of crude and pure potassium salts on (SCHNEIDEWIND and MEYER), A., ii, 765.

Mangifera indica, gum of (LEMELAND), A., ii, 583.

Mannamine and its salts, carbamide, and phenylcarbamide, and compounds with acetylacetone and benzylidene (MAQUENNE), A., i, 19; (ROUX), A., i, 291.

Mannide and its phosphorous ester (CARRÉ), A., i, 16.

Mannitic fermentation. See Fermentation.

Mannitol, action of phosphorous acid on (CARRÉ), A., i, 16.

hexaphenylcarbamate (MAQUENNE and GOODWIN), A., i, 371.

Manures, what forms of phosphoric acid are suitable as? (WAGNER), A., ii, 768.

complete humic (DUMONT), A., ii, 637.

nitrogenous, manurial value of various (v. SIGMOND), A., ii, 144.

phosphoric acid in conjunction with lime as (BACHMANN), A., ii, 145.

Margaric acid and its salts, esters, amide, and α -bromo-, and α -hydroxy- (LE SUEUR), T., 836; P., 14, 133.

Margaric aldehyde and its semicarbazone, oxime, and polymeride, and the action of hydrogen cyanide on (LE SUEUR), T., 833; P., 14, 133.

Margarine, analysis of (PARTHEIL and FERIÉ), A., i, 5.

estimation of borax in (PARTHEIL and ROSE), A., ii, 843.

Margosa oil (LEWKOWITSCH), A., ii, 218.

Marl and lime, influence of, on the yield of potatoes and on the amount of nitrogen and mineral substances (ULBRICHT), A., ii, 76.

Marls, amounts of nitrogen and organic carbon in some (MILLER), A., ii, 201.

Marsh's apparatus, modification of (STRZYZOWSKI), A., ii, 444.

Martin slag. See Slag, Martin.

Masticic acids, **Masticolic acid**, **Masticonic acids**, and β -**Masticoresens** from mastic (TSCHIRCH and REUTTER), A., i, 333.

Matico oil and **Matico-camphor** (THOMS), A., i, 756, 1037.

Meal, catalytic properties of (WENDER and LEWIN), A., ii, 584.

Meat, minced, estimation of boric acid in (PARTHEIL and ROSE), A., ii, 843.

Meat extract, detection of yeast extract in (WINTGEN), A., ii, 848.

separation of the xanthine bases of (MICKO), A., ii, 101.

Meat products, detection of fluorides in (FROIDEVAUX), A., ii, 840.

Meconic acid, salts, and its supposed oxime (PERATONER and TAMBURELLO), A., i, 172.

Melanin, pigment from (BAKUNIN and DRAGOTTI), A., i, 1041.

Melanotic pigments (WOLFF), A., i, 839.

Melanterite from Baluchistan (HOOPER), A., ii, 571.

Melibaise (BAU), A., i, 464.

Melibiose (LOISEAU), A., i, 225.

crystallised (BAU), A., i, 475.

Mellitic acid, bismuth derivative (THIBAULT), A., i, 247.

Melting point curves, the possible forms of the, for binary mixtures of isomorphous substances (VAN LAAR), A., ii, 109.

diagram for mixtures of N_2O_4 and NO (v. WITTORF), A., ii, 646.

lines of the system, sulphur + chlorine (ROOZEBOOM and ATEN), A., ii, 394.

Melting points, determination of (MÜTHER and TOLLENS), A., i, 224; (MAQUENNE), A., ii, 383.

apparatus for the determination of high (KUTSCHER and OTORI), A., ii, 651.

congruent and incongruent, of double salts (MEYERHOFFER), A., ii, 537.

of some mixtures of sugars (GILLOT), A., ii, 804.

Mentha-2:6-dione, 8-bromo- (HARRIES and STÄHLER), A., i, 430.

Methane, *tert*.-nitro- (KONOWALOFF), A., i, 513.

Menthenes from different sources (TSCHUGAEFF), A., i, 327.

Δ^4 -**Menthene-2:6-dione** (HARRIES and STÄHLER), A., i, 431.

Δ^8 -**Menthene-2:6-dione** and its oxime and semicarbazone, and reaction with phenylhydrazine (HARRIES and STÄHLER), A., i, 430.

$\Delta^{8(9)}$ -**Menthanol(1)** (PERKIN), T., 670; P., 86.

Δ⁶-Menth-en-2-one, 6-hydroxy- (BALBIANO and PAOLINI), A., i, 72.

Menthol, mechanism of the dehydration of, by organic acids (ZELIKOFF), A., i, 514.

action of formaldehyde on (WEDEKIND and GREIMER), A., i, 680.

Menthone derivatives (SEMMLER), A., i, 260; (MARTINE), A., i, 903.

alkyl derivatives (HALLER), A., i, 600.

Menthone, α -bromo- (BRÜHL and RÜDIGER), A., i, 602.

l-**Menthonephenylcarbamic acid** hydrazone (BORSCHE and MERKWITZ), A., i, 946.

Methyl allyl ether (HALLER and MARCH), A., i, 751.

Menthylamine and its derivatives and **Menthonamine** and its benzoyl derivative (KONOWALOFF), A., i, 513.

l-**Menthylamines**, the four optically isomeric, and their salts, and benzoyl and formyl derivatives (TUTIN and KIPPING), T., 65.

l-**Menthylcarbamic acid**, esters (NEVILLE and PICKARD), T., 689; P., 114.

l-**Menthylcarbimide** (NEVILLE and PICKARD), T., 688; P., 114.

Methyl-dixanthide and **-xanthic acid** and its esters, amide, and thio-anhydride (TSCHUGAEFF), A., i, 327.

Mercaptans, condensation of, with nitriles (AUTENRIETH and BRÜNING), A., i, 35.

action of, on unsaturated ketones (POSNER), A., i, 322.

combination of, with olefinic ketones (RUHEMANN), P., 251.

Mercapturic acids, constitution of (FRIEDMANN), A., i, 165.

Mercuric and **Mercurous** compounds. See under **Mercury**.

Mercury, vapour pressure of, at ordinary temperatures (MORLEY), A., ii, 703.

vapour, dielectric cohesion of saturated, and its mixtures (BOUTY), A., ii, 604.

Mercurammonium iodides, substituted, from primary and secondary amines (FRANÇOIS), A., i, 151.

Dimercurammonium series, sulphate and phosphate of (RÄY), P., 249.

Mercury alloys (amalgams) (KETTEM-BEIL), A., ii, 173.

with magnesium, use of, in organic chemistry (MEUNIER), A., i, 7.

as a reducing agent (EVANS and FETSCH), A., i, 984; (EVANS and FRY), A., i, 985.

with platinum, behaviour of, with nitric acid (TARUGI), A., ii, 131.

with sodium (SCHÜLLER), A., ii, 657.

Mercury, double salts of bivalent, and rubidium (GROSSMANN), A., ii, 406.

Mercury salts, basic (COX), A., ii, 563.

Mercury haloids (SHERRILL), A., ii, 337.

sulphides, black and red, conductivity of saturated aqueous solutions of (VAN NAME), A., ii, 378.

thioimidide (RUFF and GEISEL), A., ii, 396.

Mercuric chloride, hydrolysis of (LUTHER), A., ii, 337.

and barium chlorides, solubility of (FOOTE and BRISTOL), A., ii, 658.

iodide, action of, on antimony, arsenic, or phosphorus hydride (LEMOULT), A., ii, 728.

nitrite and its decomposition by heat (RÄY), T., 523; P., 57.

sulphide. See **Cinnabar**.

Mercurous salts, action of radium rays on (SKINNER), A., ii, 173.

estimation of, as chloride (HULETT), A., ii, 695.

chloride (*calomel*), decomposition of, by solutions of alkali chlorides (GEWECKE), A., ii, 125.

solubility of (LEY and HEIMBUCHER), A., ii, 465.

nitrite, theory of the production of, and of its conversion into mercury nitrates (RÄY), P., 217.

Mercury organic compounds (SAND), A., i, 22; (SAND and SINGER), A., i, 23, 25; (SAND and GENSSLER), A., i, 24; (BALBIANO and PAOLINI), A., i, 72, 261; (PFEIFFER and TRUSKIER), A., i, 544.

Mercuric cyanide, compound of, with caesium iodide (MATHEWSON and WELLS), A., i, 21.

Mercury double cyanides (GROSSMANN and VON DER FORST), A., i, 983.

Mercury, detection of, in urine (JOLLES), A., ii, 212.

estimation of small quantities of (RICHARDS and SINGER), A., ii, 448.

rapid estimation of, by means of hypophosphorous acid (HOWARD), A., ii, 293.

separation of, from molybdenum and tungsten by the aid of hydrazine (JANNASCH and BETTGES), A., ii, 517.

Mercury ions, concentration of, in the calomel electrode (LEY and HEIMBUCHER), A., ii, 465.

Mercury minerals, new, from Terlingua, Texas (MOSES; HILL), A., ii, 46.

Mesitonic acid, preparation of, and its oxime, phenylhydrazone, and semi-carbazone (LAPWORTH), T., 1219; P., 177.

Mesitononitrilecyanohydrin and its hydrolysis (LAPWORTH), T., 1223.

Mesityl oxide (methyl isobutetyl ketone; isopropylideneacetone), action of magnesium methyl iodide on (v. FELLENBERG), A., i, 961.

action of mono- and di-methylamines on (HOCHSTETTER and KOHN), A., i, 18.

action of potassium cyanide on (LAPWORTH), T., 1214; P., 177.

oxidation of (KOHN), A., i, 15.

Mesityl-ethyl-, -isopropyl-, -isobutyl-, and -hexyl-carbinols (KLAGES and STAMM), A., i, 303.

Mesitylic acid, formation of (LAPWORTH), T., 1224; P., 177.

Mesoxamide, oxime of (isonitrosomalonamide), and its metallic salts and alkyl derivatives (RATZ), A., i, 298.

tetra-substituted derivatives of (WHITELEY), P., 92.

Metabolism, influence of fasting and feeding on (PEMBREY and SPRIGGS), A., ii, 624.

influence of haemorrhage on (HAWK and GIES), A., ii, 184, 497.

influence of pituitary gland substance on (MALCOLM), A., ii, 58.

influence of thiocyanates on (MAYER), A., ii, 423.

following a small increase in protein ingested (HAWK and CHAMBERLAIN), A., ii, 185.

origin of sulphur-containing products of, in the organism (WOHLGEMUTH), A., ii, 186.

nitrogenous, after splenectomy (MENDEL and GIBSON), A., ii, 186.

phosphorus (MEYER), A., ii, 827.

protein, relation of, to autolysis (WELLS), A., ii, 574.

time relations of (HAWK), A., ii, 58.

intermediary purine (MENDEL and WHITE), A., ii, 674.

Metabolism experiments (GIES), A., ii, 185.

Metaformaldehyde. See *Trioxymethylene*.

Metalammonia complexes, stability of (v. EULER), A., i, 774.

Metal-ammonium bases and ammonia (v. EULER), A., ii, 167.

Metalammoniums, action of carbon dioxide on (RENGADE), A., ii, 333.

Metallic azoimides (DENNIS and BROWNE), A., ii, 558.

chlorides, dissociation points of some (FIREMAN and PORTNER), A., ii, 723.

Metallic chlorides, catalytic action of (GOLDSCHMIDT and LARSEN), A., ii, 609.

action of ammonium chloride on (FIREMAN), A., ii, 656.

compounds of, with unsaturated ketones (ROSENHEIM and LEVY), A., i, 1024.

compounds, complex (BODLÄNDER), A., ii, 122.

hydroxides, thermal expansion of dilute solutions of (CARSE), A., ii, 803.

solubility of (FISCHER), A., ii, 563.

permanganates, electrolytic preparation of (CHEMISCHE FABRIK GRIESHEIM-ELEKTRON), A., ii, 127.

nitroso-compounds (KOHLSCHÜTTER and KUTSCHEROFF), A., ii, 734.

oxides, action of sulphuryl chloride on (SPELTA), A., ii, 479.

phosphates, action of carbon dioxide under pressure on (BARILLÉ), A., ii, 27.

metaphosphates (WARSCHAUER), A., ii, 26.

salts, preparation of, by double decomposition (WITT and LUDWIG), A., ii, 124, 171; (MEYERHOFFER), A., ii, 170, 324.

constitution of dissolved (COLSON), A., ii, 648.

rate of solution of, in their aqueous solutions (SCHÜRR), A., ii, 543.

capillarity constants and specific gravity of, at their melting points (MOTYLEWSKI), A., ii, 240.

reactions of, in solutions other than aqueous (NAUMANN and ALEXANDER), A., ii, 819.

antagonism between alkaloids and (FISCHER), A., ii, 198.

intravascular injection of (MACWILLIAM, MACKIE, and MURRAY), A., ii, 195.

toxic action of, on seedlings (CAMERON and BREAZEALE), A., ii, 283; (CAMERON), A., ii, 364.

anhydrous and hydrated, molecular state of, in organic solvents (BRUNI and MANUELLI), A., ii, 713.

basic, formation of (COLSON), A., ii, 277, 532.

fused, densities of, and the chemical equilibrium of their mixtures (BRUNNER), A., ii, 244.

solutions, critical point of dilute (LEVI-BIANCHINI), A., ii, 707.

fluidity and conductivity of some concentrated aqueous, below 0° (HECHLER), A., ii, 708.

Metallic substitution (VANDEVELDE and WASTEELS), A., ii, 549.

sulphides, precipitation with colloidal solutions of (MÜLLER and ARTMANN), A., ii, 547.

thiocyanates, compounds of, with organic bases (GROSSMANN), A., i, 341.

halogen thiocyanates (GROSSMANN), A., i, 147.

Metalloids, preparation of, by Escalès' method (MUTHMANN), A., ii, 410.

action of the halogen derivatives of tervalent and quinquevalent, on alkyl haloids (AUGER), A., i, 983.

Metals, preparation of, by Escalès' method (MUTHMANN), A., ii, 410.

apparatus for the electrolytic deposition of, using a rotating cathode (SHEPHERD), A., ii, 80.

specific heat of, and its relation to atomic weight (TILDEN), A., ii, 381.

relation between the solution pressure and the heat of ionisation of (KORN and STRAUSS), A., ii, 379.

evolution of structure in (CARTAUD), A., ii, 729.

anodic dissolution of, and their passivity (SACKUR), A., ii, 802.

distillation of mixtures of two (MOISAN and O'FARRELL), A., ii, 617.

passivity of (MÜLLER), A., ii, 610 ; (SACKUR), A., ii, 721.

colloidal. See Colloidal metals, and Gold and Silver.

"fluidal" and "annealed" (SPRING), A., ii, 313 ; (DUHEM), A., ii, 647.

hard and soft states in (BEILBY), A., ii, 647.

action of bromic acid and chloric acids on (HENDRIXSON), A., ii, 656.

action of a mixture of oxygen and hydrochloric acid on (MATIGNON), A., ii, 132.

influence of, on fermenting liquids (NATHAN), A., ii, 505.

anesthesia of (BECQUEREL), A., ii, 602.

influence of gases on the separation of, by electrolysis (HOLLARD and BERTIAUX), A., ii, 92.

which decompose water, electrolytic separation from their salt solutions of (SIEMENS), A., ii, 698.

quantitative separation of, by persulphates (v. KNORRE), A., ii, 213 ; (DITTRICH and HASSEL), A., ii, 679.

Metanilic acid. See Aniline-*m*-sulphonic acid.

Metasulphazilates. See Hydroxylaminetrisulphonates.

Meteoric iron (OSMOND and CARTAUD), A., ii, 135.

of Ranchito, Bacubirito, and Casas Grandes (COHEN), A., ii, 494.

from N'Goureyma, Sudan (COHEN), A., ii, 53.

Meteorite of Bjurböle (RAMSAY and BORGSTRÖM), A., ii, 671.

Narraburra (LIVERSIDGE), A., ii, 671.

from Persimmon Creek, N. Carolina (TASSIN), A., ii, 671.

Toke-uchi-mura and Weaver Mountain (KLEIN), A., ii, 572.

of Schafstadt, Pavlovka, Linum, and Ternera (KLEIN), A., ii, 351.

Methane, nitro-, as a solvent (BRUNER, KOZAK, and MARIASZ), A., i, 2.

Methane fermentation. See Fermentation.

Methanesulphonic acids, amino-, acyl derivatives, and their salts, and behaviour towards potassium cyanide (KNOEVENAGEL and LEBACH), A., i, 994.

Methabenine and its diacetyl and dibenzoyl derivatives (PSCHORR and MASSACIU), A., i, 767.

Methabenol and bromo- (PSCHORR and MASSACIU), A., i, 768.

Methenylbisindandione, action of hydroxylamine on, and its oximes (ERRERA), A., i, 173.

Methineammonium dyes (RUPE and PORAT-KOSCHITZ), A., i, 107.

Methiodides, decomposition of, in acid solution (RABE and DENHAM), A., i, 511.

o-Methoxyacetophenone and its oxime, phenylhydrazone, and semicarbazone (KLAGES and EPPELSHEIM), A., i, 45.

m-Methoxyacetophenone and its semicarbazone (KLAGES and EPPELSHEIM), A., i, 46.

2-Methoxy-4-*a*-acetoxypropylphenol, bromo-derivatives (ZINCKE and HAHN), A., i, 42.

2-Methoxyanthraquinone (KAUFLER), A., i, 256.

1-Methoxyanthraquinone-6- and -7-sulphonic acids, sodium salts (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 68.

3-Methoxyazobenzene. See Benzene-*azo-m-anisole*.

2-Methoxybenzene, 1:3-*dihydroxy*-, and its diacetyl derivative (HERZIG and POLLAK), A., i, 876.

o-Methoxybenzenediazoaminobenzene (VIGNON and SIMONET), A., i, 1065.

***m*-Methoxybenzidine** and its *N*-diacetyl and bis-*p*-methoxybenzylidene derivatives (JACOBSON, FRANZ, and HÖNIGSBERGER), A., i, 203.

Methoxybenzophenones, 2- and 4-, and their 4'-nitro-derivatives, and 4'-hydroxy- of the 4-compound (AUWERS), A., i, 67.

***p*-Methoxybenzoylmethylglyoxime** peroxide (HARRIES and TIETZ), A., i, 428.

Methoxybenzoylphenylacetylene and the action of bases on (WATSON), T., 1324; P., 181.

Methoxybenzylacetone and its phenylhydrazone (HARRIES and GOLLNITZ), A., i, 427.

2-*p*-Methoxybenzylideneamino-5-nitrophenol (JACOBSON and HÖNIGSBERGER), A., i, 207.

***m*-Methoxybenzylidenecyanooacetamide**, *p*-hydroxy- (PICCININI), A., i, 919.

6-(or 7-)*Methoxyisocarbostyryl-3-carboxylic acid*, 4-hydroxy-, methyl ester (KUSEL), A., i, 619.

2-Methoxy-1- α -chloroethylbenzene and its salts (KLAGES and EPPELSHEIM), A., i, 45.

8-Methoxy-5:7-dimethylfluorone (LIEB-SCHÜTZ and WENZEL), A., i, 518.

6-Methoxy-2:5-dimethylpyridine-3-carboxylic acid and its ethyl ester (ERRERA and LABATE), A., i, 190.

5-Methoxy-2:4-dimethylquinoline and its salts (KOENIGS and MENGEI), A., i, 528.

2-Methoxydiphenyl (JACOBSON, FRANZ, and HÖNIGSBERGER), A., i, 203.

α -Methoxy- α -diphenyl-ethane and -ethylene (STOERMER and KIPPE), A., i, 182.

α -Methoxy- α -ethoxyethane, $\beta\beta$ -dichloro- (ODDO and MAMELI), A., i, 281.

3-Methoxy-4-ethoxy-1-propylbenzene, 2: β -di- and 2:5: β -tri-bromo- α -hydroxy- and their methyl ethers (HELL and BAUER), A., i, 386.

4-Methoxy-3-ethylisocarbostyryl (ULRICH), A., i, 529.

6-Methoxy-flavanone and 3-*isonitroso*-, and -*flavonol* and its acetyl derivative (v. KOSTANECKI and LAMPE), A., i, 440.

7-Methoxy-flavanone and *isonitroso*-, and -*flavonol* and its acetyl derivative (v. KOSTANECKI and STOPPANI), A., i, 443.

Methoxy-groups, estimation of (GOLD-SCHMIEDT and HÖNIGSCHMID), A., ii, 94; (STRITAR), A., ii, 95; (KRO-PATSCHEK), A., ii, 686.

***m*-Methoxyhydrazobenzene** (JACOBSON, FRANZ, and HÖNIGSBERGER), A., i, 203.

Methoxy-1- α -hydroxyethylbenzenes, 2-, 3-, and 4-, and their phenylurethanes (KLAGES and EPPELSHEIM), A., i, 45.

2-Methoxy-4- α -hydroxypropylphenol, 6: β -di- and 3:6: β -tri-bromo-, and their acetyl derivatives (ZINCKE and HAHN), A., i, 42.

α -Methoxy- β -ketopropane. See Methyl acetolate.

***p*-Methoxymandelic acid**, optically active, and its ethyl ester and amide (KNORR), A., i, 894.

Methoxymethylphenylglyoxylic acids, 2:4- and 4:2- (EIJKMAN), A., i, 665.

2-Methoxy-4-methylpyrimidine, 6-hydroxy-, and its 5-ethyl derivative (BRUCE), A., i, 574.

2-Methoxy- α -naphthoic acid (BODROUX), A., i, 167.

β -Methoxy- α - and - β -naphthoic acids, methyl esters (WERNER and SEYBOLD), A., i, 1013.

5-Methoxyphenol, 2-nitroso-, and its phenylurethane (HENRICH and EISENACH), A., i, 1007.

Methoxyphenyl. See also Anisyl.

α -Methoxyphenyl hydrogen sulphate (A. and L. LUMIÈRE and PERRIN), A., i, 157.

Methoxyphenyl sulphide, nitro- (BLANKSMA), A., i, 577.

4-*m*-Methoxyphenyldihydro-6-pyridone, 3:5-dicyano-2-*p*-dihydroxy-, ammonium salt (PICCININI), A., i, 919.

***m*-Methoxyphenyldimethylcarbinol** (BÉHAL and TIFFENEAU), A., i, 742.

4'-Methoxyphenyl-4:6-dinitro-*m*-tolylamine (REVERDIN, DRESEL, and DELÉTRA), A., i, 580.

3-Methoxyphenyl-1-phenylisoazazole (WATSON), T., 1326; P., 181.

4-Methoxy-1-propionylbenzene, bromo- and bromonitro-derivatives (HOERING), A., i, 577.

4-Methoxy-1-propylbenzene, 3:5: $\alpha\beta\beta$ -pentabromo- (HOERING), A., i, 578.

Methoxy-1-propylbenzenes, 4- and 3-, 6-nitro-3- and -4-hydroxy- (THOMS and BILTZ), A., i, 400.

4-Methoxy-1-propylenebenzene, 3:5: β -trbromo- (HOERING), A., i, 578.

3-Methoxy-*p*-propylenephenol. See *iso-Eugenol*.

2-Methoxy-4-propylidenequinone and its bromo-derivatives (ZINCKE and HAHN), A., i, 41.

5-Methoxy-3-propylphenol (THOMS), A., i, 47.

6-Methoxypyrimidine, 2-amino-2:4-di-chloro-, and 4-chloro-2-amino- (GABRIEL and COLMAN), A., i, 103.

p-Methoxystilbene and its dibromide (ERLENMEYER and LATTERMANN), A., i, 1017.

preparation of (HELL), A., i, 242.

p-Methoxy-m-sulphaminebenzoic acid and its salts (ALLEMAN), A., i, 202.

Methoxyterephthalic acids, 2- and 4- (EIJKMAN), A., i, 665.

p-Methoxytoluene-m-sulphonic acid and its salts (ALLEMAN), A., i, 202.

Methoxytolic acids, 2:*p*- and 4:*o*- (EIJKMAN), A., i, 665.

Methyl acetolate, polymeride of (HENRY; KLING), A., i, 474.

Methyl alcohol, viscosity of aqueous solutions of, and its hydrates (VARENNE and GODEFROY), A., i, 465.

oxidation of, at its boiling point (DUCHEMIN and DOURLEN), A., i, 961.

detection of, in presence of ethyl alcohol (HAIGH), A., ii, 94.

estimation of, in presence of ethyl alcohol (THORPE and HOLMES), T., 1.

estimation of, in formaldehyde (GNEHM and KAUFLER), A., ii, 520; (STRITAR), A., ii, 686; (BAMBERGER), A., ii, 786.

estimation of, by the iodide process, especially in the products of the distillation of wood (STRITAR and ZEIDLER), A., ii, 686.

Methyl alkyl ethers, halogen, preparation of (LITTERSCHEID), A., i, 364.

chloro-, reactions of (LITTERSCHEID and THIMME), A., i, 963.

O-Methyl isobiuret, carbethoxyisocarbamide, diphenyldiureidoisocarbamide, and thiophenylureidoisocarbamide (BRUCE), A., i, 573.

Methyl tert.-butyl and isopropyl ethers (HENRY), A., i, 466.

Methyl ether, compound of, with nitric acid (COHEN and GATECLIFF), P., 195.

dichloro- (DESCUDÉ), A., i, 546.

and its compounds with pyridine and strychnine and their additive salts (LITTERSCHEID), A., i, 364.

Methyl ethyl ether, chlorination of, and compounds of the chloro-compounds with pyridine, and their additive salts (LITTERSCHEID), A., i, 364.

Methyl fluoride, note on (COLLIE), T., 1317; P., 180.

Methyl haloids, chemical dynamics of the reactions between sodium sulphate and (SLATOR), T., 1290; P., 180.

Methyl and Methyl ethyl *m*-nitrobenzoyliminothiocarbonates (BRUCE), A., i, 491.

O-Methyl oxalylisocarbamide (BRUCE), A., i, 574.

Methyl sodium thiosulphate (BINZ), A., i, 965.

Methylacetoacetic acid, ethyl ester, additive products of, with benzylidene-aniline (FRANCIS and TAYLOR), T., 998; P., 113.

3-Methyl-4-acetoxyethylpyrazolone-1-carboxylamide (HALLER and MARCH), A., i, 713.

Methylaconic acid (FITTIG and SCHEEN), A., i, 555.

5-Methylacridine haloids (SENIER and AUSTIN), T., 1201; P., 176.

10-Methylacridinium picrate (BÜNZLY and DECKER), A., i, 344.

10-Methyl-9-acridone (DECKER and HOCK), A., i, 620.

β -Methyladipic acid, synthesis of (NOYES and Cox), A., i, 10.

α -substituted (DESFONTAINES), A., i, 288.

Methylalkyldimethylaminomethylcarbinols and their benzoates and chlorohydrins (FOURNEAU), A., i, 377.

β -Methylallantoin, constitution of (SIEMONSEN), A., i, 951.

γ -Methylallylactic acid. See γ -Methyl- Δ -pentenoic acid.

Methylallyl-*o*-toluidine (WEDEKIND and OBERHEIDE), A., i, 992.

Methylallyl-*p*-toluidine and its picrate (WEDEKIND and OBERHEIDE), A., i, 733.

Methylamine, action of, on mesityl oxide (HOCHSTETTER and KOHN), A., i, 18.

compound of, with cuproso-cupric cyanide (LITTERSCHEID), A., i, 301.

silver compounds, composition of (BODIÄNDER and EBERLEIN), A., i, 145.

thiobenzoyl derivative (SACHS and LOEY), A., i, 307.

Methylaminoacetocatechol and its hydrochloride (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 873.

Methylaminoanisole, dinitro- (BLANKSMA), A., i, 577.

1-Methylaminoanthraquinones, 5- and 8-amino- (SCHMIDT), A., i, 257.

Methylaminoanthraquinone-1-sulphonic acids, 5- and 8- (SCHMIDT), A., i, 257.

α -Methylaminobenzaldehyde and its salts, oxime, phenylhydrazones, and benzoyl derivative (BAMBERGER), A., i, 423.

***o*-Methylaminobenzaldehyde** phenylhydrazone (HELLER), A., i, 160.

***p*-Methylaminobenzoic acid** (HOUBEN), A., i, 1014.

3-nitro-, and its ethyl ester and acetyl derivative (NOELTING and DEMANT), A., i, 424.

***p*-Methylaminobenzonitrile** and nitroso- (SACHS and STEINERT), A., i, 507.

Methylaminobenzylacetomethylamide, transformation of, into benzoylaceto-methylamide (GUARESCHI), A., i, 891.

Methyl- β -aminoisobutylcarbinol. See Diacetonealkamine.

Methylaminocamphene and its platinichloride (FORSTER and MICKLETHWAIT), T., 334; P., 19.

***N*-Methyl-6-aminocoumarin** and its benzenesulphonyl and nitroso-derivatives (MORGAN and MICKLETHWAIT), T., 1238; P., 177.

Methyl diaminodiaridymethane- ω -sulphonic acids (ANILINFARBEN- & EXTRACT-FABRIKEN VORM. J. R. GEIGY), A., i, 452.

ϵ -Methylamino- $\beta\epsilon$ -dimethyl- $\Delta\beta$ -hexene. See Nonylene, ϵ -amino-.

2- β -Methylaminoethylpyridine and its salts (LÖFFLER), A., i, 265.

***p*-Methylamino-*m*-methylbenzylidene-*p*-dimethylaminoaniline** (ULLMANN and FREY), A., i, 423.

6-Methylamino-2-methylthiol-5-methylpyrimidine, 4-chloro- (WHEELER and JAMIESON), A., i, 942.

5-Methylamino-4-methyluracil (WHEELER and JAMIESON), A., i, 942.

6-Methylamino-3-tolualdehyde and its phenylhydrazone (ULLMANN and FREY), A., i, 424.

***o*-Methylaminotriphenylmethane** and its salts and acyl derivatives (v. BAEYER and VILLIGER), A., i, 899.

***p*-Methylaminotriphenyl-methane** and -carbinol and its acetate and picrate (v. BAEYER and VILLIGER), A., i, 786.

γ -Methylamylbenzene, γ -hydroxy-, and its phenylurethane (KLAGES), A., i, 569.

4-Methyl-3-*n*- and -*iso*-amylpyrazolones (LOCQUIN), A., i, 552.

Methylaniline hydrobromide perbromide, *op*-dibromo- (FRIES), A., i, 571.

Methylanilinoazocyanide. See β -Phenyl- β -methyltriazen, α -cyano-.

Methylanthranil (BRÜHL; BAMBERGER and ELMER), A., i, 93.

Methylanthranilic acid. ω -cyano-, bromo-, and *mono*- and *di*-chloro- (BADISCHE ANILIN- & SODA-FABRIK), A., i, 670.

Methylarsine (AUGER), A., i, 724.

Methylarsonic acid, thermochemistry and acidimetry of (ASTRUC and BAUD), A., ii, 644.

Methylated spirits, composition of (THORPE and HOLMES), T., 4. detection of acetone in (ALBERDA VAN EKENSTEIN and BLANKSMA), A., i, 99.

Methylaticonic acid, action of bromine on (FITTIG and SCHEEN), A., i, 555.

3-Methylbenzaldehyde, 2:4:6-trihydroxy-, and its oxime and penta-acetyl derivative (HERZIG, WENZEL, and KERÉNYI), A., i, 252.

Methylbenzaldehydes, 3- and 5-, nitro-hydroxy-derivatives, and their acetyl compounds (AUWERS and BONDY), A., i, 1053.

Methylbenziminazole, 4-chloro- (ULLMANN and MAUTHNER), A., i, 192.

1-Methylbenziminazole, 6-nitro-, and its salts and its isomeride (FISCHER and HESS), A., i, 195.

2-Methylbenzoic acid, 4:6-dihydroxy-. See Orcinolecarboxylic acid.

4-Methylbenzoic acid, 2:6-dihydroxy-. See Orsellinic acid.

Methylbenzophenones, 3- and 5-, amino-, and their acyl derivatives (CHATTAWAY and LEWIS), T., 590; P., 60.

3-Methylbenzophenone, 6-hydroxy-, and its ethyl ether, and 4'-nitro-6-hydroxy- (AUWERS), A., i, 66.

3-Methyl-2:4-benzoxazine (AUWERS), A., i, 581.

5-Methylbenzylideneacetonesemicarbazone, 2-hydroxy-, and its behaviour towards aniline (BORSCHE and MERK-WITZ), A., i, 947.

***N*-Methylbromoisoopapaverine** (DECKER and GIRARD), A., i, 1045.

Methyl- β -bromopropylketoxime and its benzoyl and *p*-nitrobenzoyl derivatives, methyl ether, and phenylurethane (SCHMIDT and LEIPPRAND), A., i, 278.

β -Methylbutane, $\beta\gamma\gamma$ -tribromo- (SCHMIDT and LEIPPRAND), A., i, 279.

β -bromo- γ -nitroso- (*trinethylethylene nitrosobromide*), polymerism and desmotropy of (SCHMIDT and LEIPPRAND), A., i, 278.

β -Methylbutane- $\alpha\delta$ -tricarboxylic acid, synthesis of (NOYES and COX), A., i, 10.

Methyl isobut enyl ketone. See Mesityl oxide.

α -Methylisobutylacetic acid. See α -Methylhexoic acid.

Methylisobutylallylcarbinol and its acetate (MARKO), A., i, 642.

a-Methylbutylbenzene and its sulphonic acid, and its salts, chloride, and amide (KLAGES), A., i, 27.

γ-Methylbutylbenzene, γ -hydroxy-, and its phenylurethane (KLAGES), A., i, 569.

3-Methyl-5-*tert*-butylbenzoic acid and its salts and ethyl ester (KONOWALOFF and ORLOFF), A., i, 499.

8-Methylbutylene, γ -nitroso-, polymeric (SCHMIDT and LEIPPRAND), A., i, 279.

3-Methyl-*n*-butyrophenone, 6-hydroxy-, and its ethyl ether (AUWERS), A., i, 66.

8-Methylcaffeine, *mono*-, *di*-, and *tri*-chloro- (BOEHRINGER & SÖHNE), A., i, 340.

Methylcamphephenone (BÉHAL), A., i, 514.

Methylcamphephenic acid, isomeric methyl esters (MINGUIN), A., i, 138.

Methylcarbamide, decomposition of (FAWSITT), T., 1581; P., 126, 203.

Methylcarbazoles, 1- and 3-, and their picrates (DELÉTRA and ULLMANN), A., i, 270.

Methylcarbazoline, 4- or 2-, and its additive salts (PLANCHER and CARASCO), A., i, 778.

Methylchavicole, compounds of, with mercury salts (BALBANO, PAOLINI, and TONAZZI), A., i, 73.

ρ -Methyl- $\beta\beta$ -dichloroethylbenzene, formation of (AUWERS and KEIL), A., i, 26.

2-Methylchromone, 5:7-dihydroxy-, and its acetyl derivative (JOCHEM and v. KOSTANECKI), A., i, 608.

α -Methylcinnamic acid, action of hydroxylamine on (POSNER), A., i, 161.

β -Methylcinnamic acid (SCHROETER), A., i, 415.

β -Methylcinnamic acids, isomeric (TIFFENEAU), A., i, 499.

β -Methylcinnamoylanilide (HENRICH and WIRTH), A., i, 431.

Methylcitraconanil (FICHTER and GOLDBER), A., i, 648.

Methylcoumarilic acid, 4-chloro-, ethyl ester, and 4-hydroxy-, and its ether (STOERMER and OETKER), A., i, 245.

Methylcoumarin, 6-chloro- (STOERMER and OETKER), A., i, 245.

Methylcoumarone, 4-hydroxy-, and its phenylurethane (STOERMER and OETKER), A., i, 245.

5-Methylcytosine and its additive salts and acetyl derivative (WHEELER and JOHNSON), A., i, 624.

Methylacetoneamine and its oxime, benzoyl derivative, and salts (HOCH-STETTER and KOHN), A., i, 18.

Methyldiethylbetainenitrile and its derivatives (KLAGES and MARGOLINSKY), A., i, 145.

Methyldiethylcarbinol (KLING), A., i, 2.

Methyldiethylpropionobetaine and its derivatives (KLAGES and MARGOLINSKY), A., i, 145.

Methyldihydropyridone, hydroxy- (MAQUENNE and PHILIPPE), A., i, 339.

3-Methyldihydroquinazoline and its salts (GABRIEL and COLMAN), A., i, 1060.

Methyldiphenylcarboxylic acid, *di*-amino-, and its salts (CHEMISCHE FABRIK VORM. WEILER-TER-MEER), A., i, 53.

Methylene dibromide, action of water on (KLÖSS), A., i, 1.

compounds, action of cyanogen on (TRAUBE), A., i, 708.

hydroxy-, preparation of (BRÜHL), A., i, 600.

“**Methylene hydroxybromide**”, constitution of (HENRY), A., i, 364.

Methylenebenzene-*m*-disulphonamide (KNOEVENAGEL and LEBACH), A., i, 995.

Methylenebisaspidinol (BOEHM), A., i, 405.

Methylenebiscotoin and its azo-compound (BOEHM), A., i, 404.

4-Methylenebis-3:5-dimethylisooxazole (RABE and ELZE), A., i, 749.

Methylenebisflicic acid and its azo-compound (BOEHM), A., i, 405.

Methylenebishydroxyquinol and its acetate (LIEBERMANN, LINDENBAUM, and GLAWE), A., i, 443.

4-Methylenebis-3-methyl-5-isooxazolone (RABE and RAHM), A., i, 748.

Methylenebismethylphloroglucinol and its methyl ether, and their azo-compounds (BOEHM), A., i, 404.

Methylenebisorcinol and its azo-compound (SIMON), A., i, 406.

5-Methylenebis-1-phenyl-3-methylthiopyrazole and its additive salts (MICHAELIS), A., i, 780.

Methylenebistriacetic- δ -lactone (DIECKMANN and BREEST), A., i, 846.

Methylenebis-2:4:6-trimethoxybenzaldehyde (HERZIG, WENZEL, and GEHRINGER), A., i, 252.

Methylene-blue, influence of chloroform on intravital staining with (HERTER and RICHARDS), A., ii, 756.

estimation of, volumetrically (PELET and GARUTI), A., ii, 794.

Methylenecamphor, hydroxy- (BRÜHL), A., i, 139, 600.

Methylenecitric acid (FARBENFABRIKEN VORM. F. BAYER & CO.), A., i, 649.

Methylenedianisamide (KNOEVENAGEL and LEBACH), A., i, 944.

Methylenedioxybenzyl-cyanoacetic and -malonic acids (PICCININI), A., i, 504.

3:4-Methylenedioxy-1- α -hydroxyethylbenzene (KLAGES and EPPELSHHEIM), A., i, 46.

α 3:4-Methylenedioxyphenylpropane. See Dihydrosafrrole.

α 3:4-Methylenedioxyphenylpropyl alcohol. See Ethylpiperonylcarbinol.

Methylene-1:2-dioxy-5-propylbenzene, dichloro- (DELANGE), A., i, 313.

Methylene-3:4-dioxy-1-propylbenzene. See Dihydrosafrrole.

Methylene-group, syntheses effected by the aid of compounds containing the, attached to one or two acid radicles (HALLER and BLANC), A., i, 180.

splitting-off of hydrogen ions from the (WAGNER and HILDEBRANDT), A., i, 140; (EHRENFELD), A., i, 220.

Methylenehippuric acid (CHEMISCHE FABRIK AUF AKTIEN), A., i, 413.

m-nitro- (CHEMISCHE FABRIK AUF AKTIEN), A., i, 889.

Methylenementhone, hydroxy-, preparation of (BRÜHL), A., i, 601.

Methylenemethylol-2-picoline and its additive salts and acyl derivatives (LIPP and RICHARD), A., i, 343.

Methylenepyrotartaric acid, β -hydroxy-, ethyl ester (FICHTER and RUDIN), A., i, 472.

Methylene-*ar*-tetrahydro- β -naphthylamine (SMITH), T., 733; P., 111.

***p*-Methylethylamino-benzaldehyde** and its phenylhydrazone and *-benzylidene-p*-aminodimethylaniline (ULLMANN and FREY), A., i, 423.

4-Methylethylamino-1-phenyl-2:3-di-methyl-5-pyrazolone (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 196.

Methylethylisoamylcarbinol (KONOWALOFF), A., i, 496.

Methylethylanilinesulphonic acid and its salts (JONES and MILLINGTON), A., i, 867.

1-Methyl-3-ethylbenzene, 4-amino-, and its sulphate, and 4-iodo-, -iodoso-, -iodoxy-, and -iodinium compounds of (WILLGERODT and BRANDT), A., i, 657.

Methylethylidimethylaminomethylcarbinol (*dimethylaminotert.-amyl alcohol*) (FOURNEAU), A., i, 377.

benzoate hydrochloride. See Stovaine.

Methylethylfumaric acid and its salts (FICHTER and RUDIN), A., i, 473.

$\alpha\alpha$ -**Methylethylhydrarylic acid** and its potassium and alkaloidal salts, and ethyl ester, and its acetyl derivative (BLAISE and MARCILLY), A., i, 367.

3-Methyl-2-ethylisoindolinone, 3-hydroxy- (SACHS and LUDWIG), A., i, 267.

Methyl ethyl ketone, amino-, and its salts and reactions (KOLSHORN), A., i, 675.

Methylethylketoxime, heat of combustion of (ZUBOFF), A., ii, 160.

Methylethylmaleic anilide (FICHTER and RUDIN), A., i, 473.

β -**Methyl- α -ethyl- Δ -propenylbenzene** and its dibromide (KLAGES and HAEN), A., i, 497.

β -Methylethylpropylmethane. See β -Ethylpentane.

3-Methyl-4-ethylpyrazolone (LOCQUIN), A., i, 552.

2-Methyl-5-ethylpyridine-3-carboxylic acid, 6-hydroxy-, and its ethyl ester (ERRERA and LABATK), A., i, 190.

Methylethyl-*p*-toluidine and its picrate (WEDEKIND and OBERHEIDE), A., i, 732.

Methyleugenol, compounds of, with mercury salts (BALBIANO, PAOLINI, and BERNARDINI), A., i, 73.

Methylisoeugenol picrate (BRUNI and TORNANI), A., i, 875.

nitro- (WALLACH and BESCHKE), A., i, 754.

Methylflilic acid, *di*- and *tri*-bromo- (BÖEHM), A., i, 405.

Methylfluorone, 5(or 7)-, 8-hydroxy-, and its carboxylic acid (SCHREIER and WENZEL), A., i, 517.

9-Methylfluorone, 2:3:7-trihydroxy-, and its acetyl derivative (LIEBERMANN, LINDENBAUM, and GLAWE), A., i, 443; (LIEBERMANN and LINDENBAUM), A., i, 764.

2-Methylfuran-3-carboxylic acid, ethyl ester (PLANCHER and ALBINI), A., i, 334.

α -Methylgalactoside (IRVINE and CAMERON), T., 1071; P., 174.

α -Methylgeraniol (FARBENFABRIKEN VORM. F. BAYER & CO.), A., i, 842.

Methylglucosides, stereoisomeric, and their penta-acetates and transformations (JUNGUS), A., i, 651.

Methyl-glucosides and -galactosides, α - and β -, tetra-acetates, hydrolysis of (ARMSTRONG and ARUP), T., 1048; P., 169.

α' -Methylglutaric acid, β -amino- α -cyano-, esters and salts (BARON, REMFRY, and THORPE), T., 1747.

Methylglutazine and its carboxylic acid, ethyl ester, and its dibenzoyl derivative, and oxime (BARON, REMFRY, and THORPE), T., 1749; P., 243.

β -Methylglyceric acid. See Butyric acid, $\alpha\beta$ -dihydroxy-.

Methylglycide (HENRY), A., i, 474.

α -Methyl- β -guanidineacrylic acids, cis- and trans- (JOHNSON and CLAPP), A., i, 819.

4-Methylcycloheptatrienecarboxylic acid and amide (BUCHNER and FELDMANN), A., i, 57.

Methylcyclohexane, amino-, and its salts, and its transformation into suberyl alcohol (DEMJANOFF), A., i, 411.

4-Methylcyclohexane-1:3-dicarboxylic acid, 4-imino-6-hydroxy-, ethyl ester (RABE and RAHM), A., i, 748.

Methylcyclohexane-3:4-glycol and its diacetate (STADNIKOFF), A., i, 665.

1:2-Methylcyclohexanol and its phenylurethane (WALLACH and FRANKE), A., i, 425.

Methylcyclohexanone, transformation of 1:2- into 1:3-, and their oximes and benzoyl derivatives (WALLACH and FRANKE), A., i, 424.

1:3-Methylcyclohexanone, optical isomerism of, and its oximes and their benzoyl derivatives (WALLACH and KEMPE), A., i, 755.

4-Methylcyclohexan-6-one-1:3-dicarboxylic acid, 4-hydroxy-, ethyl ester, and its dienolic isomeride (RABE), A., i, 748.

3-Methylcyclohexanonephenylcarbamic acid hydrazone (BORSCHE and MERK-WITZ), A., i, 946.

Methylcyclohexenes (heptanaphthalenes), structure of, and some of their compounds (MARKOWNIKOFF), A., i, 383, 384.

Methylcyclohexenone, addition of ethyl acetoacetate to (RABE), A., i, 509.

α -Methylhexoic acid (α -methylisobutyl-acetic acid), β -imino- α -cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1755.

Methyl-n- and -iso-hexoyacetic acids, ethyl esters (LOCQUIN), A., i, 552.

Methylcyclohexyl dibromide (heptanaphthalene dibromide) (STADNIKOFF), A., i, 666.

β -Methylcyclohexyl allyl ether (HALLER and MARCH), A., i, 751.

3-Methyl-1-hexylbenzoxazole, 5-hydroxy- (HENRICH and OPFERMANN), A., i, 934.

Methylhomocamphoric acids, α - and β - (MINGUIN), A., i, 138.

α -Methylhydantoin, β -acetyl derivative (SIEMONSEN), A., i, 952.

Methylhydrindamine *d*-chlorocamphor-sulphonates, *d*- and *l*-, isomeric (TATTERSALL), T., 169.

***dl*-Methylhydrindamine**, resolution of (TATTERSALL), T., 169.

3-Methyl-2-hydrindone and its semicarbazone (WALLACH and BESCHKE), A., i, 987.

3-Methyl-1-hydrindone-2-acetic acid, 3-hydroxy-, lactone and semicarbazone of (STOBBE and ROSE), A., i, 503.

α -Methylhydrocotarnine and its additive salts (FREUND), A., i, 187.

4-Methyl-2- β -hydroxyethylquinoline and its salts (KOENIGS and MENGE), A., i, 528.

4-Methyl-2- α - γ -dihydroxyisopropyl-quinoline and its salts (KOENIGS and MENGE), A., i, 528.

2-Methylimiazole-1-diazobenzene-sulphonic acid (BURIÁN), A., i, 354.

Methylimino-groups, estimation of (GOLDSCHMIEDT and HÖNIGSCHMID), A., ii, 94.

5-Methylimino-1-phenyl-2:3-di- and -2:3:4-tri-methylpyrazolones and their additive salts (STOLZ), A., i, 114.

Methylindazoles and their amino- and nitro-derivatives, and their acyl compounds (NOELTING), A., i, 691.

3-Methylindene and its nitrosochloride and 2-nitro- (WALLACH and BESCHKE), A., i, 987.

2-Methylindole, condensation of, with aldehydes (RENZ and LOEW), A., i, 190; (FREUND and LEBACH), A., i, 266.

3-Methyl-1-indone-2-acetic acid and its semicarbazone (STOBBE and ROSE), A., i, 503.

Methyl- ψ -ionone and its hydrate and semicarbazone (COULIN), A., i, 678.

Methylionones, four isomeric, and their semicarbazones (HAARMANN & REIMER), A., i, 595.

***p*-Methylisatin-*p*-tolylimide** (HELLER and EMRICH), A., i, 730.

Methylitaconic acid and its attempted conversion to methylaticonic acid (FITTIG and SCHEEN), A., i, 418.

dibromide (FITTIG and SCHEEN), A., i, 555.

α -Methylitamic acid, calcium salt (FICHTER and RUDIN), A., i, 473.

Methylmesaconic acid, oxidation of (FITTIG and DANNENBERG), A., i, 555.

Methylmorphimethine, new basic products from (KNORR), A., i, 916.

2'-Methyl-1:2-naphthacarbazole (ULLMANN, DELÉTRA, and KOGAN), A., i, 776.

Methylidicyclo-nonanolone and its acetate, -nonane-5:7-diol and its diacetate, and -nonane (RABE), A., i, 509.

4-Methylnorcaradienecarboxylic acid, ethyl ester, and amide (BUCHNER and FELDMANN), A., i, 57.

Methyldimethylacetaldehyde, action of hydrogen cyanide on (GLASER), A., i, 284.

Methylol- γ -dimethylcrotonic acid and its lactone and dibromide (SILBERSTEIN), A., i, 288.

Methyl-orange, colour of aqueous solutions of, and the change which acids produce in it (VAILLANT), A., i, 119.

N-Methylisopapaverine and its picrate (DECKER and KLAUSER), A., i, 338; (DECKER and HOCK), A., i, 620. oxidation of (DECKER and PSCHORR), A., i, 927.

μ -Methylparabanic acid. See *O*-Methyl oxalylisocarbamide.

α -Methylparaconic acid and its zinc salt and ethyl ester (FICHTER and RUDIN), A., i, 472. bromo- (FITTIG and SCHEEN), A., i, 555.

1:2-Methylcyclopentanone and its oxime and semicarbazone (WALLACH and COLLmann), A., i, 752.

1:3-Methylcyclopentanone and its oximes (WALLACH and KEMPE), A., i, 755.

2-Methylcyclopentan-5-one-1-carboxylic acid, 1-cyano-, ethyl ester (NOYES and COX), A., i, 10.

α -Methyl- Δ^3 -pentenoic acid and its calcium salt (FICHTER and RUDIN), A., i, 473.

γ -Methyl- Δ^3 -pentenoic acid (γ -methyl-allylacetie acid) and its ethyl ester (JONES and TATTERSALL), T., 1693; P., 218.

α -Methylpentenylbenzene and its dibromide (KLAGES and SAUTTER), A., i, 302.

12-Methyl-1:2-phenonaphthacridol (ULLMANN and LA TORRE), A., i, 930.

μ -Methylphenopentoxazole. See 3-Methyl-2:4-benzoxazine.

Methylphloroglucinol, bromo-, and its carboxylic acid (SCHREIER and WENZEL), A., i, 518.

Methylphloroglucinolaldehyde. See 3-Methylbenzaldehyde, 2:4:6-trihydroxy-.

Methylphloroglucinoldiazobenzene (BOEHM), A., i, 404.

Methylphloroglucinyl-*n*-butanone and its azo-compound (BOEHM), A., i, 407.

1-Methylpiperidine (HAASE and WOLF-FENSTEIN), A., i, 856.

Methylpiperidobetaine, and its aurochloride (KLAGES and MARGOLINSKY), A., i, 146.

Methylpiperonyl ether (MAMELI), A., i, 668, 743.

p - α -Methyl-propenyl- and β -propenyl-anisoles (KLAGES), A., i, 1004.

β -Methyl- Δ^3 -propenylbenzene (KLAGES and HAEN), A., i, 497.

3-Methylpropiophenone, 6-hydroxy- (AUWERS), A., i, 66.

3-Methyl-6-*isopropyl*- Δ^N -carbazolenine and its additive salts (PLANCHER and CARRASCO), A., i, 777.

Methyl propyl ketone, *isonitroso*-, semicarbazone of (PONZIO), A., i, 723.

α -Methyl- β -propylmaleic anhydride and its barium salt (KÜSTER and HAAS), A., i, 647.

Methylisopropylmaleimide and its isomeride (KÜSTER and HAAS), A., i, 648.

1-Methyl-3-*isopropyl*- Δ^1 -cyclopentene ("anhydrocamphoryl alcohol") (SEMMELER), A., i, 261.

8-Methyl- α -propyl- Δ^3 -propenylbenzene and its dibromide (KLAGES and HAEN), A., i, 497.

2-Methyl-5-propylpyridine-3-carboxylic acid, 6-hydroxy-, and its ethyl ester (ERRERA and LABATE), A., i, 190.

4-Methyl-1-*isopropyltetrahydrocarbazole* and its picrate (PLANCHER and CARRASCO), A., i, 777.

Methylisopropyltriphenylacetic acids, 2:5- and 5:2-, 4-hydroxy-, and the methyl esters of the methyl ethers (GEIPERT), A., i, 319.

Methylpyrazinophenazine, hydroxy- (HINSBERG and SCHWANTES), A., i, 198.

Methylpyrazole (WALLACH and STEIN-DORFF), A., i, 106.

Methylpyrazolone, *isonitroso*-, and its sodium salt and benzoyl derivative (BETTI), A., i, 533.

3-Methylpyrazolone and its 4-alkyl derivatives (LOCQUIN), A., i, 694. and 4-*isonitroso*- (WOLFF), A., i, 722.

2-Methylpyridine. See α -Picoline.

2-Methylpyrimidine and 6-amino-, 6-chloro-, and 6-hydroxy-, and their salts (GABRIEL), A., i, 1060.

1-Methylpyrrole, conversion of, into 2-methylpyrrole (PICTET and STEINMANN), A., i, 771.

1-Methylpyrrole, 2:3:5-trichloro-4-bromo- (MAZZARA), A., i, 771.
2:3:5-tri- and 2:3:4:5-tetra-chloro- (MAZZARA and BORGO), A., i, 614.

2-Methylpyrrole, formation of, from 2-methylpyrrolidine (TESTONI and MASCARELLI), A., i, 188.

1-Methylpyrrole 2-carboxylic acid and its methylamide, bromo-derivatives of (KHOTINSKY and PICTET), A., i, 772.

1-Methylpyrrolidine and its methiodide (MASCARELLI and TESTONI), A., i, 340.

2-Methylpyrroline (MASCARELLI and TESTONI), A., i, 340.

Methylpyruvic acid and its phenylhydrazone (FITTIG and DANNENBERG), A., i, 555.

2-Methylquinoline. See Quinaldine.

4-Methylquinoline. See Lepidine.

3-Methylisoquinoline, 1:4:6-(or 1:4:7-) trihydroxy- (KUSEL), A., i, 619.

4-Methylquinoline-2-carboxylic acid and -2-acrylic acid, and their salts (KOENIGS and MENGE), A., i, 528.

8-Methylquinophthaline and its *N*-alkyl derivatives (GAEBELE), A., i, 89.

8-Methylquinophthalone and its bromo-derivatives (GAEBELE), A., i, 89.

Methylresorcinol and its benzoyl derivative (HERZIG, WENZEL, and HAISER), A., i, 247.

3-Methylsalicylaldehyde, 5-nitro-, acetyl derivatives (AUWERS and BONDY), A., i, 1052, 1053.

Methylsantolate and its acetate (HARRIES, HAARMANN, and STÄHLER), A., i, 231.

Methylstilbene, synthesis of (TIFFENEAU), A., i, 872.

α-Methylstilbene (HELL), A., i, 242; (VORLÄNDER and V. LIEBIG), A., i, 426.

β-Methylstyrenes, β-bromo- and β-chloro- (AUWERS and KEIL), A., i, 27.

Methylsuccinic acid (*pyrotartaric acid*), acid esters (BONE, SUDBOROUGH, and SPRANKLING), T., 542; P., 64. action of, on *p*-aminophenol and its ethers (GIUFFRIDA and CHIMENTI), A., i, 1047.

Methyltetrahydrocarbazole, 4- or 2-, and its picrate (PLANCHER and CARRASCO), A., i, 777.

N-Methyltetrahydro-β-naphthylamine and its nitrate, hydrochloride, and nitrosoamine (SMITH), T., 735; P., 111.

N-Methyltetrahydropapaverine, amino- and its salts (PSCHÖRER, STÄHLIN, and SILBERBACH), A., i, 612.

2-Methyltetrahydroisoquinoline, behaviour of, towards chromic acid (FREUND and BECK), A., i, 618.

8-Methyltheobromine, trichloro-, preparation of (BOEHRINGER & SÖHNE), A., i, 340.

5-Methyl-1:2:3-thiodiazole and its additive salts and -4-carboxylic acid and its ethyl ester (WOLFF, KOPITZSCH, and HALL), A., i, 828.

2-Methylthiol-5-methylpyrimidine, 4:6-dichloro- (WHEELER and JAMIESON), A., i, 942.

2-Methylthiolpyrimidine, 4:6-diamino-, -dichloro-, -chloroamino-, and 4:6-dimethyl derivative (WHEELER and JAMIESON), A., i, 940.

Methylthiopyrine and its additive salts, trioxide, and dichloro-derivative (MICHAELIS, MOELLER, and KOBER), A., i, 781.

Methyl-ψ-thiopyrone and its additive salts and sulphone (MICHAELIS, BESSEN, MOELLER, and KOBER), A., i, 783.

β-Methyl-βζζ-trialkylsulphoneheptanes (POSNER), A., i, 324.

5-Methyltriazole, 1-amino-, and its salts and 4-carboxylic acid (WOLFF and HALL), A., i, 120.

3-Methyltriphenylcarbinol, 4-hydroxy-. See Diphenyl-6-hydroxy-*m*-tolylcarbinol.

3-Methyltriphenylmethane, 4-hydroxy-. See Diphenyl-6-hydroxy-*m*-tolylmethane.

Methyltripropylammonium platinichlorides, two forms of (LE BEL), A., i, 718.

Methyl undecyl ketone and its oxime and semicarbazone (GUÉRIN), A., i, 143. action of phosphorus pentachloride on (BLAISE and GUÉRIN), A., i, 143.

Methylvaleranilide, preparation of (AUGER), A., i, 805.

α-Methylvaleric acid, β-imino-α-cyano-ethyl ester (BARON, REMFRY, and THORPE), T., 1752.

Methyl-violet, reactions of (SCHUMACHER-KÖPP), A., ii, 101.

Micro-organisms (*microbes*) in the air of the House of Commons (GRAHAM-SMITH), A., ii, 54. ammonium thiocyanate and thiocarbamide as sources of nitrogen to (KASTLE and ELVOVE), A., ii, 504. mode of utilisation of ternary carbon by (MAZÉ), A., ii, 581. rôle of, in alcoholic fermentation attributed to zymase (MAZÉ and PERIER), A., ii, 833.

Micro-organisms (*microbes*), decomposition of selenium and tellurium salts by (GOSIO), A., ii, 503, 580.
 reduction produced by (BEYERINCK), A., ii, 503.
 action of radium on (GREEN), A., ii, 503.
 action of vanadic acid on (BOKORNY), A., ii, 579.
 See also Bacteria, Moulds, and Yeasts.

Milk, solubility of different, in pepsin-hydrochloric acid (ZAITSCHEK and V. SZONTAGH), A., ii, 749.
 human and cow's, reactions for the oxidising enzymes of (RULLMANN), A., ii, 304; (UTZ), A., ii, 848.
 cow's, composition of (RICHMOND), A., ii, 75, 522.
 mineral constituents of, and their variation in the course of a lactation period (TRUNZ), A., ii, 191.
 influence of food on the secretion of, and on the composition of (FINGERLING), A., ii, 424.
 influence of irritants on the secretion of (FINGERLING), A., ii, 61.
 action of formaldehyde on (TRILAT), A., ii, 424.
 migration of odiferous and colouring substances to (DOMBROWSKI), A., ii, 585.
 coagulation of, by *Bacillus coli communis* (SAVAGE), A., ii, 833.
 coagulative action of autolytic organ extracts on (NÜRNBERG), A., ii, 187.
 acidity of (HANNE), A., ii, 845.
 chemical changes in the souring of (VAN SLYKE and HART), A., ii, 759.
 decrease in the amount of citric acid on heating (OBERMAIER), A., ii, 522.
 heated, detection of (SIEGFELD; UTZ), A., ii, 97.
 boiled and unboiled, distinction between (VAN ITALLIE), A., ii, 299.
 addition of sodium citrate to, in infant feeding (POYNTON), A., ii, 625.
 proteids of, rennet as a cause of chemical changes in (VAN SLYKE, HARDING, and HART), A., ii, 285.
 estimation of the total acidity in (GRIMALDI), A., ii, 788.
 from buffalo cows, composition of (WINDISCH), A., ii, 752.
 of goats, composition of (BUTTENBERG and TETZNER), A., ii, 357.

Milk of goats, fat of, food fat and body fat, relations between (EINECKE), A., ii, 426.
 of goats and sheep, effect of feeding on the (MORGEN, BEGER, FINGERLING, DOLL, HANCKE, SIEGLIN, and ZIELSTORFF), A., ii, 750.
 analysis of (MEILLÈRE), A., ii, 596.
 detection of formaldehyde in (EURY), A., ii, 687.
 estimation of boric acid in (PARTHEIL and ROSE), A., ii, 843.
 estimation of fat in (VAN HAARST), A., ii, 97, 789; (SIEGFELD), A., ii, 152; (MEILLÈRE), A., ii, 596; (STEINMANN), A., ii, 596, 789; (PIERRE), A., ii, 845.
 estimation of formaldehyde in (SMITH), A., ii, 98.
 estimation of sugars in (RICHARDSON and JAFFÉ), A., ii, 373.

Milk globules, the membrane of (VÖLTZ), A., ii, 500.

Milk sugar. See Lactose.

Mimetite, refractive index of (BOWMAN), A., ii, 133.

Mineral, bole-like, from the Southern Urals (SURGUNOFF), A., ii, 669.
 allied to montmorillonite from New South Wales (ANDERSON), A., ii, 668.

Minerals allied to pyrochlore and euxenite from Batum, Caucasus (TSCHERNIK), A., ii, 667.
 from California (SCHALLER), A., ii, 348; (BLASDALE), A., ii, 420.
 from Ceylon (DUNSTAN; RAMSAY; COOMARA-SWAMY), A., ii, 744, 745.
 from the neighbourhood of Mount Magnitnaya, Urals (MOROZEWICZ), A., ii, 51, 670.
 from Piedmont (ZAMBONINI), A., ii, 52.
 from Tasmania (PETTERD), A., ii, 47.
 radioactivity of (STRUTT), A., ii, 306.
 testing of, for radioactivity (PISANI), A., ii, 530.
 combination of, from 25° to 83° (VAN'T HOFF and MEYERHOFFER), A., ii, 492.
 analyses of (CLARKE), A., ii, 415.

Mineral waters. See Waters.

Mispickel, cobaltiferous, from Norway (FLETCHER), A., ii, 743.

Mixtures, binary, of isomorphous substances, possible forms of the melting point curve for (VAN LAAR), A., ii, 109.
 sublimation lines of (ROOZEBOOM), A., ii, 233.

Molasses food from seed-beet straw (ROSAM), A., ii, 838.

Molasses food, estimation of fat and sugar in (HISINK), A., ii, 523.

Molasses manure, experiments with (SÖDERBAUM), A., ii, 510.

Molecular attraction (MILLS), A., ii, 642. complexity and surface tension of active homologous compounds (HOMFRAY and GUYE), A., ii, 388.

compounds, attempt to formulate a theory for (ABEGG), A., ii, 475.

weight. See Weight.

Molecules, does the application of Tyndall's optical method permit of the demonstration of, in solutions? (DE BRUYN and WOLFF), A., ii, 470.

volume of (TRAUBE), A., ii, 384.

complex, order of magnitude of the time of formation of (HABER), A., ii, 607, 808; (BODLÄNDER; ABEGG; DANNEEL), A., ii, 713.

of compounds in the liquid state, size of the (VAUBEL), A., ii, 327.

Molisch-Udránszky α -naphthol-sulphuric acid reaction (REINBOLD), A., ii, 787.

Molluscan muscle, taurine in (MENDEL), A., ii, 751.

Molybdenum, heat of oxidation of (DELÉPINE), A., ii, 108.

Molybdenum carbide, new (MOISSAN and HOFFMANN), A., ii, 620.

Molybdic acid, colloidal (ROSENHEIM and DAVIDSOHN), A., ii, 129.

hydrates of (ROSENHEIM and DAVIDSOHN), A., ii, 128.

complex compounds of, with organic acids (GROSSMANN and KRÄMER), A., i, 850.

colour reactions of (POZZI-ESCOL), A., ii, 294.

Chloromolybdic acid and its salts (WEINLAND and KNÖLL), A., ii, 263.

Molybdates, ammoniacal double (BRIGGS), T., 672; P., 89.

Molybdenum, new test for (LECOQ), A., ii, 369.

estimation of, and its separation, from mercury (JANNASCH and BETTGES), A., ii, 517.

estimation of, in steel alloys (CRUSER and MILLER), A., ii, 593.

Molybdenum steels, constitution and properties of (GUILLET), A., ii, 739.

Molybdic acid. See under Molybdenum.

Monazite from New South Wales (MINGAYE), A., ii, 418; (ANDERSON), A., ii, 669.

Monetite, artificial production of (DE SCHULTEN), A., i, 491.

Monilia-invertase from *Monilia candida* (BUCHNER and MEISENHEIMER), A., i, 212.

Montmorillonite, mineral allied to, from New South Wales (ANDERSON), A., ii, 668.

Montroydite from Terlingua, Texas (MOSES; HILL), A., ii, 46.

Morin tetraethyl ether (PERKIN and PHIPPS), T., 61.

Morphine (KNORR), A., i, 916.

localisation of, in the organism (TOTZE), A., ii, 220.

physiological action of (KRYLOFF), A., ii, 431.

toxicological researches on (BAKUNIN and PETITTI), A., ii, 376.

reactions for (REICHARD), A., ii, 792.

colour reactions of (GABUTTI), A., ii, 375.

estimation of, in opium (DOWZARD), A., ii, 218; (ASLANOGLOU), A., ii, 219; (SCHIDROWITZ), A., ii, 523.

Moss berry, citric acid in the (APARIN), A., ii, 200.

Moulds, action of some salts and monohydric alcohols on the development of (IWANOFF), A., ii, 836.

respiration-enzymes of (KOSTYTSCHEW), A., ii, 633.

See also Fungi and Yeast.

Mucobromic acid, isomeric esters (MEYER), A., i, 746.

ethyl ester, action of potassium nitrite on (HILL and BLACK), A., i, 797.

Mucoids, combinations of, with other proteids (POSNER and GIES), A., i, 790.

of connective tissue, digestibility of, in pepsin-hydrochloric acid (POSNER and GIES), A., ii, 497.

Muffle, asbestos or graphite (PICKEL and WILLIAMS), A., ii, 202.

Multirotation. See under Photochemistry.

Murexide, constitution of (SLIMMER and STIEGLITZ), A., i, 634; (MÖHLAU), A., i, 654; (PILOTY and FINCKH), A., i, 820.

Muscarine, physiological action of (MACLEAN), A., ii, 758.

Muscles, production of contact irritability in, without the precipitation of calcium salts (ZOETHOUT), A., 190.

extensibility of (GOTO), A., ii, 499.

osmotic properties of (FLETCHER), A., ii, 189.

amount of fat in (LEATHES), A., ii, 356.

haemoglobin in (LEHMANN, WERNER, STADTFELD, MANDELBAUM, EISENLAUER, and IMHOFF), A., ii, 60.

in warm-blood animals, physiology of (FREUND), A., ii, 60.

Muscles, plain, effect of Ringer's fluid on (ROW), A., ii, 190.
skeletal, effect of salts on the tonicity of (ZOETHOUT), A., ii, 190, 272.
Muscovite from Kossoj-Brod, Urals (IWANOFF), A., ii, 667.
Muscular contraction and energy (CHAUVEAU), A., ii, 575.
influence of veratrine and glycerol on (GREGOR), A., ii, 273.
Musk ox, bile of the (HAMMARSTEN), A., ii, 831.
Mutarotation. See under Photochemistry.
Myeloma and albumosuria (WEBER), A., ii, 64.
Myricetin ethyl ether, tetrabromo-(PERKIN and PHIPPS), T., 62.
Myricyl phenylurethane (BLOCH), A., i, 152.
Myristic acid, physiological action of (MEYER), A., ii, 275.
Myristicin, constitution of, and its bromo-derivatives (THOMS), A., i, 47, 48.
*iso***Myristicin** and its bromo-derivatives (THOMS), A., i, 47, 48.
Myronic acid, potassium salt, fate of, in the organism, and its hydrolysis by the ferment of the liver (KASTLE and McCAW), A., ii, 758.

N.

Naphtha, optical investigation of, and its distillation products (RAKUSIN), A., i, 641.
action of formaldehyde on (NASTUKOFF), A., i, 801.
Caucasian, carbonaceous substances accompanying (CHARITSCHKOFF), A., ii, 180.
Russian, preparation of benzene and its homologues from, by Nikiforoff's method (OGLOBLIN), A., i, 860.
1:2-Naphthacarbazole (ULLMANN, DELÉTRA, and KOGAN), A., i, 776.
Naphthacenequinone, halogen derivatives (PICKLES and WEIZMANN), P., 220.
Naphthacridine haloids, α - and β - (SENIER and AUSTIN), T., 1204; P., 176.
Naphthafuoflavine (HINSBERG and SCHWANTES), A., i, 199.
Naphthafuorindine (NIETZKI and VOLLENBRUCK), A., i, 1063.
Naphthalene, boiling point of, under different pressures (JAQUEROD and WASSMER), A., ii, 538.

Naphthalene, chemical kinetics of the oxidation of (BREDIG and BROWN), A., ii, 247.
specific gravity and thermal expansion of solutions of, in organic solvents (FORCH), A., i, 489.
reaction of, with ethyl diazoacetate (BUCHNER and HEDIGER), A., i, 56.
mixtures of, with trinitrocresol (SAPOSHNIKOFF and RDULTOWSKY), A., i, 399.
mixtures of, with *o*-mono- and 2:4-dinitrophenol (SAPOSHNIKOFF and HELWIG), A., i, 398.
mixtures of, with picric acid (SAPOSHNIKOFF and RDULTOWSKY), A., i, 399.
Naphthalene, amino- and hydroxy-derivatives, action of sulphites on (BUCHERER), A., i, 309.
diamino-. See Naphthylenediamine.
1:2:4-triamino-, 1-*N*-acetyl derivative (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 943.
2:3-dihydroxy-, and its bromo- and chloro-derivatives and their acetyl compounds (ZINCKE and FRIES), A., i, 1008.
nitro-derivatives, electrochemical reduction of (MÖLLER), A., i, 345.
2-nitro-, action of methyl alcoholic potash on (MEISENHEIMER and WITTE), A., i, 175.
reduction of (MEISENHEIMER and WITTE), A., i, 193.
1-Naphthalene-2-azo- α -naphthylamine, 4:4'-dibromo- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 750; P., 110.
Naphthalene-2:7-bismethylsulphone (TRÖGER and MEINE), A., i, 32.
Naphthalene-2:7-disulphinic acid (TRÖGER and MEINE), A., i, 32.
Naphthalene-3:6-disulphonic acid, chloro-1:8-dihydroxy- (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 862.
1:8-dihydroxy-, and 3:6-diamino-quinol dialkyl ethers, azo-compound from (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 208.
Naphthalene-1-sulphohydroxamic acid and its diacetyl derivative (ANGELO, and SCURTI), A., i, 310.
Naphthalenesulphonchloroalkylamides, α - and β - (CHATTAWAY), P., 208.
Naphthalic anhydride, fluorescence of (FRANCESCONI and BARGELLINI), A., i, 168.
Naphthamic acid, thio-, Piria's (DE RUIJTER DE WILDT), A., i, 572.

Naphthaphenazine, oxidation of, by chromic acid (FISCHER), A., i, 111.

2:3-Naphthaphenazine, dichloro- (ZINCKE and FRIES), A., i, 1009.

Naphthaquinones, α - and β -, action of phenylsemicarbazide on (BORSCHE and ZELLER), A., i, 1058.

β -**Naphthaquinone-2-oxime** and its dimethylacetal, and their benzoyl and *p*-nitrobenzyl derivatives, and the methyl ether of the oxime (MEISENHEIMER and WITTE), A., i, 175.

Naphthaquinonesulphonic acid, uses of (EHRLICH and HERTER), A., i, 598.

Naphthaquinoxaline, 2:3-dichloro-, and 3-chloro-2-amino- (HINSBERG and SCHWANTES), A., i, 199.

Naphthaquinoxalonaphthazine (HINSBERG and SCHWANTES), A., i, 199.

Naphthidine. See Dinaphthyl, *di*-amino-.

β -**Naphthiminazole**, benzoyl derivative (HELLEN and KÜHN), A., i, 943.

Naphthisatins, α - and β -, derivatives of (C. and H. DREYFUS), A., i, 893.

Naphthisatin-naphthalides, $\alpha\alpha$ - and $\beta\beta$ - (C. and H. DREYFUS), A., i, 832, 893.

Naphthol, bromo- and chloro-, thio-benzoates of (TABOURY), A., i, 493.

α -**Naphthol**, condensation of, with benzylideneaniline (MAYER), A., i, 785.

bromination of (HEWITT, KENNER, and SILK), T., 1228; P., 126.

α -**Naphthol**, 4-amino-, *N*-formyl derivative (GAESS), A., i, 809.

4-bromo-2-nitro- (DAHMER), A., i, 872.

β -**Naphthol**, vapour pressures of solid solutions of, in naphthalene (SPERANSKY), A., ii, 237.

condensation of, with formaldehyde and ammonia (BETTI), A., i, 581.

β -**Naphthol**, 6-bromo-1-nitro-, and its acetyl derivative (DAHMER), A., i, 872.

β -**Naphtholazo- α -naphthol-5-sulphonic acid** (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 207.

α -**Naphtholdisulphonic acid**, amino-, disazo-compounds from (KALLE & Co.), A., i, 1065.

α -**Naphthol-8:6-disulphonic acid**, 8-amino-, polyazo-dyes from (SCHOELL-KOPF, HARTFORD & HANNA Co.), A., i, 954.

α -**Naphthol-3-sulphonic acid**, 6-amino-, disazo-dyes from (OEHLER), A., i, 809.

α -**Naphthol-7-sulphonic acid**, 2:4-di-nitro-, potassium salt. See Naphthol-yellow-S.

Naphtholsulphonic acids, amino-, diazo-amino-compounds of (PAUL), A., i, 537.

β -**Naphtholsulphonic acids**, sodium salts, mercury derivatives of (AKTIEN-GESELLSCHAFT FÜR ANILIN-FABRIKATION), A., i, 132.

Naphthol-yellow-S and its salts (KNECHT and HIBBERT), A., i, 872.

α -**Naphthoyl-*o*-benzoic acid** (PICKLES and WEIZMANN), P., 201.

β -**Naphthyl alcohol**, 4-nitro-1-hydroxy-, methylene ether and methylene ether ester (BORSCHE and BERKHOUT), A., i, 416.

arabinoside (RYAN and EBRILL), A., i, 223.

α -**Naphthyl ethyl ether**, 4-bromo-2-nitro- (MELDOLA and LANE), T., 1605.

magnesium bromide (ACREE), A., i, 360.

Naphthylamine, 5-nitro-, and its acetyl and formyl derivatives, and 4:5-di-nitro- (BADISCHE ANILIN- & SODA-FABRIK), A., i, 154.

α -**Naphthylamine**, condensation of, with benzylideneaniline (MAYER), A., i, 784.

interaction of, with nitrobenzene in presence of alkali (WOHL), A., i, 155.

α -**Naphthylamine**, 8-chloro-, and its sulphonic acids (BADISCHE ANILIN- & SODA-FABRIK), A., i, 396.

β -**Naphthylamine**, aryl-substituted, preparation of, by the sulphite method (BUCHERER and STOHMANN), A., i, 395.

α -**Naphthylamine-2-azobenzene-4-sulphonic acid**, 4-bromo-, and its reduction (MORGAN, MICKLETHWAIT, and WINFIELD), T., 752.

α -**Naphthylaminesulphonic acid**, 2:4-di-chloro-, and its salts, and an *o*-hydroxyazo-dye from (BADISCHE ANILIN- & SODA-FABRIK), A., i, 953.

α -**Naphthylamine-2-sulphonic acid** (DE RUIITER DE WILDT), A., i, 572.

Naphthylaminesulphonic acids, azo-compounds from (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 207; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 459.

Naphthylaminoacetonitriles, α - and β -, and the phenyl derivative of the α -compound (KNOEVENAGEL, SCHLEUSSNER, and KLUCKE), A., i, 989.

$\beta\beta$ -**Naphthylaminobenzylacetyleacetone** (RUHEMANN and WATSON), T., 1175; P., 175.

Naphthyldiaminonaphthaphenazine, amino- (NIETZKI), A., i, 1063.

2-Naphthylamino-3:5-dinitrobenzoic acids, α - and β - (PURGOTTI and LUNINI), A., i, 316.

Naphthylaminophenyl-dinitro-m-phenylenediamine and its tetra-aminobenzene derivative (NIETZKI and VOLLENBRUCK), A., i, 1063.

Naphthylanthranilic acid, sulphonic acids of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 51.

Naphthylanthranilic acids, α - and β -, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 159.

α -Naphthylbenzoin, synthesis of (ACREE), A., i, 743.

Naphthyl-3-chloro-4:6-dinitroaniline, amino-, and its acetyl derivative (NIETZKI and VOLLENBRUCK), A., i, 1062.

1:3-Naphthylene-carbamide-6-sulphonic acid, preparation of (KALLE & Co.), A., i, 346.

1:4-Naphthylene-diamine, *N*-dibenzoyl derivative, and its isomeride (WOHL and GOLDENBERG), A., i, 209.

Naphthylhydrazine, $\alpha\beta$ -dibenzoyl derivative (WOHL and GOLDENBERG), A., i, 209.

***N*-a-Naphthylhydroxylamine** (SCHEIBER), A., i, 867.

Naphthylpyrroles, 1- α - and - β -, and 2- β - (PICTET and LONG), A., i, 772.

Narceine, colour reaction of (BALLANDIER), A., ii, 793.

Natrolite from Gross-Priesen, Bohemia (PELIKAN), A., ii, 349.

association of latolite and, at Pokolbin, N.S.W. (ANDERSON), A., ii, 349.

Natron contained in the urns of Ma-herpra (Thebes, 18th dynasty) (LORTET and HUGOUNENQ), A., ii, 620.

Natural waters. See under Water.

Nemaphyllite and its intergrowth with dolomite from the Tyrol (FOCKE), A., ii, 419.

Neobornylcarbamic acid, ethyl ester (NEVILLE and PICKARD), T., 688; P., 114.

Neobornylcarbimide (FORSTER and ATTWELL), T., 1192.

Neodymium (BASKERVILLE and STEVENSON), A., ii, 260.

alkali carbonates (MEYER), A., ii, 735.

hydride and nitride (MUTHMANN and BECK), A., ii, 409.

oxide, preparation of (HOLMBERG), A., ii, 174; (MARC), A., ii, 175.

double sulphate (BASKERVILLE and HOLLAND), A., ii, 261.

Neon, spectra of (BALY), A., ii, 3.

Nephelite, composition of (POLLARD), A., ii, 182.

Nephelometer, an instrument for detecting and estimating opalescent precipitates (RICHARDS and WELLS), A., ii, 287.

Nephrite from Brazil (HUSSAK), A., ii, 746.

Nerol from petitgrain oil (HEINE & Co.), A., i, 808.

Nerve, heat contraction in (BRODIE and HALLIBURTON), A., ii, 831.

frog's, action of oxygen on (BAAS), A., ii, 576.

isolated, action of ptomaines on (WALLER and SOWTON), A., ii, 65.

Nerve fibres, motor, action of various monohydric alcohols on (BREYER), A., ii, 65.

Nervous diseases, cytodiagnosis in (DANA and HASTINGS), A., i, 359.

phosphoric acid in cerebrospinal fluid in (DONATH), A., ii, 628.

Nervous tissues, action of extracts of (VINCENT and CRAMER), A., ii, 66.

Neurine, choline, and protagon (CRAMER), A., i, 462.

Newberryite, artificial production of (DE SCHULTEN), A., ii, 492.

Nickel, preparation of (DEWAR), A., ii, 488.

electric potential of (v. EULER), A., ii, 699.

temperature variation of the coefficient of expansion of pure (HARRISON), A., ii, 469.

Nickelammonium chloride, preparation of (FRASCH), A., ii, 128.

hydroxides (STARCK), A., ii, 40; (BONSDORFF), A., ii, 733.

Nickel salts, absorption of light by aqueous solutions of (MÜLLER), A., ii, 4.

action of alkali nitrites on (REICHARD), A., ii, 488, 741.

distinctive character of cobalt salts and (GUÉRIN), A., ii, 294.

Nickel alkali chromates, hexahydrated (BRIGGS), T., 677; P., 90.

bismuth nitrate (URBAIN and LACOMBE), A., ii, 43.

sulphate, the solubility curves and transition points of the hydrates of (STEELE and JOHNSON), T., 113.

hydrates of, and methyl alcohol (DE BRUYN), A., ii, 39.

sulphide, Ni_2S_3 , formation of (DEWAR and JONES), T., 211; P., 5.

Nickel carbonyl, preparation of (DEWAR), A., ii, 488.

Nickel carbonyl, solvent power and electrical conductivity of liquid (MITTASCH), A., ii, 263.
 reactions of, with the halogens and other inorganicsubstances(DEWAR and JONES), T., 203 ; P., 5.
 reaction of, with aromatic hydrocarbons in presence of aluminium chloride (DEWAR and JONES), T., 212 ; P., 6.
 thiocyanate, anhydrous (GROSSMANN), A., i, 341.

Nickel, electrolytic precipitation of, from phosphate solutions (TAGGART), A., ii 91.
 commercial, analysis of (HOLLARD), A., ii, 90.
 detection of cobalt and (BENEDICT), A., ii, 592.
 separation of, from cobalt (FRASCH), A., ii, 565.
 separation of, from other metals (FRASCH), A., ii, 128.
 separation of zinc and, by electrolysis (HOLLARD and BERTIAUX), A., ii, 92, 682, 683.

Nickel grains, pulverisation of, in fuming nitric acid (HOLLIS), A., ii, 178.

Nickel ores, estimation of arsenic and antimony in, volumetrically (NISSEN-SON and MITTASCH), A., ii, 292.

Nickel steels, allotropic transformations of (BOUDOUDARD), A., ii, 262.

Nickelvanadium (HERRENSCHMIDT), A., ii, 824.

Nicotine, synthesis of (PICTET), A., i, 86 ; (PICTET and ROTSCHY), A., i, 520.
 molecular refraction of (SEMMLER), A., i, 685.
 mutual solubility of water and (HUD-SON), A., i, 446.

Poisoning. See under **Poisoning**.
 estimation of, in presence of pyridine (EMERY), A., ii, 792.

Nile-blue-base (MICHAELIS), A., i, 333.
 as a reagent for atmospheric carbon dioxide (HEIDENHAIN), A., i, 179.

Niobite. See **Columbite**.

Niobium. See **Columbium**.

Nitrates and **Nitric acid**. See under **Nitrogen**.

Nitrification by chemical processes in the soil (SESTINI), A., ii, 363.
 organisms. See **Bacteria**.

Nitriles, action of, on carboxylic acids (KÖNIG), A., i, 296.
 condensation of, with mercaptans (AUTENRIETH and BRÜNING), A., i, 35.
 action of hydrogen selenide on (BECKER and MEYER), A., i, 698.

Nitriles, aromatic, action of persulphates on (KATTWINKEL and WOLFFEN-STEIN), A., i, 896.
 See also **Dinitriles**.

Nitrites. See under **Nitrogen**.

Nitro-compounds, electrolytic preparation of (LILIENFELD), A., i, 295.
 reduction of, by stannous haloids (GOLDSCHMIDT and INGEBRECHT-SEN), A., ii, 608.
 solid solutions between nitroso-compounds and (BRUNI and CALLEGARI), A., ii, 545.
 aromatic (DE BRUYN and VAN GEUNS), A., i, 387 ; (DE BRUYN), A., i, 388.
 condensation of, with compounds containing reactive methylene groups (REISSERT), A., i, 389.
 action of potassium cyanide on (DE BRUYN), A., i, 388.
 influence of the cathode material on the reduction of (LÖB and SCHMITT), A., i, 986.
 reduction of, by magnesium amalgam (EVANS and FETSCH ; EVANS and FRY), A., i, 985.

Nitrogen, atomic weight of (GUYE), A., ii, 475 ; (GUYE and BOGDAN ; JAQUEROD and BOGDAN), A., ii, 557 ; (GUYE and PINTZA), A., ii, 812.
 atomic weight of, and compressibility of, between one and half an atmosphere (RAYLEIGH), A., ii, 313.
 asymmetric (LADENBURG), A., i, 92.
 problem of activity in connection with (WEDEKIND), A., i, 37.
 quinquevalent (ASCHAN), A., i, 350.
 atmospheric, relations between the nature of the arc, its temperature, and the yield of nitric oxide by the burning of (v. LEPEL), A., ii, 251.
 influence of pressure on the ratio $\frac{p}{p_0} \cdot v$ for, at the temperature of liquid air (VALENTINER), A., ii, 396.
 density of, at the temperature of liquid air, and its relation to the pressure (BESTELMEYER and VALEN-TINER), A., ii, 395.
 melting point of (ESTREICHER), A., ii, 477.
 solubility of, in liquid oxygen (ERD-MANN and BEDFORD), A., ii, 328, 557 ; (STOCK), A., ii, 396.
 chemically pure and atmospheric, viscosity of, and its change with temperature (MARKOWSKI), A., ii, 652.
 liquid, calorimetric measurements with (ALT), A., ii, 393.

Nitrogen, solid, density of (DEWAR), A., ii, 393.
 absorption of, by metallic manganese (LIDOFF), A., ii, 250.
 oxidation of; comparative yields by division of the current (v. LEPEL), A., ii, 725.
 minimal excretion of (MAUREL), A., ii, 62.
 in foods and physiological products (SHERMAN, McLAUGHLIN, and OSTERBERG), A., ii, 514.
 evolution of free, during germination (CASTORO), A., ii, 506.
 ammonium thiocyanate and thiocarbamide as sources of, to fungi and micro-organisms (KASTLE and ELVOVE), A., ii, 504.
Nitrogen compounds in non-germinated seeds (SCHULZE and CASTORO), A., ii, 506.
 tervalent, spatial configuration of (JONES and MILLINGTON), A., i, 866.
Nitrogen bromides and chlorides, substituted (CHATTAWAY and WADMORE), T., 179; P., 16.
 chlorides, containing two halogen atoms attached to the nitrogen (CHATTAWAY), P., 167.
 iodide, constitution of (SILBERRAD), P., 192.
 metallic derivatives of, and their bearing on its constitution (SILBERRAD), P., 241.
 monoxide (*nitrous oxide*), density of (RAYLEIGH), A., ii, 726; (GUYE and PINTZA), A., ii, 812.
 comparative solubility of, in water and in aqueous solutions (GEFFCKEN), A., ii, 708.
 solubility of, in water as affected by different dissociated substances (KNOPP), A., ii, 542.
 liquid, surface tension and molecular weight of (GRUNMACH), A., ii, 704.
 dioxide (*nitric oxide*), action of, on chromous salts (KOHLSCHÜTTER), A., ii, 737.
 interaction of, with magnesium alkyl haloids (SAND and SINGER), A., i, 38.
 reaction between, and oxygen at low temperatures (FRANCESCONI and SCIACCA), A., ii, 613.
 trioxide (*nitrogen sesquioxide*; *nitrous anhydride*) (FRANCESCONI and SCIACCA), A., ii, 613.
 peroxide or tetroxide (*nitric peroxide*), constitution of (DIVERS), T., 110.

Nitrogen peroxide or *tetroxide* (*nitric peroxide*) and nitric oxide, melting point diagram for mixtures of (v. WITTORF), A., ii, 646.
Nitrous acid, formation of, in the air confined in arable land (SESTINI), A., ii, 363.
Nitrites, formation of, by the electrolytic oxidation of ammonia (TRAUBE and BILTZ), A., ii, 727.
 electrolytic preparation of, from nitrates (MÜLLER and WEBER), A., ii, 116; (MÜLLER), A., ii, 117.
 soluble, reaction between, and carbon dioxide (MEUNIER), A., i, 208; (MARIE and MARQUIS), A., ii, 252, 333; (MOORE), A., ii, 653.
 reaction for (BLUNT), A., ii, 84; (REICHARD), A., ii, 367.
 estimation of, in the absence of air (PHELPS), A., ii, 208.
 estimation of, in waters (DES-FOURNEAUX; ROBIN), A., ii, 367.
Nitric acid and sulphuric acid, properties of mixtures of (SAPOSHNIKOFF), A., ii, 250, 558, 614.
 action of, on platinum amalgams (TARUGI), A., ii, 131.
 reduction of, in metallic nitrates to ammonia by the electric current (EASTON), A., ii, 84.
 hydrates of (ERDMANN; KÜSTER), A., ii, 26; (KÜSTER and KREMANN), A., ii, 726.
 modification of the Pelouze-Fresenius method of estimating (DÉ-BOURDEAUX), A., ii, 147.
Nitrates, presence of, in wines (SEIFERT and KASERER), A., ii, 510.
 formation of, by the electrolytic oxidation of ammonia (TRAUBE and BILTZ), A., ii, 727.
 polymorphism of (WALLERANT), A., ii, 31.
 reduction of, by certain plant extracts and metals, and the accelerating effect of certain substances on the progress of the reduction (KASTLE and ELVOVE), A., ii, 480.
 storage of, in plants (NEDOKUCHAEFF), A., ii, 282.
 Sprengel's method for the colorimetric estimation of (ANDREWS), A., ii, 515.
 estimation of, in presence of nitrogenous organic matter (PFEIFFER), A., ii, 84.
 estimation of, with ferrous sulphate (BAILHACHE), A., ii, 679.
Orthonitric acid (ERDMANN), A., ii, 26.

Nitrogen sulphide, constitution of (RUFF and GEISEL), A., ii, 396.
action of, on aromatic aldehydes (FRANCIS and DAVIS), T., 259, 1535; P., 21, 204.

Nitrogen organic compounds, optically active (JONES), T., 223; P., 6.
compounds of, with anhydrous magnesium bromide (SUDBOROUGH, HIBBERT, and BEARD), P., 165.
analogy between organic oxygen compounds and (TSCHELINZEFF), A., i, 559.

Nitrogen, estimation of (DÉBOURDEAUX), A., ii, 443; (JALOWETZ; BARELT and SCHÖNEWALD), A., ii, 842.
organic, estimation of, by sodium peroxide (v. KONEK and ZÖHLS; PRINGSHEIM), A., ii, 775.
estimation of, by Dumas' method (LANDSIEDL), A., ii, 587.
estimation of, by Kjeldahl's method (SØRENSEN and PEDERSEN), A., ii, 83; (GIBSON), A., ii, 206; (ANON.), A., ii, 443; (SIEGFRIED; BLANCK), A., ii, 444.
estimation of, by Kjeldahl's method, burette and normal solutions for (BOSWORTH and EISSING), A., ii, 206.
estimation of the total, in barley and malt, A., ii, 455.
estimation of, in creatinine (FOLIN), A., ii, 375.
estimation of, in hydrazones and osazones by Kjeldahl's method (MILBAUER), A., ii, 207.
estimation of phosphorus and, in organic substances (v. KONEK), A., ii, 588.

Nitrogen atom, tervalent, the arrangement in space of the groups combined with the (KIPPING and SALWAY), T., 438; P., 39.

Nitrogen-carbon system, doubly linked (HENRY), A., i, 854.

Nitrogentricarboxylic acid, esters (DIELS and NAWIASKY), A., i, 980.

Nitrohydroxylaminic acid (ANGELI and ANGELICO), A., ii, 115, 330.

γ-Nitrosites (WIELAND), A., i, 54, 415.

Nitroso-compounds, solid solutions between nitro-compounds and (BRUNI and CALLEGARI), A., ii, 545.
decomposition of (NOYES and TAVEAU), A., i, 807.
metallic (KOHLSCHÜTTER and KUTSCHEROFF), A., ii, 734.

yellow, molecular weights of (ALWAY and GORTNER), A., i, 881.

isoNitroso-compounds, heat of dissociation of (MULLER and BAUER), A., ii, 703.
heat of neutralisation of (MULLER and BAUER), A., ii, 702.

Nitrosyl benzoate and propionate (FRANCESCONI and CIALDEA), A., i, 707.

Nitrous acid and oxide. See under Nitrogen.

Nitroxyl, reactions of (ANGELI and ANGELICO), A., ii, 172.

Nonane. See Dimethylheptanes.

dicycloNonane (EIJKMAN), A., i, 26.

Nonenoic acid and its nitrile (WALLACH and KEMPF), A., i, 75.

Nonenyl alcohols. See Methylisobutylallylcarbinol and $\alpha\alpha\alpha$ -Trimethyl- $\Delta\delta$ -hexenol.

Nonoic acid. See Pelargonic acid.

Nonyl alcohol. See Methylethylisooamylcarbinol.

Nonylene, ϵ -amino- (ϵ -methylamino- $\beta\beta$ -dimethyl- $\Delta\beta$ -hexene), and its platinichloride (PAULY and HÜLTENSCHMIDT), A., i, 88.

Nonylenedicarboxylic acids. See Hexylsuccinic acid and Hexylitaconic acid.

Nucleic acid (ALSBERG), A., i, 791.
state of combination of the purine bases in (BURIÁN), A., i, 358, 956.
spleen, hydrolysis of (LEVEENE), A., i, 955.
yeast, decomposition of, by bacteria (SCHITTENHELM and SCHRÖTER), A., i, 539; ii, 139; (OPPENHEIMER), A., ii, 361.
See also Thymonucleic acid.

Nucleic acids, preparation and analysis of (LEVEENE), A., i, 126.
presence in, of a radicle which yields levulinic acid (INOUE), A., i, 837.

Nuclein bases in the juice of *Beta vulgaris* (BRESLER), A., ii, 582.

Nucleohiston (*histon nucleate*), constitution of (BANG), A., i, 127.

Nucleo-protein of the liver (WOHLGEMUTH), A., ii, 751.
from the pancreas (LEVEENE and STOOKEY), A., ii, 498.
intravascular injection of (MACWILLIAM, MACKIE, and MURRAY), A., ii, 195.

Nucleo-proteids and their decomposition products (FOA), A., i, 538.
auto-digestion of (JONES), A., ii, 625.

Nutrition studies (FRENTZEL and SCHREUER), A., ii, 275.

Nutrose-agar, preparation of (EYRE), A., ii, 363.

O.

Oats, action of different forms of nitrogen on (SCHNEIDEWIND and MEYER), A., ii, 765.

Oceanic salt deposits, formation of (VAN'T HOFF and FARUP), A., ii, 34; (VAN'T HOFF, GRASSI, and DENISON; VAN'T HOFF, SACHS, and BIACH), A., ii, 417; (VAN'T HOFF and MEYERHOFFER), A., ii, 492; (VAN'T HOFF, GEIGER, and LICHTENSTEIN), A., ii, 561.

Octaglycine anhydride (CURTIUS), A., i, 478.

Octaglycol isobutyrate (KIRCHBAUM), A., i, 473.

Octahydroanthracene and its picrate and bromo- and chloro-derivatives (GODCHOT), A., i, 987.

Octahydroretene, constitution of (TSCHIRCH and STUDER), A., i, 80.

n-Octaldehyde and its oxime, phenylhydrazone, and diethylacetal (BLAISE), A., i, 370.

Octamethyltetra-aminotetraphenylpyrazine (SACHS and STEINERT), A., i, 506.

Octane. See $\beta\beta\delta$ -Trimethylpentane.

cycloOctane derivatives, attempts to synthesis (BUCHNER and SCHEDA), A., i, 412.

Octanedicarboxylic acid. See *n*-Heptylmalonic acid.

*iso***Octenoic acid**, bromo- (FITTIG and KRAENCKER), A., i, 556.

Octenyl alcohol. See Ethylhexenol.

Octoic acid. See $\beta\delta$ -Dimethylhexoic acid.

Octyl alcohol. See Diethylisoamylcarbinol.

sec.-Octyl phenylurethane (BLOCH), A., i, 152.

sec.-Octylacetooacetic acid, ethyl ester (LOCQUIN), A., i, 646.

Octylene from Citrus oils (BURGESS and PAGE), T., 1328; P., 181.

See also $\beta\epsilon$ -dimethyl- $\Delta\beta$ -hexene.

glycol. See $\beta\beta\delta$ -Trimethylamylene $\alpha\delta$ -glycol.

ditert.- γ -glycol, transformations of (POGORZELSKY), A., i, 214.

Odours, limits of sensitiveness of (BERTHELOT), A., ii, 554.

Oil-seeds, mechanism of the action of the cytoplasm in germinating (NICLOUX), A., ii, 508, 635, 677.

germinating, behaviour of fat in (v. FÜRTH), A., ii, 70.

Oils, influence of decomposition products of proteid matter on the saponification of, by cytoplasm (URBAIN and SAUGON), A., ii, 635; (URBAIN, PERRUCHON, and LANCON), A., ii, 835.

compounded, saponification of (CONRADSON), A., ii, 58.

etheral (SCHIMMEL & Co.), A., i, 603. two new Algerian (JEANCARD and SATIE), A., i, 516.

from fresh flowers (v. SODEN), A., i, 515.

estimation of aldehydes and ketones in (BURGESS), A., ii, 371; (SADTLER), A., ii, 372.

fatty, colour reactions of (KREIS), A., ii, 790.

comparison of the halogen absorption of, by various methods (TOLMAN), A., ii, 789.

apparatus for the detection of falsifications in (TORTELLI), A., ii, 598.

thermostat for use in connection with the refractometric examination of (THORPE), T., 257; P., 12.

estimation of the iodine value of, by the iodine-bromide method (ARCHBUTT), A., ii, 374.

estimation of sulphur in (GRAEFE), A., ii, 514.

Olefines, synthesis of (SABATIER and MAILHE), A., i, 666.

addition of haloids to, in acetic acid and aqueous solutions (IPATIEFF and DECHANOFF), A., i, 705.

arylated, and their reduction to aryl-paraffins (KLAGES and HEILMANN), A., i, 487.

See also Hydrocarbons.

Oleic acid, action of nitrogen peroxide on (EGOROFF), A., i, 217.

and its analogues, iodochlorides of (AKTIEN-GESELLSCHAFT FÜR ANILIN-FABRICATION), A., i, 644.

isoamyl ester, biochemical synthesis of (POTTEVIN), A., i, 284.

$\Delta\alpha$ **Oleic acid** and its ethyl ester (LE SUEUR), T., 1708; P., 207.

$\Delta\beta$ **Oleic acid** and its salts, ethyl ester, and amide (PONZIO), A., i, 548.

Olein, biochemical synthesis of (POTTEVIN), A., i, 284.

Olive oil, Tunisian (MILLIAU), A., ii, 456.

Ononetin and its formyl derivative and their reactions (v. HEMMELMAYR), A., i, 814.

Ononin (v. HEMMELMAYR), A., i, 814.

Oianic acid, nitro-, esterification of, and oxidation of the esters (WEGSCHEIDER, KUŠÝ VON DÚBRAV, and v. RUŠNOV), A., i, 59.

Opianyl-lupineine (CHININFABRIK BRAUNSCHWEIG, BUCHLER & Co.), A., i, 686.

Opium, estimation of codeine in (CAS- PARI), A., ii, 791.

estimation of morphine in (ASLANO- GLOU), A., ii, 219 ; (SCHIDROWITZ), A., ii, 523.

estimation of morphine in tincture of opium and in (DOWZARD), A., ii, 218.

Opium alkaloids. See Alkaloids.

Optical activity. See Photochemistry.

Orange flowers, distribution of some organic substances in (CHARABOT and LALOUE), A., ii, 634.

oil of (v. SODEN), A., i, 515.

Orange oil, South American (UMNEY and BENNETT), A., i, 331.

Orcinol, diacetyl derivative (COLLIE), T., 976 ; P., 159.

diazo- and methylene compounds, and two new homologues of (SIMON), A., i, 405.

Orcinol, β -amino-, derivatives of (HEN- RICH, MEYER, and DORSCHKY), A., i, 494.

2:4- and 2:6-diamino- (HENRICH and DORSCHKY), A., i, 501.

isonitroso-, and its methyl ether, formation of (POLLAK), A., i, 46.

Orcinolcarboxylic acid, action of methyl iodide and sodium on (HERZIG, WENZEL, and KURZWEIL), A., i, 247.

ether-esters (HERZIG, WENZEL, and KURZWEIL), A., i, 246.

Ores, estimation of antimony, arsenic, and tin in (ANGENOT), A., ii, 784.

Orexine, benzoylation of (HELLER and KÜHN), A., i, 943.

Organic compounds, stereochemistry of (PFEIFER), A., ii, 525 ; (BRUNI), A., ii, 527.

heats of combustion of (LEMOULT), A., ii, 12, 310, 382, 605, 805 ; (FIS- CHER and WREDE), A., ii, 468 ; (THOMSEN), A., ii, 605.

heat of formation of, Thomsen's theory of the (LAGERLÖF), A., ii, 382, 605.

electrolytic oxidation of (FARBWERKE VORM, MEISTER, LUCIUS, & BRÜN- ING), A., i, 813.

solid solutions between (GARELLI and GORNI), A., ii, 711 ; (BRUNI and TROVANELLI), A., ii, 712.

polymerisation of, in the solid state (LONGINESCU), A., ii, 387.

reactions involving the addition of hydrogen cyanide to (LAPWORTH), T., 1206, 1214 ; P., 177 ; (HANN and LAPWORTH), T., 1355 ; P., 183.

Organic compounds containing nitrogen, calculation of the heats of combustion of (LEMOULT), A., ii, 382.

containing sulphur and halogens, heat of combustion of (LEMOULT), A., ii, 605.

unsaturated, iodine value of (INGLE), A., ii, 456.

method for the rapid ultimate analysis of certain (COLLIE), T., 1111 ; P., 174.

estimation of arsenic or phosphorus in (MONTHULÉ), A., ii, 680.

estimation of hydroxyl groups in (HIBBERT and SUDBOROUGH), T., 933.

estimation of halogens in (PRINGS- HEIM), A., ii, 146, 447 ; (BAU- BIGNY and CHAVANNE), A., ii, 203.

estimation of nitrogen and phosphorus in (v. KONEK), A., ii, 588.

Organic matter, new method for destroy- ing, in toxicological analyses (GAS- PARINI), A., ii, 785.

estimation of, in water (LENORMAND), A., ii, 215.

Organic substances, discontinuous glow spectra of solid (GOLDSTEIN), A., ii, 689.

use of pumice to facilitate the com- bustion of (DUYK), A., ii, 685.

Organism, intraorganic combustion in the (TISSOT), A., ii, 576.

oxidation and reduction in the (KASTLE and ELVOVE), A., ii, 354.

reducing action of the, under the influence of cold (HERTER), A., ii, 673.

behaviour of carbon monoxide in the (GIACOSA), A., ii, 56, 429.

action of formic acid on the (CLÉMENT ; GARRIGUE), A., ii, 430.

chemical combination and action of absorbed phosphorus in the (PLAVEC), A., ii, 672.

formation of acetone in the (SATTA), A., ii, 829.

alimentary origin of arsenic in the (GAUTIER and CLAUSMANN), A., ii, 626.

origin of organic chlorine compounds in the (PERIN), A., ii, 59.

choline in the (STRUVE), A., ii, 364.

localisation of morphine in the (TOTZE), A., ii, 220.

formation of oxalic acid in the (MON- TUORI), A., ii, 137.

fate of amino-acids in the, after intra- vascular injection (STOLLE), A., ii, 196.

fate of cystin in the (BLUM), A., ii, 193.

Organism, fate of cyclic terpenes and camphor in the (FROMM and CLEMENS), A., i, 177; (FROMM), A., ii, 360.

removal of the amino-group in the (LANG), A., ii, 427.

local retention of chlorides in the, following injection of different substances (ACHARD and GAILLARD), A., ii, 59.

destruction of epinephrine in the (EMBDEN and v. FÜRTH), A., ii, 61.

resolution of salol in the (LUSINI), A., ii, 359.

female, influence of castration on the phosphorus of the (HEYMANN), A., ii, 355.

Organs, autolysis of animal (CHARRIN), A., ii, 501.

autolytic extract of, coagulative action of, on milk and on albumose solutions (NÜRNBERG), A., ii, 187.

alcohol in (LANDSBERG), A., ii, 499.

amount of calcium and magnesium in various (TOYONAGA), A., ii, 751.

the sugar-destroying ferment in (HIRSCH), A., ii, 60; (FEIN-SCHMIDT), A., ii, 61.

quantity of fat in some (RUMPF, DENNSTEDT, and GRONOVER), A., ii, 136.

glycogen in (LOESCHKE), A., ii, 576.

estimation of the inorganic constituents of human (DENNSTEDT and RUMPF), A., ii, 447.

detection and estimation of traces of arsenic in (BERTRAND), A., ii, 85.

Orsellie acid, formula of (JUILLARD), A., i, 593.

Orsellinic acid, constitution of (HENRICH and DORSCHKY), A., i, 501.

ether-esters (HERZIG, WENZEL, and KURZWEIL), A., i, 247.

Orsellinic acid, amino-, and its ethyl ester, derivatives of (HENRICH and DORSCHKY), A., i, 502.

Orthoclase, new variety of (DUPARC), A., ii, 349.

Orthonitric acid. See under Nitrogen.

Oszazones, estimation of nitrogen in, by Kjeldahl's method (MILBAUER), A., ii, 207.

Osmosis and **Osmotic pressure**. See Diffusion.

Osmotic phenomena, fundamental law of (ARIÈS), A., ii, 648.

Osetetrazines (STOLLÉ), A., i, 200.

Ostotriazoles, reduced, formation of (H. and A. v. EULER), A., i, 197.

Osseomucoid (SIEFERT and GIES), A., ii, 61.

Ova, structural changes of, in anisotonic solutions and saponin (SOLLMANN), A., ii, 673.

See also Eggs.

Oven, new heating, for sealed tubes, which can be shaken (THOMS), A., ii, 110.

Ovimucoid and serum-mucoid (ZANETTI), A., i, 128.

Ox bile. See Bile.

spleen and serum, proteolytic enzymes of (HEDIN), A., i, 58.

testis. See Testis.

1:3:4-Oxadiazole, chlorophenyl derivatives (STOLLÉ and FOERSTER), A., i, 627.

tolyl and benzyl derivatives (STOLLÉ and STEVENS), A., i, 626.

Oxalacetic acid (SIMON), A., i, 11.

esters, action of diazochlorides on (RABISCHONG), A., i, 272, 273.

ethyl ester, product of the spontaneous change of (SIMON), A., i, 648.

reaction of, with aldehydes in presence of ammonia and amines (SIMON and CONDUCHE) A., i, 521, 812.

condensation of, with formaldehyde (BLAISE and GAULT), A., i, 762.

Oxalic acid, formation of, in the organism (MONTUORI), A., ii, 137.

formation of, in green plants (BENECKE), A., ii, 508.

electrical conductivity of solutions of, in presence of neutral salts (FEDOROFF), A., ii, 157.

cryoscopic observations on solutions of, in presence of neutral salts (FEDOROFF), A., i, 220.

coefficient of distribution of, between water and ether in presence of neutral salts (FEDOROFF), A., i, 221.

interaction of, with chromic hydroxide (WERNER), T., 1439; P., 186.

oxidation of, by free and combined oxygen (JORISSEN and REICHER), A., i, 6.

containing sulphur, derivatives of (REISSERT), A., i, 990.

Oxalic acid, salts, decomposition of, by heat (SCOTT), P., 156.

alkaline earth salts, solubility of, in acetic acid (HERZ and MUHS), A., i, 11.

ammonium salt, stability of standard solutions of (GARDNER and NORTH), A., ii, 591.

(ammonium quadroxalate) (WIELAND), A., i, 55.

calcium salt, rôle of, in plant nutrition (AMAR), A., ii, 199.

Oxalic acid, magnesium salt, aqueous solutions of (KOHLRAUSCH and MYLIUS), A., i, 850.
precipitation of, with calcium oxalate (KNIGHT), A., ii, 368.
potassium salt (*potassium tetroxalate*) in volumetric analysis (KÜHLING), A., ii, 80; (LUNGE), A., ii, 289, 771.
thallium salts (RABE and STEINMETZ), A., i, 140.

Oxalic acid, ethyl ester, compound of, with aluminium chloride (WALKER and SPENCER), T., 1107; P., 135.
methyl ester, compound of, with iodine and potassium iodide (CLOVER), A., i, 322.

Oxalic acid, dichloro-, methyl ester, condensation of, with aniline, phenylhydrazine, piperidine, and *p*-toluidine (LANDER), T., 984; P., 131.

Oxal-p-toluidide (HELLER and EMRICH), A., i, 730.

Oxamide, aromatic derivatives (TAUSSIG), A., i, 663.

Oxanilic acid, *m*-cyano-, ethyl ester (BOGERT and BEANS), A., i, 584.

Oxanilide, cyano-derivatives (BOGERT and BEANS), A., i, 584.

isoOxazole and its additive salts (CLAISEN), A., i, 14.

isoOxazoles, new method of synthesising (MOUREU and BRACHIN), A., i, 95; (MOUREU and DELANGE), A., i, 650.
 γ -substituted, action of alkali hydroxides on (CLAISEN), A., i, 15.

Oxidation, velocity of. See *Affinity*.

Oxidation and reduction processes, coupled, classification and theory of (LUTHER and SCHILOFF), A., ii, 244.

Oxide, $C_{14}H_{28}O$, from sulphuric acid and butyronepinacone (ZUMPF), A., i, 291.

Oxidisable substances, action of eosin on (STRAUB), A., i, 896.

Oxidising substances, use of hydrazine sulphate in the estimation of (ROBERTO and RONCALI), A., ii, 773.

Oximes, polymerisation and dissociating power of (DUOTIT and FATH), A., ii, 387.
condensation of, with hydrazines (REUTT and v. PAWLEWSKI), A., i, 99.
condensation of, with thiocarbimides (v. PAWLEWSKI), A., i, 237.
unsaturated, action of mercury salts on (SAND and SINGER), A., i, 23.

isoOximes, cyclic, of the hydroaromatic series, physiological action of (JACOBJ, HAYASHI, and SZUBINSKI), A., ii, 196.

Oximino-. See also under the parent Substance, *isonitroso-*.

Oximinoacetylglyoxime peroxides and their acetyl derivatives (HARRIES and TIETZ), A., i, 427.

Oximino-compounds, action of nitrous and nitric acids and of the oxides of nitrogen on (HARRIES, TIETZ, and MILLS), A., i, 428.

α -Oximino-esters, theory of the transformation of α -substituted β -ketonic esters into (BOUVEAULT and LOCQUIN), A., i, 847, 848; (LOCQUIN), A., i, 849.

α -Oximino-fatty acids and their esters (BOUVEAULT and LOCQUIN), A., i, 848; (LOCQUIN), A., i, 849.

Oximinoparasantonin and its acetyl derivative (FRANCESCONI), A., i, 170.

Oxocetol and its isomeride (PRILER-ZAEFF), A., i, 795.

6-Oxy-5-benzoylamino- and -5-phthalimino-2-ethylthiopyrimidines (JOHNSON and CLAPP), A., i, 820.

Oxydase from mushrooms, oxidation of vanillin by the (LERAT), A., i, 360.
detection of, in cows' and human milk (RULLMANN), A., ii, 304; (UTZ), A., ii, 848.

Oxydases, chemical nature of (CHODAT and BACH), A., i, 359.
manganese salts as, in the presence of a colloid (TRILLAT), A., i, 359.
artificial, action of, on the tetanus toxin (A. and L. LUMIÈRE and CHEVROTIER), A., ii, 429.
action of, on infectious diseases (ROBIN and BARDET), A., ii, 429.

Oxydimethylcampholenol (BÉHAL), A., i, 515.

6-Oxy-2-ethylthiopyrimidine, 5-bromo- and 5-methyl derivatives (WHEELER and JOHNSON), A., i, 625.

Oxygen, quadrivalent (v. BRAUN), A., i, 382.
atomic weight of (GUYE and MALLET), A., ii, 392.
atomic weight of, and compressibility of, between one and half an atmosphere (RAYLEIGH), A., ii, 313.
anodic evolution of (FOERSTER and PIGUET), A., ii, 697.
evolution of, from cupric metaborate (GUERTLER), A., ii, 259.
extraction of, by the partial liquefaction of air with reflux action (CLAUDE), A., ii, 23.
basic properties of (ARCHIBALD and MCINTOSH), T., 919; P., 139; (COHEN and GATECLIFF), P., 194.
heat of vaporisation of (ESTREICHER), A., ii, 478.
boiling (BESTELMEYER), A., ii, 477.
melting point of (ESTREICHER), A., ii, 477.

Oxygen, density of (JAQUEROD and PINTZA), A., ii, 612.
 measurement of the pressure coefficient of, at constant volume and different initial pressures (MAKOWER and NOBLE), A., ii, 13.
 viscosity of, and its change with temperature (MARKOWSKI), A., ii, 652.
 active, production of (JORISSEN), A., ii, 394.
 the rendering active of (ENGLER and BRONIATOWSKI), A., i, 870; (ENGLER), A., ii, 165, 735; (BAUR), A., ii, 339.
 liquid, preparation and properties of (ERDMANN and BEDFORD), A., ii, 328.
 vapour pressures of, on the scale of the constant volume oxygen thermometer filled at different initial pressures (TRAVERS and Fox), A., ii, 13.
 calorimetric measurements with (ALT), A., ii, 393.
 solid, density of (DEWAE), A., ii, 393.
 comparative solubility of, in water and in aqueous solutions (GEFFCKEN), A., ii, 708.
 atmospheric, solubility of, in sea water and in saline waters generally (CLOWES and BIGGS), A., ii, 392.
 combining volumes of, with carbon monoxide (SCOTT), P., 85.
 the catalytic combination of, with hydrogen in presence of platinum (BODENSTEIN), A., ii, 245.
 preparation of an explosive mixture of hydrogen and (lecture experiment) (TECLU), A., ii, 477.
 reaction between, and nitric oxide at low temperatures (FRANCESCONI and SCIACCA), A., ii, 613.
 removal of, by platinum (GOLDSTEIN), A., ii, 825.
 absorption of, on alterations of its partial pressure in the alveolar air (DURIG), A., ii, 270.
 influence of the barometric pressure on the partial pressure of, in the pulmonary alveoli (AGGazzOTTI), A., ii, 746.
 mechanism of the supply of, to the body (LOEWY and ZUNTZ), A., ii, 572.
 relation of haemoglobin and (BOHR), A., ii, 421.
Oxygen organic compounds, analogy between organic nitrogen compounds and (TSCHELINZEFF), A., i, 559.
 additive compounds of, with anhydrous magnesium bromide (SUDBOROUGH, HIBBERT, and BEARD), P., 165.

Oxygen, estimation of, in blood (MÜLLER), A., ii, 795.
 estimation of the active, in organic persulphates (WOLFF and WOLFFENSTEIN), A., ii, 775.

Oxygenases (CHODAT and BACH), A., i, 704.

Oxyhaemoglobin, effects of concentration and temperature on the dissociation of (HENRI), A., i, 357.

Oxylactone, $C_{17}H_{12}O_5$, isomeric, and their acyl derivatives, from phenylpyruvic acid and piperonaldehyde (ERLENMEYER and BRAUN), A., i, 1016.
 $C_{18}H_{14}O_3$, from phenylpyruvic acid and cinnamaldehyde (ERLENMEYER and BRAUN), A., i, 1017.
 $C_{19}H_{18}O_3$ and its acyl derivatives, from phenylpyruvic acid and cuminaldehyde (ERLENMEYER and KEHREN), A., i, 1016.

Oxylactones and their transformations (ERLENMEYER and ARBENZ; ERLENMEYER and KEHREN), A., i, 1015; (ERLENMEYER and BRAUN), A., i, 1016; (ERLENMEYER and LATTERMANN), A., i, 1017; (ERLENMEYER and REIS), A., i, 1018.

2-Oxy-5-methylpyrimidine, 6-amino-. See 5-Methylcytosine.

6-Oxy-5-methylpyrimidine, 2-amino-, and its salts (JOHNSON and CLAPP), A., i, 819.

Oxymethyltriazine, imino-, picrate, corrected data for (OSTROGOVICH), A., i, 832.

α-Oxy-β-phenyl-γ-benzylbutyrolactone and its transformations (ERLENMEYER and REIS), A., i, 1018.

α-Oxy-β-phenyl-γ-benzyl-, βγ-diphenyl-, and -β-nitrophenyl-γ-phenyl-butyrolactones and their acyl derivatives (ERLENMEYER and ARBENZ), A., i, 1015.

α-Oxy-β-phenyl-γ-methoxyphenylbutyrolactone and its transformations and acyl derivatives (ERLENMEYER and LATTERMANN), A., i, 1017.

α-Oxy-β-phenyl-γ-p-isopropylphenylbutyrolactones, two isomeric, and their transformations and acyl derivatives (ERLENMEYER and KEHREN), A., i, 1015.

6-Oxypurine. See Hypoxanthine.

2-Oxypyrimidine, 6-amino-. See Cytosine.

4:6-diamino-, and 4-chloro-6-amino- (WHEELER and JAMIESON), A., i, 941.

Ozobenzene (HARRIES and WEISS), A., i, 861.

Ozone (GRÄFENBERG), A., ii, 24.
 formation of, at high temperatures (CLEMENT), A., ii, 479.
 formation of, from oxygen by the silent electric discharge (WARBURG), A., ii, 24; (GRAY), A., ii, 25.
 influence of the electrolyte and the electrodes on the formation of (KREMAN), A., ii, 24.
 light phenomena caused by (RICHARZ and SCHENCK), A., ii, 154, 399.
 absorption of ultra-violet rays in (MEYER), A., ii, 2.
 behaviour of, and radioactivity, analogy between (RICHARZ and SCHENCK), A., ii, 154.
 oxidising action of (HARRIES), A., i, 15, 361; (HARRIES and WEISS), A., i, 861.
 action of, on ethane (BONE and DRUGMAN), P., 127.
 action of, on hydrogen (PICKEL), A., ii, 248.
Ozone apparatus (ELWORTHY), A., ii, 478.
Ozonides (HARRIES; HARRIES and WEIL), A., i, 361; (HARRIES and DE OSA), A., i, 386.

P.

Paints, estimation of arsenic in (KLASON and KÖHLER), A., ii, 208; (KÖHLER), A., ii, 588.
Palachite. See Botryogen.
Palladium, influence of temperature and pressure on the absorption and diffusion of hydrogen in (SCHMIDT), A., ii, 312.
 catalysis of hydrogen peroxide (BREDIG and FORTNER), A., ii, 318.
Palladium ammonium polysulphide (HOFMANN and HÖCHTLEN), A., ii, 179.
Palladium, electrolytic precipitation of (AMBERG), A., ii, 593.
 estimation and separation of, by acetylene (ERDMANN and MAKOWKA), A., ii, 594.
 estimation of, and separation of, from metals (JANNASCH and BETTGES), A., ii, 519.
 separation of, by hydrazine (JANNASCH and BETTGES), A., ii, 519; (JANNASCH and ROSTOSKY), A., ii, 594.
Palmitic acid (LE SUEUR), T., 1712; P., 207.
 from chaulmoogra seeds (POWER and GORNALL), T., 846; P., 136.

Palmitophenone, *p*-hydroxy- (AUWERS), A., i, 66.
Pancreas and glycosuria (LÉPINE), A., ii, 60.
 adaptation of the (BAINBRIDGE), A., ii, 424.
 blood supply and nutrition of the (MAY), A., ii, 185.
 end-products of the auto-digestion of the (LEVENE), A., ii, 188.
 detection of guanidine amongst the products of the autodigestion of the (KUTSCHER and OTORI), A., ii, 828.
 oxygen exchange of the (BARCROFT and STARLING), A., ii, 827.
 active substance of the (COHNHEIM), A., ii, 675.
 nucleo-proteid from the (LEVENE and STOOKEY), A., ii, 498.
 influence of the, on the composition of proteid (BERGELL and BLUMENTHAL), A., ii, 675.
 proteolytic action of extracts of (WEINLAND; VERNON), A., ii, 57.
Pancreatic juice, human (GLAESSNER), A., ii, 270.
 composition of (DE ZILWA), A., ii, 574.
Pancreatic secretion, action of alkaline soaps on (FLEIG), A., ii, 57.
Papaveraldine, amino-, and nitro- (PSCHORR, STÄHLIN, and SILBERBACH), A., i, 611.
Papaveric acid, methylbetaine of, and its salts (GOLDSCHMIEDT and HÖNIGSCHMID), A., i, 86.
Papaverine, attempt to synthesise (FRITSCH), A., i, 94.
 conversion of, into an isoquinoline base (PSCHORR, STÄHLIN, and SILBERBACH), A., i, 611; (DECKER and PSCHORR), A., i, 927.
Papaverine, nitro-, Hesse's, constitution of, and its alkyl salts, and amino-, and its acetyl derivative and salts (PSCHORR, STÄHLIN, and SILBERBACH), A., i, 611.
Papaverinum bases (DECKER and KLAUSER), A., i, 338; (DECKER and HOCK), A., i, 620; (DECKER, KLAUSER, and GIRARD), A., i, 1045.
Paper, estimation of wood fibre in (TECLU), A., ii, 97.
Papilionaceæ, composition of some, at different stages of growth (SÖDERBAUM), A., ii, 508.
Paracasein. See Casein.
Paraformaldehyde, action of, on sesquiterpenes (GENVRESSE), A., i, 602.
 estimation of (KLEBER), A., ii, 371.
Paramoecium, effect of certain stimuli on (TOWLE), A., ii, 756.

Paramoecium aurelia, lethal action of acids and bases on (BARRATT), A., ii, 629.

Pararosaniline. See Rosaniline.

Parasaccharin. constitution of (KILIANI and LOEFFLER), A., i, 373.

oxidation products of (KILIANI and LOEFFLER), A., i, 975.

Parasaccharone and **Parasaccharonic acid**, salts (KILIANI and LOEFFLER), A., i, 975.

Parasaccharopentose and its phenyl-benzylhydrazone (KILIANI and LOEFFLER), A., i, 373.

Parasantonide and **Parasantonic acid** and its *dibromo*- and *mono*- and *di*-hydroxy-derivatives (FRANCESCONI), A., i, 169.

Parasantoninhydroxamic acid (FRANCESCONI), A., i, 170.

Parasantoninimide and hydroxy- (FRANCESCONI), A., i, 169.

Parasites, animal and vegetable, calcium sulphide for (GARRIGOU), A., ii, 637.

Parsley seeds, French, oil of, the phenol ether of the (THOMS), A., i, 47.

Pasteur's method of resolving by means of active compounds (MEYERHOFFER), A., i, 649.

Patchouli oil, composition of (v. SODEN and ROJAHN), A., i, 904.

Peach kernel oil, analysis of (LEWKOWITSCH), A., ii, 456.

Pear tree, presence of quinol in the (RIVIÈRE and BAILHACHE), A., ii, 583.

Peat, occurrence of unusually large amounts of injurious sulphur compounds in (MINSEN), A., ii, 586.

Pelargonic acid, α -bromo-, and α -hydroxy-, and its acetyl derivative, and their esters (BLAISE), A., i, 369.

Pellets, press for the preparation of (FREUNDLER), A., ii, 652.

n-**Pentadecanal** (BLAISE), A., i, 370.

Pentadecyl alcohol. See *iso*Butyldiisopropylcarbinol.

$\alpha\gamma$ -**Pentadiene** and its tetrabromide (WOSNESENSKY), A., i, 641.

Pentaglycol, ester of (FRANKE and KOHN), A., i, 845.

Pentamethyldehydrohæmatoxylins, α - and β - (HERZIG and POLLAK), A., i, 81.

Pentamethylenediamine, formation of, from piperidine, and its salts and benzenesulphonyl derivative (v. BRAUN), A., i, 1019.

Pentamethylenedi-phthalamic acid and **-phthalimide** (v. BRAUN), A., i, 1019.

1:2:2:5:5-Pentamethylpyrrolidine-3-carboxylic acid and its ester, additive salts, and the methiodide of the amide (PAULY and HÜLTENSCHMIDT), A., i, 87.

Pentane, $\beta\delta$ -*dibromo*- (PORAI-KOSCHITZ), A., i, 363.

$\alpha\epsilon$ -*dibromo*- (v. BRAUN), A., i, 841.

$\alpha\epsilon$ -*dichloro*- (v. BRAUN), A., i, 918, 1019.

$\alpha\epsilon$ -*dihydroxy*-, and its diacetate (HAMONET), A., i, 643.

dihydroxy-. See also Amylene glycol, Pentaglycol, and Pentane- $\beta\delta$ -diol. See also β -Methylbutane.

cycloPentane (EIJKMAN), A., i, 26.

Pentanedicarboxylic acids. See Dimethylglutaric acids, β -Methyladipic acid, Pimelic acid, and Trimethylsuccinic acid.

Pentane- $\beta\delta$ -diol and its diacetate (PORAI-KOSCHITZ), A., i, 363.

See also Amylene glycol and Pentaglycol.

Pentanesulphonic acid, hydroxy-, and its salts (WORSTALL), A., i, 1.

Pentane- $\alpha\epsilon$ -tricarboxylic acid and γ -cyano-, ethyl esters (PERKIN), T., 417; P., 51.

Pentanetricarboxylic acid. See also β -Methylbutane- $\alpha\alpha\delta$ -tricarboxylic acid.

Pentaphenylguanidine (STEINDORFF), A., i, 452.

Pentenedicarboxylic acids. See Dimethylalatic acid, Dimethylitaconic acid, Ethylmesaconic acid, and Methylethylfumaric acid.

$\Delta\beta$ -**Pentenoic acid**, bromo- (FITTIG and SCHEEN), A., i, 555.

Pentenoic acids and their *p*-toluidides (FICHTER and PFISTER), A., i, 547.

Pentenylmesitylene and its nitrosochloride (KLAGES and STAMM), A., i, 303.

Pentinene. See *s*-Dimethylallene and Pentadiene.

Pentosan-containing substances, hydrolysis of, by dilute acids or by sulphites (HAUERS and TOLLENS), A., i, 16.

Pentosans as constituents of foods (v. RUDNO RUDZINSKI), A., ii, 284.

Pentoses, isolation of (HAUERS and TOLLENS), A., i, 16.

Pentosuria, a case of, with excretion of optically active arabinose (LUZZATTO), A., ii, 832.

Penturonic acid and its anhydride and semicarbazide (FROMM and CLEMENS), A., i, 177.

Pentylene. See Amylene.

*iso***Pentylmesitylene** and its dibromo-derivative and **sulphonic acid** (KLAGES and STAMM), A., i, 483.

Pepsin, velocity of secretion of, in the dog (HERZOG), A., ii, 497.
action of certain antiseptics on (GROBER), A., ii, 673.
variations in the action of, on fibrin in acid liquids at 50° (DISDIER), A., i, 211.
autodigestion of (HERLITZKA), A., ii, 828.

Pepsin activity, inhibition of, by salts (SCHÜTZ), A., ii, 573.

Pepsin-glutinopeptone and its salts (SCHEERMESSE), A., i, 463.

Peptone in plant seeds (MACK), A., ii, 762.
intravenous injection of (HAMBURGER), A., ii, 501.

Peracetic acid (CLOVER and HOUGHTON), A., i, 707.

Peracids, organic, formation of (CLOVER and HOUGHTON), A., i, 707.

Peradrenalone (FRIEDMANN), A., i, 1069.

Percaglobulin, a proteid of the ovary of the perch (MÖRNER), A., i, 356.

Perchlorate. See under Chlorine.

Perfusion stopcock (LOCKE), A., ii, 422.

Periodic acid and Periodides. See under Iodine.

Periodic system and valency (ABEGG), A., ii, 475.
comparative studies in the (RUDORF), A., ii, 113.

Peroxides, function of, in the living cell (CHODAT and BACH), A., i, 359 ; (BACH and CHODAT), A., i, 542, 792.
organic, formation of (CLOVER and HOUGHTON), A., i, 707.
detection of (REICHARD), A., ii, 146.

Peroxydase, function of, in the reaction between hydrogen peroxide and hydriodic acid (BACH), A., ii, 810.
action of, on vanillin (BOURQUELOT and MARCHADIER), A., ii, 552.

Peroxydase reaction, rate of the (BACH and CHODAT), A., i, 792.

Peroxydases (BACH and CHODAT), A., i, 542.

Peroxylaminesulphonates (sulphazilates) (HAGA), T., 78.

Peroxylaminesulphonic acid (DIVERS), T., 108.

Perseitol heptaphenylcarbamate (MAQUENNE and GOODWIN), A., i, 372.

Persodine and strychnine (BUFALINI), A., ii, 66.

Persuccinic acid (CLOVER and HOUGHTON), A., i, 708.

Persulphates. See under Sulphur.

Perthiocyanic acid, constitution of (HANTZSCH and WOLVEKAMP), A., i, 718.

Petitgrain oil (JEANCARD and SATIE), A., i, 75.
nerol from (HEINE & Co.), A., i, 808.

Petroleum, preparation of organic acids from (ZELINSKY), A., i, 811.
radioactive gas from crude (BURTON), A., ii, 694.
Italian, hydrocarbons in (BALBIANO and ZEPPA), A., ii, 45.
light, inflammation of (JUST), A., i, 361.

Louisiana, hydrocarbons in (COATES and BEST), A., ii, 45.

Petroselinum sativum. See Parsley.

Petterdite, a new lead oxychloride, from Tasmania (TWELVETREES), A., ii, 48.

Phanerogams, can caesium and lithium exert any stimulant action on ? (NAKAMURA), A., ii, 762.

Pharmacolite, artificial production of (DE SCHULTEN), A., ii, 492.

Phase rule. See Equilibrium.

Phaseolatin, the cyanogenetic glucoside of *Phaseolus lunatus* and **Phaseolunatinic acid** (DUNSTAN and HENRY), A., ii, 71.

Phellandrene and its nitro-derivatives and nitrites (WALLACH and BESCHKE), A., i, 1035.

Phellanic acid, iodo- (v. SCHMIDT), A., i, 501.

Phellonic, isoPhellonic, and Phellogenic acids (v. SCHMIDT), A., i, 501.

Phenacylacetoacetic acid, ethyl ester, action of phenylhydrazine and semi-carbazide on (BORSCHE and SPANNAGEL), A., i, 778.

Phenacylbenzoylacetic acid, ethyl ester, action of phenylhydrazine and semi-carbazide on (BORSCHE and SPANNAGEL), A., i, 779.

Phenanthrachlorophenazine (ULLMANN and MAUTHNER), A., i, 192.

Phenanthraphenazine, bromo-derivatives (SCHMIDT), A., i, 1038 ; (SCHMIDT and JUNGHAUS), A., i, 1033, 1034 ; (SCHMIDT and LADNER), A., i, 1035.

Phenanthraquinone, condensation of, with ketonic compounds (JAPP and WOOD), P., 221.

Phenanthraquinone, 4:5-diamino- (SCHMIDT and KÄMPF), A., i, 71.
bromo-derivatives, and their oximes (SCHMIDT), A., i, 1033 ; (SCHMIDT and JUNGHAUS), A., i, 1033, 1034 ; (SCHMIDT and LADNER), A., i, 1034.

Phenanthraquinone, 2:7-dihydroxy-, and its diacetyl derivative (SCHMIDT and KÄMPF), A., i, 70.
 4:5-dihydroxy-, and its dibenzoyl derivative (SCHMIDT and KÄMPF), A., i, 71.
 nitro-derivatives, and their oximes (SCHMIDT; SCHMIDT and AUSTIN), A., i, 69; (SCHMIDT and KÄMPF), A., i, 69, 70, 71.
 electrochemical reduction of (MÖLLER), A., i, 345.

Phenanthraquinone-mono- and di-sulphonic acids, 2-bromo- (SCHMIDT and JUNGHaus), A., i, 1034.

Phenanthrazine, dibromo- (SCHMIDT and JUNGHaus), A., i, 1034.

Phenanthrene, formation of, from fluorene (GRAEBE), A., i, 988.
 action of chromyl chloride on (HENDERSON and GRAY), T., 1014; P., 173.

Phenanthrene, bromo- and bromonitro-derivatives (SCHMIDT and LADNER), A., i, 1035.
 β -dibromo- (WERNER and EGGER), A., i, 863.
 2-bromo-8:9-dihydroxy-, and its diacetyl derivative (SCHMIDT and JUNGHaus), A., i, 1033.
 9:10-dihydroxy-, and its diacetyl, amino-, and nitro-derivatives (SCHMIDT and AUSTIN), A., i, 69; (SCHMIDT and KÄMPF), A., i, 70, 71.
 and its dibenzoyl derivative (KNESCH), A., i, 812.

Phenanthrene series, researches in the (SCHMIDT), A., i, 69, 70, 71; (WERNER), A., i, 863.

Phenanthreno-*N*-methyltetrahydro-papavereno methiodide (PSCHORR, STÄHLIN, and SILBERBACH), A., i, 612.

Phenazinobenzene, 4-chloro- (ULLMANN, DELÉTRA, and KOGAN), A., i, 776.

Phenazine, 7-bromo- and 7-chloro-2:3-diamino-, and 7-bromo- and 7-chloro-2-amino-3-hydroxy-, and their salts (ULLMANN and MAUTHNER), A., i, 192.

Phenazinecarboxylic acid, 2-amino-3-hydroxy- (ULLMANN and MAUTHNER), A., i, 193.

Phenazine-5:10-oxide and its bromo- and nitro-derivatives (WOHL and AHLERT), A., i, 201.

p-Phenetidine, thioacyl derivatives of (SACHS and LOEYV), A., i, 307.

p-Phenetidine-*o*-sulphonic acid (AKTIEN-GESELLSCHAFT FÜR ANILIN-FABRIKATION), A., i, 310.

Phenetole, 2:5-diamino-, *N*-dibenzoyl derivative, and 5-nitro-2-amino- (JACOBSON and HÖNIGSBERGER), A., i, 207.
 bromo-, action of magnesium and organo-magnesium compounds on (GRIGNARD), A., i, 494.
 3-chloro-4:6-dinitro- (BLANKSMA), A., i, 577.
 p -nitroso- (RISING), A., i, 238.

p-Phenyldimethyl- α -naphthamidine and its platinichloride (v. BRAUN), A., i, 689.

m-Phenetylhydroxylamine (BAMBERGER and CZEKES), A., i, 238.

p-Phenetylhydroxylamine (RISING), A., i, 237.

Phenol, C_6H_5O , and its phenylurethane, from the reduction of 2-phenylcoumaran (STOERMER and REUTER), A., i, 181; (STOERMER and KIPPE), A., i, 183.

Phenol, viscosity of mixtures of water and (SCARPA), A., i, 492.
 bromination of (HEWITT, KENNER, and SILK), T., 1225; P., 125.
 oxidation of, with Caro's reagent (BAMBERGER and CZEKES), A., i, 238.
 limit of coupling diazobenzene with (VIGNON), A., i, 699.
 condensation products of, with fatty aldehydes (LUNJAK), A., i, 495.
 combination of, with *o*-nitrobenzaldehyde in presence of hydrochloric acid (GUYOT and HALLER), A., i, 530.

Phenol, *o*-amino-, and *o*-nitro-, *O*- and *N*-acyl derivatives of (AUWERS, BERGS, and WINTERNITZ), A., i, 740.

p-amino, and its derivatives, electrolytic preparation of (DARMSTÄDTER), A., i, 664, 1001.
 and its ethers, action of pyruvic and pyrotartaric acids on (GIUFFRIDA and CHIMENTI), A., i, 1047.
 dinitrophenyl ether of, and its acetyl derivatives (REVERDIN and DRESEL), A., i, 579.
 acyl derivatives, azo-compounds from (DAHL & Co.), A., i, 207, 459.
 benzoyl derivatives (AUWERS and SONNENSTUHL), A., i, 1055.

o-, *m*-, and *p*-amino-, behaviour of, towards Caro's reagent (BAMBERGER and CZEKES), A., i, 238.

3:4-diamino-, *N*-dibenzoyl derivative and its benzoate (JACOBSON and HÖNIGSBERGER), A., i, 207.
 bromo- and chloro-, thiobenzoates of (TABOURY), A., i, 493.

Phenol, tetra- and penta-chloro-, and their ethers and derivatives (BILTZ and GIESE), A., i, 1000.
 2-chloro-4-amino-, acetyl derivative (DAHL & Co.), A., i, 459.
 3-chloro-4-amino-, dinitrophenyl ether of, and its acetyl derivatives (REVERDIN and DRESEL), A., i, 579.
 4-chloro-2-amino-, *N*-acetyl derivative (UPSON), A., i, 736.
 azo-dyes from (AKTIEN-GESELLSCHAFT FÜR ANILIN-FABRIKATION), A., i, 353.
 4-chloro-2-amino-, and 4-chloro-2-nitro-, acetyl derivatives (UPSON), A., i, 736.
 chlorodiamino-, azo-dyes from ethers of (GESELLSCHAFT FÜR CHEMISCHE INDUSTRIE in BASEL), A., i, 1064.
 chloronitroamino-derivatives of (CHEMISCHE FABRIK VORM. SANDOZ), A., i, 311.
o-iodo-, *p*-toluenesulphonyl derivative (ULLMANN), A., i, 727.
 2:3:5-triiodo-, and its ethyl ether and acetate (BRENANS), A., i, 157.
o-mono- and 2:4-di-nitro-, mixtures of, with naphthalene (SAPOSHNIKOFF and HELWIG), A., i, 398.
p-nitro-, as indicator (SPIEGEL), A., ii, 512.
m- and *p*-nitro-, oxidation of, with Caro's reagent (BAMBERGER and CZEKIS), A., i, 238.
 trinitro-. See Picric acid.
 dinitroamino-. See Picramic acid.
 4-nitroso-3-amino- (BERTELS), A., i, 620.
 thio-. See Phenyl mercaptan.
Phenol ethers (THOMS), A., i, 47.
 preparation and hydrolysis of, by Gattermann's method (AUWERS), A., i, 67.
 behaviour of, on distillation with zinc dust (THOMS), A., i, 401.
 unsaturated, reduction of, by sodium and alcohol (KLAGES and EPPELSEIM), A., i, 45; (KLAGES), A., i, 1001.
Phenol ethers, bromo-, magnesium derivatives of, action of carbon dioxide on (BODROUX), A., i, 166.
Phenols, synthesis of (BODROUX), A., i, 156.
 heats of combustion of, viewed as additive properties (LEMOULT), A., ii, 12.
 electrolytic oxidation of (A. G. and F. M. PERKIN), T., 243; P., 18.

Phenols, influence of unsaturated side-chains on the tendency of, to couple, and the colour of the resulting oxyazo-compounds (BORSCHE and STREITBERGER), A., i, 1064.
 condensation of, with acetylenic ketones (MOUREU and BRACHIN), A., i, 811.
 condensation of, with anthraquinone (SCHARWIN, NAUMOFF, and SANDURIN), A., i, 1032.
 condensation of, with benzylidene-aniline (MAYER), A., i, 784.
 action of bromine and chlorine on (ZINCKE and HAHN), A., i, 41; (ZINCKE and KRÜGNER), A., i, 401; (ZINCKE and WALTER), A., i, 1005.
 action of chloro-formdiethylamide on (A. and L. LUMIÈRE and PERRIN), A., i, 559.
 interaction of, with dinaphthaxanthonium salts (FOSSE), A., i, 83.
 and their para-derivatives, action of molybdates on (FRABOT), A., ii, 451.
 action of zinc chloride on acid esters of (EIJKMAN), A., i, 664.
 brominated, action of nitrous acid on (DAHMER), A., i, 871.
 carbonates of, action of secondary bases on (BOUCHETAL DE LA ROCHE), A., i, 152.
 polycyclic, interdependence of acidity and structure of (RAIKOW), A., i, 43.
 polyhydroxylic, formation of nitroso-compounds of (POLLAK), A., i, 46.
 and their derivatives, sulphur dyes from the (LANDSHOFF & MEYER), A., i, 81.
Phenols, hydroxylamino- (WOHL and GOLDENBERG), A., i, 209.
p-nitro-, action of formaldehyde on (BORSCHE and BERKHOUT), A., i, 415.
 2:4-di-nitro-, the purpurate reaction with (BORSCHE and BÖCKER), A., i, 574.
ψ-Phenols, condensation products of, with dimethylaniline and analogous bases (AUWERS), A., i, 995.
Phenolanthraquinone dimethyl ether (SCHARWIN, NAUMOFF, and SANDURIN), A., i, 1033.
Phenolphthalein, constitution of (GREEN and PERKIN), T., 398; P., 50.
 ionisation constants of, and its use as an indicator (McCoy), A., ii, 512.
Phenolsulphonic acid, 4-chloro-2-amino- (AKTIEN-GESELLSCHAFT FÜR ANILIN-FABRIKATION), A., i, 399.
Phenol-2-sulphonic acid, 4-amino-, acetyl derivative (DAHL & Co.), A., i, 459.

Phenol-3-sulphonic acid, 4-amino-, and its salts (SCHULTZ and STÄBLE), A., i, 597.
p-amino- and *p*-nitro- (KALLE & Co.), A., i, 664, 870.

Phenol-4-sulphonic acid, 2:6-diamino-, and disazo-compounds from (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 459.

Phenol-6-sulphonic acid, 2:4-diamino-, 4-acetyl derivative, and azo-dye from (CASSELLA & Co.), A., i, 537.

Phenolsulphonic acids, compounds of, with aromatic amino carboxylic esters (RITSERT), A., i, 413.

1:2-Phenonaphthacridine and 9-amino-, and 5-hydroxy-, and their salts (BAEZNER), A., i, 928; (ULLMANN and LA TORRE), A., i, 929.

2:1-Phenonaphthacridine and its salts (ULLMANN and LA TORRE), A., i, 929.

Phenonaphthafluorindine (NIETZKI and VOLLENBRUCK), A., i, 1063.

Phenoquinone and thio- (POSNER), A., i, 1029.

Phenoxyanthraquinone (SCHMIDT), A., i, 257.

***o*-Phenoxybenzoic acid** (*salicylic acid ethyl ether*), preparation of (ULLMANN), A., i, 417; (AKTIEN-GESELLSCHAFT FÜR ANILIN-FABRIKATION), A., i, 499.

***o*-Phenoxyethylenic ketones**, action of hydrazine and of hydroxylamine on (MOUREU and BRACHIN), A., i, 824.

***o*-Phenoxytriphenylcarbinol** (ULLMANN and ENGI), A., i, 682.

Phenyl, the migration of (TIFFENEAU), A., i, 63.

Phenyl alkyl carbonates, amino-, molecular rearrangement of (STIEGLITZ and UPSON), A., i, 575; (UPSON), A., i, 734.
 amino-, bromoamino-, bromonitro-, chloroamino-, chloronitro-, chlorobromoamino-, chlorobromonitro-, and nitro-derivatives and their salts (UPSON), A., i, 734.
 carbonate, action of a trace of certain salts or of alkali hydroxides on (FOSSE), A., i, 734.
 chlorination of, in presence of antimony chloride (BARRAL), A., i, 493.
 chlorination of, in presence of iodine (BARRAL), A., i, 493.
 ether, properties of (COOK), A., i, 400.
 mercaptan (*thiophenol*), new reducing agent for the preparation of (WINTER), A., i, 581.

Phenyl mercaptan (*thiophenol*), autoxidation of (ENGELR and BRONIATOWSKI), A., i, 870.
 sulphide, sulphur derivatives of (BOURGEOIS and PETERMANN), A., i, 28.
 hydroxy-, and its *o*-carboxylic acid (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 313.
p-tolyl sulphide, hydroxy-, and its methyl ether and *o*-carboxylic acid (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 313.

β -Phenylacenaphthylmethane and its picric acid derivative (DZIEWONSKI and DOTTA), A., i, 390; (DZIEWONSKI and WECHSLER), A., i, 803.

β -Phenylacetaldehyde, reactions of, and its semicarbazone (AUWERS and KEIL), A., i, 27.

Phenylacetaldehydephenylbenzylhydrazone (FOURNIER), A., i, 63.

Phenylacetic acid, α -amino-, phthaloyl derivative (ULRICH), A., i, 529.
*tr*bromo-*m*-hydroxy- (V. PECHMANN, BAUER, and OBERMILLER), A., i, 593.
*d*ichloro*tr*nitro-, ethyl ester (JACKSON and SMITH), A., i, 802.
*tr*ichloro*d*initro-, and its ethyl ester (JACKSON and CARLTON), A., i, 486.
 thio- and thiol- (ULPIANI and CIANCARELLI), A., i, 162.

Phenylacetic anhydride, compound of, with iodine and potassium iodide (CLOVER), A., i, 322.

Phenylacetodiethylamide (V. BRAUN), A., i, 90.

Phenylacetylcarbinol and its acetate (CARAPELLE), A., i, 158.

Phenylacetylene, acyl derivatives, action of hydroxylamine on (MOUREU and BRACHIN), A., i, 95.

Phenylacetylenecarbinol ether (ODDO), A., i, 862.

4-Phenylacetylpyridine-3-carboxylic acid and its amide (FELS), A., i, 618.

5-Phenylacridine, *o*- and *p*-hydroxy-, and their salts (LANDAUER), A., i, 927.

5-Phenylacridine-*o*-carboxylic acid, methylation of (DECKER and HOCK), A., i, 450.

2-Phenyladenine (TRAUBE and HERRMANN), A., i, 633.

Phenylalanine, acyl derivatives (LEUCHS and SUZUKI), A., i, 867; (FISCHER), A., i, 890.
 esters, and their additive salts (CURTIUS and MÜLLER), A., i, 481.

β -Phenylalanine, compounds of, with hippurylazoimide (CURTIUS and MÜLLER), A., i, 887.

Phenylalkylnitrosoamines, p -diazonium compounds of (BADISCHE ANILIN- & SODA-FABRIK), A., i, 1063.

α -Phenyl- α -alkylsulphon- δ -dimethylpentane- γ -ones (POSNER), A., i, 323.

Phenylamino- See also Anilino-.

Phenylaminoimino-oxalic methyl ethers (LANDER), T., 987; P., 132.

1-Phenyl-2- p -aminophenylbenzimidazole, 5:5-diamino-. See 1:2-Dianilino-benzimidazole, 5-amino-.

Phenyl-4:4'-diaminodiphenylamine, p -hydroxy- (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 1062.

β -Phenyl- Δ^{α} -amylene (α -isopropylvinylbenzene) and its dibromide (KLAGES), A., i, 28.

γ -Phenyl- Δ^{β} -amylene (α -ethylpropenylbenzene) and its bromo- and nitroso-chloride derivatives (KLAGES), A., i, 28.

α -Phenyl- α -anisylpropene and β -bromo- (HELL and STOCKMAYER), A., i, 241.

Phenylanisyltriketone and its oxime (WIELAND and BLOCH), A., i, 597.

Phenylanthranilic acid, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 159.

azo-derivatives of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 353, 637.

sulphonic acids of, and their salts (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 51.

Phenylanthranilic acid, methyl ester (v. BAAYER and VILLIGER), A., i, 899.

Phenylanthranilic acid, nitroamino-hydroxy-, and its derivatives (KALLE & Co.), A., i, 414.

Phenylanthraquinone chloride, dichloro- (SCHARWIN, NAUMOFF, and SANDURIN), A., i, 1032.

Phenylanthrone salts (LIEBERMANN, GLAWE, and LINDENBAUM), A., i, 901.

Phenylaticonic acid, derivatives (FITTIG and BRESLAUER), A., i, 419.

Phenylazimino-4-amino- and -4-nitro-benzene (DELÉTRA and ULLMANN), A., i, 271.

Phenylazocyanooacetic acid, p -bromo-, methyl ester, rotation of (BOWACK and LAPWORTH), T., 45.

Phenylazo-2:4-diethoxybenzoylacetone (BÜLOW and SAUTERMEISTER), A., i, 262.

β -Phenylazoisovaleric acid and its reduction (PRENTICE), T., 1667; P., 220.

Phenylazo- See also Benzeneazo-.

α -Phenylbenzeneazo-coumarin and its sulphonic acid, $-p$ -hydroxy-*cinnamic acid*, $-m$ - and $-p$ -hydroxydihydro-*cinnamic acids*, and β -meliotic acid and its sulphonic acid (BORSCHE and STREITBERGER), A., i, 1064.

5-Phenyl-4-benzeneazoisoazole-3-carboxylic acid and its ethyl ester (BÜLOW), A., i, 623.

5-Phenyl-4-benzeneazopyrazole-3-carboxylic acid and its ethyl ester (BÜLOW), A., i, 624.

Phenylbenzylphenylaminoamidine and its isomeride (WHEELER and JOHNSON), A., i, 628.

Phenylbenzoquinone. See Diphenylquinone.

1-Phenylbenzoxazole, 3-hydroxy- (HENRICH and OPFERMANN), A., i, 934.

N-Phenyl S-benzoyldithiouethane (v. BRAUN), A., i, 90.

Phenylbenzylaminoacetonitrile (KNOEVENAGEL and KLUCKE), A., i, 990.

Phenylbenzylcarbinol, preparation of (HELL), A., i, 242.

Phenylbenzylecyanoacetic acid, ethyl ester (HESSLER), A., i, 831.

Phenylbenzylethylcarbinol and its chloride (KLAGES and HEILMANN), A., i, 488.

as-Phenylbenzylhydrazine (OFNER), A., i, 818.

1-Phenyl-4-benzylidene-3-methylpyrazolone and its 4- p -chloro- α -amino-, 4- p -chloro- α -nitro-, and 4- α -mono- and di-nitro-derivatives (SACHS and SICHEL), A., i, 594.

Phenylbenzylmalononitrile (HESSLER), A., i, 831.

Phenylbenzylmethylcarbinol, preparation of (HELL), A., i, 242.

Phenylbenzylmethylethylammonium salts, *d*- and *l*- (JONES), T., 223; P., 6.

4-Phenyl-1-benzylendioxytriazole, 5-thiol- (BUSCH and OPFERMANN), A., i, 631.

Phenylbromobutyrolactone, polymerisation of, with elimination of hydrogen bromide (FITTIG and STADLMAYR), A., i, 969.

1-Phenyl- $\Delta^{\alpha\gamma}$ -butadiene (KLAGES), A., i, 568; (VON DER HEIDE), A., i, 583.

β -Phenyl- α -*tert*-butyl- β -benzoylpropionic acid and the action of phenylhydrazine on (JAPP and MAITLAND), T., 1500.

Phenylisobutylcarbinol and its dibromide (KLAGES), A., i, 569.

α -Phenyl- $\Delta\beta$ -butylene and its ozonide (HARRIES and DE OSA), A., i, 386.

α -Phenyl- $\Delta\alpha$ -and- $\Delta\beta$ -butylenes (KLAGES), A., i, 568.

N-Phenylbutylene- ψ -thiocarbamide. See 2-Phenylimino-5-ethyltetrahydrothiazole.

Phenyl isobutyl ketone, α -bromo- (KUNCKELL and STAHEL), A., i, 386.

β -Phenylbutyric acid, β -hydroxy-, and its salts (MICHNOVITSCH), A., i, 417.

Phenylbutyric acids, hydroxylamino- (POSNER), A., i, 161.

Phenylcamphanylthiocarbamide (v. PAWLEWSKI), A., i, 237.

Phenylcarbamic acid, *p*-hydroxyphenylhydrazide of (BORSCHE and ZELLER), A., i, 1056.

Phenylcarbamic azoimide, action of, on glycine (CURTIUS and LENHARD), A., i, 888.

Phenylcarbamide, action of nitrous acid on (DOHT and HAAGER), A., i, 236.

m-cyano- (BOGERT and BEANS), A., i, 584.

Phenylisocarbamide methyl and ethyl ethers, silver salts of (BRUCE), A., i, 492.

6-Phenylcarbamido-1-hydroxynaphthyl-3-sulphonic acid, *p*-amino-, *N*-acetyl derivative (GESELLSCHAFT FÜR CHEMISCHE INDUSTRIE IN BASEL), A., i, 492.

Phenylcarbimide, action of, on amino-acids (PAAL and ZITELMANN), A., i, 100.

action of, on monohydric alcohols (BLOCH), A., i, 152, 236.

Phenyleinnamensylacrylic acid and its methyl ester (MICHAEL and LEIGHTON), A., i, 243.

action of bromine on (HINRICHSEN and TRIEPEL), A., i, 1013.

dibromide, constitution of (MICHAEL and LEIGHTON), A., i, 242; (HINRICHSEN), A., i, 415.

Phenylcinnamensylacrylic acid, *p*-nitro-, and its salts, bromo-lactone, dibromide, methyl ester and nitrile (HINRICHSEN and REIMER), A., i, 415, 1013.

α -Phenylcinnamontitrile, action of hydrogen cyanide on (KNOEVENAGEL and SCHLÜCHTERER), A., i, 1028.

Phenylcoumarans, 1- and 2- (STOERMER and REUTER), A., i, 181.

α -Phenylcoumarin (BORSCHE and STREITBERGER), A., i, 893.

2-Phenylcoumarone (STOERMER and KIPPE), A., i, 183.

Phenylcoumarones and their bromo- and chloro-derivatives (STOERMER and REUTER), A., i, 181.

β -Phenylcrotonic acid. See β -Methylcinnamic acid.

Phenylisocrotonic acid, its anilide and *p*-toluidide, and anhydride (FICHTER and PFISTER), A., i, 548.

polymerisation of (FITTIG and HADORFF), A., i, 968.

Phenylisocrotonic acid, methyl ester, ψ -nitrosite and nitro-oxime of (WIELAND), A., i, 55.

Phenylcynoacetic acid and its ethyl ester and amide (HESSLER), A., i, 830.

Phenylcyanocarbodi-imide, imino-ether of (KÄMPF), A., i, 535.

Phenyl- α -cyanoethyl-carbamide and -thiocarbamide (DELÉPINE), A., i, 149.

β -Phenylcyanovinylacetic acid, *m*-nitro- (ISSOGLIO), A., i, 525.

Phenyldialkylcarbinol-*o*-sulphon-ethyl- and -methyl-amides and their derivatives (SACHS, v. WOLFF, and LUDWIG), A., i, 876.

α -Phenyl- α -dialkylsulphonehexane- γ -ones (POSNER), A., i, 324.

Phenyldiazo- See Diazobenzene-.

Phenyldibenzylcarbinol (KLAGES and HEILMANN), A., i, 488.

5-Phenyl-3:4-dicumylphenol and its acetate (GARNER), A., i, 253.

Phenyldiethylbenzamidine and its additive salts (v. BRAUN), A., i, 688.

Phenyldiethylcarbinol (KLING), A., i, 2; (GRIGNARD), A., i, 214.

and its chloride (KLAGES), A., i, 28.

Phenyldiethylmethane (*o*-ethylpropylbenzene) and its sulphonic acid and amide (KLAGES), A., i, 28.

4-Phenyl- $\Delta^{3:6}$ -dihydropyridones, *m*- and *p*-nitro-3:5-dicyano-6-hydroxy-, and their salts (ISSOGLIO), A., i, 525.

Phenyldihydroquinazoline. See Orexine.

Phenyldihydroresorcinol, *O*- and *C*-acetyl derivatives and their reactions (DIECKMANN and STEIN), A., i, 874.

Phenyldi- β -hydroxynaphthylmethane, anhydride of, and its nitration, and the action of sulphuric acid on (MACKENZIE and JOSEPH), T., 793; P., 124.

2-Phenyl-4-di-*m*-methoxyphenyl-1:4-benzopyranol, 5:7-dihydroxy-, and its salts (BÜLOW and RIESS), A., i, 82.

Phenyldimethylallylammonium compounds, resolution of (HARVEY), T., 412; P., 64.

Phenyldimethylbetaine and its additive derivatives (WILLSTÄTTER and KAHN), A., i, 236.

1-Phenyl-3:4-dimethyl-5-ethyl-thiol- and sulphone-pyrazoles (MICHAELIS, BESSON, MOELLER, and KOBER), A., i, 784.

1-Phenyl-3:4-dimethyl-5-methylsulphone-pyrazole, bromo- (MICHAELIS, BESSON, MOELLER, and KOBER), A., i, 784.

1-Phenyl-3:4-dimethylpyrazole (MICHAELIS, BESSON, MOELLER, and KOBER), A., i, 783.

1-Phenyl-3:3-dimethyl-5-pyrazolidone (PRENTICE), T., 1667; P., 220.

1-Phenyl-4:4-dimethyl-5-pyrazolone (BLAISE and MARCILLY), A., i, 286.

1-Phenyl-2:3-dimethyl-5-pyrazolone, 4-amino-, alkylated, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 196.

1-Phenyl-2:5-dimethylpyrazolone, 3-imino-, and its carbonate and picrate (STOLZ), A., i, 114.

1-Phenyl-2:3-dimethylpyrazolone, 5-imino. See *Iminopyrazole*.

3-Phenylidimethyl-2-thiodyantins, 1-amino-, and their derivatives (BAILEY, ACREE, and MILLER), A., i, 826.

Phenylidinaphthylmethane series, colouring matters of the (NOELTING), A., i, 621.

Phenyldiphenylenecarbinol (ULLMANN and v. WURSTEMBERGER), A., i, 154.

Phenyldiphenylenemethane. See *Phenylfluorene*.

Phenyldi-p-tolylchloromethane and its carbinol and peroxide (GOMBERG and LYNN), A., i, 489.

Phenyldi-o-tolylmethane, *p*-diamino-, and its di- and tetra-acetyl derivatives (VONGERICHTEN and WEILINGER), A., i, 687.

Phenyleneacetic-malonic acid, chloro-trinitro-, ethyl ester (JACKSON and SMITH), A., i, 803.

Phenylenebenzene-*m*-dithiosulphonate (TRÖGER and MEINE), A., i, 30.

***m*-Phenylenebisacetonylsulphone** and its dioxime and phenylhydrazones (TRÖGER and MEINE), A., i, 30.

***m*-Phenylenebisalkylsulphones** and their haloid derivatives (TRÖGER and MEINE), A., i, 30.

***p*-Phenylenebismethylsulphone** (TRÖGER and MEINE), A., i, 31.

***m*-Phenylenebis-sulphone-acetic, -propionic, and -butyric acids** and their esters (TRÖGER and MEINE), A., i, 30.

***m*-Phenylenecarbamide**, preparation of (KALLE & Co.), A., i, 346.

***o*-Phenylenediamine**, condensation of, with phthalonic acid (MANUELLI and SILVESTRI), A., i, 784.

***o*-Phenylenediamine**, substituted, oxidation of (ULLMANN and MAUTHNER), A., i, 192; (FISCHER), A., i, 349.

***o*-Phenylenediamine**, 4-chloro-, and its *N*-diacetyl derivatives (ULLMANN and MAUTHNER), A., i, 192.

***m*-Phenylenediamine**, black sulphur dye from (KALLE & Co.), A., i, 607.

and nitroso-, and their condensation products with benzaldehyde, and 1-nitro- (BERTELS), A., i, 620.

***p*-Phenylenediamine**, oxidation of (BAMBERGER and HÜBNER), A., i, 118; (ERDMANN), A., i, 778, 935.

new base from (PAUL), A., i, 530.

Phenylenediamines, action of pyrocinchonic anhydride on (ROSSI), A., i, 1046.

***p*-Phenylenediglycine** and its amide and nitrile (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 153.

Phenylene-*o*-, -*m*-, and -*p*-dipyrocinchonimides (ROSSI), A., i, 1046.

Phenylenephthalylcinchonimides, *m*- and *p* (ROSSI), A., i, 1047.

Phenylene-pyrocinchonimides, *m*- and *p*-amino-, and *pyrocinchonic diamide* (ROSSI), A., i, 1046.

Phenyl-ether-*o*-carboxylic acid. See *o*-Phenoxybenzoic acid.

Phenylethylamine, *ω*-trichlorohydroxy-*m*-cyano- (BOGERT and BEANS), A., i, 585.

γ-Phenyl-β-ethylbutyric acid and its calcium salt (EIJKMAN), A., i, 590.

γ-Phenyl-β-ethylbutyrolactone (EIJKMAN), A., i, 590.

4-β-Phenylethylidihydro-6-pyridone, 3:5-dicyano-2-hydroxy-, ammonium derivative of (PICCININI), A., i, 91.

3-Phenyl-2-ethylisoindolinone, 3-hydroxy- (SACHS and LUDWIG), A., i, 267.

Phenyl ethyl ketone (propiophenone), physical properties of (EIJKMAN), A., i, 591.

p-amino-, acyl derivatives (CHATTAWAY), T., 391; P., 43.

β-Phenyl-β-ethyl-lactic acid. See *β*-Phenylbutyric acid, *β*-hydroxy-.

Phenylethyl methyl ether (HAMONET), A., i, 401.

β-Phenylethyl methyl ketone, 4-bromo- and 4-chloro-2-nitro-β-hydroxy- (SACHS and SICHEL), A., i, 594.

5-Phenyl-3-ethylisooxazole (MOUREU and BRACHIN), A., i, 96.

α-Phenylethylphenylthiocarbamide, *α*-hydroxy- (KOLSHORN), A., i, 676.

1-β-Phenylethylcyclopropane-2-carboxylic acid, amide of (VON DER HEIDE), A., i, 583.

Phenylethylisopropylcarbinol and its chloride (KLAGES and HAEN), A., i, 497.

5-Phenyl-3-ethylpyrazole and its picrate (MOUREU and BRACHIN), A., i, 824.

4-Phenylethylpyridine and its *3*-carboxylic acid and their additive salts (FELS), A., i, 618.

4-Phenyl-2-ethylquinoline, 7-hydroxy- (BÜLOW and ISSLER), A., i, 191.

Phenylfluorene and its benzoyl derivative (ULLMANN and v. WURSTEMBERGER), A., i, 154; (WERNER and GROB), A., i, 865.

9-Phenylfluorone, 2:3:7-trihydroxy-, and its salts, and triacetyl derivative (LIEBERMANN, LINDENBAUM, and GLAWE), A., i, 443.

2:3:7-*o*- and 2:3:7-*p*-tetra- and 2:3:7-*mp*-penta-hydroxy-, and their sulphates and acetyl derivatives (LIEBERMANN and LINDENBAUM), A., i, 765.

Phenylformol, preparation of (NASTUKOFF), A., i, 242.

α-Phenylgeraniol (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 842.

Phenylglycidic acid, sodium salt, interaction of, with phenylhydrazine (JAPP and MAITLAND), T., 1490; P., 205.

Phenylglycine and its homologues, preparation of (BASLER CHEMISCHE FABRIK), A., i, 153.

Phenylglycine-*o*-carboxylic acid, preparation of (KALLE & Co.), A., i, 317; (BADISCHE ANILIN- & SODA-FABRIK), A., i, 498.

bromo- and mono- and *di*-chloro- (BADISCHE ANILIN- & SODA-FABRIK), A., i, 670.

3:5-dinitro- (PURGOTTI and LUNINI), A., i, 316.

Phenylguanidine and its dibenzoyl derivative (KÄMPF), A., i, 534.

Phenylcyclohexane (EIJKMAN), A., i, 26.

Phenylcyclohexylcarbinol and its methyl derivative (SABATIER and MAILHE), A., i, 810.

Phenylcyclohexylethyl-carbamide and -thiocarbamide (SABATIER and SENDERENS), A., i, 661.

γ-Phenylhydantoin-*α*-acetic acid and its ethyl ester and sodium salt (PAAL and ZITELMANN), A., i, 100.

1-Phenylhydrazido-oxalamino-2:5-dimethylpyrrole-3:4-dicarboxylic acid, ethyl ester (BÜLOW), A., i, 689.

Phenylhydrazine, *p*-nitro-, as a microchemical reagent (BEHRENS), A., ii, 98.

Phenylhydrazino-acetic acids, *s*- and *as*-, and their derivatives (BUSCH, SCHNEIDER, and WALTER), A., i, 97.

3-β-Phenylhydrazinobutyric acid (PRENTICE), T., 1667; P., 220.

Phenylhydrazino-oxalic hydrazide and its acetyl and benzylidene derivatives (BÜLOW), A., i, 689.

5-Phenylhydrotriazine, 3-thio-, and the disulphide (WOLFF and LINDENHAYN), A., i, 198.

γ-Phenyl-*α*-*p*-hydroxybenzylhydantoin (PAAL and ZITELMANN), A., i, 100.

α-Phenyl-*o*-hydroxycinnamonitrile (BORSCHE and STREITBERGER), A., i, 893.

Phenylhydroxylamine, *p*-hydroxy-, methyl and ethyl ethers of. See *p*-Anisylhydroxylamine and *p*-Phenetylhydroxylamine.

Phenyl-8-hydroxynaphthyl-1:2-triazole-3:6-disulphonic acid, *p*-amino-, sodium hydrogen salt (GESELLSCHAFT FÜR CHEMISCHE INDUSTRIE IN BASEL), A., i, 353.

α-Phenyl-*α*-*p*-hydroxytolylethylene and its sodium derivative and phenylurethane (STOERMER and KIPPE), A., i, 182.

2-Phenylhypoxanthine (TRAUBE and HERRMANN), A., i, 633.

2-Phenylimino-2:3-dihydro-1:3:4-thiodiazole-3-propionic acid, 5-hydroxy-, and its ethyl ester, amide, and benzoyl derivative (BAILEY, ACREE, and MILLER), A., i, 827.

2-Phenylimino-5-ethyl and -5-phenyltetrahydrothiazoles (KOLSHORN), A., i, 675.

2-Phenylindole, 3-amino-, 1-hydroxy-, and 3-isonitroso- (ANGELI and ANGELICO), A., i, 526.

2-Phenylindolediazohydroxide, anhydride of (ANGELI and D'ANGELO), A., i, 537.

3-Phenylisoindolinone, 3-hydroxy- (BÉIS), A., i, 671.

β-Phenyl-*α*-lactic acid (POSNER), A., i, 161.

Phenyl-lactoketone, *o*-nitro, preparation of (SOCIÉTÉ CHIMIQUE DES USINES DU RHÔNE), A., i, 325.

Phenylmalonic acid, trichlorodinitro-, ethyl ester (JACKSON and CARLTON), A., i, 486.

iododinitro-, ethyl ester (JACKSON and LANGMAID), A., i, 861.

Phenylmalononitrile and its sodium derivative (HESSLER), A., i, 831.

Phenylmethylaminomethanesulphonic acid, sodium salt (KNOEVENAGEL), A., i, 867.

1-Phenyl-2-methylbenziminazole, 5-amino-, and 5-nitro-, and its additive salts (v. WALTHER and KESSLER), A., i, 348.

5-Phenyl-2-methylbenziminazole and 7-amino- (FICHTER and SULZBERGER), A., i, 325.

1-Phenyl-3-methylbenzoxazole, 5-hydroxy-, and its 5-benzoyl and 5-methyl derivatives and **1-Phenyl-5-methylbenzoxazole**, 3-hydroxy- (HENRICH and OPFERMANN), A., i, 934.

α -Phenyl- γ -methyl- $\Delta\beta$ -butylene ozonide (HARRIES and DE OSA), A., i, 386.

α -Phenyl- γ -methylbutylenes (KLAGES), A., i, 569.

2-Phenyl-4-methylcoumaran and **2-Phenyl-4-methylcoumarone**, 1-chloro- (STOERMER and KIPPE), A., i, 182.

Phenylmethylcyanoacetiminoethyl ether (HESSLER), A., i, 831.

α -Phenylmethyldiethylbetaine (KLAGES and MARGOLINSKY), A., i, 146.

Phenylmethylidihydroacridine, hydroxy- (BÜNZLY and DECKER), A., i, 344.

5-Phenyl-10-methyldihydroacridine-carboxylic acid, 5-hydroxy-, lactone of, and its betaine compound (DECKER and HOCK), A., i, 451.

5-Phenyl-2-methyl-4:5-dihydro-1:2:4-oxadiazole and its 4-acetyl and 4-benzoyl derivatives (STOLLÉ), A., i, 102.

5-Phenyl-2-methyl- $\Delta^{2:5}$ -dihydropyridazine-1-carbon-amide- and -anilide-3-carboxylic acids and their ethyl esters (BORSCHE and SPANNAGEL), A., i, 779.

Phenylmethylidimethylaminomethylcarbinol and its benzoate (FOURNEAU), A., i, 378.

2-Phenyl-4-methylene-1:4-benzopyran 7:0-p-trihydroxy-. See Resacetin.

Phenylmethyllethylallylammonium salts (WEDEKIND), A., i, 37.

1-Phenyl-3-methyl-2-ethylpyrazole, 2:5-thio-. See Ethylthiopyrine.

Phenylmethyglycineamide and *p*-nitroso- (WARUNIS and SACHS), A., i, 669.

2-Phenyl-4-methylcyclohexane-6-onedi-carboxylic acid, *m*-nitro-4-hydroxy-, esters of the tautomeric forms of (RABE and BILLMANN), A., i, 750.

Phenylmethylitaconic acids, isomeric, configuration of the (STOBBE and ROSE), A., i, 503.

1-Phenyl-3-methyl-5-methylthiopyrazole. See ψ -Thiopyrine.

Phenylmethylnitroisooxazole (WIELAND), A., i, 56.

Phenylmethyloxamic acid, methyl ester (LANDER), T., 989; P., 132.

5-Phenyl-3-methylisooxazole (MOUREU and BRACHIN), A., i, 95.

α -Phenyl- γ -methylpentane. See Hexylbenzene.

α -Phenyl- γ -methyl- $\Delta\alpha$ -pentene. See Methylpentenylbenzene.

α -Phenyl- γ -methyl- $\Delta\beta$ -pentene and its nitrosochloride (KLAGES), A., i, 569.

α -Phenyl- α -methylpropene, β -bromo- (HELL and BAUER), A., i, 242.

Phenylmethylisopropylcarbinol and its chloride (KLAGES), A., i, 27.

1-Phenyl-3-methylpyrazole, 5-bromo- and 5-iodo-, and their additive products (MICHAELIS, MOELLER, and KOBER), A., i, 781.

1-Phenyl-3-methyl-pyrazole, 5-chloro-4-amino-, -pyrazole-4-azo-*o*-toluene, 5-chloro-, and -pyrazolone-4-azo-*o*-toluene (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 940.

3-Phenyl-5-methylpyrazole, *s*-dinitro- (BEREND and HEYMANN), A., i, 670.

1-Phenyl-2-methyl-pyrazole-4-azo-*p*-phenetole, 5-chloro-, and -pyrazolone-4-azo-*p*-phenetole (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 940.

1-Phenyl-3-methylpyrazole-4-azobenzene and 5-chloro- (MICHAELIS and LEONHARDT), A., i, 124; (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 940.

1-Phenyl-3-methylpyrazole-2'-carboxylic acid, 5-chloro-, and its salts and ethyl ester, and anhydride (MICHAELIS and EISENSCHMIDT), A., i, 624.

1-Phenyl-3-methyl-5-pyrazolidone (PRENTICE), T., 1669; P., 220.

Phenylmethylpyrazolone, azo-compounds of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 538.

1-Phenyl-3-methylpyrazolone-2'-carboxylic acid (MICHAELIS and EISENSCHMIDT), A., i, 624.

1-Phenyl-3-methyl-5-pyrazolone-4-phenylhydrazone (BOUVEAULT and WAHL), A., i, 790.

3-Phenyl-5-methyl-2-thiohydantoin, 1-amino-, and its derivatives (BAILEY, ACREE, and MILLER), A., i, 826.

1-Phenyl-3-methyl-2:5-thiopyrazole. See Thiopyrine.

1-Phenyl-3-methyl-5-thiopyrazolone and its benzoyl derivative (MICHAELIS and PANDER), A., i, 780.

β -Phenyl- β -methyltriazen, α -cyano- (WOLFF and LINDENHAYN), A., i, 701.

1-Phenyl-4-methyltriazolyl-3-mercaptopol and its silver salt (ACREE), A., i, 351.

1-Phenyl-4-methyl-urazole and -thiourazole (BUSCH and OFFERMANN), A., i, 631.

Phenyl- β -naphthylamine (BUCHERER and STOHMANN), A., i, 395.

as-**Phenyl- α -naphthylethylene** and bromo- (ACREE), A., i, 743.

2-Phenyl-1-p-nitrobenzoylaminophenylbenzimidazole, 5;*p*-dinitro- (KYM), A., i, 454.

Phenyl-4:6-dinitro-3-tolylamine, 4'-amino-, 3'-mono- and 3:5-dichloro-4'-hydroxy-, and 4'-hydroxy- (REVERDIN, DRESEL, and DELÉTRA), A., i, 580.

Phenyl-2:4:6-trinitro-3-tolylamine, and 4'-amino-, and 4'-hydroxy- (REVERDIN, DRESEL, and DELÉTRA), A., i, 580.

Phenyloxamide, *m*-cyano- (BOGERT and BEANS), A., i, 584.

5-Phenylisooxazole (MOUREU and DELANGE), A., i, 650.

3-Phenylisooxazolone, *s*-dinitro- (BREND and HEYMANN), A., i, 670.

Phenoxyacetiminoethyl ether, *o*-nitro-, hydrochloride (HELLER and AMBERGER), A., i, 417.

Phenylparaconic acids, isomeric (FITTING, BRESLAUER, and JEHL), A., i, 419.

Phenyl pentadecyl and undecyl ketones, physical properties of (EIJKMAN), A., i, 591.

Phenyl-*m*-phenethylthiocarbamide (JACOBSON and HÖNIGSBERGER), A., i, 205.

Phenylphthalimide, action of magnesium organo-compounds on (BÉIS), A., i, 503, 671.

Phenylpiperidylcarbamide, bromo- and chloro-derivatives of (BOUCHETAL DE LA ROCHE), A., i, 189.

Phenylpropionaldehyde (*phenylpropanoaldehyde*) and its reactions and oxime (CLAISEN), A., i, 14.

o-diethyl ether (MOUREU and DELANGE), A., i, 650.

β -Phenylpropionic acid, α -bromo-, and its chloride and amino-acid derivatives (FISCHER), A., i, 890.

α -hydroxy-, ethyl ester (CURTIUS and MÜLLER), A., i, 481.

Phenylpropionic acids, α - and β , α -hydroxylamino- (POSNER), A., i, 160.

β -Phenylpropionitrile, β -imino-, action of amyl nitrite on (LUBLIN), A., i, 890.

as-**isonitroso- β -nitrosoimino-, ammonium derivative** (LUBLIN), A., i, 890.

Phenylpropionylidenemalonic acid, ethyl ester (CLAISEN), A., i, 14.

Phenylpropylcarbinol and its chloride (KLAGES), A., i, 568.

Phenylpropylene, synthesis of (TIFFENEAU), A., i, 872.

5-Phenyl-3-propylisooxazole (MOUREU and BRACHIN), A., i, 96.

Phenylpropylisopropylcarbinol and its chloride (KLAGES and HAEN), A., i, 497.

5-Phenyl-3-propylpyrazole and its pierate (MOUREU and BRACHIN), A., i, 824.

4-Phenyl-2-propylquinoline, 7-hydroxy- (BÜLOW and ISSLER), A., i, 191.

2-Phenylpurine, 6-chloro- (TRAUBE and HERRMANN), A., i, 634.

4-Phenylpyrazole, reduced derivatives (BUCHNER and PERKEL), A., i, 101.

5-Phenylpyrazole-3-carboxylic acid and its ethyl ester, hydrazide, and hydrazine derivative (BÜLOW), A., i, 623.

4-Phenylpyrazolidine-3:5-dicarboxylic acid and its ethyl ester (BUCHNER and PERKEL), A., i, 101.

4-Phenylpyrazoline and its salts (BUCHNER and PERKEL), A., i, 101.

3-Phenylpyrazolone-1-carboxylamide (BORSCHE and SPANNAGEL), A., i, 779.

Phenylpyridines, oxidation of (TSCHITSCHIBABIN), A., i, 524.

Phenylpyridinium chloride and *dinitro*-, and its products of change (ZINCKE), A., i, 448; (ZINCKE, HEUSER, and MÖLLER), A., i, 921.

Phenylpyridylcarbinols, α - and γ -, and their platinichlorides (TSCHITSCHIBABIN), A., i, 523.

Phenylpyridylmethylolmethanes, 2- and 4-, and their salts (TSCHITSCHIBABIN), A., i, 524.

α -Phenyl- α -2- and -4-pyridylethylenes and their salts (TSCHITSCHIBABIN), A., i, 524.

Phenyl-4-pyridylmethylolmethane and its platinichloride (TSCHITSCHIBABIN), A., i, 525.

2-Phenylpyrimidine, 4-mono- and 4:5-diamino-6-hydroxy-, and their salts (TRAUBE and HERRMANN), A., i, 633.

Phenylpyromykuric acid and its barium salt (BAUM), A., i, 910.

6-Phenyl-2-pyrone-3-carboxylic acid, ethyl ester (CLAISEN), A., i, 14.

6-Phenylpyrophthaline and its *N*-alkyl derivatives (GAEBELÉ), A., i, 89.

6-Phenylpyrophthalone and its bromo-derivatives and reduction product (GAEBELÉ), A., i, 89.

2-Phenylpyrrole-4:5-dicarboxylic acid (BORSCHE and SPANNAGEL), A., i, 779.

Phenylpyruvic acid, condensation of, with aldehydes (ERLENMEYER and KEHREN), A., i, 1015; (ERLENMEYER and BRAUN), A., i, 1016.

2-Phenylquinoline (MURMANN), A., i, 818, 926.

3-Phenylisoquinoline, 1-chloro-4-hydroxy-, and its methyl and ethyl ethers, and 1:4-dichloro- (ULRICH), A., i, 529.

α -Phenylsemicarbazido- α -acetic acid and its ethyl ester, and their δ -ethyl derivative (BUSCH, SCHNEIDER, and WALTER), A., i, 97.

Phenylsemicarbazide- α -carboxylic acid, ethyl ester (ACREE), A., i, 453.

Phenylsilicon compounds (DILTHEY and EDUARDOFF), A., i, 464.

α -Phenylstilbene (HELL and WIEGANDT), A., i, 490.

Phenyl-succinic and -succinanilic acids, and -succinanil and -succino-*p*-tolil (HANN and LAPWORTH), T., 1365; P., 183.

β -Phenylsulphone- β -phenylpropionic acid (KOHLER and REIMER), A., i, 234.

2-Phenyl-3:4:4:6-tetramethyltetrahydro-1:3-oxazine and its salts (KOHN), A., i, 934.

2-Phenyl-1-tetrazodiphenyliminazole (BURIÁN), A., i, 354.

Phenylthioacetanilide (SACHS and LOEYVY), A., i, 307.

5-Phenyl-1:2:3-thiodiazole and its additive compounds and 4-carboxylic acid and ethyl ester (WOLFF, KOPITZSCH, and HALL), A., i, 828.

α -Phenyl- α -thiolalkyl- δ -dimethylpentane- γ -ones (POSNER), A., i, 323.

Phenylthionoxamides (REISSERT), A., i, 991.

Phenylthiosemicarbazidecarbothionoxylic acid, ethyl ester (ACREE and WILLCOX), A., i, 270.

Phenyl-*p*-tolyloxamide (HELLER and EMRICH), A., i, 730.

Phenyl-*o*- and -*p*-tolylthiocarbamides (v. PAWLEWSKI), A., i, 237.

α -Phenyl- $\alpha\delta$ -trialkylsulphonepentanes (POSNER), A., i, 324.

α -Phenyltriazen, β -cyano-, and its metallic derivatives (WOLFF and LINDENHAYN), A., i, 701.

α -Phenyltriazen- β -thiocarbamide and its methyl derivative (WOLFF and LINDENHAYN), A., i, 701.

5-Phenyltriazine, 3-chloro- and 3-hydroxy- (WOLFF and LINDENHAYN), A., i, 197.

Phenyltrimethylallene. See $\alpha\gamma$ -Dimethyl- $\Delta\alpha\beta$ -butadienylbenzene.

Phenyltrimethylammonium iodide, *p*-hydroxy- (AUWERS and WEHR), A., i, 997.

trans-Phenyltrimethylene carboxylic acid and its salts, ethyl ester, amide, and amino- and nitro-derivatives (BUCHNER and GERONIMUS), A., i, 53.

cis-1-Phenyl-trans-2:3-trimethylenediacrylic acid and its amino- and nitro-derivatives, methyl ester, and isomeride (BUCHNER and PERKEL), A., i, 102.

1-Phenyl-2:3:4-trimethylpyrazole, 2:5-thio-. See Methylthiopyrine.

1-Phenyl-3:4:5-trimethylpyrazole (McCONNAN), A., i, 940.

1-Phenyl-2:3:4-trimethylpyrazolone, 5-imino-, and its additive salts and benzoyl derivative (STOLZ), A., i, 114.

2-Phenyl-4:4:6-trimethyltetrahydro-1:3-oxazine and its salts and nitroso-derivative (KOHN), A., i, 933.

1-Phenylurazole and 3-thiol-, preparation of (ACREE), A., i, 351.

3:5-dithiol- (ACREE and WILLCOX), A., i, 270.

β -Phenylureidoethanesulphonic acid and its barium salt (PAAL and ZITELMANN), A., i, 100.

Phenylureidosuccinic acid and its monoamide, and their salts (PAAL and ZITELMANN), A., i, 100.

Phenylurethane, bromohydroxy-, chlorohydroxy-, and chlorobromohydroxy- (UPSON), A., i, 735.

***m*-cyano-** (BOGERT and BEANS), A., i, 584.

γ -Phenylvaleric acid and its salts (EIJKMAN), A., i, 669.

9-Phenyl-xanthen and -xanthydrol (ULLMANN and ENGI), A., i, 682.

Phenyl-xanthonium and -thioxanthonium compounds (BÜNZLY and DECKER), A., i, 912.

Philotin (DE REY PAILHADE), A., i, 837.

non-existence of (ABELOUS and RIBAUT), A., i, 704.

use of, for converting nitrobenzene into aniline (POZZI-ESCOL), A., i, 792.

Phloraspin (BOEHM), A., i, 409; (KRAFT), A., i, 1040.

Phloridzin, excretion of (YOKOTA), A., ii, 358.

injection of, in the lactating cow (PORCHER), A., ii, 500.

Phloridzin diuresis (LOEWI), A., ii, 274.

Phloroglucinol, formation of, by the interaction of ethyl malonate with its sodium derivative (MOORE), T., 165.

Phloroglucinol, methyl ether, action of nitric acid on (THOMS and MANNICH), A., i, 1007.

Phloroglucinols, substituted, reactivity of, in the formation of fluorones (SCHREIER and WENZEL), A., i, 517.

Phloroglucinolaldehyde. See Benzaldehyde, 2:4:6-trihydroxy-.

Phloroglucinoldicarboxylic acid, ethyl ester, and its bromo- and triacetyl derivatives (MOORE), T., 166.

Phloroglucinol series, methylene compounds of the (BOEHM), A., i, 403.

Phorone and its hydrobromide and hydrochloride (VÖRLÄNDER and HAYAKAWA), A., i, 65.

action of magnesium methyl iodide on (V. FELLENBERG), A., i, 961.

Phosgenite and cerussite from Colorado (WARREN), A., ii, 46.

Phosphates. See under Phosphorus.

Phosphatic manures, influence of liming on the activity of (SCHULZE; NAGAOKA), A., ii, 839.

slags (GRÉGOIRE and HENDRICK), A., ii, 769.

Phosphodi- β -hydroxy- $\alpha\alpha$ -dimethylpropionic acid and its salts and ethyl ester (BLAISE and MARCILLY), A., i, 283.

Phosphomolybdic acid, yellow (MIOLATI), A., ii, 263.

as a reagent for the amino-group (SEILER and VERDA), A., ii, 99.

Phosphorescence, action of chemical and osmotic phenomena on (LAMBERT), A., ii, 305.

photographic method of studying the action of n -rays on (ROTHÉ), A., ii, 603.

scintillating, of substances under the action of radium rays (BECQUEREL), A., ii, 6.

of substances under the action of radium rays, revived by electric discharges (TOMMASINA), A., ii, 7.

of kunzite (BASKERVILLE and KUNZ), A., ii, 601.

Phosphorescent substances (HOFMANN and DUCCA), A., ii, 690.

surface, comparable effects of β -rays and n -rays and of α -rays and n_1 -rays on a (BECQUEREL), A., ii, 602.

Phosphoric acid. See under Phosphorus.

Phosphorite, solubility of, under the influence of physiologically-acid salts (SCHULOFF), A., ii, 286.

Phosphorous acid. See under Phosphorus.

Phosphorus (SCHENCK), A., ii, 117.

ionisation of (BLOCH), A., ii, 117.

Phosphorus, oxidation of, in air (HARMS), A., ii, 331.

chemical combination and action of absorbed, in the organism (PLAVEC), A., ii, 672.

metabolism (MEYER), A., ii, 827.

status of, in certain foods and animal by-products (HART and ANDREWS), A., ii, 201.

poisoning. See Poisoning.

Phosphorus compounds, volatile, production of, in putrefaction (YOKOTE), A., ii, 579.

Phosphorus tribromide (CHRISTOMANOS), A., ii, 614, 728, 776.

as a reducing agent (STOERMER), A., i, 181.

chlorides, action of aromatic organo-magnesium derivatives on (SAUVAGE), A., i, 1072.

trichloride, action of ammonia on (JOANNIS), A., ii, 654.

reduction of (LEMOULT), A., i, 572.

pentachloride, action of, on ketoximes (BLAISE and GUÉRIN), A., i, 143.

fluorides, physical constants of (MOISAN), A., ii, 331.

halogen derivatives, action of organo-magnesium solutions on (AUGER and BILLY), A., i, 983.

platinum haloids, and their derivatives (ROSENHEIM and LOEWENSTAMM), A., ii, 131.

hydride. See Hydrogen phosphide.

Hypophosphorous acid, preparation and properties of (MARIE), A., ii, 481.

organic derivatives of (MARIE), A., i, 723.

Phosphorous acid, action of, on manitol (CARRÉ), A., i, 16.

Phosphoric acid, action of, on glycerol (CARRÉ), A., i, 133, 215.

in cerebrospinal fluid in nervous diseases (DONATH), A., ii, 628.

activity of the, in various phosphates (BÖTTCHER), A., ii, 510.

what forms of, are suitable for manurial purposes? (WAGNER), A., ii, 768.

of dung, action of (SCHNEIDEWIND and MEYER), A., ii, 769.

manurial value of a mixture of lime and (BACHMANN), A., ii, 145.

pentabasic, derivatives of (LEMOUT), A., i, 807.

compounds of, with ethylene glycol (CARRÉ), A., i, 281.

estimation of, as magnesium pyrophosphate (JÄRVINEN), A., ii, 515.

Phosphorus :—

Phosphoric acid, estimation of, colorimetrically in presence of silica (SCHREINER), A., ii, 85.
citrate-soluble, estimation of, in basic slags (BÖTTCHER), A., ii, 148; (SORGE), A., ii, 367.
unsuitability of the Maercker-Bühring solution for the estimation of total, in basic slag (SVOBODA), A., ii, 147.
estimation of, in aqueous extracts of soils and plants (SCHREINER), A., ii, 777.
estimation of, in urine (LE CLERC and DUBOIS), A., ii, 774.
estimation and separation of iron and, in water (CAUSSE), A., ii, 93.
estimation of, in natural waters (LINCOLN and BARKER), A., ii, 680.

Phosphate, Wolter, comparison of, with superphosphate and basic slag (SCHNEIDEWIND and MEYER), A., ii, 769.

Phosphates, soluble colloidal form of (SELL), A., ii, 487.
inorganic, in plant seeds and in seedlings (SCHULZE and CASTORO), A., ii, 506.
action of water and saline solutions on certain slightly soluble (CAMERON and HURST), A., ii, 655.

decomposition of crude, for manurial purposes (YSTGAARD), A., ii, 511.

Superphosphate, dried, manurial value of (GRÉGOIRE and HENDRICK), A., ii, 769.

comparison of, with Wolter phosphate and basic slag (SCHNEIDEWIND and MEYER), A., ii, 769.

Phosphoric acids, researches on the (GIRAN), A., ii, 166.

Phosphorus trisulphide (P_4S_3), toxicity of (THAYER and WOLF), A., ii, 197.

sulphides, production of, by the action of heat and light (DERVIN), A., ii, 253.

production of, in the cold (BOULOUCH), A., ii, 253.

Phosphorus organic compounds (AUGER; AUGER and BILLY), A., i, 983; (SAUVAGE), A., i, 1072.
in soil (NAGAOKA; ASŌ), A., ii, 838.

Phosphorus and Phosphoryl trithiocyanates (DIXON), T., 350; P., 41.

*ortho***Phosphoric anilide** and its homologues (LEMOULT), A., i, 806.

Phosphorus, estimation of, in calcium carbide (LIDHOLM), A., ii, 776.

Phosphorus, estimation of, in organic compounds (MONTRHULÉ), A., ii, 680.
estimation of nitrogen and, in organic substances (v. KONEK), A., ii, 588.
estimation of, in phosphorus oil and similar preparations (KATZ), A., ii, 290.
estimation of, in solutions (CHRISTOMANOS), A., ii, 776.

Phosphorus-nitrogen bases of the type $P(NHR)_3:NR$ (LEMOULT), A., i, 380.
of pentabasic phosphoric acid (LEMOULT), A., i, 807.

PHOTOCHEMISTRY :—

Photochemical reactions, reversible, in homogeneous systems (LUTHER and WEIGERT), A., ii, 463.

Light, chemical action of (SACHS and SICHEL), A., i, 156; (CIAMICIAN and SILBER), A., i, 161; (SACHS and HILPERT), A., i, 876; (BERTHELOT), A., ii, 569.

emission of, by certain uranium salts (BECQUEREL), A., ii, 221.

Light, action of, on chlorine (MELLOR), P., 53.

influence of, on the combination of chlorine and hydrogen (BEVAN), A., ii, 21.

absorption of, by aqueous solutions of copper and nickel salts (MÜLLER), A., ii, 4.

action of, on lead salt solutions (HOFMANN and WÖLFL), A., ii, 172.

action of, on 2:4-dinitrobenzylideneaniline (SACHS and SICHEL), A., i, 156.

ultra-violet, action of, on rare-earth oxides (BASKERVILLE), A., ii, 108.

action of, on santonin and its derivatives (FRANCESCONI and MAGGI), A., i, 60.

action of, on selenium (MARC), A., ii, 105.

influence of, on organic substances, with special reference to the automatic purification of streams (RAPP), A., ii, 68.

Budde effect with reference to bromine and chlorine (CALDWELL), A., ii, 105.

Emanation, property a large number of substances possess of projecting spontaneously and continuously a ponderable (BLONDLOT), A., ii, 531.

ponderable, action of magnetic or electric forces on, and displacement of, by air in motion (BLONDLOT), A., ii, 602.

PHOTOCHEMISTRY :—

Emanation from actinium (DEBIERNE), A., ii, 223, 729.
from radium. See Radium.
from thorium, rate of decay of (LE ROSSIGNOL and GIMINGHAM), A., ii, 531.

Emanations and radiations (BERTHELOT), A., ii, 602.
limits of sensitiveness of (BERTHELOT), A., ii, 554.

Luminescence, critical pressure of, of gases (DE HEMPTINNE), A., ii, 1.

Luminosity, phenomena of, and their possible correlation with radioactivity (ARMSTRONG and LOWRY), A., ii, 5.

Luminous effects at electrodes (V. BOLTON), A., ii, 2.

Radiation, penetrating, from the earth's surface (COOKE), A., ii, 6.

Radiations of short wave-length, chemical action of, on gaseous compounds (WARBURG and REGENER), A., ii, 692.

Rays, Becquerel, coloration produced by (SALOMONSEN and DREYER), A., ii, 691.

and water (KOHLRAUSCH), A., ii, 692.

Blondlot's. See *n*-Rays.

canal, action of, on aluminium and zinc oxides (SCHMIDT), A., ii, 307; (TAFEL), A., ii, 463.

Röntgen, compared with those from radiotellurium (VILLARI), A., ii, 797.

satellite, in the cadmium spectrum (FABRY), A., ii, 305.

from polonium, ionisation of gases and vapours by (BÖHM-WENDT), A., ii, 694.

from radium. See Radium.

from radiotellurium, compared with Röntgen rays (VILLARI), A., ii, 797.

α- and *n*-**Rays** and **β**- and *n*-**Rays**, comparative effects of (BECQUEREL), A., ii, 602.

β-**Rays**, determination of the intensity of, and some measurements of their absorption (SEITZ), A., ii, 691.

n-**Rays** (*Blondlot's rays*), and analogous agents, new method of observing (BLONDLOT), A., ii, 604.

use of, in chemistry (COLSON), A., ii, 377, 532.

emission of, in the course of the action of soluble ferment (LAMBERT), A., ii, 271.

PHOTOCHEMISTRY :—

n-**Rays** (*Blondlot's rays*), phenomenon analogous to phosphorescence produced by (BICHAT), A., ii, 531.
photographic method of studying the action of, on phosphorescence (ROTHÉ), A., ii, 603.

improvements in the photographic method for recording the action of, on a small electric spark (BLONDLOT), A., ii, 604.

influence of the colours of luminous sources on their sensitiveness to (GUTTON), A., ii, 603.

some facts relating to the observation of variations in the brightness of phosphorescent sulphites under the action of (BICHAT), A., ii, 641.

possibility of showing, by a contrast phenomenon, the objective action of, on luminous calcium sulphide (MACÉ DE LÉPINAY), A., ii, 307.
action of sources of, on pure water (MEYER), A., ii, 532.

n- and *n*₁-**Rays**, study and behaviour of (BECQUEREL), A., ii, 602.

emission of, by crystalline substances (BICHAT), A., ii, 532.

nature of, and the radioactivity of substances which emit these radiations (BECQUEREL), A., ii, 641.

refraction of (BECQUEREL), A., ii, 642.

Radioactive cinnabar (LOSANITSCH), A., ii, 743.

gas from crude petroleum (BURTON), A., ii, 694.

in the soil and water near New Haven (BUMSTEAD and WHEELER), A., ii, 29, 255.

lead, tellurium, and polonium (DEBIERNE), A., ii, 642.

substances (CURIE), A., ii, 154.

influences of changes of temperature on (MEYER and V. SCHWEIDLER), A., ii, 602.

in relation to the presence of helium (NASINI), A., ii, 399, 461.

origin of the energy emitted by (BONACINI), A., ii, 530.

phenomena observed in air ionised by (RIGHI), A., ii, 693.

tellurium (DEBIERNE), A., ii, 642.

thorium (ZERBAN), A., ii, 41.

Radioactivity (BONACINI), A., ii, 798.

researches on (CURIE), A., ii, 377.

induced (MARCKWALD), A., ii, 171.

law of disappearance of, after heating the active substance

(CURIE and DANNE), A., ii, 306.

PHOTOCHEMISTRY :—

Radioactivity, and its relation to the phenomena of luminosity (ARMSTRONG and LOWRY), A., ii, 5. and matter (WINKLER), A., ii, 462. analogy between, and the behaviour of ozone (RICHARZ and SCHENCK), A., ii, 154. of the atmosphere (ALLAN), A., ii, 222. of the gases evolved from the waters of thermal springs (CURIE and LABORDE), A., ii, 461. of minerals and mineral waters (STRUETT), A., ii, 306. of soils and well sediments (ELSTER and GEITEL), A., ii, 695. of tellurium (PELLINI), A., ii, 26. testing of minerals for (PISANI), A., ii, 530. colorimetric estimation of (SALOMONSEN and DREYER), A., ii, 691.

Pyroradioactivity (TOMMASINA), A., ii, 530.

Cathode rays, chemical action of (BOSE), A., ii, 693.

Optically active compound, possibility of resolving an, without actually resolving it and without the aid of optically active substances (MOHR), A., i, 653; ii, 689.

Optically active compounds, influence of solvents on the rotation of (PATTERSON), T., 1116, 1153; P., 142, 162.

Optical activity and position-isomerism (COHEN and RAPER), T., 1262, 1271; P., 179; (FRANKLAND and HARGER), T., 1571; P., 203.

Optical superposition, studies in (PATTERSON and TAYLOR), P., 252.

Rotation of compounds of aldehydes with methyl acetoacetate (HANN and LAPWORTH), T., 50.

of glutamic acid, influence of foreign substances on the (ANDRLÍK), A., i, 10.

of lactose, phenomena of the (TREY), A., i, 292.

of the methyl esters of the isomeric chlorobromo- and iodo-benzoic acids (COHEN and RAPER), T., 1262, 1271; P., 179.

of derivatives of methyl cyanoacetate (BOWACK and LAPWORTH), T., 42.

of certain molecules, influence of the introduction of unsaturated radicles on the (HALLER and MARCH), A., i, 751.

PHOTOCHEMISTRY :—

Rotation of optically active compounds, influence of solvents on the (PATTERSON), T., 1116, 1153; P., 142, 162.

specific, of strongly optically active compounds, influence of temperature on (GROSSMANN and PÖTTER), A., ii, 153; (GROSSMANN), A., ii, 377.

of proteids and their derivatives (PANORMOFF), A., ii, 153.

determination of, by Kanonnikoff's method (PANORMOFF), A., ii, 153.

Rotation-dispersion in solutions (WINTHER), A., ii, 4.

Rotation-values of methyl, ethyl, and *n*-propyl tartrates, comparison of, at different temperatures (PATTERSON), T., 765; P., 114.

Mutarotation of dextrose (LOWRY), T., 1551; P., 108; (BEHREND and ROTH), A., i, 716.

of galactose (LOWRY), T., 1559; P., 108.

of sugars (ROUX), A., i, 224.

Multirotation of tetramethyl galactose (IRVINE and CAMERON), T., 1076; P., 174.

of tetramethyl glucose (PURDIE and IRVINE), T., 1052, 1066; P., 174.

Magnetic rotation of $\Delta^{1,3}$ -dihydrobenzene (PERKIN), T., 1417.

of ethyl chaulmoograte (PERKIN), T., 854.

Refraction in relation to constitution of cyanomethylenic acids (HALLER and MULLER), A., ii, 221.

molecular, of coniine, nicotine, and sparteine (SEMMLER), A., i, 685.

of $\Delta^{1,3}$ -dihydrobenzene (PERKIN), T., 1417.

of ethyl chaulmoograte (PERKIN), T., 855.

of pyromorphite, mimetite, and vanadinite (BOWMAN), A., ii, 133.

of solutions (CHÉNEVEAU), A., ii, 641.

Refractometric examination of oils and fats, thermostat for (THORPE), T., 257; P., 12.

Spectra, line and band, characteristics and origin of (DESLANDRES), A., ii, 105.

and atomic weight, relation between (RUNGE), A., ii, 2; (WATTS), A., ii, 720.

ultra-violet rays of, absorption of, in ozone (MEYER), A., ii, 2.

absorption, relation of, to constitution of rosaniline dyes (FORMÁNEK), A., ii, 106.

PHOTOCHEMISTRY :—

Spectra, emission, of aromatic compounds (GOLDSTEIN), A., ii, 690. ultra-violet absorption, of *o*-, *m*-, and *p*-isomerides, and stereoisomerides (MAGINI), A., ii, 107. of organic liquids (IKLÉ), A., ii, 601. discontinuous glow, of solid organic substances (GOLDSTEIN), A., ii, 689. ultra-violet, of a tautomeric compound (MAGINI), A., ii, 305. ultra-violet absorption, of certain enol-keto-tautomerides (BALY and DESCH), T., 1029; P., 157. line, of the alkalies (KONEN and HAGENBACH), A., ii, 153. of cadmium, satellite rays in the (FABRY), A., ii, 305. of calcium fluoride in the electric arc (FABRY), A., ii, 601. absorption, of concentrated solutions of the nitrates and chlorides of didymium and erbium, influence of dilution on the (PURVIS), A., ii, 4. of krypton, neon, and xenon (BALY), A., ii, 3. spark, of radium (RUNGE and PRECHT), A., ii, 461. ultra-violet, of radium (CROOKES), A., ii, 3. of the spontaneous luminous radiation of radium at ordinary temperatures (SIR W. and LADY HUGGINS), A., ii, 4. of the radium emanation (RAMSAY and COLLIE), A., ii, 529. absorption, of *p*-nitrosodimethyl-aniline (HARTLEY), T., 1010; P., 160. of "chlorophyll" and its relation to the spectrum of living green tissues (HARTLEY), T., 1607; P., 222. new burner for (RUPP), A., ii, 153.

Spectroscopic method, new (V. BOLTON), A., ii, 2.

Photosantoninic acid and its salts, ethyl ester, and the acetyl derivative of its dilactone (FRANCESCONI and MAGGI), A., i, 60.

Phthalaldehydic acid (*aldehydophthalic acid*), isomeric esters (MEYER), A., i, 746. 3-, 4-, and 5-nitro-, and their anhydrides and methyl esters (WEGSCHEIDER and KUŠV. DÚBRAV), A., i, 244.

Phthalanil, 3-amino-, and its acetyl derivative (KAUFFMANN and BEISSWENGER), A., i, 671.

Phthalazine derivatives, conversion of, into pyridazine derivatives (GABRIEL), A., i, 103. 7,8-dihydroxy-, and its salts, and 4-iodo- (GABRIEL), A., i, 103.

Phthalazone, $C_{24}H_{17}ON_3$, from phenylhydrazine and quinolylacetophenone-*o*-carboxylic acid (EIBNER and HOFMANN), A., i, 930.

Phthalic acid, bismuth derivative (THIBAULT), A., i, 247. methylimide of (FREUND and BECK), A., i, 618.

Phthalic acid and anhydride, 3:5-dichloro-4-bromo-, and 3:5-dichloro-4:6-dibromo- (CROSSLEY), T., 276; P., 21.

isoPhthalic acid, 4-hydroxy-, and its ethyl ester (v. PECHMANN, BAUER, and OBERMILLER), A., i, 593. 6-nitro-4-amine-, and its dimethyl ester, lead salt and acetyl derivative (ERRERA and MALTESE), A., i, 307.

Phthalic anhydride, action of, on aromatic diamines (KOLLER), A., i, 778. action of magnesium α -naphthyl bromide on (PICKLES and WEIZMANN), P., 201. compound of, with iodine and potassium iodide (CLOVER), A., i, 322.

Phthalidylbenzoylacetone (BÜLOW and KOCH), A., i, 322.

Phthalimide, action of magnesium organo-compounds on (BÉS), A., i, 503, 671. 3-amino-, fluorescence and colour of, in various solvents (KAUFFMANN and BEISSWENGER), A., ii, 528.

Phthalimides, preparation of nitro-derivatives of aromatic amines from (LESSER), A., i, 418.

α -Phthalimino- β -ethylthiocarbamido-acrylic acid (JOHNSON and CLAPP), A., i, 820.

Phthaliminomethyl ethyl ketone (KOLSHORN), A., i, 675.

Phthalonamic acid, imino-, and its salts (GLOGAU), A., i, 674.

Phthalone reaction, mechanism and limits of the (EIBNER), A., i, 1049.

Phthalones (GAEBELÉ), A., i, 88.

Phthalonic acid, esterification of (WEGSCHEIDER and GLOGAU), A., i, 249. condensation of, with *o*-phenylenediamine (MANUELLI and SILVESTRI), A., i, 784.

Phthalonic acid, methyl hydrogen ester (GLOGAU), A., i, 673.

Phthalyl-green and its derivatives, formulae of (HALLER and GUYOT), A., i, 83.

α -Phthalylimino-hexoic, -phenylacetic and isovaleric acids and their esters (ULRICH), A., i, 529.
"Phulmák." See Alunogen.
Phycophain and Phycoxanthin (GAIDUKOV), A., i, 439.
Phylloerythrin (MARCHLEWSKI), A., i, 261.
 probable identity of, with cholehaematin (MARCHLEWSKI), A., i, 909.
Physicochemical constants, numerical values of some important (NERNST), A., ii, 706.
Physiological action and molecular weight of the higher fatty acids, relation between the (MEYER), A., ii, 275.
 solution tension, and atomic volume of the elements, relation between the (MATHEWS), A., ii, 197.
 of carbocyclic acids (PRIBRAM), A., ii, 757.
 of cyclic isooximes, ketones, imines, and oximines of the hydroaromatic series (JACOBI, HAYASHI, and SZUBINSKI), A., ii, 196.
 of saline purgatives (MACCALLUM), A., ii, 63.
 See also Toxicity.
Physiological products, estimation of nitrogen in (SHERMAN, McLAUGHLIN, and OSTERBERG), A., ii, 514.
Physiological relationships of proteids containing sulphur (FRIEDMANN), A., i, 165.
Physostigmine. See Eserine.
 α -Picoline, action of formaldehyde on (LIPP and RICHARD), A., i, 342.
2-Picolylalkine. See 2-Ethylpyridine, β -hydroxy-.
2-Picolylmethylalkine. See 2-Propylpyridine, β -hydroxy-.
Picramic acid (FRÉBAULT and ALOY), A., i, 870.
Picrates of unsaturated compounds (BRUNI and TORNANI), A., i, 875.
Picric acid, electrolytic dissociation of (ROTHMUND and DRUCKER), A., ii, 231; (DRUCKER), A., ii, 809.
 mixtures of, with naphthalene (SAPOSHNIKOFF and RDLUTOWSKY), A., i, 399.
Picric acid, sodium salt, action of, on sodium carbonate solutions (REICHARD), A., ii, 517.
Picerin, chloro-, as a solvent (BRUNER, KOZAK, and MARIASZ), A., i, 2.
Picerite and its alteration products (BRAUNS), A., ii, 350.
Picroerythrin, formula of (JUILLARD), A., i, 593.

Picyryl amyl, ethyl, and isopropyl picriminothiocarbonates (CROCKER and LOWE), T., 648; P., 92.
 thiocyanate (CROCKER and LOWE), T., 649; P., 92.
Picyrlurethanes (CROCKER and LOWE), T., 646; P., 92.
Pigments of geranium, helianthus, and verbena (GRIFFITHS), A., i, 179.
 of the suprarenal capsules (GESSERT; BERTRAND), A., i, 539.
 melanic (BAKUNIN and DRAGOTTI), A., i, 1041.
 melanotic (WOLFF), A., i, 839.
Pilocarpine, physiological action of (MACLEAN), A., ii, 758.
 action of, on embryos (SOLLMANN), A., ii, 182.
 action of, on the hepatic glycogen (DOYON and KAREFF), A., ii, 272.
 colour reactions of (BARRAL), A., ii, 302.
isoPilocarpine, fusion of, with potassium hydroxide (JOWETT), P., 14.
Pimelic acid (HAMONET), A., i, 643; (v. BRAUN), A., i, 970.
 nitrile of, synthesis of (HAMONET), A., ii, 643.
Pinacone, $C_{26}H_{20}O_2$, from the reduction of α -dibenzoyldiphenyl (WERNER and GROB), A., i, 865.
Pinene, action of nitrosyl chloride on (TILDEN), T., 759; P., 122.
Pinocamphoryl alcohol (SEMMLER), A., i, 261.
Pinophorone and its oxime and semi-carbazone (SEMMLER), A., i, 261.
Pinus Laricio, Poiret, resin-balsam and oil of (TSCHIRCH and SCHMIDT), A., i, 76.
Pinus sylvestris and *P. strobi*, oils from (TRÖGER and BEUTIN), A., i, 1037.
Piperidine, conversion of, into pentamethylenediamine (v. BRAUN), A., i, 1019.
Piperidinoacetonitrile and its methiodide (KLAGES and MARGOLINSKY), A., i, 146.
Piperidino-acetonitrile and its alkyl derivatives, and propionitrile (KNOEVENAGEL and KLUCKE), A., i, 989.
Piperidinobenzylideneacetophenone (WATSON), T., 1323; P., 181.
Piperidinomethanesulphonic acid, sodium salt (KNOEVENAGEL and KLUCKE), A., i, 990.
Piperidinomethoxybenzoylstyrene (WATSON), T., 1325; P., 181.
4-Piperidino-1-phenyl-2:3-dimethyl-5-pyrazolone (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 196.

β -Piperidobenzylacetylacetone (RUHE-MANN and WATSON), T., 1176; P., 175.

Piperidone, $C_9H_{15}ON$, from pinophorone-oxime (SEMMLER), A., i, 261.

Piperidylcarbamides (BOUCHETAL DE LA ROCHE), A., i, 189.

Piperidylphenylbenzamidine and its additive salts (v. BRAUN), A., i, 689.

Piperonal (*piperonaldehyde*), condensation products of (SCHOLTZ and KIPKE), A., i, 508.

condensation of, with ethyl cyanoacetate (PICCININI), A., i, 91.

action of magnesium alkyl iodides on (MAMELI), A., i, 668, 743, 1023.

Piperonylacetoacetic acid, ethyl ester, and its phenylhydrazone (SCHOLTZ and KIPKE), A., i, 508.

Piperonylacrinaldehyde, condensation products of (SCHOLTZ and KIPKE), A., i, 508.

4-Piperonyldihydro-6-pyridone, 3:5-di-cyano-2-hydroxy-, and its derivatives (PICCININI), A., i, 91.

Piperonylene-acetoxime and -acetylacetone and its phenylhydrazone (SCHOLTZ and KIPKE), A., i, 508.

Piperonylethane, α -mono- and $\alpha\beta$ -di-bromo-, and **Piperonyl ethylene** and its polymeride (MAMELI), A., i, 668.

β -Piperonylideneacetamide, α -cyano-, and its bromo-derivative (PICCININI), A., i, 92.

Piperonylmethylcarbinol (MAMELI), A., i, 668.

β -Piperonylpropionamide, α -cyano- (PICCININI), A., i, 91.

Pipette, explosion (PFEIFFER), A., ii, 637.

safety (HIRSCHEL), A., ii, 439.

Pipettes, new forms of (MUKERJEE), A., ii, 327; (MEYER), A., ii, 555.

Pisanite from California (SCHALLER), A., ii, 348.

Pituitary gland. See **Gland**.

extracts, action of, on the frog's circulatory system (HERRING), A., ii, 833.

Pivalic acid. See $\alpha\alpha$ -Dimethylpropionic acid.

Placenta, human, uptake of iron by the, from the maternal blood (HOFBAUER), A., ii, 185.

Plant acidity (CHARABOT and HÉBERT), A., ii, 677.

analyses, can, disclose the amount of assimilable nutritive substances in the soil? (STAHL-SCHRÖDER), A., ii, 438, 767.

ash, estimation of potassium in (EAST), A., ii, 447.

Plant cells. See **Cells**.

food, factors of availability of (FRAPS), A., ii, 677.

available, in soils (INGLE), P., 194.

estimation of assimilable, by extracting the soil with very dilute acids (SÖDERBAUM), A., ii, 143.

growth, stimulants of, and their practical employment (LOEW), A., ii, 281.

juices, what is the compound in, which is able to liberate iodine from potassium iodide? (ASÖ), A., ii, 141.

nutrition, *rôle* of calcium oxalate in (AMAR), A., ii, 199.

respiration. See **Respiration**.

seeds. See **Seeds**.

Plants, influence of soil moisture on the composition of, and plant parts (WIDTSOE), A., ii, 285.

influence of variations in the amount of soil on the yield and composition of (LEMMERMANN), A., ii, 76.

influence of external media on the mineral constituents of (HÉBERT and TRUFFAUT), A., ii, 140.

influence of external media on the composition of the organic matter of (HÉBERT and CHARABOT), A., ii, 140.

separated from their roots and kept in the dark, gaseous exchange between the atmosphere and (BERTHELOT), A., ii, 363.

mode of utilisation of ternary carbon by (MAZÉ), A., ii, 581.

the entrance of metallic elements in (LOEW), A., ii, 282.

storage of nitrates in (NEDOKUCHAEFF), A., ii, 282.

after-effect of the inoculation of papilionaceous plants on other (NOBBE and RICHTER), A., ii, 140.

circulation of odiferous compounds in (CHARABOT and LALOUE), A., ii, 581.

the evolution of terpenoid compounds in (CHARABOT and HÉBERT), A., ii, 365.

emission of water by, and their spontaneous desiccation (BERTHELOT), A., ii, 281.

action of guanidine on (KAWAKITA), A., ii, 762.

effect of sea-salt on (SANNA), A., ii, 762.

action of sodium nitroprusside on (BAHADUR), A., ii, 762.

occurrence of aliphatic alicyclic compounds in (KUNZ-KRAUSE), A., i, 587.

Plants, carbohydrates in (SCHULZE), A., ii, 433.
 choline in (STRUVE), A., ii, 364.
 cyanogenesis in (DUNSTAN and HENRY), A., ii, 71.
 containing, in their seeds, an enzyme which decomposes fats into glycerol and fatty acids (FOKIN), A., i, 1071; ii, 199, 280.
 existence of an oxidising reducing diastase in (ABELOUS), A., i, 840; (ABELOUS and ALOY), A., ii, 283.
 invertase in (KASTLE and CLARKE), A., ii, 73.
 lecithin from (SCHULZE and WINTERSTEIN), A., ii, 141.
 effect of oil of turpentine on the changes in the proteids in (LESCHTSCH), A., ii, 282.
 xanthine derivatives from (WEEVERS and WEEVERS-DE GRAAFF), A., ii, 72.
 agricultural, can salts of cobalt, nickel, and zinc in high dilution exert a stimulant action on? (NAKAMURA), A., ii, 766.
 annual fatty, development of (ANDRÉ), A., ii, 200, 433.
 dioecious, influence of mineral food in the production of sexes in (LAURENT), A., ii, 69.
 germinating, metabolism of (SCHULZE and CASTORO), A., ii, 836.
 green, formation of oxalic acid in (BENECKE), A., ii, 508.
 higher, intramolecular respiration in (NABOKICH), A., ii, 281.
 medicinal, and useful, of Brazil (PECKOLT), A., ii, 142, 764.
 estimation of lecithin in (SCHULZE), A., ii, 794.
 estimation of phosphoric acid in aqueous extracts of (SCHREINER), A., ii, 777.
Plasma, birds', influence of inhibiting agents on the coagulation of (FULD and SPIRO), A., ii, 353.
Plastein of egg-albumin (KURAÉEFF), A., i, 126.
Plasteinogen (BAYER), A., ii, 187.
Platinic acid. See under **Platinum**.
Platinocyanides, new method of preparing (BROCHET and PETIT), A., ii, 414.
Platinum, electrolytic solution of (BROCHET and PETIT), A., ii, 414.
 changes of density of, caused by passage through draw-plates (KAHLBAUM), A., ii, 805.
 oxidisability of (WÖHLER), A., ii, 44; (WÖHLER, v. DIETERICH, and STRUBE), A., ii, 664.
Platinum, effect of light on the action of hydrochloric acid on (BERTHELOT), A., ii, 569.
 removal of oxygen by (GOLDSTEIN), A., ii, 825.
 colloidal, effect of, on mixtures of Caro's persulphuric acid and hydrogen peroxide (PRICE and FRIEND), T., 1526; P., 187.
Platinum-ammonium compounds (H. and A. v. EULER), A., ii, 569.
Platinum alloys with gold and silver, cupellation of (CARMICHAEL), A., ii, 151; (SHARWOOD), A., ii, 450.
 assay of (HOLLARD and BERTIAUX), A., ii, 685.
 with mercury, behaviour of, with nitric acid (TARUGI), A., ii, 131.
Platinum phosphorus haloids, and their derivatives (ROSENHEIM and LOEWENSTAMM), A., ii, 131.
 oxides (WÖHLER, v. DIETERICH, and STRUBE), A., ii, 664.
Platinic acid and its salts (BELLUCCI), A., ii, 180.
Platinum sulphate, Margueles', analysis of (STUCHLIK), A., ii, 742.
Platinum bases, constitution of (KLASON), A., i, 522.
Platinum, estimation of, gravimetrically and volumetrically (RUPP), A., ii, 296.
 estimation of, and separation of, from metals (JANNASCH and STEPHAN), A., ii, 519.
 separation of silver, gold, and (CARMICHAEL), A., ii, 151; (SHARWOOD), A., ii, 450.
Platinum black, catalytic action of (VONDRAČEK), A., ii, 390.
 hydrolysis and synthesis of fats by (NEILSON), A., i, 4.
Poison, krait, action of (ELLIOT, SILLAR, and CARMICHAEL), A., ii, 630.
 sea snake, action of (FRASER and ELLIOT), A., ii, 630.
 scorpion, action of (WILSON), A., ii, 630.
 immunity of certain desert animals to (WILSON), A., ii, 630.
 snake, and lecithin (KEYS), A., ii, 431.
Poisons, effect of, after epinephrine injections (EXNER), A., ii, 276.
 use of reducible pigments in the study of (HERTER), A., ii, 757.
Poisoning by barium salts (SANTI), A., ii, 137.
 by coal gas, part played by benzene in (STAHELIN), A., ii, 429.
 by nicotine in rabbits and guinea-pigs (HATCHER), A., ii, 361.

Poisoning by phosphorus, nitrogenous excretion in (v. JAKSCH), A., ii, 192. by arsenic and phosphorus, effect of, on the bile (PILZECKER), A., ii, 276. detection of zinc in cases of (VITALI), A., ii, 88.

Polarimeter tube, continuous-observation (FORD), A., ii, 770.

Polarisation. See Electrochemistry.

Polonium (DEBIERNE), A., ii, 642. rays, ionisation of gases and vapours by (BÖHM-WENDT), A., ii, 694.

Polygonum sachalinense, migration and return of the nitrogen and the chief ash constituents in the leaf and stem of (SEISSL), A., ii, 435.

Polyhalite, anhydrite, glauberite, and syngenite, deposition of, at 25° (VAN'T HOFF and FARUP), A., ii, 34. identity of, with mananite (VAN'T HOFF and VOERMAN), A., ii, 570.

Polymerides, heat of combustion of some, produced by the action of light (RÜBER and SCHETELIG), A., ii, 539.

Polymerisation of liquid and solid inorganic compounds (LONGINESCU), A., ii, 112. of orthomeric liquids (BATSCHEINSKI), A., ii, 326. of organic compounds in the solid state (LONGINESCU), A., ii, 387. and dissociative power of oximes (DUTOIT and FATH), A., ii, 387.

Polymerism of nitrates (WALLERANT), A., ii, 31.

Polypeptides, syntheses of (FISCHER), A., i, 652, 890; (FISCHER and SUZUKI), A., i, 771; (LEUCHS and SUZUKI), A., i, 867; (FISCHER and ABDERHALDEN), A., i, 917. See also Amino-acids and Dipeptides.

Pongam oil (LEWKOWITSCH), A., ii, 217.

Poppy-seed oil (UTZ), A., ii, 98.

Populin, synthesis of (DOBBIN and WHITE), A., i, 905.

Position-isomerism and optical activity (COHEN and RAPER), T., 1262, 1271; P., 179; (FRANKLAND and HARGER), T., 1571; P., 203.

Potable water. See under Water.

Potash bulb, new (WINKLER), A., ii, 215.

Potassium, relation of, to rubidium and caesium as illustrated by the crystalline forms of uranyl double salts (SACHS), A., ii, 30. influence of temperature on the electrical conductivity of (BERNINI), A., ii, 378.

Potassium, minimum intake of, and excretion of, in the urine (MAUREL), A., ii, 62. distribution of, in arable soils (DUMONT), A., ii, 286. in soil soluble in water, and its utilisation by plants (SCHLESING), A., ii, 201.

Potassium alloys with mercury, action of, on solutions of sodium salts (SMITH), A., ii, 400.

Potassium salts, thermal ionisation of the vapours of (MOREAU), A., ii, 536. action of sodium amalgam on solutions of (SMITH), A., ii, 400. action of, on the heart and vessels of mammals (BRAUN), A., ii, 631. crude and pure, action of, with different forms of calcium (SCHNEIDEWIND and MEYER), A., ii, 769. different behaviour of potatoes and mangolds towards (SCHNEIDEWIND and MEYER), A., ii, 765. "forty per cent.", value of, as compared with kainite (SCHNEIDEWIND), A., ii, 145.

Potassium ferric arsenite, soluble (DOBBIN), A., ii, 410.

magnesium borate (VAN'T HOFF), A., ii, 561.

magnesium carbonate (AUERBACH), A., ii, 335.

chloride, electrical conductivity of solutions of, up to 306° (NOYES and COOLIDGE), A., ii, 226.

electrical conductivity of, in mixtures of water and ethyl alcohol (SCHAPIRE), A., ii, 801.

and barium chloride, solubility of (FOOTE), A., ii, 658.

platinosochloride, preparation of (KLASON), A., ii, 415.

ruthenium nitrosochloride, constitution of, in aqueous solution (LIND), A., ii, 45.

fluorides with columbium, tantalum, titanium, and zirconium, analysis of (HALL), A., ii, 825.

hydroxide, preparation of alcoholic solutions of, which will remain colourless (THIELE and MARC), A., ii, 843.

interaction of an aqueous solution of, with bismuth oxyhaloids (HERZ and MUHS), A., ii, 413.

estimation of, in ashes, soils, &c. (HASENBÄUMER), A., ii, 292.

hydrogen iodate, use of, for standardising volumetric solutions (CASPARI), A., ii, 840.

Potassium periodides, formation of, in organic solvents (DAWSON), T., 467 ; P., 54.
 permanganate, standardisation of solutions of (SKRABAL), A., ii, 213 ; (DUPRÉ), A., ii, 591 ; (CANTONI and BASADONNA), A., ii, 844.
 stability of standard solutions of (GARDNER and NORTH), A., ii, 591.
 chemico-toxicological detection of (VITALI), A., ii, 782.
 nitrate and silver nitrate, solidification and transformations of (USSOW), A., ii, 256.
 estimation of sodium perchlorate in (LEMAÎTRE), A., ii, 587.
 nitrates (GROSCHUFF), A., ii, 559.
 acid dinitrate (GROSCHUFF), A., ii, 400.
 barium nitrate, solubility of (FOOTE), A., ii, 658.
 thallic selenate (FORTINI), A., ii, 36.
 alum, variations of angles in the crystals of (MIERS), A., ii, 114.
 pentacalcium sulphate (VAN'T HOFF), A., ii, 561.
 vanadite (KOPPEL and GOLDMANN), A., i, 7.
Potassium cyanate, electrolytic preparation of (PATERNÒ and PANNAIN), A., i, 856.
 cyanide, behaviour of cyanogen towards (BERTHELOT), A., i, 721, 860.
 double cyanides, electrolysis of (V. HAYEK), A., i, 479.
 ferrocyanide, reaction of (GUTBIER), A., i, 860.
 ferrocyanide and ferricyanide, chemical equilibrium between (PRUD'HOMME), A., i, 21.
 iodocyanide (MATHEWSON and WELLS), A., i, 20.
 thiocyanate, action of, on ammonium heptamolybdate (REICHARD), A., i, 20.
Potassium, estimation of (SIDERSKY), A., ii, 589 ; (TARUGI), A., ii, 590 ; (FRÉBAULT and ALOY), A., ii, 870.
 estimation of very small amounts of (CAMERON and FAILYER), A., ii, 87.
 estimation of, gasometrically (RIEGLER), A., ii, 448.
 estimation of, as potassium bismuth thiosulphate (KÜSTER and GRÜTERS), A., ii, 87.
 estimation of, in plant ash (EAST), A., ii, 447.
Potassium tungsten bronze (SCHAEFER), A., ii, 178.

Potato starch, composition of (FERNBACH), A., i, 294.
 comparison of the products of the hydrolysis of, with those obtained from cereal starches (O'SULLIVAN), T., 616 ; P., 65.
 See also Starch.

Potato starch paste, action of malt diastase on (DAVIS and LING), T., 16.

Potato tubers, hexone bases in (SCHULZE), A., ii, 282.

Potatoes, composition of (FORFANG), A., ii, 510.
 action of different forms of nitrogen on (SCHNEIDEWIND and MEYER), A., ii, 765.
 effect of lime and marl on the yield of, and on the amount of nitrogen and mineral substances (ÜLBRICHT), A., ii, 76.
 action of crude and pure potassium salts on (SCHNEIDEWIND and MEYER), A., ii, 765, 769.

Poultry. See Fowls.

Praseodymium and its citrate (BASKERVILLE and TURRENTINE), A., ii, 261.
 alkali carbonates and oxides (MEYER), A., ii, 735.
 hydride and nitride (MUTHMANN and BECK), A., ii, 409.
 double sulphates (BASKERVILLE and HOLLAND), A., ii, 261.

Praseodymium, separation of (BÖHM), A., ii, 175.

Precipitates, formation of, in gelatin (HAUSMANN), A., i, 547.
 gelatinous, filtration and ignition of (DITTRICH), A., ii, 512.
 opalescent, nephelometer for detecting and estimating (RICHARDS and WELLS), A., ii, 287.

Precipitation, flocculent, phenomena of (NEISER and FRIEDEMANN), A., ii, 546.

Precipitins, the origin of (KRAUS and LEVADITI), A., ii, 423.

Pressure, chemical and cohesive internal, effects of (RICHARDS), A., ii, 704.

Pressure coefficient of oxygen at constant volume and different initial pressures, measurement of the (MAKOWER and NOBLE), A., ii, 13.

Proline. See Pyrrolidine-2-carboxylic acid.

Prolylalanine and its anhydride (FISCHER and SUZUKI), A., i, 771.

Propaldehyde, action of hydrogen sulphide on solutions of (DRUGMAN and STOCKINGS), P., 117.

α -amino- (HARRIES and REICHARD), A., i, 296.

Propanedicarboxylic acids. See Glutaric acid and Methylsuccinic acid.

Propanetricarboxylic acids. See Carboxyglutaric acid and Tricarboxylic acid.

Propanetrisulphonic acid, salts (SHOBER), A., i, 798.

Propargylaldehyde. See Propiolaldehyde.

ψ -Propenyl-anisoles, -3:4-catechol methylene ether, -3:4-guaiaconol, and -3:4-veratrole (BÉHAL and TIFFENEAU), A., i, 742.

ρ - ψ -Propenylanisole and its reduction (KLAGES), A., i, 1003.

Propenylmesitylene (KLAGES and STAMM), A., i, 303.

*iso***Propenylmethylidicyclononanolone** (RABE and WEILINGER), A., i, 509.

Propenylphenetoles, *o*-, *m*-, and *p*-, and their reduction (KLAGES), A., i, 1002.

Propenyltolyl methyl ethers and their reduction (KLAGES), A., i, 1002.

Propeptone, action of, on dogs (NOLF), A., ii, 422.

intestinal absorption of, in dogs (NOLF), A., ii, 425.

Propiolaldehyde (*propargylaldehyde*) and its reactions (CLAISEN), A., i, 14.

Propionacetal, β -hydroxy-, oxidation of (HARRIES), A., i, 15.

Propionic acid, uranyl alkali salts (RIMBACH, BÜRGER, and GREWE), A., ii, 265.

Propionic acid, cyanomethyl ester (HENRY), A., i, 982.

Propionic acid, amino-. See Alanine.

$\alpha\beta$ -diamino-, conversion of, into isoserine (NEUBERG and SILBERMANN), A., i, 220; (ELLINGER), A., i, 230.

behaviour of, in the body (MAYER), A., ii, 631.

ethyl ester, hydrochloride (CURTIUS and MÜLLER), A., i, 482.

β -amino- α -hydroxy-. See *iso*Serine.

α -cyano-, ethyl ester, reaction of, with benzaldehyde (BECCARI), A., i, 62.

α -hydroxy-. See Lactic acid.

α -iodo-, and its salts (ZERNOFF), A., i, 136, 216.

β -iodo-, ethyl ester, preparation of (FLÜRSCHEIM), A., i, 19.

and its action on ethyl disodioethanetetracarboxylate (SILBERRAD), T., 611; P., 61.

Propionitrile, α -amino-, salts and acyl derivatives of (DELÉPINE), A., i, 148.

Propionylacetic acid, cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1748.

Propionylacetophenone-*m*-hydroxyanilide (BÜLOW and ISSLER), A., i, 191.

Propionylcarbamide (MERCK), A., i, 380.

3-Propionylisocarbostyryl, 4-hydroxy-, and its phenylhydrazone (KOLSHORN), A., i, 676.

Propionyl-glycine and -glycylglycine, $\alpha\beta$ -dibromo- (FISCHER), A., i, 653.

Propionylhydrazides, conversion of, into heterocyclic compounds (STOLLÉ and HILLE), A., i, 695.

Propionylmethylacetic acid, cyanoethyl ester (BARON, REMFRY, and THORPE), T., 1752.

4-Propionyl-2-methylanisole and its oxime (KLAGES), A., i, 1002.

Propionylphenylacetylene and the action of hydroxylamine on (MOUREU and BRACHIN), A., i, 95.

Propionyltolyl methyl ethers and their oximes (KLAGES), A., i, 1003.

Propiophenone. See Phenyl ethyl ketone.

6-Propoxybenzonitrile, 2-nitro- (DE BRUYN and VAN GEUNS), A., i, 388.

2-Propoxy- α -naphthoic acid (BODROUX), A., i, 167.

Propyl amyl ether (HAMONET), A., i, 401.

*iso***butyl ether** (HENRY), A., i, 466.

ether and its chloro-derivatives (ODDO and CUSMANO), A., i, 281.

compound of, with nitric acid (COHEN and GATECLIFF), P., 195.

*iso***Propyl alcohol, α -trichloro-** (HENRY), A., i, 279; (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 794.

ether, formation of, from isopropyl alcohol by sulphuric acid (SOUTHERDEN), P., 117.

iodide, action of, on magnesium (TSCHELINZEFF), A., i, 641.

Propylanisoles, *p*-*n*- and *iso*- (KLAGES), A., i, 1001.

α -Propylbenzanilide, γ -chloro- (v. BRAUN), A., i, 918.

1-Propylbenzene, 6-nitro-3:4-dihydroxy- (THOMS and BILTZ), A., i, 399.

Propylbutyrylacetic acids, *n*- and *iso*-, ethyl esters (LOCQUIN), A., i, 552.

3-*iso*Propylisocarbostyryl, 4-hydroxy- (ULRICH), A., i, 529.

5-Propylcatechol carbonate (DELANGE), A., i, 314.

*iso***Propylcatechol and its carbonate and dichloromethylene ether** (DELANGE), A., i, 741.

Propylenedicarboxylic acids. See Glutaconic acid and Itaconic acid.

Propylenetricarboxylic acid. See α -Carboxy- $\Delta\alpha\beta$ -glutaconic acid.

Propylideneacetic acid and its ethyl ester, action of nitrogen peroxide on (EGOROFF), A., i, 216.

Propylidene-acetoacetic and -bisacetoacetic acids, methyl esters, rotation of (HANN and LAPWORTH), T., 51.

*iso***Propylideneacetone.** See Mesityl oxide.

3-isoPropyl-9-methylcyclononane (RABE and WEILINGER), A., i, 509.

Propylphenetoles, *o*-, *m*-, and *p*-, and the sulphonic acids of the *m*- and *p*-compounds (KLAGES), A., i, 1002.

***p*-Propylphenol, tetrabromo-**, and its acetyl derivative (HOERING), A., i, 578.

chlorobromo-derivatives of, and their acetyl compounds (ZINCKE and HAHN), A., i, 42.

Propylpropylideneimine and its compound with hydrogen cyanide (HENRY), A., i, 854.

2-Propylpyridine, β -hydroxy- (2-picollylmethylalkine), and its additive salts (LÖFFLER), A., i, 266, 616.

2-isoPropylpyridine, $\alpha\gamma$ -dihydroxy- (dimethylol-2-picoline), and its methochloride and their additive salts, and acyl derivatives (LIPP and RICHARD), A., i, 342.

*iso***Propylquinoldimethylether** (KLAGES), A., i, 1004.

*iso***Propylstilbene** and its dibromide (ERLENMEYER and KEHREN), A., i, 1016.

Propylthiopyrine trioxide, chloro- (MICHAELIS, MOELLER, and KOBER), A., i, 781.

*iso***Propyl- ψ -thiopyrine** and its sulphone and methiodide (MICHAELIS, BESSON, MOELLER, and KOBER), A., i, 783.

Propyltolylmethyl ethers and hydroxy-, and their phenylurethanes (KLAGES), A., i, 1002.

alpha-*iso***Propylvinylbenzene.** See β -Phenyl- $\Delta\alpha$ -amylene.

Protagon, choline, and neurine (CRAMER), A., i, 462.

Protamines (KOSSEL and DAKIN), A., i, 355.

Proteases, α - and β - (HEDIN), A., ii, 58.

Proteid excretion through the bile (GÜRBÉR and HALLAUER), A., ii, 274.

katabolism, influence of haemorrhage on (HAWK and GIES), A., ii, 184, 497.

metabolism, time relations of (HAWK), A., ii, 58.

relation of, to autolysis (WELLS), A., ii, 574.

Proteid molecule, distribution of nitrogen in the (GÜMBEL), A., i, 460.

substances, estimation of the total acidity in (GRIMALDI), A., ii, 788.

synthesis in the animal body (LOEWI; LESSER), A., ii, 498.

Proteoids in blood (v. BERGMANN and LANGSTEIN), A., ii, 826.

amount of, in blood plasma (LEWINSKI), A., ii, 183.

of blood plasma in experimental infections (LANGSTEIN and MAYER), A., ii, 184.

of milk and cheese, rennet as a cause of chemical changes in the (VAN SLYKE, HARDING, and HART), A., ii, 285.

in plants, effect of oil of turpentine on the changes in (LESCHTSCH), A., ii, 282.

in urine (OSWALD), A., ii, 358; (MÖRNER), A., ii, 754.

of wheat gluten (KÖNIG and RINTELEN), A., i, 1066.

the group of simplest (KOSSEL and DAKIN), A., i, 355.

influence of the pancreas on the composition of (BERGELL and BLUMENTHAL), A., ii, 675.

and their derivatives, specific rotation of (PANORMOFF), A., ii, 153.

osmotic pressure of (REID), A., ii, 830.

hydrolysis of (FISCHER and ABDERHALDEN), A., i, 1066.

the carbohydrate group in (ABDERHALDEN, BERGELL, and DÖRPINGHAUS), A., i, 640; (LANGSTEIN), A., i, 790.

simulating influence of, on the oxidation induced by manganese (TRILAT), A., i, 274.

and their decomposition products, protective value of, on trypsin (VERNON), A., ii, 626.

containing sulphur, decomposition products of (KALLE & Co.), A., i, 460.

pyruvic acid as a decomposition product of (MÖRNER), A., i, 796.

is α -thiolactic acid a direct decomposition product of? (MÖRNER), A., i, 836.

in nutrient for human beings (LABBÉ and MORCHOISNE), A., ii, 498.

resistance of, to tryptic digestion in the organism (ROSENBERG and OPPENHEIMER), A., ii, 573.

peptic and tryptic digestion of (LAWROFF), A., ii, 186.

oxidation of (KUTSCHER and SCHENCK), A., i, 955.

Proteids, formation of hydrogen cyanide by the oxidation of (PLIMMER), A., i, 538.
 behaviour of, during alcoholic fermentation (IWANOFF), A., ii, 834.
 changes of, during malting and brewing (WEIS), A., ii, 761.
 action of sulphur on (HEFFTER and HAUSMANN), A., i, 461.
 containing sulphur, physiological relationships of (FRIEDMANN), A., i, 165.
 formation of hydrogen sulphide by (POZZI-ESCOT), A., i, 130; (ABELLOUS and RIBAUT), A., i, 704.
 diazo-derivatives of (TREVES and PELLIZZA), A., i, 538.
 the so-called metallic derivatives from the point of view of chemical equilibrium (GALEOTTI), A., i, 355.
 combinations of, with mucoids (POSNER and GIES), A., i, 790.
 combination of nitrogen in (ROTHERA), A., i, 1065.
 body, condition of, in inanition (BLUMENTHAL), A., ii, 65; (ABDERHALDEN, BERGELL, and DÖRPINGHAUS), A., ii, 272.
 vegetable, Ritthausen's classification of (PRIANISCHNIKOFF), A., i, 638.
 utilisation of, by the organism (ROCKWOOD), A., ii, 575.
 estimation of (BEULAYGUE), A., ii, 524.
 tryptophan reaction of various (OSBORNE and HARRIS), A., i, 125.
 colour reactions of (COLE), A., ii, 103.
 estimation of the different, in urine (OSWALD), A., ii, 795.
Protocatechualdehyde, condensation of, with quinaldine (RENZ and LOEW), A., i, 191.
 o-nitro (HAYDUCK), A., i, 63.
Protocatechic acid, derivatives of (PERKIN and SCHIESS), T., 159.
Protocatechic anilide (THIBAULT), A., i, 805.
Protokyries (SIEGFRIED), A., i, 955.
Protoplasm, action of tissue extracts on (SCOTT-MACFIE), A., ii, 66.
 animal and vegetable, the palaeochemistry of the ocean in relation to (MACCALLUM), A., ii, 495.
Prunus spinosa, colouring matter of the flowers of (PERKIN and PHIPPS), T., 56.
Prussian blue, estimation of (COFFIGNIER), A., ii, 370.
Pseudo-acids, theory of (KAUFFMANN), A., ii, 326, 550; (v. ZAWIDZKI), A., ii, 475.
Pseudo-acids, heat of dissociation of (MÜLLER and BAUER), A., ii, 703.
 heat of neutralisation of (MÜLLER and BAUER), A., ii, 702.
Pseudomucin, decomposition of, by concentrated boiling acids (OTORI), A., i, 1067.
Pseudo-sarcin (MAZÉ), A., ii, 138.
Pseudoserpentine from Stevens Co., Washington (CLARKE), A., ii, 51.
Ptomaine resembling veratrine (STÜBER), A., ii, 302.
Ptomaines, action of, on isolated nerve and heart (WALLER and SOWTON), A., ii, 65.
Pulegone, action of hydrogen cyanide on (HANN and LAPWORTH), P., 54.
 action of nitric acid on (KONOWALOFF), A., i, 257.
 nitrosite and its oxime (GENVRESSE), A., i, 73.
Pulegonehydroxylamine, transformation products of (HARRIES and ROY), A., i, 515.
Pulegonephylcarbamic acid hydrazone (BORSCHE and MERKWITH), A., i, 946.
Pulenene and **Pulenol** and its urethane (WALLACH and KEMPE), A., i, 74.
Pulenone (1:4:4-*trimethyl-5-hexanone*), preparation and oxidation of (WALLACH and KEMPE), A., i, 74.
Pulenone-oxime, and *-isooxime*, reactions of (WALLACH and KEMPE), A., i, 75.
Pumice, use of, to facilitate the combustion of organic substances (DUYK), A., ii, 685.
Pupil, effect of suprarenal extract on the (MELTZER and AUER), A., ii, 360, 632.
Purgatives, action of, and their inhibition by calcium salts (MACCALLUM), A., ii, 755.
 saline, action of (MACCALLUM), A., ii, 63.
 local application of, to the peritoneal surface of the intestine (MACCALLUM), A., ii, 191.
Purine, 6-amino-. See Adenine.
Purine bases, state of combination of the, in nucleic acid (BURIÁN), A., i, 358, 956.
 of herring brine (ISAAC), A., ii, 628.
 in human faeces (HALL), A., ii, 358.
Purine metabolism, intermediary (MENDEL and WHITE), A., ii, 674.
Purpuric acid, constitution of (SLIMMER and STIEGLITZ), A., i, 634; (MÖHLAU), A., i, 654.
 glycine salt (PILOTY and FINCKH), A., i, 823.

Purpuric acids, aromatic, constitution of (BÖRSCHE and BÖCKER), A., i, 166, 574.

Purpurinsulphonic acid (SCHMIDT), A., i, 257.

Purpurogallin and its carboxylic acid, preparation of (A. G. and F. M. PERKIN), T., 243; P., 18.

Putrefaction, production of volatile phosphorus compounds in (YOKOTE), A., ii, 579.

Pyknometer, new (BOŠNJAKOVIĆ), A., ii, 384.

Pyknometer pipette, new (FISCHER), A., ii, 384.

Pyran ring, properties of oxygen in the (FOSSE), A., i, 816.

Pyran-2:6-dicarboxylic acid and its salts and esters (BLAISE and GAULT), A., i, 763.

Pyrazinophenazine, dihydroxy-, and its ammonium salt (HINSBERG and SCHWANTES), A., i, 198.

Pyrazole, amino-derivatives (KNORR, PEMSEL, and MORENTZ), A., i, 939.

Pyrazoles, formation of, from cyclic ketones (WALLACH and STEINDORFF), A., i, 104.

Pyridazine derivatives, formation of, from phthalazine derivatives (GABRIEL), A., i, 103.

Pyridazine-4:5-dicarboxylic acid (GABRIEL), A., i, 103.

Pyridine, action of mono- and di-bromo-succinic acids on (DUBREUIL), A., i, 189. new colouring matters from (KÖNIG), A., i, 449, 816; (ZINCKE, HEUSER, and MÖLLER), A., i, 924. use of, in the preparation of amides (FREUNDLER), A., i, 33. bismuth chloride (HAUSER and VANNINO), A., i, 92. compounds of, with cuproso-cupric cyanide (LITTERSCHEID), A., i, 301. combination of, with mixed organo-magnesium compounds (ODDO), A., i, 920. compounds of, with bivalent metals (GROSSMANN), A., i, 522. metallic complexes, stability of (v. EULER), A., i, 774. metallic thiocyanates (GROSSMANN), A., i, 341.

Pyridine bases from coal tar (AHRENS and GORKOW), A., i, 615. in brown-coal tar (KREY), A., i, 615. quantitative separation of, from ammonia and the aliphatic amines (MILBAUER and STANĚK), A., ii, 457.

Pyridine-5-carboxylic acid, 3-mono- and 2:3-di-chloro-, and 3-chloro-2-hydroxy-, and their salts (v. PECHMANN and MILLS), A., i, 1041.

Pyridine-3-sulphonic acid, potassium and sodium salts (MURMANN), A., i, 921.

2-Pyridone-5-carboxylic acid, 3-bromo-1-amino-, and its methyl ester and benzylidene derivative (v. PECHMANN and MILLS), A., i, 1042.

Pyridyl- α -hydrindone (GAEBELÉ), A., i, 89.

Pyrimidine, 2-amino-6-hydroxy-, and 6-chloro-2-amino- (GABRIEL and COLMAN), A., i, 103.

4:5-diamino-2:6-dihydroxy-, and its sulphate (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 195. aminothio-, and aminothiohydroxy-derivatives, and their salts (TRAUBE), A., i, 632.

2:4:6-trichloro- (GABRIEL and COLMAN), A., i, 1059.

Pyrimidine-5-mono- and -5:6-di-carboxylic acids and their salts (GABRIEL and COLMAN), A., i, 1060.

Pyrimidine derivatives (WHEELER and JOHNSON), A., i, 624, 940.

Pyrites, estimation of sulphur in (LUNGE), A., ii, 82, 587; (SILBERBERGER), A., ii, 147.

Pyrochlore, composition of a Scandinavian form of, and of the minerals accompanying it (TSCHERNIK), A., ii, 620. mineral allied to, from Batum, Caucasus (TSCHERNIK), A., ii, 667.

Pyrocinchonic anhydride, action of, on the phenylenediamines (ROSSI), A., i, 1046.

Pyrogallol, electrolytic oxidation of (A. G. and F. M. PERKIN), T., 245; P., 18. isomeric ethers of, and their carboxylic acids (HERZIG and POLLAK), A., i, 808, 876. carbamates (EINHORN, COBLINER, and PFEIFFER), A., i, 239. carbonates and their bromo-, nitro-, and benzoyl derivatives (EINHORN, COBLINER, and PFEIFFER), A., i, 238.

Pyrogallol, amino-, bromo-, and nitro-derivatives, and their acyl compounds (EINHORN, COBLINER, and PFEIFFER), A., i, 240.

Pyrogenic reactions and dissociation (LOB), A., ii, 703.

Pyrometer. See Thermochemistry.

Pyromorphite, refractive index of (BOWMAN), A., ii, 133.

Pyromuic acid, nitro-, esters, chloride, and amides of, and its oxidation (MARQUIS), A., i, 82.
*iso***Pyromuic acid**, esters (CHAVANNE), A., i, 82.

Pyromuic chloride, formation of furoyl derivatives by means of (BAUM), A., i, 910.

Pyromykuric acid, synthesis of, and its ethyl ester (BAUM), A., i, 910.

Pyrone and its additive compounds (WILLSTÄTTER and PUMMERER), A., i, 1043.

Pyrone compounds, constitution of (COLLIE), T., 971; P., 158.

Pyronine hydrochloride (SCHARWIN, NAUMOFF, and SANDURIN), A., i, 1033.

Pyropapaveric acid, methylbetaine of, and its platinichloride (GOLDSCHMIEDT and HÖNIGSCHMID), A., i, 87.

*iso***Pyrophthalone** (EIBNER and HOFMANN), A., i, 921.

Pyroradioactivity (TOMMASINA), A., ii, 530.

Pyrotartaric acid. See Methylsuccinic acid.

n-**Pyrotartaric acid**. See Glutaric acid.

Pyroterebic acid and its isomeride (BLAISE and COURTOT), A., i, 796.

Pyrrole, action of sulphuryl chloride and bromine on (MAZZARA), A., i, 919.

oxidation of, to maleimide (PLANCHER and CATTADORI), A., i, 770.

Pyrrole, 2:3:5-trichloro-, and its reactions (MAZZARA and BORGO), A., i, 614, 770, 918.

Pyrroles, nitroso-, transformations of (ANGELI, ANGELICO, and CALVELLO), A., i, 188; (ANGELICO and CALVELLO), A., i, 447.

Pyrrole-2-carboxylic acid and amide, 4:5-dibromo- (KHOTINSKY and PICTET), A., i, 772.

Pyrrolenitronic acid (ANGELI, ANGELICO, and CALVELLO), A., i, 188.

Pyrrole series, pyrogenic changes in the (PICTET), A., i, 771.

Pyrrolidine-2-carboxylic acid (*proline*) and its acyl derivatives (FISCHER and ABDERHALDEN), A., i, 917. formation of (FISCHER and ABDERHALDEN), A., i, 210; (KOSSEL), A., i, 211.

Pyruvic acid as a decomposition product of proteids (MÖRNER), A., i, 796.

action of, on *p*-aminophenol and its ethers (GIUFFRIDA and CHIMENTI), A., i, 1047.

Pyruvic acid, action of hydrochloric acid on (DE JONG), A., i, 550.

Pyruvic acid, salts, transformation of (DE JONG), A., i, 550.

Q.

Quadroxalic acid. See under Oxalic acid.

Quartz pseudomorphous after apophyllite (SCHALLER), A., ii, 348.

Quercetin, and its acetyl compound, from various flowers (PERKIN and PHIPPS), T., 58.

from rutin and its alkyl derivatives and their acetyl compounds (WALJASCHKO), A., i, 760.

synthesis of, and its acetate (v. KOSTANECKI, LAMPE, and TAMBOUR), A., i, 517.

Quercitol, laevorotatory modification of, and its acyl derivatives (POWER and TUTIN), T., 624; P., 87.

Quicklime. See Calcium oxide.

Quinacetophenone methyl ether (v. KOSTANECKI and LAMPE), A., i, 440.

Quinaldine, action of mono- and dibromosuccinic acids on (DUBREUIL), A., i, 189.

condensation of, with cinnamaldehyde and with protocatechualdehyde (RENZ and LOEW), A., i, 191.

Quinaldine, 6-bromo-, and 5-(or 7)-, 6-, and 8-chloro- (BARTOW and McCOLLUM), A., i, 686.

Quinazoline and its reactions (GABRIEL and COLMAN), A., i, 1060.

Quinazolines, synthesis of (BOGERT and HAND), A., i, 108.

Quinhydrone (POSNER), A., i, 1029.

Quinidine, colour reaction of (BALLANDIER), A., ii, 792.

Quinine salts (CARETTE), A., i, 1044.

glycerophosphates (CARRÉ), A., i, 819.

colour reaction of (BALLANDIER), A., ii, 792.

the André (thalleoquinine) reaction for (LÉGER), A., ii, 458; (GUIGUES), A., ii, 792.

estimation of, in presence of other cinchona alkaloids (LÉGER), A., ii, 458.

Quinine, bromo-derivatives, and their additive salts (CHRISTENSEN), A., i, 520.

Quinizarin, oxidation products of (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 327.

Quinizarin-blue. See 4-*p*-Toluidinoanthraquinone, 1-hydroxy-.

Quinizarin-green. See 1:4-Di-*p*-toluidinoanthraquinone.

Quino-2-hydroxyfuchsone (SACHS and THONET), A., i, 878.

Quinol, presence of, in the pear tree (RIVIÈRE and BAILHACHE), A., ii, 583. influence of temperature on the solubility of, in sulphur dioxide (CENTNERSZWER and TELETOW), A., ii, 321. oxidation of, to quinone by laccase (BERTRAND), A., i, 157; (RIVIÈRE and BAILHACHE), A., ii, 583.

Quinol, 3:6-diamino-, dialkyl ethers, and 1:8-dihydroxynaphthalene-3:6-disulphonic acid, azo-compound from (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 208. tetrachloro-, dilauroyl and dioctoyl derivatives of (GUÉRIN), A., i, 136. hydroxy-, condensation of, with aldehydes (LIEBERMANN, LINDENBAUM, and GLAWE), A., i, 443; (LIEBERMANN and LINDENBAUM), A., i, 764. 2-*iodo*-, dimethyl ether (ULLMANN), A., i, 728.

Quinoline, Skraup's synthesis of, influence of oxides and salts of rare elements on (MARGOSCHES), A., i, 818. action of mono- and di-bromosuccinic acids on (DUBREUIL), A., i, 189. combination of, with organo-magnesium compounds (ODDO), A., i, 920; (F. and L. SACHS), A., i, 925. derivatives, syntheses of (BARTOW and McCOLLUM), A., i, 686. coloured (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 1048.

Quinoline, 7-hydroxy-, derivatives of (BÜLOW and İSSLER), A., i, 191.

*iso***Quinoline**, 1:6-(or 1:7)-dichloro- and -dihydroxy-, and 1:4:6- or 1:4:7-*trihydroxy*- (KUSEL), A., i, 619.

Quinoline-2-carboxylic acid, dyes from (BESTHORN and İBELE), A., i, 527.

Quinoline-3-carboxylic acid, 4-hydroxy-. See Kynurenic acid.

*iso***Quinoline series**, syntheses in the (FRITSCH), A., i, 94.

Quinolinic acid, derivatives of (FELS), A., i, 617.

Quinolinylglycine, ethyl ester (FELS), A., i, 617.

Quinolphthalein, constitution of (GREEN and PERKIN), T., 402; P., 50.

Quinolyl-acetophenone-*o*-carboxylic acid and its alkali salts and oxime and -formazyl (EIBNER and HOFMANN), A., i, 930.

Quinolyl-4-acrylic acid and -4-propionic acid and their salts (KOENIGS and MÜLLER), A., i, 527.

Quinonaphthalone (EIBNER), A., i, 1049.

*o***Quinone**, *tetrabromo*-, action of aniline on (JACKSON and PORTER), A., i, 174. additive compounds with (JACKSON and PORTER), A., i, 254.

*p***Quinone**, *tetrachloro*- (*chloranil*), preparation of (WITT and TOECHÉ-MITTLER), A., i, 174.

*o***Quinones**, reduction of (KNESCH), A., i, 812.

*p***Quinone-carbamic and -phenylcarbamic hydrazones**. See Benzene-azoformamide and -anilide, hydroxy-.

*p***Quinonediimide** and its dihydrochloride (WILLSTÄTTER and MAYER), A., i, 511; (ERDMANN), A., i, 935.

*p***Quinonedisemicarbazone** (BORSCHE and ZELLER), A., i, 1056.

*p***Quinonehydrazones**, relation between, and *p*-hydroxyazo-compounds (BORSCHE and ZELLER), A., i, 1056.

*p***Quinonemonosemicarbazones**, so-called, constitution of (BORSCHE and ZELLER), A., i, 1056.

*p***Quinone-2':4'-dinitrophenylimide**, tetrachloro- (REVERDIN and DELÉTRA), A., i, 531.

*p***Quinoneoxime dinitrophenyl ether** (BÄDISCHE ANILIN- & SODA-FABRIK), A., i, 68.

*p***Quinonesulphonic acid** and its salts (SCHULTZ and STÄBLE), A., i, 597.

Quinophthaline and its *tetrabromo*-derivative and perbromide (EIBNER and HOFMANN), A., i, 931.

Quinophthalone (EIBNER), A., i, 1049. and its phenylhydrazone (EIBNER and HOFMANN), A., i, 931.

constitution of, and its alkali derivatives (EIBNER and MERKEL), A., i, 930.

*iso***Quinophthalone** and its bromo-derivative and perbromide (EIBNER and HOFMANN), A., i, 931.

alkali derivatives (EIBNER and MERKEL), A., i, 930.

homologues of (EIBNER and HOFMANN), A., i, 930.

Quinotannates, estimation of, in de Vrij's cinchona extract (WARIN), A., ii, 303.

Quinoxalophenanthrazine and its dihydride, and the phenylsulphone of the dihydride (HINSBERG and SCHWANTES), A., i, 198.

R.

Rabbits, excretion of uric acid, administered in various ways to (BENDIX and SCHITTENHELM), A., ii, 753.

Rabbit's intestine, fate of strychnine in the (HATCHER), A., ii, 752.

Racemic acid, resolution of, by means of *Aspergillus niger* (CONDELLI), A., i, 798.

Radiations, Radioactive substances, and Radioactivity. See under Photochemistry.

Radiotine from Dillenburg, Nassau (BRAUNS), A., ii, 350.

Radium (CURIE), A., ii, 154; (MARCKWALD), A., ii, 171.

origin of (McCoy), A., ii, 528.

atomic weight of (WATTS), A., ii, 720.

atomic weight of, from its spectrum (RUNGE), A., ii, 2.

spark spectrum of (RUNGE and PRECHT), A., ii, 461.

ultra-violet spectrum of (CROOKES), A., ii, 3.

light phenomena caused by (RICHARZ and SCHENCK), A., ii, 154, 399.

emanation from (McCLELLAND), A., ii, 306.

spectrum of the (RAMSAY and COLLIE), A., ii, 529.

properties and changes of (RAMSAY), A., ii, 529.

heating effect of the (RUTHERFORD and BARNES), A., ii, 223.

physiological action of (BOUCHARD, CURIE, and BALTHAZARD), A., ii, 502; (SALOMONSEN and DREYER), A., ii, 577.

action of, on simple animals (WILCOCK), A., ii, 197.

action of, on micro-organisms (GREEN), A., ii, 503.

action of, on haemoglobin and red corpuscles (HENRI and MAYER), A., ii, 184.

action of, on rennin, renninogen, and antirennin (SCHMIDT-NIELSEN), A., ii, 422.

rays and benzene derivatives (KAUFFMANN), A., ii, 691.

spectrum of the spontaneous luminous, at ordinary temperatures (SIR W. and LADY HUGGINS), A., ii, 4.

scintillating phosphorescence caused by (BECQUEREL), A., ii, 6; (TOMMASINA), A., ii, 7.

influence of, on labile stereoisomericides (SUDBOROUGH), P., 166.

action of, on alkali chlorides, and analogous heat effects (ACKROYD), T., 812; P., 108.

Radium rays, action of, on diamond (CROOKES), A., ii, 692.

action of, on mercurous salts (SKINNER), A., ii, 173.

and Röntgen rays, comparison of the ionisation produced in gases by (EVE), A., ii, 797.

influence of, on the development and growth of lower fungi (DAUPHIN), A., ii, 279.

γ -rays of (PASCHEN), A., ii, 798.

cathode and penetrating rays of (PASCHEN), A., ii, 461; (McCLELLAND), A., ii, 529; (EVE), A., ii, 797.

electrochemical behaviour of (COEHN), A., ii, 334.

from radium-barium preparations, electrolytic enriching of (WEDEKIND), A., ii, 399.

action of, on a disruptive discharge in air at normal pressures (SOKOLZOFF), A., ii, 378.

heat given out by (RUNGE and PRECHT), A., ii, 7.

chemical action of (PELLINI and VACARI), A., ii, 692.

slow transformation products of (RUTHERFORD), A., ii, 799.

production of helium from (RAMSAY and SODDY), A., ii, 482; (HIMSTEDT and MEYER), A., ii, 729.

ratio of, to uranium in some minerals (BOLTWOOD), A., ii, 666.

salts, properties of (REBUFFAT), A., ii, 800.

bromide, conductivity of solutions of (KOHLRAUSCH and HENNING), A., ii, 700.

action of, on the electric resistance of bismuth (PAILLOT), A., ii, 155.

emanation of gases occluded or disengaged by (DEWAR and CURIE), A., ii, 255.

Raffinose, estimation of (DAVOLL), A., ii, 96, 217.

Ranovin (GALIMARD), A., ii, 496.

Raspberries, salicylic acid in (SÜSS; UTZ), A., ii, 72.

Rat, effect of inanition on the brain of the (HATAI), A., ii, 673.

Rate of reactions. See Affinity.

Rays. See Photochemistry.

L-Reaction, new so-called (PAUL), A., i, 925.

Realgar from Allchar, Macedonia (GOLDSCHMIDT), A., ii, 416.

Rectilinear diameter, law of the (BAKKER), A., ii, 310; (BATSCHINSKI), A., ii, 385.

Reductases, yeast, use of, for converting nitrobenzene into aniline (POZZI-ESCOT), A., i, 792.

Reduction phenomena produced by the action of alternating currents (PEARCE and COUCHET), A., ii, 231.

Reduction and oxidation processes, coupled, classification and theory of (LUTHER and SCHILOFF), A., ii, 244.

Refraction and Refractometric analysis. See under Photochemistry.

Rennet as a cause of chemical changes in the proteids of milk and cheese (VAN SLYKE, HARDING, and HART), A., ii, 285.

Rennet action (REICHEL and SPIRO), A., i, 1071.

Rennet diastase, probable constitution of (SCALA), A., i, 541.

Rennin, renninogen, and antirennin, action of concentrated electric light and radium emanations on (SCHMID-NIELSEN), A., ii, 422.

Resacetoin, Nencki and Sieber's, synthesis of, and its diethyl ether and its additive salts, 8-nitroso-, and triacetate (BÜLOW and SAUTERMEISTER), A., i, 262.

Reseda oil (v. SODEN), A., i, 516.

Resin acids of the Coniferae (EASTERFIELD and BAGLEY), T., 1238; P., 112; (TSCHIRCH), A., i, 78.

Resin-balsam of *Pinus laricio*, Poiret (TSCHIRCH and SCHMIDT), A., i, 76. See also Copal-resin, and Elemi.

Resoflavin and its acetyl derivative and methyl ether (HERZIG and TSCHERNE), A., i, 814.

Resorcinol, condensation of, with benzylideneaniline (MAYER), A., i, 785. condensation of, with salicylaldehyde (LIEBERMANN and LINDENBAUM), A., i, 765. action of, on urine (R. and O. ADLER), A., ii, 372, 754; (ROSIN), A., ii, 595.

Resorcinol, 2:4-dibromo-6-amino-, and its tetra-acetyl derivative, and 2:4-dibromo-6-nitro- (DAHMER), A., i, 871.

tetrachloro-, diethyl ether (JACKSON and CARLTON), A., i, 486.

2-nitro-, preparation of (KAUFFMANN & DE PAY), A., i, 157.

6-nitro-, dibenzoyl derivative (BORSCHE and BERKHOUT), A., i, 416.

α -nitroso-, isomeric methyl ethers and dimethyl ether (HENRICH and EISENACH), A., i, 1007.

isomeric mono-ethyl ethers and diethyl ether (HENRICH), A., i, 1006.

β -Resorcylic acid, derivatives of (PERKIN and SCHIESS), T., 159.

β -Resorcylic acid, compound of, with bismuth (THIBAULT), A., i, 166.

ether-esters of (HERZIG, WENZEL, and BATSCHA), A., i, 246.

β -Resorcylic acid, amino-, and its hydrochloride and sulphate (v. HEMMELMAYR), A., i, 319.

nitro-, and its salts, methyl ester, and acetyl derivative (v. HEMMELMAYR), A., i, 319.

Respiration, experiments made on Monte Rosa on (MOSO), A., ii, 622. effect of barometric pressure on (MOSO), A., ii, 577; (AGGAZZOTTI), A., ii, 746.

of rarefied air (TISSOT), A., ii, 495.

action of strychnine on (BIBERFIELD), A., ii, 573.

of *Chlorolhectium saccharophilum* (PALLADIN), A., ii, 70; (PETRASCHEVSKY), A., ii, 760.

intramolecular, in plants (NABOKICH), A., ii, 281; (GODLEWSKI), A., ii, 507.

Respiratory capacity of certain Invertebrates (DHÉRÉ), A., ii, 54.

combustion, the mechanism of (MAZÉ and PERRIER), A., i, 676.

quotient and the densimetric method (WALLER and COLLINGWOOD), A., ii, 292, 622.

and the density of expired air (SYMES), A., ii, 622.

Retene from abietene (EASTERFIELD and BAGLEY), T., 1247; P., 113.

from abietic acid (VESTERBERG), A., i, 151.

constitution of (FORTNER), A., i, 729.

Retene, dihydroxy-, and its diacyl derivatives (KNESCH), A., i, 813.

Rhamnosides (SCHMIDT, BRAUNS, and WALJASCHKO), A., i, 681.

Rhein from aloe-emodin (OESTERLE), A., i, 80.

and its acetyl derivative (EIJKEN), A., ii, 435.

Rheumatic fever, relation of *Staphylococcus pyogenes aureus* to (POYNTON and SHAW), A., ii, 633.

Rheumatism, acute, a diplococcus the cause of (BEATTIE), A., ii, 363.

Rhodanic acids, substituted, and their aldehyde condensation products (ANDREASCH and ZIPSER), A., i, 444.

Rhodeonic acid, relation of, to fuconic acid (MÜTHER and TOLLENS), A., i, 227.

phenylhydrazide (VOTOČEK), A., i, 975.

Rhodoose, relation of, to fucose (MÜTHER and TOLLENS), A., i, 227.

and fucose as optical antipodes (VOTOČEK), A., i, 975.

isoRhodeose and its phenylosazone and ρ -bromophenylosazone (VOTOČEK), A., i, 224.

Rhodinamine and its alcohol, salts, and oxamide (BOUVEAULT), A., i, 17.

Rhodinol, synthesis of, and its pyruvate and semicarbazone (BOUVEAULT and GOURMAND), A., i, 756.

Rhodonite, crystallised, from S. Marcel, Valle d'Aosta (COLOMBA), A., ii, 571.

Rhubarbe cultivated in Berne, constituents of (EIJKEN), A., ii, 435.

Rhus glabra, seeds of (FRANKFORTER and MARTIN), A., ii, 436.

Rice oil (BROWNE), A., ii, 75.

Rice plants, action of ammonium salts and nitrates on (NAGAOKA), A., ii, 837. influence of different ratios of lime to magnesia on (ASÖ), A., ii, 765.

effects of soil ignition on the availability of phosphoric acid for, in paddy fields (NAGAOKA), A., ii, 838.

action of various insoluble phosphates on (NAGAOKA), A., ii, 837.

Ricin (OSBORNE and MENDEL), A., ii, 198. purification of (BRIEGER), A., ii, 502.

Ricinine and **Ricinic acid** (MAQUENNE and PHILIPPE), A., i, 339.

Ricinus seed, hydrolysing properties of (NICLOUX), A., ii, 508, 635, 677; (URBAIN and SAUGON), A., ii, 635; (URBAIN; URBAIN, PERRUCHON, and LANCON), A., ii, 835.

Ring-compound, dicyclic, synthesis of a (KOMPPA and HIRN), A., i, 60.

Ring compounds, influence of sulphur and of sulphur-containing groups on the order of substitution of hydrogen atoms in (BOURGEOIS and PETERMANN), A., i, 28.

Ring systems, strain-laws of (HINSBERG), A., i, 200.

Roberts-concentrators, composition of the incrustations in (ONGARO), A., ii, 770.

Robigenin and its tetra-acetyl derivative (WALJASCHKO), A., i, 606; (SCHMIDT and WALJASCHKO), A., i, 681.

Robinin (WALJASCHKO), A., i, 606; (SCHMIDT and WALJASCHKO), A., i, 681.

Rock, dioritic, from Lower Austria (MOROZEWICZ), A., ii, 670. ore-bearing, of Mount Magnitnaia, weathering of the (MOROZEWICZ), A., ii, 670.

sapphirine-bearing, from India (MIDDLEMISS), A., ii, 668.

Rocks, analyses of (CLARKE), A., ii, 669.

Rock crystal, change of, into the amorphous condition (HERSCHKOWITSCH), A., ii, 254.

Röntgen rays. See Photochemistry.

Rösslerite, preparation of (DE SCHULTEN), A., ii, 134.

Root-nodules, leguminous (HILTNER and STÖRMER), A., ii, 505.

Rosa gallica, colouring matters of (NAYLOR and CHAPPEL), A., i, 909.

Rosaniline and pararosaniline, constitution of (JENNINGS), A., i, 196. rapid method of distinguishing between (LAMPRECHT and WEIL), A., ii, 794.

the parent carbinol and triboluminescent hydrocarbon of, and their isomerides (BISTRZYCKI and GYR), A., i, 497, 989; (E. and O. FISCHER), A., i, 863.

additive compounds of, with ammonia (SCHMIDLIN), A., i, 785.

dyes. See under Colouring matters.

salts, constitution of, and the mechanism of their formation (SCHMIDLIN), A., i, 1061.

additive hydrogen chloride compounds of, and their dissociation, thermochemistry, and constitution (SCHMIDLIN), A., i, 785.

polyacid salts of (SCHMIDLIN), A., i, 698.

solutions, precipitation of, by alkali (WEIL), A., i, 454.

Rosanilines, nomenclature of (SCHMIDLIN), A., i, 943.

thermal comparison of leucanilines and (SCHMIDLIN), A., i, 944.

Rose oils, analysis of (JEANCARD and SATIE), A., ii, 786.

Roses, oil of (v. SODEN and TREFF), A., i, 439; (v. SODEN), A., i, 516.

otto of, iodine absorption as a factor in the examination of (HUDSON-Cox and SIMMONS), A., ii, 519.

Rosindone, oxidation of, by chromic acid (FISCHER), A., i, 111.

Rosindonic and *isoRosindonic acids* and their constitution (FISCHER), A., i, 111.

Rotation. See Photochemistry.

Rouheria Griffithiana, lupeol from the bark of (SACK and TOLLENS), A., i, 1011.

Rubidium, atomic weight of (ARCHIBALD), T., 776; P., 85.

relation of, to potassium and caesium as illustrated by the crystalline forms of uranyl double salts (SACHS), A., ii, 30.

and bivalent mercury, double salts of (GROSSMANN), A., ii, 406.

Rubidium tungstates (SCHAEFER), A., ii, 178.
Rubidium, estimation of caesium and (MONTEMARTINI and MATTUCCI), A., ii, 148.
Rubies, artificial production of, by fusion (VERNEUIL), A., ii, 735.
Rufigallol (*rufigallic acid*) alkyl ethers, acyl derivatives of (CHEMISCHE FABRIK AUF AKTIEN VORM. E. SCHERING), A., i, 809.
 methyl ethers, acetyl derivatives of (ZERNIK), A., i, 902.
Ruta graveolens, constituents of (WALJASCHKO), A., i, 760.
Ruthenium bromides (HOWE), A., ii, 665.
 chlorides (HOWE), A., ii, 490.
 potassium nitrosochloride, constitution of, in aqueous solution (LIND), A., ii, 45.
 silicide (MOISSAN and MANCHOT), A., ii, 665.
Rutin (*sophorin*) from caper buds and from rue, identity of (SCHMIDT and BRAUNS), A., i, 681; (WALJASCHKO), A., i, 760; (BRAUNS), A., i, 1039.
Rye, development of (SCHULZE), A., ii, 765.
Rye straw, pentosans as constituents of (v. RUDNO RUDZINSKI), A., ii, 284.

S.

Sabinol, behaviour of, in the organism (FROMM and CLEMENS), A., i, 177; (FROMM), A., ii, 360.
Saccharic acids, quinine salts of (KILIANI and LOEFFLER), A., i, 373.
“Saccharin”, preparation of (WILSON), A., i, 51.
 detection of, in beverages (VILLIERS, MAGNIER DE LA SOURCE, ROCQUES, and FAYOLLE), A., ii, 599.
 alkylated, action of organomagnesium compounds on (SACHS, v. WOLFF, and LUDWIG), A., i, 876.
Saccharomyctæ, poisonous action of chromium compounds on (POZZI-EScot), A., ii, 764.
Saccharose. See Sucrose.
Safrole, compounds of, with mercury salts (BALBIANO, PAOLINI, and LUZZI), A., i, 72.
 derivatives of, and its relations to the phenol ethers, eugenol and asarone (THOMS and BILTZ), A., i, 399.
isoSafrole, new synthesis of (MAMELI), A., i, 1023.
 picrate (BRUNI and TORNANI), A., i, 875.

isoSafrole, β -nitro- (WALLACH and MÜLLER), A., i, 754.
Salicylaldehyde, thermal properties of (LUGININ), A., ii, 537.
 chlorination of, and their derivatives (BILTZ), A., i, 1021; (BILTZ and STEPF), A., i, 1022.
 condensation of, with resorcinol (LIEBERMANN and LINDENBAUM), A., i, 765.
Salicylaldehydophenylhydrazone, benzoylation of (AUWERS and SONNENSTUHL), A., i, 1054.
 bromo- and nitro-derivatives, acetyl derivatives of (AUWERS and BÜRGER), A., i, 1054.
Salicylic acid in berries and stone fruits (SÜSS), A., ii, 71; (UTZ), A., ii, 72.
 in wild cherries (JABLIN-GONNET), A., ii, 71.
 occurrence of, in certain plants of the Violaceæ (DESMOULIÈRES), A., ii, 282.
 bromination of (HEWITT, KENNER, and SILK), T., 1228; P., 126.
 action of, on terebenthene (TARDY), A., i, 904.
 detection of, in wines (SPICA), A., ii, 299.
 detection and chlorimetric estimation of (MONTANARI), A., ii, 522.
Salicylic acid, methoxyethyl and ethoxyethyl esters (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 318.
 β -naphthyl and phenyl esters. See Betol and Salol.
Salicylic acid, 3-bromo-5-nitro-, and its anilide, phenylhydrazide, and toluidides (PURGOTTI and MONTI), A., i, 586.
 p -chloro- α -amino-, diazo-dye from (BADISCHE ANILIN- & SODA-FABRIK), A., i, 353.
Salicylideneaminobenzoic acid (v. PALEWSKI), A., i, 317.
Salicylonitrile and its acetyl derivative, chloro-compounds of (BILTZ and STEPF), A., i, 1022.
Saligenin methyleneether and methylene ether ester, 5-nitro- (BORSCHE and BERKHOUT), A., i, 415.
Salines, flora of the, at Cagliari (SANNA), A., ii, 762.
Saliva, amount of thiocyanate in (MAYER), A., ii, 423.
 detection of thiocyanic acid in (POLLACCI), A., ii, 522.
Salinol, hydrolysis of (KOSSEL), A., i, 211; (KOSSEL and DAKIN), A., i, 355, 702; (ABDERHALDEN), A., i, 463.

Salmin, amino-acids from (ABDERHALDEN), A., i, 463.

Salol, behaviour of, towards various solvents (LUSINI), A., i, 397.

resolution of, in the organism (LUSINI), A., ii, 359.

Saltspetre. See Potassium nitrate.

Salts, constitution of solutions of (ABEGG and LABENDZINSKI), A., ii, 241.

decomposition-tension of, and their anti-fermentative properties (MC-GUIGAN), A., ii, 248.

apparatus for the determination of the solubility of, in liquids other than water and at temperatures above 100° (CANTONI), A., ii, 322.

sparingly soluble, solubility of (BÖTTGER), A., ii, 241.

of weak acids, determination of the solubility of, from measurement of their conductivity (GARDNER and GERASIMOFF), A., ii, 544.

fused organic, electrolysis of (BERL), A., i, 282.

See also Metallic salts.

Samandatrine and its sulphate from the Alpine salamander (NETOLITZKY), A., i, 770.

Samarium, atomic weight of, and its oxide (URBAIN and LACOMBE), A., ii, 486.

Sambucus nigra. See Elderberries.

Sandstones, presence of heavy metals in (MACKIE), A., ii, 53.

Santalol, compound of, with formaldehyde (STEPHAN), A., i, 814.

Santonin and its derivatives, action of light and of alkalis on (FRANCESCONI and MAGGI), A., i, 60.

derivatives, constitution of (WEDEKIND), A., i, 60.

Sapium sebiferum. See Tallow seed.

Saponification. See Hydrolysis under Affinity.

Saponin substances (KOBERT), A., i, 905.

Saponins of the seeds of *Entada scandens* (ROSENTHALER), A., ii, 72.

Sapotoxin and its benzoyl derivative (HONDA), A., i, 761.

Sapphirine-bearing rock from India (MIDDLEMISS), A., ii, 668.

Sartorite from the Binnenthal, Switzerland (LEWIS), A., ii, 133.

Satellite rays. See Photochemistry.

Saturation by the method of air-bubbling (CARVETH and FOWLER), A., ii, 541.

Saturation phenomena of binary mixtures, theory of the (BOEDKE), A., ii, 542.

Scammonin. See Jalapin.

Scatolecarboxylic acid, so-called, synthesis of the (ELLINGER), A., i, 639.

Scheelite from Brazil (FLORENCE), A., ii, 418.

Scheih oil (JEANCARD and SATIE), A., i, 516.

Schists, crystalline, from the Alps, composition of (TERMIER and LECLÈRE), A., ii, 269.

Schizolite from Greenland (BÖGGILD), A., ii, 49.

Sclerospathite from Tasmania (PETTERD), A., ii, 48.

Scopolamine methobromide (MERCK), A., i, 187.

Scorpion and sea snake venom. See Poison.

Sea-urchin, fertilisation, artificial parthenogenesis, and cytolysis in (LOEB), A., ii, 572.

Sea water. See under Water.

Sebacic acid, reduction of derivatives of (SCHEUBLE), A., i, 3.

Seedlings, inorganic phosphates in (SCHULZE and CASTORO), A., ii, 506.

relation of mass action and physical affinity to toxicity (DANDENO), A., ii, 583.

toxic action of acids and salts on (CAMERON and BREAZEALE), A., ii, 283 ; (CAMERON), A., ii, 364.

Seeds, variations in the composition of, during maturation (ANDRÉ), A., ii, 634.

variations of mineral matters in ripening (ANDRÉ), A., ii, 676.

anaerobic changes in, in potassium nitrate solutions (NABOKICH), A., ii, 69.

fat-splitting enzyme in (FOKIN), A., i, 1071 ; ii, 199, 280.

nitrogen compounds in non-germinated (SCHULZE and CASTORO), A., ii, 506.

peptone in (MACK), A., ii, 762.

a phosphorised constituent of (SCHULZE and WINTERSTEIN), A., i, 211.

inorganic phosphates in (SCHULZE and CASTORO), A., ii, 506.

complete extraction of water and gas from (BECQUEREL), A., ii, 677.

Selenium, behaviour of, towards light and temperature (MARC), A., ii, 105.

relation between the conductivity and the intensity of the incident light (HOPIUS), A., ii, 156.

change of electrical resistance of, under the influence of certain substances (GRIFFITHS), A., ii, 8.

boiling point of, in the vacuum of the cathode light (KRAFFT and MERZ), A., ii, 114.

Selenium, mixtures of, with antimony and with bismuth (PÉLABON), A., ii, 569.

Selenium salts, decomposition of, by micro-organisms (GOSIO), A., ii, 580.

Selenium hydride. See Hydrogen selenide.

Selenium, alkyl derivatives (SCOTT), P., 156.

Selenium, estimation of (PELLINI and SPELTA), A., ii, 83.

comparison of the gravimetric methods for estimating (GUTBIER, METZNER, and LOHMANN), A., ii, 775.

applicability of phosphorous acid for the estimation of (GUTBIER), A., ii, 842.

Selenodiazoles (STOLLÉ and GUTMANN), A., i, 697; (BECKER and MEYER), A., i, 698.

Semen, human, behaviour of, towards mercuric chloride solutions (TARUGI), A., ii, 63.

Semi-N-arylimino-oxalic ethers (LANDER), T., 988; P., 182.

Semicarbazide, action of, on unsaturated ketones (RUPE and SCHLOHOFF), A., i, 144.

Semicarbazides, alkyl and aryl substituted (BUSCH, OFFERMANN, and WALTHER), A., i, 629.

m-Semicarbazidobenzamide. See Cryogenine.

Semicarbazones, reaction of, with amines (BORSCHE and MERKWITZ), A., i, 945.

Semidines, *o*- and *p*-, formation of, and their derivatives (JACOBSON, FRANZ, and ZAAR), A., i, 121.

*iso***Serine** (β -amino- α -hydroxypropionic acid), formation of, from $\alpha\beta$ -diaminopropionic acid (NEUBERG and SILBERMANN), A., i, 220; (ELLINGER), A., i, 230.

compounds of, with hippurylazoimide (CURTIUS and GUMLICH), A., i, 886.

Serosamucin (v. HOLST), A., ii, 830.

Serradella, pot experiments on the effect of liming and marling on the yield of (ULBRICHT), A., ii, 284.

Serum, antitryptic action of (CATHCART), A., ii, 833.

coagulating power of (BORDET and GENGOU), A., ii, 270.

effect of intravenous injection of formaldehyde and calcium chloride on the haemolytic power of (GUTHRIE), A., ii, 672.

estimation of albumin in (REISS), A., ii, 303.

Serum, estimation of bilirubin in (GILBERT, HERSCHER, and POSTERNAK), A., ii, 303.

See also Blood serum.

Serum-albumin and **globulin**, the carbohydrate group in (ABDERHALDEN, BERGELL, and DÖRPINGHAUS), A., i, 640; (LANGSTEIN), A., i, 790.

Serum-mucoid and ovimucoid (ZANETTI), A., i, 128.

Sesamé oil (KREIS), A., ii, 75.

Sesamé seeds, substances accompanying the oil in (CANZONERI and PERCIABOSCO), A., i, 178.

Sesamol (KREIS), A., ii, 790.

Sesquiterpene from distilled oil of limes (BURGESS and PAGE), T., 415; P., 62.

Sesquiterpenes, two, in copaiva balsam from Surinam (VAN ITALLIE and NIEUWLAND), A., i, 1038.

Sewage, town, organic colloids from (BILTZ and KRÖHNKE), A., i, 540.

Shating apparatus (BRÜHL), A., ii, 248.

Sheep, feeding experiments on, with an excess of calcium carbonate (VOLHARD; WEISKE), A., ii, 750.

effect of feeding on the milk of (MORGEN, BEGER, FINGERLING, DOLL, HANCKE, SIEGLIN, and ZIELSTORFF), A., ii, 750.

Sheep's milk. See Milk.

Side-chains, unsaturated, influence of, on the tendency of phenols to couple, and the colour of the resulting oxyazocompounds (BORSCHE and STREITBERGER), A., i, 1064.

Sidot's blonde. See Zinc sulphide, hexagonal.

“**Silajit**,” an ancient Eastern medicine (HOOPER), A., ii, 570.

Silica. See Silicon dioxide.

Silicates. See under Silicon.

Silicic acid and **Silicides**. See under Silicon.

Silicon and its chloride, preparation of (HOLLEMAN), A., ii, 813.

crystalline, preparation of (KÜHNE), A., ii, 331.

crystalline, soluble in hydrofluoric acid (MOISSAN and SIEMENS), A., ii, 560.

disappearance of the spectral lines of, exhibited by certain stars, under the influence of the oscillatory spark discharge (DE GRAMONT), A., ii, 641.

apparent volatilisation of, in hydrogen (DUFOUR), A., ii, 398, 482.

solubility of, in lead and zinc (MOISSAN and SIEMENS), A., ii, 332.

Silicon, solubility of, in silver (MOISSAN and SIEMENS), A., ii, 560.
action of, on water at about 100° (MOISSAN and SIEMENS), A., ii, 398.

Silicon tetrabromide, action of hydrogen sulphide on, in presence of aluminium bromide (BLIX), A., ii, 119.
hydride, SiH_4 , synthesis of, from the elements (DUFOUR), A., ii, 398; (VIGOUROUX), A., ii, 482.

Silicides, preparation and properties of (HEMPEL and RUCKTÄSCHEL), A., ii, 397.
See also under the separate Metals.

Silicon dioxide (silica), vitreous, optical properties of (GIFORD and SHENSTONE), A., ii, 332.
reduction of, by hydrogen (DUFOUR), A., ii, 398, 482.
action of, on the melting of alkali carbonates (v. WITTORF), A., ii, 400.

Silicic acid and hydrofluoric acid, systems containing (BAUR), A., ii, 608.
colloidal, coagulation of (PAPPADÀ), A., ii, 120.
separation of, in basic slags (SORGE), A., ii, 367.

Silicates, reduced (SIMMONDS), T., 681; P., 91.

Silicon thiobromide and thiodiamide (*thiourea*), formation of (BLIX), A., ii, 119.
thiocloride, diimide, and nitride, and silicam (BLIX and WIRBELAUER), A., ii, 120.

Silicon organic compounds (KIPPING), P., 15; (DILTHEY), A., i, 132; (DILTHEY and EDUARDOFF), A., i, 464.

Silicon steels, constitution and properties of (GUILLET), A., ii, 128.

Silk, so-called chlorophyll of (VILLARD), A., ii, 628.

Silver, allotropic, colours of (BLAKE), A., ii, 31.
colloidal (LOTTERMOSER), A., ii, 31.
preparation and properties of (CHASSEVANT), A., ii, 122.
coagulation of (DUMANSKY), A., ii, 560.
electrochemical equivalent of (VAN DIJK and KUNST), A., ii, 255.

Silver alloys with gold, densities of (HOITSEMA), A., ii, 742.
with gold and platinum (HOLLARD and BERTIAUX), A., ii, 685.
with platinum, cupellation of (CAR-MICHAEL), A., ii, 151; (SHARWOOD), A., ii, 450.

Silver salts, sparingly soluble, solubility of (ABEGG and COX), A., ii, 256.
colloidal (PAAL and VOSS), A., ii, 816.
complex (BODLÄNDER and EBERLEIN), A., ii, 401.
equilibrium between (LUCAS), A., ii, 715.

Silver bromide, action of metals and other substances on (BETTINI), A., ii, 31.
carbonate, nitrate, oxide, and peroxide, action of hydrogen peroxide on (MULDER), A., ii, 32.
chloride, colour-sensitive (BAUR), A., ii, 4.
chromate (MARGOSCHES), A., ii, 731.
haloids, colloidal (LOTTERMOSER), A., ii, 31.
ammonium hydroxides, complex (BONSDORFF), A., ii, 733.
nitrate, existence of mono-ammoniacal (REYCHLER), A., ii, 403.
and potassium nitrate, solidification and transformations of (USSOW), A., ii, 256.
and ammonium nitrate, equilibria in the system (v. ZAWIDZKI), A., ii, 389.
interaction of, with formaldehyde in presence of strong bases (VANINO), A., i, 13.
solutions containing albumin, concentration of metallic ions in (GALEOTTI), A., ii, 649.
nitrite, action of iodine on (NEELMEIER), A., ii, 403.

peroxide, action of manganous salts on (KÜHLING), A., ii, 122.
new reaction of (MULDER), A., ii, 33.
peroxynitrate, structural formula of the so-called (MULDER), A., ii, 33.
spontaneous decomposition of (MULDER), A., ii, 32.

dihydrogen pyrophosphate (CAVALIER), A., ii, 658.

selenate, electrolysis of an aqueous solution of (MULDER), A., ii, 32.
sulphide, fusibility of mixtures of, with bismuth sulphide (PÉLABON), A., ii, 42.

Silver cyanate, bromination of (DEAN), T., 1370; P., 183.
cyanide and chloride, estimation and separation of (PLIMMER), T., 12.

Silver, estimation of, by Volhard's process (HOITSEMA), A., ii, 517.
estimation of, in commercial zinc (FRIEDRICH), A., ii, 843.
separation of, electrolytically, from antimony (FISCHER), A., ii, 87.

Silver, separation of gold, platinum, and (CARMICHAEL), A., i, 151; (SHARWOOD), A., ii, 450.

Silver hydrosols, Bredig's, composition of (BLAKE), A., ii, 121.

Silver ornaments, detection of cadmium in (L'HÔTE), A., ii, 682.

Sinews, glutin from (SADIKOFF), A., i, 125.

Skate, blood of the (HARRIS), A., ii, 55.

Skin, absorption through the (SCHWENKENBECHER), A., ii, 423.

Slag, basic, comparison of, with Wolter phosphate and superphosphate (SCHNEIDEWIND and MEYER), A., ii, 769.

unsuitability of the Macrcker-Bihring solution for the estimation of total phosphoric acid in (SVOBODA), A., ii, 147.

estimation of citrate-soluble phosphoric acid in (BÖTTCHER), A., ii, 148; (SORGE), A., ii, 867.

Martin, estimation of fluorine in (FRICKE), A., ii, 772.

Smoke, formaldehyde in (TRILLAT), A., i, 713.

Snail, inanition in the (SLOWTZOFF), A., ii, 59.

Snake poison. See Poison.

Soap, action of, on calcium and magnesium solutions (GOTTSCHALK and ROESLER), A., ii, 785.

Sodalite from Kishengarh, India (VREDENBURG), A., ii, 667.

Sodium, influence of temperature on the electrical conductivity of (BERNINI), A., ii, 156.

conductivity of solutions of, in absolute alcohols, in alcohols diluted with water, and in mixtures of two alcohols (TIJMSTRA), A., ii, 699.

Sodium alloy with cadmium, crystallography of (v. SUSTSCHINSKY), A., ii, 30.

with mercury (SCHÜLLER), A., ii, 657.

action of, in solutions of potassium salts (SMITH), A., ii, 400.

Sodium salts, action of potassium amalgams on solutions of (SMITH), A., ii, 400.

Sodium arsenate, interaction of, with lead acetate (DOBBIN), A., ii, 406.

hypobromite, nascent, does not liberate all the nitrogen of urea (GARNIER), A., ii, 300.

baborate (*borax*), behaviour of, towards carbon dioxide (GRÜNHUT), A., ii, 615.

of abnormal composition (SPIEGEL), A., ii, 730.

Sodium baborate (*borax*), estimation of boric acid in (JACOBI), A., ii, 209.

beads, coloration of, by colloidal dissolved noble metals (DONAU), A., ii, 784.

carbonate, manufacture of—the ammonia soda process from the standpoint of the phase rule (FEDOTÉEFF), A., ii, 730.

action of titanic anhydride on (SMITH), A., ii, 130.

action of sodium picrate on solutions of (REICHARD), A., ii, 517.

estimation of the amount necessary to precipitate lime and magnesia in the chemical purification of water (VIGNON), A., ii, 292.

hydrogen carbonate, intravenous injection of, after severe haemorrhage (DAWSON), A., ii, 195.

perchlorate, estimation of, in saltpetre (LEMAÎTRE), A., ii, 587.

chloride, electrical conductivity of solutions of, up to 306° (NOYES and COOLIDGE), A., ii, 226.

electrical conductivity of, in mixtures of water and ethyl alcohol (SCHAPIRE), A., ii, 801.

influence of morphine and tannin on the absorption of, in the small intestine (BIBERFIELD), A., ii, 189.

fluoride, action of, on yeast (ARTHUS and GAVELLE), A., ii, 279.

hydroxide, pure, preparation of, for laboratory purposes (KÜSTER), A., ii, 815.

production of, in diaphragm electrolysis (GUYE), A., ii, 29.

effect of solutions of, injected intravascularly (HOUGARDY), A., ii, 429.

nitrate, manurial experiments with (CLAUSEN), A., ii, 586.

effect of the long-continued use of, on the constitution of soils (HALL), T., 964; P., 154.

compared with ammonium sulphate and organic nitrogen (WAGNER, DORSCH, ASCHOFF, RUTHS, and HAMANN), A., ii, 78.

nitrite, velocity of decomposition of a mixture of ammonium chloride and (BERGER), A., ii, 483.

action of carbon dioxide on solutions of (MEUNIER), A., i, 208; ii, 252; (MARIE and MARQUIS), A., ii, 252, 333.

analysis of (LUNGE), A., ii, 515.

nitroprusside, action of, on alkalis, carbonates, hydrogen carbonates, and ammonia (REICHARD), A., ii, 514.

Sodium nitroprusside, action of, on plants (BAHADUR), A., ii, 762.
 reaction, sensitiveness of the (REICHARD), A., ii, 443.
 oxide, preparation of (BASLER CHEMISCHE FABRIK), A., ii, 333.
 peroxide, use of, in analysis (PRINGSHEIM), A., ii, 146, 516, 775; (V. KONEK), A., ii, 588, 589; (V. KONEK and ZÖHLS), A., ii, 775; (ANGENOT), A., ii, 784.
 phosphite, normal, attempts to prepare (AUGER), A., i, 983.
 silicate. See Glass, soluble.
 sulphate, condition of, in solution (MARIE and MARQUIS), A., ii, 16.
 See also Glauber's salt.
 ferric sulphates (SKRABAL), A., ii, 262.
 titanous sulphate (P. SPENCE & SONS), A., ii, 412.
 sulphide as indicator in the estimation of dextrose with Fehling's solution (BEULAYGUE), A., ii, 216.
 hyposulphite (BUCHERER and SCHWALBE), A., ii, 725.
 electrolytic preparation of (ELBS and BECKER), A., ii, 556; (FRANK), A., ii, 615.
 action of methyl sulphate on (BINZ), A., i, 964.
 thiosulphate, chemical dynamics of the reactions between alkyl haloiods and (SLATOR), T., 1286; P., 180.
 crystallised, decomposition of, by heat (JAQUES), A., ii, 120.
 electrolytic oxidation of, and the mechanism of the process (THATCHER), A., ii, 395.
 tungstates (SCHAEFER), A., ii, 178.
 action of zinc on the (HALLOPEAU), A., ii, 663.
 vanadite (KOPPEL and GOLDMANN), A., i, 7.
Soils, radioactivity of (ELSTER and GEITEL), A., ii, 695.
 organic matter in subsoils and (CAMERON and BREAZEALE), A., ii, 286.
 comparative nitrifying power of (ASHBY), T., 1158; P., 175.
 denitrification in (AMPOLA and ULPIANI), A., ii, 139.
 organic compounds of phosphorus in (NAGAOKA; ASŌ), A., ii, 838.
 the potassium in, soluble in water, and its utilisation by plants (SCHLESING), A., ii, 201.
 influence of the amount of water in, on crops and on the development of cereals (v. SEELHORST and FRECKMANN), A., ii, 76.

Soils, influence of artificial manures on the behaviour of water in (GROSS), A., ii, 438.
 influence of variations in the amount of, on the yield and composition of plants (LEMMERMANN), A., ii, 76.
 available plant food in (INGLE), P., 194.
 influence of calcium carbonate on (KOSOWITSCH and TRETJAKOFF), A., ii, 143.
 effect of the long-continued use of sodium nitrate on the constitution of (HALL), T., 964; P., 154.
 arable, distribution of potassium in (DUMONT), A., ii, 286.
 peat, action of calcium cyanamide on (TACKE), A., ii, 768.
 Vesuvian, action of calcium fluoride on (AMPOLA), A., ii, 767.
 can plant analyses disclose the amount of assimilable nutritive substances in the? (STAHL-SCHRÖDER), A., ii, 767.
 mechanical analysis of, and the composition of the fractions resulting therefrom (HALL), T., 950; P., 152.
 estimation of the acidity of (VEITCH), A., ii, 600.
 estimation of total carbon in (PARR), A., ii, 445.
 volumetric estimation of humus in (ISTSCHEREKOFF), A., ii, 796.
 estimation of the available amounts of lime and magnesia in the (KATAYAMA), A., ii, 768.
 estimation of phosphoric acid in aqueous extracts of (SCHREINER), A., ii, 777.
 estimation of potash in (HASENBAUMER), A., ii, 292.
Solanin, sugars of (ZEISEL and WITTMANN), A., i, 80; (VOTOČEK and VONDRAČEK), A., i, 177.
Solidification and transformation, phenomena of, in the systems, $\text{NH}_4\text{NO}_3 \cdot \text{AgNO}_3$, and $\text{KNO}_3 \cdot \text{AgNO}_3$ (ROOZEBOOM), A., ii, 112.
Solidification as a means of determining the proportions of dynamic isomerides in solution (LOWRY and ROBERTSON), T., 1541; (LOWRY), T., 1551; P., 108.
 lowering of (v. EULER), A., ii, 542.
 and diffusion in solution of dissociated gases (RICHARDSON), A., ii, 240.
 of alkali formates (GROSCHUFF), A., i, 134.
 of alkaline earth salts of organic acids in acetic acid (HERZ and MUHS), A., i, 11.

Solubility of ammonia in salt solutions, as measured by its partial pressure (RIESENFIELD), A., ii, 15.
 of salts of ammonia and of amines (v. EULER), A., ii, 544.
 of arsenic, and the molecular condition of the solution (BRUNER and TOLLOCZKO), A., ii, 117.
 of calcium sulphate in aqueous solutions of sulphuric acid (CAMERON and BREAZEALE), A., ii, 34.
 of gases in liquids (CASSUTO), A., ii, 161.
 of magnesium carbonate in aqueous solutions of certain electrolytes (CAMERON and SEIDELL), A., ii, 36.
 of sparingly soluble salts (BÖTTGER), A., ii, 241.
 of salts in liquids other than water and at temperatures above 100°, apparatus for the determination of (CANTONI), A., ii, 322.
 of some salts of the lower fatty acids (STANLEY), A., i, 468.
 of salts of weak acids, determination of the, from measurement of their conductivity (GARDNER and GERASIMOFF), A., ii, 544.
 of a tartrate compared with that of a racemate (MEYERHOFFER), A., i, 649.
 determination of, in mixtures of solvents (HERZ and KNOCH), A., ii, 709.
 determinations of, by the capillary method (MOTYLEWSKI), A., ii, 240.
Solubility curves, course of, in the region of critical temperatures of binary mixtures (SMITS), A., ii, 15.
 of the hydrates of nickel sulphate (STEELE and JOHNSON), T., 113.
Solution, heat of. See Thermochemistry.
 velocity of. See Affinity.
Solution pressure and the heat of ionisation of metals, relation between (KORN and STRAUSS), A., ii, 379.
Solution tension, atomic volume, and physiological action of the elements, relation between the (MATHEWS), A., ii, 197.
Solutions, theory of (TRAUBE), A., ii, 707.
 theory of dilute, based on the law of van't Hoff (ARIÈS), A., ii, 648.
 refraction of (CHÉNEVEAU), A., ii, 641.
 dielectric constants of (EGGERS), A., ii, 224.
 viscosity of (WAGNER and MÜHLENBEIN), A., ii, 239.
 variations in concentration of, and the crystallisation of dissolved substances under the influence of centrifugal force (VAN CALCAR and DE BRUYN), A., ii, 470.

Solutions of salts, constitution of (ABEGG and LABENDZINSKI), A., ii, 241.
 in aqueous alcohol, vapour pressure and composition of (KABLUKOFF, SOLOMONOFF, and GALINE), A., ii, 238.
 method of stating the concentration of (HAMBURGER), A., ii, 323.
 saturated, some physical constants of (BERKELEY), A., ii, 648.
 solid, and isomorphism (BRUNI), A., i, 536; (BRUNI and PADOA), A., ii, 388.
 between nitro- and nitroso-derivatives (BRUNI and CALLEGARI), A., ii, 545.
 between organic compounds (GARELLI and GORNI), A., ii, 711; (BRUNI and TROVANELLI), A., ii, 712.
Solvent, combination of a, with the ions (MORGAN and KANOLT), A., ii, 535.
 effect of one associated, on the association of another associated solvent (JONES and MURRAY), A., ii, 387.
Solvents, chloropicrin and nitromethane as (BRUNER, KOZAK, and MARIASZ), A., i, 2.
 liquid hydrogen chloride as an electrolytic (HELBIG and FAUSTI), A., ii, 225.
 liquefied hydrides of phosphorus, sulphur, and the halogens as (MCINTOSH and STEELE), A., ii, 533; (ARCHIBALD and MCINTOSH), A., ii, 534.
 latent heat of mixing for associating (VAN LAAR), A., ii, 804.
 dielectric constants of (EGGERS), A., ii, 224.
 dielectric constants of some inorganic (SCHLUNDT), A., ii, 308.
 conductivity and dielectric constants of organic (WALDEN), A., ii, 227.
 influence of, on the rotation of optically active compounds (PATTERSON), T., 1116, 1153; P., 142, 162.
Sophorin. See Rutin.
Sorbic acid, transformation of, into amino-acids (FISCHER and SCHLÖTERBECK), A., i, 549.
 acetylacetonedioxime from (FEIST), A., i, 852.
Soretite, a new variety of amphibole (DUPARC and PEARCE), A., ii, 494.
Spark potential. See Electrochemistry.
Sparteine and lupinidine (WILLSTÄTTER and MARX), A., i, 613.
 constitution of, and its salts (WACKERNAGEL and WOLFFENSTEIN), A., i, 917.

Sparteine, molecular refraction of (SEMMLER), A., i, 685.

alkyl haloids and their derivatives (SCHOLTZ and PAWICKI), A., i, 1045.

sulphate (MOUREU and VALEUR), A., i, 187.

minimal fatal doses, and toxicity of (MAUREL), A., ii, 198.

Specific gravity. See Density.

apparatus. "See Araeopiconometer" and Pyknometer.

heat. See Thermochemistry.

rotation. See Photochemistry.

Spectrum. See Photochemistry.

Spermaceti, saponification of (REALE), A., i, 283.

Spherite and *isoSpherite-albans* from gutta-percha (TSCHIRCH), A., i, 76.

Sphincter, ileo-colic, action of the (ELLIOT), A., ii, 430.

iris, action of eserine and atropine on denervated (ANDERSON), A., ii, 578.

Spinach, assimilation of iron by (v. CZADEK), A., ii, 436.

Spinal cord, analysis of (KOCH), A., ii, 498.

medulla, importance of sodium in the functions of the (BAGLIONI), A., ii, 756.

Spines of the hauspannate type, series of artificial quadratic (GORGEU), A., ii, 126.

Spirits, estimation of aldehydes in (MATHIEU), A., ii, 521.

Spleen, action of poisons on (LYON), A., ii, 630.

autolysis of (LEVENE), A., ii, 574.

Splenectomy, nitrogenous metabolism after (MENDEL and GIBSON), A., ii, 186.

Spodumene from California (SCHALLER), A., ii, 53.

Spongosterol and its acyl derivatives from *Suberites domuncula* (HENZE), A., i, 410.

Springs. See under Water.

Stannates and **Stannic compounds**. See under Tin.

Staphylococcus pyogenes aureus, relation of, to rheumatic fever (POYNTON and SHAW), A., ii, 633.

Starch, condition of, in stale bread (ROUX), A., ii, 625.

action of some fatty acids on (KLDIASCHWILI), A., i, 798.

coagulation of (WOLFF and FERNBACH), A., i, 211; (FERNBACH and WOLFF), A., i, 374.

hydrolysis of, by acids (ROLFE and GEROMANOS; ROLFE and HADDOCK), A., i, 17; (GRÜTERS), A., i, 852.

Starch, hydrolysis of, by diastase (FORD), T., 980; P., 112.

in the mash tun (LING), A., i, 558.

Lintner's soluble, and the estimation of "diastatic power" (FORD), A., ii, 452.

raw, nature of (MAQUENNE), A., i, 294.

reverted, formation and saccharification of (MAQUENNE), A., i, 294.

estimation of (NOYES, CRAWFORD, JUMPER, FLORY, and ARNOLD), A., i, 373.

estimation of, by hydrolysis with hydrochloric acid (RÖSSING), A., ii, 298.

rapid estimation of, in barley and malt, A., ii, 451.

estimation of, in yeast (WENDER), A., ii, 97.

See also Potato starch.

Starches, cereal, comparison of the products of hydrolysis of, with those from potato starch (O'SULLIVAN), T., 616; P., 65.

Starch paste, transformation of (MAQUENNE), A., i, 17, 227, 800.

transformation and coagulation of (MAQUENNE, FERNBACH, and WOLFF), A., i, 228.

States, indifferent. See Indifferent states.

Steam, free energy of formation of (v. JÜPTNER), A., ii, 383.

superheated, specific heat of (LORENZ), A., ii, 702.

Stearic acid, synthesis of, by means of the electric discharge (DE HEMPTINNE), A., i, 843.

calcium salt, can the small intestine absorb? (KNAUER), A., ii, 673.

isoamyl ester, biochemical synthesis of (POTTEVIN), A., i, 284.

Stearic acid, $\beta\gamma$ -dibromo- and α -iodo- (PONZIO), A., i, 548.

α -hydroxy-, and the action of heat on, and its ethyl ester, amide, and lactide (LE SUEUR), T., 827; P., 14, 132.

$\alpha\beta$ -dihydroxy- (LE SUEUR), T., 1713; P., 207.

$\theta\iota$ -dihydroxy-, and its salts, behaviour of, at high temperatures (N. and A. M. SAYTZEFF), A., i, 368.

nitrohydroxy-, and its nitrous ester, and acetyl derivative, and amino-hydroxy- (EGOROFF), A., i, 217.

Stearolactone, preparation of (SHUKOFF), A., i, 646.

Steel. See under Iron.

Stereochemical notes (MEYERHOFFER), A., i, 649.

Stereochemistry of carbon compounds, especially of unsaturated systems (PFEIFFER), A., ii, 525; (BRUNI), A., ii, 527.

Stereoisomerides, ultra-violet absorption spectra of (MAGINI), A., ii, 107.

labile, influence of radium radiations on (SUDBOROUGH), P., 166.

maleic and fumaric, configuration of, and of the corresponding acetylene compounds (PFEIFFER), A., ii, 525; (BRUNI), A., ii, 527.

Sterigmatocystis, lipase in cultures of (GARNIER), A., ii, 280.

Sterigmatocystis nigra, assimilation of alcohols and aldehydes by (COUPIN), A., ii, 280.

Stibine. See Antimony hydride.

*iso***Stilbazoline** (LADENBURG), A., i, 92, 1048.

Stilbene (*s-diphenylethylene*), preparation of (HELL), A., i, 242.

action of chromyl chloride on (HENDERSON and GRAY), T., 1041; P., 173.

Stilbene, 2:2'- and 4:4'-diamino- and -dinitro-dicyano- (HELLER and AMBERGER), A., i, 731.

2:4:2':4'-tetraamino- (ESCALES), A., i, 1062.

3:4-dihydroxy-, methylene ether of (HELL and WIEGANDT), A., i, 490.

Stilbenedicarboxylic acid, 4:4'-diamino- and 2:2'-dinitro- (HELLER and AMBERGER), A., i, 731.

Stilbenedicarboxylic anhydride, 4:4'-dinitro- (HELLER and AMBERGER), A., i, 731.

Stilbene group, colouring matters of the (GREEN), T., 1424; P., 184; (GREEN, SCHOLEFIELD, and MARSDEN), T., 1432; P., 185.

Stimulation, nature of chemical and electrical (MATHEWS), A., ii, 627.

Stirrer (BRÜHL), A., ii, 248.

Stolzite from Brazil (FLORENCE), A., ii, 418.

Stomach, acid formation in the (SCHWARZ), A., ii, 187.

inversion of sucrose in the (LUSK), A., ii, 187.

passage of different foods from the (CANNON), A., ii, 189.

human, fate of salt solutions in the (v. RZENTKOWSKI), A., ii, 748.

See also Digestion.

Stovaine (*methylmethyldimethylaminomethylcarbinol* (*dimethylaminotert.-amyl alcohol*) *benzoate hydrochloride*) (FOURNEAU), A., i, 377.

toxicity of (LAUNOY and BILLON), A., ii, 501.

action of on cilia (LAUNOY), A., ii, 631.

Stoves, germinating, use of acetylene for heating, by means of an automatic temperature regulator (JOFFRIN), A., ii, 310.

Straw manure, influence of, at different depths (v. SEELHORST and FRECKMANN), A., ii, 439.

influence of, on the yield in presence of lime or sulphuric acid (v. SEELHORST and FRECKMANN), A., ii, 439.

Strawberries, fatty oil of (APARIN), A., ii, 583.

salicylic acid in (SÜSS), A., ii, 71; (UTZ), A., ii, 72.

Streams. See Water.

Strontium, excretion of (MENDEL and TREACHER), A., ii, 357.

Strontium chromate (AUTENRIETH), A., ii, 844.

fluorobromide and fluoroiodide (DEFACQZ), A., ii, 334.

Strontium, microchemical detection of (AUTENRIETH), A., ii, 844.

estimation of, gasometrically (RIEGLER), A., ii, 448.

separation of barium, calcium, and (REICHARD), A., ii, 88; (ROBIN), A., ii, 149.

Strychnine and persodine (BUFALINI), A., ii, 66.

action of, on the respiratory centre (BIBERFELD), A., ii, 573.

fate of, in the rabbit's intestine (HATCHER), A., ii, 752.

tests for (BEHRENS), A., ii, 847; (REICHARD), A., ii, 848.

Strychnine, bromo- and iodo-derivatives (MARTIN), A., i, 446.

Styrene (*cinnamene*), action of chromyl chloride on (HENDERSON and GRAY), T., 1041; P., 173.

Styrenes (KLAGES and STAMM), A., i, 302; (KLAGES), A., i, 497, 567.

Styrolene, **Styrodiene**, and **Styrotriene** (KLAGES), A., i, 567.

Styrylbenzimidazole, amino- and nitro-derivatives of, and their salts and acetyl compounds (RUPE and PORAI-KOSCHITZ), A., i, 107.

Styryl methyl ketone, 4-bromo-2-nitro- and 4-chloro-2-nitro- (SACHS and SICHEL), A., i, 594.

1-Styrylcyclopropane-2-carboxylic acid and its amide, dibromide, and ethyl ester (VON DER HEIDE), A., i, 583.

4-Styrylpyrimidine and its dibromide (GABRIEL and COLMAN), A., i, 103.

Suberyl alcohol (DEMJANOFF), A., i, 411.

Substance, $C_3H_4O_4N_2$, and its isomeride, from the hydrolysis of isonitroso-malonamide (RATZ), A., i, 299.

Substance, $C_4H_5O_3N_3$, and $C_9H_9O_2N_5$, from isonitrosomethylpyrazolone (BETTI), A., i, 533.
 $C_4H_5O_3N_3$, from the hydrolysis of nitroacetamide (RATZ), A., i, 858.
 $C_4H_6O_2N_2$, from the hydrolysis of the methyl derivative of isonitrosomalonamide (RATZ), A., i, 300.
 $C_6H_7O_2N$, and its *p*-nitrophenylhydrazone, and $C_6H_8O_2N_2$, and its benzoyl and phenylcarbimide derivatives, from hexane- $\beta\gamma\epsilon$ -trioneoxime (ANGELO and CALVELLO), A., i, 447.
 $C_6H_7O_5N_3$, H_2O , from glycine and alloxan (PILOTY and FINCKH), A., i, 823.
 $C_6H_{10}O_4N_2$, and $C_6H_{12}O_4N_4$, from amylnitrite and ethyl β -aminocrotonate (H. and A. v. EULER), A., i, 146.
 $C_6H_{10}N_2S$, from α -acetylaminothioisobutyramide (HELLSING), A., i, 563.
 $C_7H_8O_2N$, from the action of light on *o*-nitrobenzyl alcohol (SACHS and HILPERT), A., i, 876.
 $C_7H_6O_4Cl_2$, and $C_7H_7O_4Cl_3$, from β -amino-*o*-resorcinol (HENRICH, MEYER, and DORSCHKY), A., i, 494.
 $C_7H_9O_4N$, and its silver salt, and ethyl ester, from hydroxylamine and ethyl dimethylpyrinedicarboxylate (PALAZZO), A., i, 762.
 $C_7H_{14}O_2$, from the action of sulphuric acid on hydroxymethyllethylallylcarbinol (WAGNER, Lwow, and BENING), A., i, 643.
 $C_8H_7O_5N$, from 6-nitroresorcinol and formaldehyde (BORSCHÉ and BERKHOUT), A., i, 416.
 C_8H_4O , and its oxime, from the action of sulphuric acid on butane- $\alpha\gamma$ -diol (BAUER), A., i, 279.
 $C_8H_{16}O_2$, from the action of sulphuric acid on dihydroxymethylpropylallylcarbinol (WAGNER, Lwow, and BENING), A., i, 643.
 $C_8H_{18}O_2N_6$, from mesityl oxide and semicarbazide (RUPE and SCHLOCHOFF), A., i, 144.
 $C_9H_7O_2N$, from the oxidation of β -phenylalanine (POSNER), A., i, 160.
 $C_9H_{18}O_2$, from the action of sulphuric acid on dihydroxymethyl-*n*-butylallylcarbinol (WAGNER, Lwow, and BENING), A., i, 643.
 $C_{10}H_{10}O_3$, and its oxime and semicarbazone, from the glycol from isosafrole (BALBIANO, PAOLINI, and LUZZI), A., i, 73.
 $C_{10}H_{10}O_3S$, from benzophenoneoxime and phosphorus pentasulphide (CIUSA), A., i, 425.

Substance, $C_{10}H_{11}O_5N_2Br_3$, from the action of potassium hypobromite on the green oil from the nitrosate of 1-nitrocamphe (FORSTER and MICKLETHWAIT), T., 334; P., 19.
 $C_{10}H_{14}O_4N_2$, and $C_{10}H_{14}O_5N_2$, from the nitrosate of 1-nitrocamphe (FORSTER and MICKLETHWAIT), T., 327; P., 19.
 $C_{10}H_{16}O_2$, from the oxidation of camphe (WAGNER, MOYCHO, and ZIENKOWSKI), A., i, 438.
 $C_{10}H_{17}O_4N$, and its hydrochloride, from cotanine and vanillin (RENZ and HOFFMANN), A., i, 611.
 $C_{10}H_{19}ON$, from the reduction of α -anhydropulegonehydroxylamine (SEMMLER), A., i, 438.
 $C_{10}H_{21}ON$, and its thiocarbamide, from α -anhydropulegonehydroxylamine (SEMMLER), A., i, 602.
 $C_{11}H_{11}O_5SBr$, and its methyl and ethyl esters, from benzylidenesulphobutyric acid (KOHLER), A., i, 321.
 $C_{11}H_{16}O_4$, from acetylacetone and formaldehyde (RABE and ELZE), A., i, 749.
 $C_{11}H_{16}O_4N_2$, from ethyl 4-hydroxy-4-methylcyclohexan-6-one-1:3-dicarboxylate and hydrazine (RABE and RAHM), A., i, 748.
 $C_{11}H_{19}O_2N$, and $C_{11}H_{19}O_3N$, from isonitroso- and nitro-camphor and magnesium methiodide (FORSTER), P., 207.
 $C_{11}H_{20}O_2N_6$, from phorone and semi-carbazide (RUPE and SCHLOCHOFF), A., i, 144.
 $C_{12}H_9O_4N$, H_2O , and its nitro-derivative, from $C_{12}H_{10}O_3N_2$ (DE JONG), A., i, 551.
 $C_{12}H_{10}O_3N_2$, and its acetyl derivative, from the phenylhydrazone of the $\alpha\gamma$ -lactone of γ -hydroxy- α -ketobutane- $\alpha\gamma$ -dicarboxylic acid (DE JONG), A., i, 551.
 $C_{12}H_{10}N_4$, from trinitrodiphenylamine (KALLE & Co.), A., i, 455.
 $C_{12}H_{11}O_2N_5$, from dimethylvioluric acid and *m*-phenylenediamine (PILOTY and FINCKH), A., i, 822.
 $C_{12}H_{11}O_5N_3$, H_2O , from dimethylalloxan and aminoresorcinol (PILOTY and FINCKH), A., i, 822.
 $C_{12}H_{14}O_3$, from *p*-diketocyclohexane and ethyl succinatosuccinate (STOLLÉ and MÖRING), A., i, 875.
 $C_{12}H_{16}O_5$, and its benzoyl derivative, from apiole mercuriacetate (BALBIANO, PAOLINI, and MAMMOLA), A., i, 73; (BALBIANO and PAOLINI), A., i, 261.

Substance, $C_{12}H_{20}O$, from the action of sulphuric acid on butane- α -diol (BAUER), A., i, 280.

$C_{12}H_{22}O_2$, from camphorquinone and magnesium methiodide (FORSTER), P., 207.

$C_{13}H_8O_2NCl$, and its ethers, from phenol, α -nitrobenzaldehyde, and hydrochloric acid (GUYOT and HALLER), A., i, 530.

$C_{13}H_{10}ON_3$, from nitroso-*m*-phenylenediamine (BERTELS), A., i, 621.

$C_{13}H_{14}O_4NI$, from the action of iodine on dehydroacetic acid (ORTOLEVA and VASSALLO), A., i, 645.

$C_{13}H_{18}O_6$, from the methylation of methylidiketoapocamphorate (KOMPPA), A., i, 141.

$C_{13}H_{19}O_4Br$, from dibromoasarone (THOMS and BECKSTROEM), A., i, 409.

$C_{14}H_9O_2N$, and $C_{14}H_{10}O_2N_2$, from 1-hydroxy-2-phenylindole and 3-isonitro-2-phenylindole (ANGELI and ANGELICO), A., i, 526.

$C_{14}H_{12}O_3N_2$, and its acetyl derivative, from 2-amino-5-ethoxyphenol (HENRICH and SCHIERNBERG), A., i, 1050.

$C_{14}H_{12}O_4N_2$, from *p*-orsellinic acid and benzenediazonium chloride (HENRICH and DORSCHKY), A., i, 502.

$C_{15}H_9ON_3$, from the lactone, $C_{15}H_8O_2N_2$ (MANUELLI and SILVESTRI), A., i, 784.

$C_{15}H_{10}O_3N_2$, and its salts and lactone, from *o*-phenylenediamine and phthalonic acid (MANUELLI and SILVESTRI), A., i, 784.

$C_{15}H_{12}O_7$, from 1:3:4-triketo-2-methyltetrahydroisoquinoline (FREUND and BECK), A., i, 619.

$C_{15}H_{14}O_5N_2$, from methyl cyanoacetate (SCHMITT), A., i, 481.

$C_{15}H_{18}O_2N_2$, and $C_{15}H_{21}O_4N$, from parasanotin derivatives (FRANCESCONI), A., i, 171.

$C_{16}H_{13}O_2N$, from α -phenylcinnamonnitrile and potassium cyanide (KNOEVENAGEL), A., i, 1028.

$C_{16}H_{14}O_8$, and its bromide, from the action of iodine on dehydroacetic acid (ORTOLEVA and VASSALLO), A., i, 646.

$C_{16}H_{15}O_3N_3S$, from the action of nitrogen sulphide on anisaldehyde (FRANCIS and DAVIS), T., 1536; P., 204.

$C_{16}H_{18}O_2$, from santalol and formaldehyde (STEPHAN), A., i, 814.

$C_{16}H_{19}O_8N_3$, from methyl cyanoacetate (SCHMITT), A., i, 481.

Substance, $C_{17}H_{13}O_2N_5$, from *p*-nitrobenzyl cyanide and *p*-nitroso- ω -cyanodimethylaniline (WARUNIS and SACHS), A., i, 669.

$C_{17}H_{24}O_6$, from acetylacetone and formaldehyde (RABE and ELZE), A., i, 749.

$C_{18}H_{10}OS$, from phenanthraquinone and thiophen (OSTER), A., i, 915.

$C_{18}H_{15}O_3N$, from thalline and phthalic anhydride (RENZ and HOFFMANN), A., i, 610.

$C_{18}H_{16}OS$, from 1-keto-2:6-diphenyl-4-thiophen-3:5-dithiol (APITZSCH and METZGER), A., i, 510.

$C_{18}H_{17}ON_3$ (two), from ethyl α -cyano-propionate and benzaldehyde (BECARI), A., i, 62.

$C_{18}H_{18}N_3I$, from the action of iodine on benzaldehydophenylhydrazone in pyridine solution (ORTOLEVA), A., i, 99.

$C_{19}H_{16}O_2N_4$, from indoxylic acid and nitrosoantipyrine (BECHHOLD), A., i, 200.

$C_{19}H_{17}N_3$, from paramagenta (v. BAAYER and VILLIGER), A., i, 454.

$C_{19}H_{19}O_6N$, and its hydrochloride, from cotarnine and catechuic aldehyde (RENZ and HOFFMANN), A., i, 611.

$C_{20}H_{10}OS_2$, from phenanthraquinone and thiophen (OSTER), A., i, 915.

$C_{20}H_{17}ON$, and its benzoyl derivative and additive salts, from the reduction of 6-phenylpyrophthalone (GAEBELÉ), A., i, 89.

$C_{20}H_{22}O_6$, from dihydroflavaspidylxanthen (BOEHM), A., i, 407.

$C_{20}H_{32}O_4N_2$, from methyl alcohol and the nitroso-compound from amino-lauronic anhydride (NOYES and TAVEAU), A., i, 808.

$C_{21}H_{14}O_3N_2$, from phthalimide and anthranilic acid (KÖNIG), A., i, 297.

$C_{21}H_{19}O_8N$, from the substance, $C_{13}H_{14}O_4NI$ (ORTOLEVA and VASSALLO), A., i, 645.

$C_{22}H_{36}O_4N_2$, from ethyl alcohol and the nitroso-compound from amino-lauronic anhydride (NOYES and TAVEAU), A., i, 807.

$C_{23}H_{36}O_2Br_2$, from the action of bromine on lactucol (SPERLING), A., i, 607.

$C_{24}H_{14}O_4S_2$, from thiophenoquinone and alcohol (POSNER), A., i, 1030.

$C_{24}H_{31}O_6Br$, from dibromoasarone (THOMS and BECKSTROEM), A., i, 409.

$C_{25}H_{18}O_4S_2$, from dibenzylthioltetrahydroquinone (POSNER and LIPSKI), A., i, 1031.

Substance, $C_{26}H_{29}N_2S$, from benzanilid-imide chloride and thiobenzanilide (JAMIESON), A., i, 397.

$C_{29}H_{28}ON_2$, from the action of phenylhydrazine on β -phenyl- α -tert.-butyl- β -benzoylpropionic acid (JAPP and MAITLAND), T., 1500.

$C_{27}H_{22}N_2S$, from benzanilidimide chloride and thiobenzo-*p*-toluidide (JAMIESON), A., i, 397.

$C_{30}H_{39}O_2N_2$, from tetramethyldiaminophenoxyanthranol and benzene, and its salts, and compounds with hydroxylamine and phenylhydrazine (HALLER and GUYOT), A., i, 83.

$C_{31}H_{23}ON$, from β -benzoyl- α -phenylpropionitrile and benzylideneacetophenone (HANN and LAPWORTH), T., 1359; P., 183.

$C_{31}H_{32}O_2N_2$, from tetramethyldiaminophenoxyanthranol and toluene, and its salts and compounds with hydroxylamine and phenylhydrazine (HALLER and GUYOT), A., i, 83.

$C_{37}H_{29}N_2$, from aniline-blue (v. BAEYER and VILLIGER), A., i, 454.

$C_{50}H_{80}O_2$, from Pontianac resins (WEBER), A., i, 332.

$C_{54}H_{42}O_6N_2S_8$, and its tetra-acetyl derivative, from the action of hydroxylamine on 3:6-diphenylthioli-quinone (POSNER), A., i, 1030.

Substitution, influence of, in the nucleus on the rate of oxidation of the side-chain (COHEN and MILLER), T., 174, 1622; P., 11, 219.

order of, of hydrogen atoms in cyclic compounds, influence of sulphur and of sulphur-containing groups on the (BOURGEOIS and PETERMANN), A., i, 28.

Succinamyl, *m*-cyano- (BOGERT and BEANS), A., i, 585.

Succinamyl acid, *m*-cyano-, and its salts and esters, amide, and acid chloride (BOGERT and BEANS), A., i, 585.

Succinic acid, electro-synthesis of (VAN-ZETTI and COPPADORO), A., i, 141.

condensation of, with cinnamaldehyde (FITTIG and BATT), A., i, 744.

condensation of, with cochenillic acid (LIEBERMANN and VOSWINCKEL), A., i, 903.

condensation of, with valerolactone (FITTIG, SALOMON, and WERNHER), A., i, 746.

Succinic acid, sodium salt, condensation of, with furfuraldehyde (TITHERLEY and SPENCER), T., 183; P., 13.

Succinic acid, acid esters (BONE, SUDBOROUGH, and SPRANKLING), T., 534; P., 64.

ethyl ester, action of, on allyl iodide in presence of zinc (KASANSKY), A., i, 367.

Succinic acid, amino-. See Aspartic acid.

aminohydroxy- (SKRAUP), A., i, 539.

bromo-, and its salts, products of decomposition of, in aqueous solution (MÜLLER and SUCKERT), A., i, 647.

mono- and di-bromo-, action of, on pyridine and quinoline bases (DUBREUIL), A., i, 189.

Succinic acids, methyl substituted, acid esters (BONE, SUDBOROUGH, and SPRANKLING), T., 534; P., 64.

Succinic anhydride, compound of, with iodine and potassium iodide (CLOVER), A., i, 322.

peroxideacid (CLOVER and HOUGHTON), A., i, 707.

glutaric peroxide acid (CLOVER and HOUGHTON), A., i, 708.

Succinimide, complex compounds of (TSCHUGAEFF), A., i, 478.

Succinimides, substituted, preparation of, in aqueous solution (KOLLER), A., i, 478.

Succino-pyrogallo- and -resorcino-rhodols, preparation of (WEINSCHENK), A., i, 59.

Sucrose (cane sugar, saccharose), inversion of, by enzyme action (BAREN-DRECHT), A., ii, 551, 719.

inversion of, induced by the platinum metals (PLZÁK and HUŠEK), A., ii, 391.

inversion of, in the stomach (LUSK), A., ii, 187.

compounds of, with metallic salts (GAUTHIER), A., i, 144, 373.

analysis of a mixture of, dextrose, and laevulose (REMY), A., ii, 687.

Sugar in the blood (LÉPINE and BOULUD), A., ii, 56.

quantity of non-fermentable, in sugar cane molasses (PELLET and MEUNIER), A., i, 225.

formation of, from fat (ABDERHALDEN and RONA), A., ii, 423.

formation of, from proteid and fat in the body (PFLÜGER), A., ii, 575.

production of, in the kidney of the dog under the influence of phloridzin (LÉPINE and BOULUD), A., ii, 753.

formation of, from leucine (HALSEY), A., ii, 187.

Sugar, formation of, in artificial perfusion of the glycogen-free liver (EMBDEN), A., ii, 829.
 inversion of (LINDET), A., i, 293.
 by enzyme action (BARENDRICHT), A., ii, 551, 719.
 kinetics of (MELLOR and BRADSHAW), A., ii, 551.
 detection of, in urine (BUCHNER and MITSCHERLICH), A., ii, 834.
 two new methods for the estimation of (OERUM), A., ii, 787.
 estimation of, volumetrically (ROSENTHALER), A., ii, 520.
 estimation of, in molasses foods (HIS-SINK), A., ii, 523.
Sugar analysis, dry defecation in optical (HORNE), A., ii, 451.
Sugar cane fibre, hydrolytic products of (BROWNE), A., i, 976.
Sugars, synthesis of, from trioxymethylene and sodium sulphite (SEYEWETZ and GIBELLO), A., i, 224.
 mutarotation of (ROUX), A., i, 224.
 melting points of some mixtures of (GILLOT), A., ii, 804.
 action of phenylbenzylhydrazine on (OFNER), A., i, 689.
 action of phenylmethylhydrazine on (OFNER), A., i, 936.
 action of, on the isolated mammalian heart (LOCKE; LOCKE and ROSENHEIM), A., i, 422.
 of convallamarin (VOTOČEK and VONDRAČEK), A., i, 177.
 ready-formed, of malt (LING and RENDLE), A., ii, 507.
 of solanin (ZEISEL and WITTMANN), A., i, 80; (VOTOČEK and VONDRAČEK), A., i, 177.
 acylhydrazones of (KAHL), A., i, 936.
 mutual replacement of hydrazine residues in hydrazones and osazones of (VOTOČEK and VONDRAČEK), A., i, 1055.
p-nitrophenylhydrazones and *p*-dinitro-dibenzylhydrazones of (ALBERDA VAN EKENSTEIN and BLANKSMA), A., i, 98.
 phenylcarbamates of (MAQUENNE and GOODWIN), A., i, 371.
 semicarbazones of (KAHL), A., i, 937; (MAQUENNE and GOODWIN), A., i, 947.
 microchemical detection of, by means of phenylhydrazine acetate (SENFT), A., ii, 595.
 estimation of, in milks, &c. (RICHARDSON and JAFFÉ), A., ii, 373.
 See also Carbohydrates and under the specific sugars.

Sugars, reducing, separation and isolation of, by means of aromatic hydrazines (VOTOČEK and VONDRAČEK), A., i, 1055.
o-Sulphaminebenzoic acid and its salts and amide (WILSON), A., i, 51.
o-Sulphaminebenzoic acid, *p*-bromo- (BLANCHARD), A., i, 164.
p-nitro-, phenyl ester (CHAMBERS), A., i, 53.
m-Sulphaminebenzoic acid, *p*-hydroxy-, and its salts (ALLEMAN), A., i, 202.
Sulphamobenzoic acids, *o*-, *m*-, and *p*-, sodium alkyl esters (WEIL), A., i, 414.
Sulphanilic acids. See Anilinesulphonic acids.
Sulphates, Sulphides, and Sulphites. See under Sulphur.
Sulphazilates. See Peroxylaminesulphonates.
Sulphinic acids, condensation of, with aldehydes, with acids, and with ketones (KOHLER and REIMER), A., i, 233.
o-Sulphobenzamide (*o*-carbaminobenzene-sulphonic acid) and its salts and chloride (WILSON), A., i, 51.
p-bromo-, and its salts (BLANCHARD), A., i, 164.
Sulphobenzeneazocoumarin (BORSCHE and STREITBERGER), A., i, 1064.
o-Sulphobenzoic acid, *p*-bromo-, salts, chlorides, anils and anilides of (BLANCHARD), A., i, 163.
p-nitro-, esters, ester-salts, and ester-chlorides (CHAMBERS), A., i, 52.
 chlorides of, action of phenols and alcohols on (CHAMBERS), A., i, 52.
 3:5-dinitro- (PURGOTTI and LUNINI), A., i, 316.
3-Sulpho-5-methylpyromucic acid, potassium salt (HILL and SYLVESTER), A., i, 815.
3-Sulphonamido-5-methylpyromucic acid and its salts and amide (HILL and SYLVESTER), A., i, 815.
3-Sulphonamidopyromucic acid, 5-bromo- and 5-chloro-, and their salts and amide (HILL and SYLVESTER), A., i, 816.
Sulphonaphthalic acid, *dibromo*-, and its barium salt (BARGELLINI), A., i, 33.
Sulphonochloroalkylamides (CHATTAWAY), P., 208.
Sulphonatedbenzenedi-*o*- and *p*-sulphonic chlorides (BOURGEOIS and PETERMANN), A., i, 29.
Sulphonic acids, esters, action of ammonia and ethylamine on (AUTENRIETH and BERNHEIM), A., i, 978.

3-Sulphopyromucic acid, 5-chloro-, potassium salt (HILL and SYLVESTER), A., i, 815.

4-Sulpho-*p*-toluidinoanthraquinone, 2-bromo-1-amino- (*alizarin-pure-blue*) (FRIEDLÄNDER and SCHICK), A., i, 679.

Sulpho-*o*- and *p*-tolylamino-2-benzoic acids, 4' and 3', and their salts (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 51.

Sulphur, molecular weight of, in solution (TIMOFÉEFF), A., ii, 165.

allotropic forms of, cryoscopic behaviour of (POPOFF), A., ii, 166.

temperature of ignition and slow combustion of, in oxygen and in air (MOISSAN), A., ii, 25.

boiling point of, in the vacuum of the cathode light (KRAFFT and MERZ), A., ii, 114.

fusibility of mixtures of bismuth and (PÉLACION), A., ii, 42.

autoxidation of (HARPF), A., ii, 556.

occurrence of iron in (v. HASSLINGER), A., ii, 39.

mixtures of, with antimony and with bismuth (PÉLACION), A., ii, 569.

forms in which, occurs in coal, their calorific values, and their effects on the accuracy of the heating powers (SOMERMEIER), A., ii, 514, 773.

in gelatin (KRUMMACHER), A., i, 125.

absence of neutral, in normal urine (MONFET), A., ii, 62.

Sulphur bromide (KORNDÖRFER), A., ii, 250.

chlorides, melting point lines of the (ROOZEBOOM and ATEN), A., ii, 394.

Sulphuryl chloride, action of, on metallic oxides (SPELTA), A., ii, 479.

as a chlorinating agent (WOHL), A., i, 283.

Sulphur hydride. See Hydrogen sulphide.

Sulphides and halogens, estimation of, in presence of each other (FELD), A., ii, 205.

Sulphur dioxide, heat of vaporisation of (ESTREICHER), A., ii, 478.

density of (JAQUEROD and PINTZA), A., ii, 612.

trioxide, catalytic preparation of (LUNGE and REINHARDT), A., ii, 724.

Hyposulphurous acid, salts, electrochemical preparation of (ELBS and BECKER), A., ii, 556; (FRANK), A., ii, 615.

Sulphur :—

Sulphurous acid, occurrence of, in dried fruits and other foods (SCHMIDT), A., ii, 638.

in wine (KERP), A., ii, 636.

preparation of, for use as a reagent (L'HÔTE), A., ii, 653.

influence of hydriodic acid and metallic salts on the oxidation of (BERG), A., ii, 394.

addition of, to unsaturated compounds (KNOEVENAGEL), A., i, 1024.

comparative pharmacological action of, contained in organic compounds and in sodium sulphite (ROST and FRANZ), A., i, 714.

combined (KERP), A., i, 713.

organically combined, estimation of, in foods (FARNSTEINER), A., ii, 443; (KERP), A., ii, 638.

estimation of, volumetrically (PINNOW), A., ii, 290.

Sulphites, behaviour of, towards wood and tanning materials (BUCHERER), A., ii, 724.

Sulphuric acid, physical chemistry of the lead chamber process (TRAUTZ), A., ii, 328.

phenomena observed during the electrolysis of (COBB), A., ii, 724.

transport number of (TOWER), A., ii, 802.

vapour pressure of solutions of, and the molecular condition of, in concentrated solution (BURT), T., 1339; P., 182.

properties of mixtures of nitric acid and (SAPOSHNIKOFF), A., ii, 251, 558, 614.

esterification by means of (MEYER), A., i, 216.

arsenical, as an alkaloidal reagent (ROSENTHALER and TÜRK), A., ii, 457.

estimation of (MÜLLER), A., ii, 83; (SILBERBERGER), A., ii, 342.

estimation of, in presence of iron (KÜSTER), A., ii, 774.

estimation of, in urine (v. LENGYEL), A., ii, 774.

estimation of arsenic in (BLATTNER and BRASSEUR), A., ii, 291.

Sulphates, synthesis of, by Spring's process (OECHSNER DE CONINCK), A., ii, 821.

reduction of, by bacteria (VAN DELDEN), A., ii, 67, 68.

acid, decomposition of some, as the result of mechanical deformation (SPRING), A., ii, 472.

Sulphur :—

Persulphates, electrolytic formation of (MÜLLER), A., ii, 812.
oxidation of organic substances with, in acid solution (DITTRICH), A., ii, 80.

use of, for quantitative separations (v. KNORRE), A., ii, 213; (DITTRICH and HASSEL), A., ii, 679.
antiseptic and physiological action of, and their toxicological detection (VITALI), A., ii, 366.
estimation of (PANNAIN), A., ii, 638.

organic, estimation of the active oxygen in (WOLFF and WOLFFENSTEIN), A., ii, 775.

Thiosulphates, complex (SHINN), A., ii, 653.

Dithionate, electrochemical formation of (FRIESSNER), A., ii, 480.

Sulphur, alkyl derivatives (SCOTT), P., 156.

Sulphur, estimation of, by Mahler's calorimetric bomb (KRUMMACHER), A., i, 125.

estimation of, in calcium carbide (LIDHOLM), A., ii, 442.

estimation of, in bitumens, coals, and oils (GRAEFE), A., ii, 514.

estimation of, photometrically, in coal (PARR and McCLOURE), A., ii, 773.

estimation of, in coal and coke (PENNOCK and MORTON), A., ii, 206.

estimation of, in faeces and foods (LE CLERC and DUBOIS), A., ii, 774.

estimation of, in iron (KNIGHT), A., ii, 638; (FORD and WILLEY), A., ii, 773.

estimation of, in iron and steel (FRICKE), A., ii, 774; (MÜLLER), A., ii, 779; (PULSIFER), A., ii, 841.

estimation of, in pyrites (LUNGE), A., ii, 82, 587; (SILBERBERGER), A., ii, 147.

estimation of, in vegetable and organic substances (BARLOW), A., ii, 82.

separation of, by the incomplete combustion of hydrogen sulphide (HABERMANN), A., ii, 165.

Superphosphates. See under Phosphorus.

Supersaturation and diffusion in gelatin (MORSE and PIERCE), A., ii, 14.

Suprarenal, enzyme of the (JONES), A., ii, 191.

capsules, pigment of the (GESSARD; BERTRAND), A., i, 539.

extract, effect of, on the pupil (MELTZER and AUER), A., ii, 360, 632.

Surface layers of solutions and suspensions, separation of solids in the (RAMSDEN), A., ii, 323.
membranes, observations on (RAMSDEN), A., ii, 323.

tension and molecular complexity of active homologous compounds (HOMFRAY and GUYE), A., ii, 388.
water. See Water.

Suspensions and colloids, theory of (BILLITZER), A., ii, 18.

Sylvic acid. See Abietic acid.

Sylvite, specific gravity of (PRZIBYLLA), A., ii, 416.

Syngenite, anhydrite, glauberite, and polyhalite, deposition of, at 25° (VAN'T HOFF and FARUP), A., ii, 34.

Synthesis, asymmetric (MCKENZIE), T., 1249; P., 178; (MARCKWALD), A., i, 221, 470; (COHEN and PATTERSON), A., i, 366.

T.

Tacamahaca gum, **Tacamahic** and **Tacamaholic acids**, and α - and β -Takoresens from the genuine tacamahac of commerce (TSCHIRCH and SAAL), A., i, 759.

Tacamyrin, Tacelemic and α - and β -isoTacelemic acids and Taceleresen from Tacamahaca resin (TSCHIRCH and SAAL), A., i, 758.

Tallow seed oil, Chinese (NASH), A., ii, 597.

Tanacetone (*thujone*), constitution of (SEMMLER), A., i, 176; (KONDAKOFF and SKWORZOFF), A., i, 438.

Tannin, amount of, in barley, malt, and worts to which hops have not been added (REICHARD), A., ii, 585.
fruit, and other tannins, reaction for (KELHOFER), A., ii, 102.

estimation of (DREAPER), A., ii, 793.

Tannin solutions, decomposition of (NIHOUL and VAN DE PUTTE), A., ii, 459.

Tanning materials, behaviour of sulphites towards (BUCHERER), A., ii, 724.

Tantalum and other difficultly fusible metals, preparation of homogeneous products from (SIEMENS & HALSKE, AKT. GES.), A., ii, 741.

Tantalum potassium fluoride, analysis of (HALL), A., ii, 825.

Taraktogenos Kurzii seeds. See Chaulmoogra seeds.

Tartaric acid, synthesis of (ZINNO), A., i, 12.

interaction of, with chromic hydroxide (WERNER), T., 1446; P., 186.

Tartaric acid, detection of, in citric acid (v. SPINDLER), A., ii, 152.
estimation of (LEY), A., ii, 374.

Tartaric acid, salts, alkyl metallic salts, and esters, optical activity of, in aqueous solutions (PATTERSON), T., 1116; P., 142.
alkaline earth salts, solubility of, in acetic acid (HERZ and MUHS), A., i, 11.
chromous salt, crystalline (BAUGÉ), A., i, 556.

Tartaric acid, alkyl esters and potassium alkyl derivatives, relation between solution-volume and rotation of, in aqueous solution (PATTERSON), T., 1153; P., 162.
methyl ester, action of magnesium phenyl bromide on (FRANKLAND and TWISS), T., 1666; P., 245.
methyl, ethyl, and *n*-propyl esters, comparison of the rotation-values of, at different temperatures (PATTERSON), T., 765; P., 114.
See also Racemic acid.

Taurine, occurrence of, in lower animals (KELLY), A., ii, 427.
in molluscan muscle (MENDEL), A., ii, 751.
derivatives (TAUBER), A., i, 60.

Taurocholic acid, synthesis of (TAUBER), A., i, 60.
sodium salt, immunisation of rabbits against the haemolytic action of (RIST and RIBADEAU-DUMAS), A., ii, 196.

Tautomeric phenomena, explanation of (RABE and BILLMANN), A., i, 749.

Tautomerides, enol-keto-, the ultraviolet absorption spectra of certain (BALY and DESCH), T., 1029; P., 157.

Tautomerism in liquids, recognition of (SCHENCK and ELLENBERGER), A., ii, 721.

Teallite, a new sulphostannite, from Bolivia, and its relations to francolite and cylindrite (PRIOR), A., ii, 743.

Telluric acid. See under Tellurium.

Tellurite from Colorado (HEADDEN), A., ii, 347.

Tellurium, native, from Colorado (HEADDEN), A., ii, 347.
atomic weight and radioactivity of (PELLINI), A., ii, 26.
radioactive (DEBIEERNE), A., ii, 642.
rays from, compared with Röntgen rays (VILLARI), A., ii, 797.
colloidal, new modification of (GUTBIER and RESENSCHECK), A., ii, 613.
electric potential of (v. EULER), A., ii, 699.

Tellurium, boiling point of, in the vacuum of the cathode light (KRAFFT and MERZ), A., ii, 114.

Tellurium compounds—a correction (GUTBIER and FLURY), A., ii, 166.
behaviour of, when heated with ammonium chloride (GUTBIER and FLURY), A., ii, 115.

Tellurium salts, decomposition of, by micro-organisms (GOSIO), A., ii, 503.

Tellurium hydride. See Hydrogen telluride.

Telluric acid, new method of preparing (GUTBIER and WAGENKNECHT), A., ii, 613.
behaviour of, during electrolysis (GUTBIER and RESENSCHECK), A., ii, 613.
dimorphism of (GOSSNER), A., ii, 26.

Tellurium, alkyl derivatives (SCOTT), P., 157.

Tellurium, applicability of phosphorous acid for the estimation of (GUTBIER), A., ii, 842.
estimation of, electrolytically (PELLINI), A., ii, 147, 775; (GALLO), A., ii, 639.

Temperature. See Thermochemistry.

Terebenthene, action of salicylic acid on (TARDY), A., i, 904.

*iso***Terebic acid**, hydroxy- (FITTIG and FRIEDMANN), A., i, 418.

Terephthalamic acid and its silver salt and methyl ester (KATTWINKEL and WOLFFENSTEIN), A., i, 896.

Terephthalic monothioamide and hydroxamide (KATTWINKEL and WOLFFENSTEIN), A., i, 896.

Terlinguaite from Terlingua, Texas (MOSES; HILL), A., ii, 46.

Terpenes and ethereal oils (WALLACH and KEMPE), A., i, 74; (WALLACH and STEINDORFF), A., i, 104; (WALLACH and FRANKE), A., i, 424; (WALLACH and COLLMAND), A., i, 752; (WALLACH), A., i, 753, 754; (WALLACH and BESCHKE), A., i, 987, 1035.
synthesis of (PERKIN), T., 654; P., 86.
action of mercuric acetate on (BALBIANO and PAOLINI), A., i, 72, 261.
cyclic, fate of, in the organism (FROMM and CLEMENS), A., i, 177; (FROMM), A., ii, 360.

Terpenic compounds, formation of, in chlorophyll organs (CHARABOT and HÉBERT), A., ii, 282.
the evolution of, in the vegetable organism (CHARABOT and HÉBERT), A., ii, 365.

Terpin, synthesis of, and its hydrate (PERKIN), T., 654; P., 86.

Terpineol and its derivatives from distilled oil of limes (BURGESS and PAGE), T., 414; P., 62.

i-**Terpineol**, synthesis of, and its nitrosochloride and phenylurethane (PERKIN), T., 654; P., 86.

Testis, autolysis of (LEVENE), A., ii, 574.

ox, autolysis of (MOCHIZUKI and KOTAKE), A., ii, 829.

Tetanus toxin, action of artificial oxydases on the (A. and L. LUMIÈRE and CHEVROTIER), A., ii, 429.

Tetra-azo. See **Tetrazo**.

Tetrazenylacetone, *tetra-p-nitro*-, and its dicarboxylic acid (FICHTER and WORTSMANN), A., i, 592.

Tetradecinene and its dibromide (ZUMPF), A., i, 291.

4:4'-Tetraethylidiaminodiphenyl. See **Tetraethylbenzidine**.

3:8-Tetraethylidiaminodiphenyleneazone (ULLMANN and DIETERLE), A., i, 270.

Tetraethylammonium iodide, electrolysis of (GOECKE), A., i, 559.

Tetraethylbenzidine (*4:4'-tetraethylidiaminodiphenyl*) and *2:2'-dinitro*- (ULLMANN and DIETERLE), A., i, 269.

N-Tetraethyltrimethylenediamine and its mercurichloride (FLÜRSCHEIM), A., i, 20.

Tetraglycylglycine (FISCHER), A., i, 653.

Tetraguaiaoco-quinol and **-quinone** and the diacetyl and dimethyl derivatives of the quinol (BERTRAND), A., i, 157.

Tetrahydroanthracene (GODCHOT), A., i, 987.

Δ²-Tetrahydrobenzene, *1-mono*- and *1:4-di-bromo*- (CROSSLEY), T., 1421; P., 160.

Δ³-Tetrahydrobenzoic acid (PERKIN), T., 420; P., 51.

Tetrahydrocarbazole-p-carboxylic acid (PERKIN), T., 419; P., 51.

Tetrahydrocarbazole series, preparation and transformations of members of the (PLANCHER and CARRASCO), A., i, 777.

Tetrahydronaphthalene and bromo- and chloro- (LEROUX), A., i, 986.

1- and 2-bromo- (SMITH), T., 729; P., 110; (MORGAN, MICKLETHWAIT, and WINFIELD), T., 738; P., 109.

1- and 2-bromodinitro- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 747; P., 109.

Tetrahydronaphthalene-1-azo-β-naphthol, 4-bromo-, and its benzoyl derivative (MORGAN, MICKLETHWAIT, and WINFIELD), T., 749; P., 110.

Tetrahydronaphthalene-1-sulphinic acid (MORGAN, MICKLETHWAIT, and WINFIELD), T., 757; P., 110.

Tetrahydronaphthalene-1-sulphonic acid and its chloride, anilide, and barium salt (MORGAN, MICKLETHWAIT, and WINFIELD), T., 756; P., 110.

Tetrahydro-α-naphthylamine and *4-bromo*-, and its acyl derivatives (MORGAN, MICKLETHWAIT, and WINFIELD), T., 736; P., 109.

ar-**Tetrahydro-β-naphthylamine**, reaction of, with formaldehyde (SMITH), T., 732; P., 111.

1- and *4-bromo*-, and their acetyl derivatives (SMITH), T., 728; P., 110.

ar-**Tetrahydro-α-naphthylamine-4-azobenzene-4'-sulphonic acid** and its reduction (MORGAN, MICKLETHWAIT, and WINFIELD), T., 754.

ar-**Tetrahydro-α-naphthylamine-4-sulphonic acid** and the action of *p*-nitrobenzenediazonium chloride on (MORGAN, MICKLETHWAIT, and WINFIELD), T., 755; P., 110.

iso-**Tetrahydropapaverine** and its salts and nitrosoamine (FREUND and BECK), A., i, 917.

4-Tetrahydroquinolylpropionic acid and nitroso- (KOENIGS and MÜLLER), A., i, 527.

Δ¹-Tetrahydrotetraphthalic acid (PERKIN), T., 420; P., 51.

Δ³-Tetrahydro-*p*-toluic acid and its ethyl ester (PERKIN), T., 657; P., 86.

Tetrahydroumbellulol (LEES), T., 644; P., 89.

Tetraketotetramethyleneoctahydro-xanthidrol, *tetrabromo*-, methyl ether (WENZEL and SCHREIER), A., i, 914.

Tetramethoxybenzil (FRITSCH), A., i, 95.

Tetramethoxychalkones, *2:4:4':6'*-, and *3:4:4':6'*-, *2'-hydroxy*-, and their acetyl derivatives (v. KOSTANECKI and TAMBOR), A., i, 426.

Tetramethoxydeoxybenzoin and its oxime and acetalanine (FRITSCH), A., i, 95.

2:5:2':5'-Tetramethoxydiphenyl (ULLMANN), A., i, 728.

5:7:3':4'-Tetramethoxy-flavanone and *3:6:8-tribromo*-, and *-flavone*, *6:8-di-bromo*- (FAINBERG and v. KOSTANECKI), A., i, 682.

5:7:3':4'-Tetramethoxy-flavanone and *isonitroso*-, and *-flavonol* (v. KOSTANECKI, LAMPE, and TAMBOR), A., i, 517.

Tetramethoxytolane and its *dibromo*-derivative (FRITSCH), A., i, 94.

1:5-Tetramethyldiaminoanthraquinone, bromo-derivatives (FARBENFABRIKEN VORM. F. BAYER & CO.), A., i, 326.

N-Tetramethyltetraaminooazonium chloride, chloro-, and its additive salts (FISCHER), A., i, 350.

N-Tetramethyldiaminobenzhydrol, action of, on *m*-ethoxybenzoic acid and its amide, methylamide, and dimethylamide (FRITSCH), A., i, 58.

Tetramethyl-4:4'-diaminobenzophenone, nitro-derivatives (CONSONNO), A., i, 677.

p-Tetramethyldiaminodi-p-anilino-m-dihydroxydiphenylmethane (GNEHM and WEBER), A., i, 533.

4:4'-Tetramethyldiaminodiphenyl. See Tetramethylbenzidine.

Tetramethyldiaminodiphenylamino-naphthylmethane and its acetyl, alkyl, and aryl derivatives (NOELTING), A., i, 621.

Tetramethyldiaminodiphenyldiamino-naphthylmethane and its diacetyl derivative (NOELTING), A., i, 622.

3:8-Tetramethyldiaminodiphenylene-azone and its oxide (ULLMANN and DIETERLE), A., i, 269.

Tetramethyldiamino-*m*-ethoxytrifluoromethylmethane and its *o*-carboxylic acid and its amides and their oxidation products (FRITSCH), A., i, 58.

Tetramethyldiaminophenylloxanthranol, condensation products of, with benzene, dimethylaniline, and toluene (HALLER and GUYOT), A., i, 83. derivatives of (GUYOT and STEHLING), A., i, 346.

Tetramethylbenzidine (4:4'-tetramethyl-diaminodiphenyl) (ULLMANN and DIETERLE), A., i, 269; (WILLSTÄTTER and KALB), A., i, 1050. hydrobromide perbromide (FRIES), A., i, 571.

2:2'-diamino- and -dinitro- (ULLMANN and DIETERLE), A., i, 269.

Tetramethylbenzidinesulphonic acid and its salts (WILLSTÄTTER and KALB), A., i, 1050.

γ-Tetramethylbutylene glycol. See Octylene *ditert.* γ -glycol.

Tetramethyldiphenyls, 2:4:2':4'- and 2:5:2':5' (ULLMANN), A., i, 726.

Tetramethyleneethylene nitrosobromide. See $\beta\gamma$ -Dimethylbutane, β -bromo- γ -nitroso.

Tetramethyleneenediamine and its salts (KNORR), A., i, 916, 938.

Tetramethylfluorone, trihydroxy-, constitution of, and its bromo- and acetyl derivatives (WENZEL and SCHREIER), A., i, 913.

Tetramethyl galactose and its reactions (IRVINE and CAMERON), T., 1075; P., 174.

Tetramethylhaematoxylone and its oxime and its acetyl derivative (HERZIG and POLLAK), A., i, 81. isomericide of (HERZIG, POLLAK, and FISCHER), A., i, 333.

dinitro-, reactions of (HERZIG, POLLAK, and VOUK), A., i, 908.

Tetramethyl α - and β -methylgalactosides (IRVINE and CAMERON), T., 1078; P., 174.

Tetramethyl methylglucosides, stereoisomeric, and **Tetramethyl glucose** (PURDIE and IRVINE), T., 1049; P., 173.

Tetramethylphosphonium periodide (AUGER and BILLY), A., i, 984.

3:4:4:6-Tetramethyl-2-isopropyltetrahydro-1:3-oxazine and its salts (KOHN), A., i, 933.

2:2:5:5-Tetramethylpyrrolidine-3-carboxylic acid and its esters and additive salts (PAULY and HÜLTENSCHMIDT), A., i, 87.

Tetramethylpyrrolidine and its 3-carboxylic acid (PAULY and HÜLTENSCHMIDT), A., i, 88.

Tetramethylrosaminesulphonic acid and dihydroxy-, degradation of (LIEBERMANN and GLAWE), A., i, 268.

Tetramethylsuccinic acid, acid ester (BONE, SUDBOROUGH, and SPRANKLING), T., 554; P., 64.

3:4:4:6-Tetramethyltetrahydro-1:3-oxazine and its salts (KOHN), A., i, 932.

Tetramethylureideindoaniline (PILOTY and FINCKH), A., i, 821.

Tetramethylxanthen, tetrahydroxy-, and its tetra-acetyl derivative (WENZEL and SCHREIER), A., i, 913.

1:3:7:8-Tetramethylxanthine, 7-mono- and 8-tri-chloro- (BOEHRINGER & SÖHNE), A., i, 340.

1:2:4:5-Tetraphenyl-3:6-dinaphthylidenehydropyrazine (MAYER), A., i, 784.

Tetraphenylethylene, tetra-*p*-bromo- (GOLDTHWAITE), A., i, 150.

ααδ-Tetraphenylerythritol (FRANKLAND and TWISS), T., 1666; P., 245.

Tetraphenylguanidine and its platinichloride (STEINDORFF), A., i, 452.

αβδ-Tetraphenylpentane-γ-one-α-diol and its diacyl derivatives (GOLDSCHEIDT and SPITZAUER), A., i, 64.

isoTetraphenylthiocarbamide and its platinichloride (STEINDORFF), A., i, 452.

Tetraphenyl-*p*-xylene and *-p*-xylylene chloride and glycol (ULLMANN and SCHLAEFFER), A., i, 570.

Tetraphenyl-*p*-xylylene and its bromide (THIELE and BALHORN), A., i, 491.
 glycol dimethyl ether (THIELE and BALHORN), A., i, 491.
Tetrazo-compounds, mixed (BAMBERGER and FREI), A., i, 123.
2:6-Tetrazophenol-4-sulphonic acid, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 353.
Thallic compounds. See under Thallium.
Thalline, condensation products from (RENZ and HOFFMANN), A., i, 610.
Thallium uranyl nitrate (MEYER and WENDEL), A., ii, 130.
 paratungstate (SCHAEPER), A., ii, 178.
Thallous iodide, yellow and red varieties, and determination of the point of their reciprocal transformation (GERNEZ), A., ii, 617.
 the form in which, separates from solution (GERNEZ), A., ii, 661.
 nitrate and nitrite (THOMAS), A., ii, 617.
Thallic chloride, hydrated, constitution of (MCCLENAHAN), A., ii, 661.
 ammonium and potassium selenates (FORTINI), A., ii, 36.
Thallium alkyl derivatives (MEYER and BERTHEIM), A., i, 656.
Thebaine methiodide, decomposition of (KNORR), A., i, 916.
Thebenine, constitution of (PSCHORR and MASSACIU), A., i, 767.
Theobromine from plants (WEEVERS and WEEVERS-DE GRAAFF), A., ii, 72.
Theobrominecarboxylic acid and its esters and salts (BOEHRINGER & SÖHNE), A., i, 949.
Theocine. See 1:3-Dimethylxanthine.
Theophylline, chloro-, preparation of (BOEHRINGER & SÖHNE), A., i, 188.
THERMOCHEMISTRY :—
Thermochemical considerations (QUARTAROLI), A., ii, 538.
Thermochemistry of methylarsonic acid (ASTRUC and BAUD), A., ii, 644.
Heat given out by radium (RUNGE and PRECHT), A., ii, 7.
Clapeyron's formula, extension of, to all the indifferent states (ARIÈS), A., ii, 110.
Thermal expansion of dilute solutions of certain hydroxides (CARSE), A., ii, 803.
Thermometry, electric resistance, at the temperature of boiling hydrogen (DEWAR), A., ii, 380.
Temperature of flames (FÉRY), A., ii, 13.

THERMOCHEMISTRY :—
Thermometer (TORTELLI), A., ii, 598.
Thermometer, new, for cryoscopic and ebullioscopic measurements at low temperatures (MAGRI), A., ii, 537.
Thermostat, an electrically heated and controlled (MACUMBER and WOLF), A., ii, 805.
 for the refractometric examination of oils and fats (THORPE), T., 257; P., 12.
Pyrometer, new (FÉRY), A., ii, 467.
Critical constants. See under Critical.
Transition points of the hydrates of nickel sulphate (STEELE and JOHNSON), T., 120.
Transition temperatures of iron, influence of pressure on the (TAMMANN), A., ii, 127.
Solidification and **transformation**, phenomena of, in the systems, $\text{NH}_4\text{NO}_3\text{-AgNO}_3$, and $\text{KNO}_3\text{-AgNO}_3$ (ROOZEBOOM), A., ii, 112.
Specific heat, influence of the change of, on the work done in a transition (VAN'T HOFF), A., ii, 381.
 of carbon at high temperatures (KUNZ), A., ii, 466.
 of metals, and the relation of specific heat to atomic weight (TILDEN), A., ii, 381.
 of liquid oxygen and liquid nitrogen (ALT), A., ii, 394.
 of salicylaldehyde (LUGININ), A., ii, 537.
 of aqueous solutions (KALIKINSKY), A., ii, 232.
 of superheated steam (LORENZ), A., ii, 702.
Heat of combustion, determination of the, with the calorimetric bomb by Berthelot's method (ZUBOFF), A., ii, 382.
 of organic compounds (LEMOULT), A., ii, 12, 310, 382, 605, 805; (FISCHER and WREDE), A., ii, 468; (THOMSEN), A., ii, 605.
 new method for the calculation of, and some of its consequences (LEMOULT), A., ii, 12.
 of organic acids, their anhydrides, and esters, calculation of (LEMOULT), A., ii, 12.
 of some polymeric and isomeric compounds produced by the action of light (RIIBER and SCHETELIG), A., ii, 539.
Heat of decomposition in alcoholic fermentation (RUBNER), A., ii, 505.
Heat of formation of carbon compounds, Thomsen's theory of the, (LAGERLÖF), A., ii, 382, 605.

THERMOCHEMISTRY :—*Heat of combustion* = *c.*; *of dissociation* = *dis.*; *of formation* = *f.*; *of neutralisation* = *n.*; *of oxidation* = *o.*; *of transformation* = *t.*; *of vaporisation* = *v.*

Heat of ionisation and solution pressure of metals, relation between (KORN and STRAUSS), A., ii, 379.

Latent heat of mixing for associating solvents (VAN LAAR), A., ii, 804.

Heat of vaporisation and the critical constants, relation between (BAKKER), A., ii, 310; (BATSCHINSKI), A., ii, 385.

Latent heat of vaporisation of liquid oxygen and liquid nitrogen (ALT), A., ii, 393.

Thermochanical data of fatty alcohols (c.) (ZUBOFF), A., ii, 159. of pseudo-acids (*n.* and *dis.*) (MULLER and BAUER), A., ii, 702, 703. of some compounds of aluminium chlorides and fluorides (*f.*) (BAUD), A., ii, 176.

of aniline (*v.*) (LUGININ), A., ii, 606. of antimony sulphide from the black crystallised to the orange modification (*t.*) (BERTHELOT), A., ii, 605.

of antimony sulphides (*f.*) (GUINCHANT and CHRÉTIEN), A., ii, 568, 644.

of glucinum chloride (*f.*) (POLLOK), T., 603; P., 61.

of leucanilines and rosanilines (*f.*) (SCHMIDLIN), A., i, 944.

of methylmethylethylketoxime (c.) (ZUBOFF), A., ii, 160.

of molybdenum (*o.*) (DELÉPINE), A., ii, 108.

Heat of solution of some compounds of aluminium chlorides and fluorides (BAUD), A., ii, 176.

of cyanogen (BERTHELOT), A., i, 721.

of glucinum compounds (POLLOK), T., 607; P., 62.

Thermometer, **Thermometer**, and **Thermostat**. See under Thermochimistry.

Thiazole, amino-, and its acetyl derivative, and aminocyano- and its benzylidene derivative (HELLSING), A., i, 101.

Thiazolecarboxylic acid, amino-, *N*-acetyl derivative, and its methyl ester and sodium salt, and amide (HELLSING), A., i, 101.

Thio-acids, aromatic, and their amides, preparation of (ULPIANI and CIANCARELLI), A., i, 162.

Thiocarbamide and ammonium thiocyanate, freezing point curves of (FINDLAY), T., 403; P., 49.

Thiocarbamide, compounds of, with bismuth salts (HOFMANN and GONDER), A., i, 231.

See also Thiourea.

Thiocarbimides, condensation of, with ethyl aminocrotonate (BEHREND and HESSE), A., i, 379.

action of organo-magnesium compounds on (SACHS and LOEUVY), A., i, 307.

condensation of, with oximes (v. PALEWSKI), A., i, 237.

Thiocyanates, influence of, on metabolism, and amount of, in saliva and urine (MAYER), A., ii, 423.

estimation of, in presence of chlorides, &c. (DUBOSC), A., ii, 298.

Thiocyanic acid and its salts, oxidation of, by hydrogen peroxide (CASTLE and SMITH), A., i, 856.

detection of, in saliva (POLLACCI), A., ii, 622.

*di***Thiocyanic acid**, so-called, constitution of (HANTZSCH and WOLVEKAMP), A., i, 718.

1:2:3-Thiodiazole and its additive salts, and **4-mono- and 4:5-di-carboxylic acids** (WOLFF, KOPITZSCH, and HALL), A., i, 828.

1:3:4-Thiodiazole, chlorophenyl derivatives (STOLLÉ and FOERSTER), A., i, 627.

tolyl and benzyl derivatives (STOLLÉ and STEVENS), A., i, 626.

Thionoxanilic acid and its salts and derivatives (REISSERT), A., i, 990.

*di***Thionoxanilide** (REISSERT), A., i, 991. **Thionuric acid** (PILOTY and FINCKH), A., i, 826.

Thio-oxyarsenic acids. See under Arsenic.

Thiophen reaction, Liebermann's (SCHWALBE), A., i, 337; (BAUER), A., i, 519, 914; (STORCH), A., i, 610; (LIEBERMANN and PLEUS), A., i, 684.

Thiopyrine and its additive salts and trioxide (MICHAELIS), A., i, 780.

ψ-**Thiopyrine** and its sulphone, and their additive salts, and 4-bromo- and nitro-compounds (MICHAELIS, BESSON, MOELLER, and KOBER), A., i, 782.

Thiosemicarbazide, *N*-alkyl and -aryl substituted derivatives (BUSCH, OPFERMANN, and WALTHER), A., i, 629.

Thiosulphates. See under Sulphur.

Thiourea, alkyl synthesis after administration of (POHL), A., ii, 757.

See also Thiocarbamide.

*di***Thiouethanes**, new class of coloured (v. BRAUN), A., i, 90.

Thorianite from Ceylon (DUNSTAN ; RAMSAY), A., ii, 744 ; (COOMÁRA-SWÁMY), A., ii, 745.

Thorium (BASKERVILLE), A., ii, 663. occurrence of, in Ceylon (DUNSTAN ; RAMSAY), A., ii, 744 ; (COOMÁRA-SWÁMY), A., ii, 745. preparation of metallic, and its alloys (SIEMENS & HALSKE, AKTIEN-GESELLSCHAFT), A., ii, 40. radioactive (ZERBAN), A., ii, 41. activity induced by (v. LERCH), A., ii, 8. emanation, rate of decay of (LE ROS-SIGNAL and GIMINGHAM), A., ii, 531. zirconium, and the rare earth metals, behaviour of, towards organic bases (HARTWELL), A., ii, 89. lanthanum, and cerium, physico-chemical properties of aqueous solutions of salts of (HOLMBERG), A., ii, 157.

Thorium salts of organic acids (MORGAN), A., i, 892.

Thorium, separation of, from the rare earths, by *m*-nitrobenzoic acid (NEISCH), A., ii, 663.

Thrombin. See Fibrin ferment.

Thujamenthene (TSCHUGAEFF), A., i, 515.

Thujene and its halogen compounds (KONDAKOFF and SKWORZOFF), A., i, 438. derivatives (TSCHUGAEFF), A., i, 515 ; (KONDAKOFF), A., i, 756.

Thujone. See Tanacetone.

Thuringite from Thuringia (ZALINSKI), A., ii, 571.

Thymol, 2:6-dibromo-, and its acetyl derivative, and 6-bromo-2-nitro- (DAHMER), A., i, 871.

Thymonucleic acid (KOSTYTSCHEW), A., i, 127 ; (STEUDEL), A., i, 837. oxidation of, with calcium permanaganate (KUTSCHER and SEEMANN), A., i, 127.

Thymo-quinol- and -quinone, chloro-, and semicarbazone, and hydroxy-compound of the quinone (WALLACH and BESCHKE), A., i, 1036.

Thymoquinone, action of phenylsemicarbazide on (BORSCHE and ZELLER), A., i, 1058.

Thymus gland. See Gland.

Thymus-histon, decomposition products of (ABDERHALDEN and RONA), A., i, 540.

Thyroid glands. See Glands.

Tin, physico-chemical researches on (Co-HEN), A., ii, 567.

Tin, anodic behaviour of (ELBS and THÜMEL), A., ii, 541. influence of pressure on the melting point of (TAMMANN), A., ii, 567.

Tin alloys with aluminium (ANDERSON and LEAN), A., ii, 37 ; (SHEPHERD), A., ii, 486 ; (PÉCHEUX), A., ii, 487. with antimony (CAMPBELL), A., ii, 822. with bismuth, magnetic susceptibility of (LAWS), A., ii, 537. with copper, constitution of (HEYCOCK and NEVILLE), A., ii, 172. with lead (SACKUR), A., ii, 336, 818. with magnesium, crystallography of (v. SUSTSCHINSKY), A., ii, 30.

Tin, quadrivalent, complex salts of (ROSENHEIM and ARON), A., ii, 411.

Stannic compounds (BELLUCCI and PARRAVANO), A., ii, 822.

Stannichlorides of the types M_2SnCl_6 and $M'SnCl_2$ (v. BIRON), A., ii, 567.

Stannates, constitution of the (BELLUCCI and PARRAVANO), A., ii, 823.

Tin tetrafluoride (RUFF and PLATO), A., ii, 266. alkali fluorides (EMICH), A., ii, 741.

Tin organic compounds (PFEIFFER and SCHNURMANN), A., i, 232 ; (ROSENHEIM and ARON), A., ii, 411. tetraethyl (PFEIFFER and SCHNURMANN), A., i, 232.

Tin, analysis of commercial (L. and G. CAMPREDON), A., ii, 295. estimation of, in ores and alloys (ANGENOT), A., ii, 784. estimation of, and separation of, from antimony by oxalic acid (HENZ), A., ii, 150. separation of antimony, arsenic, and (KOLB), A., ii, 92.

Tissue extracts, action of, on protoplasm (SCOTT-MACFIE), A., ii, 66.

Tissues, autolysis of (LANE-CLAYPON and SCHRYVER), A., ii, 574.

nervous. See Nervous.

of vertebrate animals, amount of urea in the (GRÉHANT), A., ii, 60.

Titanic compounds. See under Titanium.

Titaniferous augite (BECKER), A., ii, 51.

Titanite, crystallography of (v. SUSTSCHINSKY), A., ii, 30.

Titanium tetrachloride, action of, on 1:3-diketones (DILTHEY), A., i, 290. fluorides (RUFF, PLATO, and GRAF), A., ii, 266 ; (EMICH), A., ii, 741. potassium fluoride, analysis of (HALL), A., ii, 825.

Titanous salts, reaction of, with copper salts (KNECHT), A., ii, 448.

(*Tolyl compounds, Me=1.*)

Titanium :—

Titanous chloride, solid, preparation of (SPENCE & SONS), A., ii, 823.

sodium sulphate (SPENCE & SONS), A., ii, 412.

Titanic anhydride, action of, on sodium carbonate (SMITH), A., ii, 130.

Titanic acid, combinations of, with lactic acid (DREHER), A., i, 471.

Titanium, delicate reaction of (JORISSEN), A., ii, 149.

estimation of (BAIN), A., ii, 93.

estimation of, in iron ores (BURMAN), A., ii, 369.

Titanosulphuric acid, reactions of, with barium peroxide (REICHARD), A., ii, 146.

Titanous compounds. See under Titanium.

Toads, action of various sulphur compounds and sodium salts on (FRANZ), A., ii, 631.

Tobacco, manurial experiments on (LEHMANN and TOBATA), A., ii, 285.

Tobacco factory, composition of the encrustations in Roberts-concentrators used in a (ONGARO), A., ii, 770.

Tobacco smoke, removal of poison from (THOMS), A., ii, 586.

Tolidine, estimation of, iodometrically (RÖESLER and GLASMANN), A., ii, 99.

o-**Tolidine**, constitution of (SCHULTZ, ROHDE, and VICARI), A., i, 532.

oxalate and oxaryl derivative (TAUSIG), A., i, 663.

Tolualdehydes, *o*- and *p*-, and their phenylbenzylhydrazones and semicarbazides (FOURNIER), A., i, 63.

See also Methylbenzaldehydes.

Toluamides, *o*- and *m*- (KATTWINKEL and WOLFFENSTEIN), A., i, 896.

p-**Toluanilide**, benzoyl derivative (FREUNDLER), A., i, 34.

Toluene, melting point of solid (ARCHIBALD and MCINTOSH), A., i, 362.

reaction of, with ethyl diazoacetate (BUCHNER and FELDMANN), A., i, 57.

Toluene, halogen derivatives, oxidation of the (COHEN and MILLER), T., 1622; P., 219.

p-bromo-, equilibrium curves in the system, *p*-dibromobenzene and (BORODOWSKY and BOGOJAWLENSKY), A., ii, 550.

isomeric *tribromo*-, crystallographic and molecular symmetry of the (JAEGER), A., i, 304.

3-5-*ddbromo*-2:4-*dinitro*-, and 2:4-*dinitro*-3:5-*diamino*- (BLANKSMA), A., i, 566.

(*Tolyl compounds, Me=1.*)

Toluene, isomeric *mono*- and *di*-chloro-, oxidation of (COHEN and MILLER), T., 174; P., 11.

isomeric *trichloro*-, chlorination of, in presence of the aluminium-mercury couple (COHEN and DAKIN), T., 1274; P., 180.

isomeric *tetrachloro*-, constitution of, and their nitro-derivatives (COHEN and DAKIN), T., 1274; P., 180.

3-chloro-4:6-*di*- and -2:4:6-*tri*-nitro-(REVERDIN, DRESEL, and DELÉTRA), A., i, 580.

3:5-*ddichloro*-2:4:6-*trinitro*- (JACKSON and SMITH), A., i, 802.

4-cyano-2-hydroxy-, and its 3:5-*dinitro*-derivative (BÖRSCHÉ and BÖCKER), A., i, 166.

3:5-*ddihydroxy*-. See Orcinol.

2:6-*dihydroxy*-. See Methylresorcinol.

o-nitro-, oxidation of (LAUTH), A., i, 233.

compound of, with aluminium chloride (WALKER and SPENCER), T., 1108; P., 135.

p-nitro-, volumetric estimation of, in crude nitrotoluene (GLASMANN), A., ii, 151.

m- and *p*-nitro-, influence of the cathode material on the reduction of (LÖB and SCHMITT), A., i, 986.

2:6-*dinitro*-, reduction of, by hydrogen sulphide (COHEN and MARSHALL), T., 527; P., 63.

3-nitro-4-nitroso- (BAMBERGER and HÜBNER), A., i, 117.

Tolueneazobenzene, 2-nitro- (BAMBERGER and HÜBNER), A., i, 117.

Toluene-*o*-azobenzoic acid (CHEMISCHE FABRIK VORM. WEILER-TER-MEER), A., i, 53.

Tolueneazo-7-nitroindazole, 3-nitro-, and its polymeride (NOELTING), A., i, 690.

Toluene-*o* azophenetole, reduction of (JACOBSON, FRANZ, and ZAAR), A., i, 121.

Toluene-*o*-azo-*o*-tolyl- and Toluene-*p*-azo-*p*-tolyl-phenylamine-*o* carboxylic acids (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 353.

Toluenediazonium. See Diazotoluene.

Toluene-2:4-disulphinic acid and its salts and methyl ester (TRÖGER and MEINE), A., i, 31.

Toluene-2:4-disulphonic acid and its bromide and chloride (TRÖGER and MEINE), A., i, 31.

Toluene-*o*-hydrazobenzoic acid (CHEMISCHE FABRIK VORM. WEILER-TER-MEER), A., i, 53.

(*Tolyl compounds, Me=1.*)

Toluene-*o*- and *p*-hydrazo-*m*- and *p*-cresetoles (JACOBSON and HUGERSON), A., i, 107.

-Toluenesulphonarylchloroamides (CHATTAWAY), T., 1181; P., 168.

***p*-Toluenesulphonchloromethylamide** (CHATTAWAY), P., 208.

Toluene- ω -sulphonic acid (*benzylsulphonic acid*), compounds of, with aminocarboxylic esters (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 413.

3-amino-6-hydroxy-, and 3-nitro-6-hydroxy- (FARBENFABRIKEN VORM. F. BAYER & CO.), A., i, 579.

2-chloro-5-nitro-, and 5-nitro-2-amino-, and their salts (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 662.

Toluene- ω -sulphonic acids, chlorinated, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 390.

***p*-Toluenesulphon-*m*-iodo-anilide** and *-methylanilide* (ULLMANN), A., i, 727.

***p*-Toluenesulphon-*o*-toluidide** (CHATTAWAY), T., 1186.

***o*-Toluic acid**, salts of, with organic bases (SUDBROUGH and ROBERTS), T., 241.

***o*-Toluic-acid, 5-bromo-** (KONOWALOFF), A., i, 657.

3:5-dichloro-6-nitro- (CROSSLEY), T., 281; P., 21.

***m*-Toluic acid**, 4:6-dinitro-, and its ethyl ester, and 6:4-nitroamino-, methyl ester (ERRERA and MALTESE), A., i, 307.

***p*-Toluic acid**, 6-nitro-3-hydroxy- ("6-nitro-3-hydroxy-2-cresotic acid") (BORSCHE and BERKHOUT), A., i, 416.

3:5-dinitro-2-hydroxy- (BORSCHE and BÖCKER), A., i, 166.

Toluic acids, condensing influence of potassium persulphate on the (FISCHER and WOLFFENSTEIN), A., i, 896.

***p*-Toluic selenoamide** (BECKER and MEYER), A., i, 698.

***o*-Toluidine**, phosphorus compounds of (LEMOULT), A., i, 380.

mono- and *di-m*-bromo-, oxalyl derivative (TAUSSIG), A., i, 663.

***m*-Toluidine**, new sensitive indicator from (TRÜGER and HILLE), A., i, 118.

***p*-Toluidine**, reaction of, with epichlorohydrin (COHN and FRIEDLÄNDER), A., i, 866.

(*Tolyl compounds, Me=1.*)

Toluidines, action of dichloroacetic acid on (HELLER), A., i, 730.

dibenzoyl derivatives, transformation of, into the isomeric benzoylamino-methylbenzophenones (CHATTAWAY and LEWIS), T., 589; P., 60.

o- and *p*-, *N*-lauroyl derivatives (GUÉRIN), A., i, 136.

Toluidine-aniline oil from Caucasian naphtha (OGLOBLIN), A., i, 729.

***p*-Toluidinoacetonitrile** and its phenyl derivative (KNOEVENAGEL, SCHLEUSSNER, and KLUCKE), A., i, 989.

Toluidinoaminobenzoic acid. See *Methyl-diphenylcarboxylic acid, diamino-*.

4-*p*-Toluidinoanthraquinone, 1-amino-, acetyl derivative (FARBENFABRIKEN VORM. F. BAYER & CO.), A., i, 434.

1-hydroxy- (*quinizarin-blue*), and 2-bromo-1-amino- (FRIEDLÄNDER and SCHICK), A., i, 679.

***o*-*o*-Toluidinobenzylacetocetic acid**, ethyl ester (RUHEMANN and WATSON), T., 1177.

***o*-*m*- and *-p*-Toluidinobenzylacetylacetones** (RUHEMANN and WATSON), T., 1174; P., 175.

1-*p*-Toluidino-2:4-dihydroxyanthraquinone, 3-bromo- (FARBENFABRIKEN VORM. F. BAYER & CO.), A., i, 934.

***p*-Toluidino-*p*-hydroxyphenylamine** (GNEHM and BOTS), A., i, 451.

2-Toluidino-3:5-*d*:*n*itrobenzoic acids, *o*-, *m*-, and *p*- (PURGOTTI and LUNINI), A., i, 315.

Toluidinonitrobenzylsulphonic acids, *o*- and *p*- (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 663.

Toluquinodiphenylsemicarbazone (BORSCHE and ZELLER), A., i, 1058.

Toluquinoneimide hydrochloride (SCHMIDT and SAAGER), A., i, 512.

Tolylhydrazides, *o*-, *m*-, and *p*-, and their *N*-benzylidene and *-hydroxy*-benzylidene derivatives (STOLLÉ and STEVENS), A., i, 626.

***p*-Tolyl-*o*-hydrazotoluene** and its benzoyl derivative (FREUNDLER), A., i, 34.

Tolyl alkyl carbonates, *o*- and *p*-, amino-, bromoamino-, bromonitro-, and nitro-derivatives and their salts (UPSON), A., i, 734.

***o*-Tolyl arabinoside** (RYAN and EBRILL), A., i, 223.

4-*p*-Tolylaminobenzoic acid, 2-amino- and 2-nitro- (DELÉTRA and ULLMANN), A., i, 271.

***p*-Tolylaminonaphthalenesulphonic acids** and their derivatives (BUCHERER and STOHMANN), A., i, 395.

(*Tolyl compounds, Me=1.*)

Tolylammonium salts, isomerism of asymmetric (WEDEKIND and OBERHEIDE), A., i, 732, 992.

Tolylanthranilic acids, *o*- and *p*-, preparation of (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 159.

Tolylaziminobenzoic acids, 3:4-*o*- and -*p*- (DELÉTRA and ULLMANN), A., i, 270.

p-Tolylaziminonaphthalene and its picrate (ULLMANN, DELÉTRA, and KOGAN), A., i, 776.

p-Tolylazocyanoacetic acid, methyl ester, rotation of (BOWACK and LAFWORTH), T., 44.

p-Tolylbenzyl-methyl- and -ethyl-allyl-ammonium salts (WEDEKIND and OBERHEIDE), A., i, 733.

p-Tolyl isobutyl ketone, α -bromo- (KUNCKELL and STAHEL), A., i, 387.

α -Tolylcarbinol, preparation of (TIFFENEAU and DELANGE), A., i, 48.

p-Tolyl-*p*-cresetylthiocarbamide (JACOBSON and HUGERSHOFF), A., i, 107.

Tolyldinaphthaxanthens, hydroxy-, and their acetyl derivatives (FOSSE), A., i, 336.

Tolylene-2:4-bisacetyl sulphone (TRÖGER and MEINE), A., i, 31.

Tolylene-2:4-bisalkyl sulphones (TRÖGER and MEINE), A., i, 31.

Tolylene-2:4-bis-sulphone-acetic and -butyric acids and their esters (TRÖGER and MEINE), A., i, 31.

***m*-Tolylenecarbamide**, preparation of (KALLE & Co.), A., i, 346.

Tolylene-2:4-diamine monothiocyanate (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 870.

Tolylenediaminesulphonic acids (BÜCKEL), A., i, 532.

Tolylenedicarbamide, action of sulphur on (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 1062.

***p*-Tolylenediglycine** and its nitrile (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 153.

Tolylenedimethylamine, nitro- (FISCHER and HESS), A., i, 195.

Tolylene-3:5-dimethylamine (3:5-dimethylaminotoluene), 2:4-*di*- and 2:4:6-*tri*-nitro- (BLANKSMA), A., i, 566.

Tolylenetoluene-2:4-dithiosulphonate (TRÖGER and MEINE), A., i, 31.

***p*-Tolylguanidine and its nitrate** (KÄMPF), A., i, 534.

***o*-Tolylindigotin**, bromo-derivatives (BADISCHE ANILIN- & SODA-FABRIK), A., i, 1020.

(*Tolyl compounds, Me=1.*)

***p*-Tolylmethyllethylallylammmonium salts** (WEDEKIND and OBERHEIDE), A., i, 732.

***o*-Tolyl-1-methyl-3-ethylphenyl-4-iodinium hydroxide and salts** (WILLGERODT and BRANDT), A., i, 658.

6-*p*-Tolyl-3-methylnaphthalene (AUWERS and KEIL), A., i, 26.

1-*o*-Tolyl-3-methylpyrazole, 5-chloro-, and its additive salts (MICHAELIS and EISENSCHMIDT), A., i, 624.

***p*-Tolylnitromethane**. See *p*-Xylene, ω -nitro.

***a-m*-Tolylxy- β -furylacrylic acid** and its anhydride, phenyl ester, and aniline salt (PALADINO), A., i, 180.

***p*-Tolyl-*p*-phenetylthiocarbamide** (JACOBSON and HUGERSHOFF), A., i, 107.

Tolylpiperidylcarbamide, nitro- (BOUCHETAL DE LA ROCHE), A., i, 189.

β -*p*-Tolylpropionitrile, β -imino-, action of amyl nitrite on (LUBLIN), A., i, 890.

Tolylpyrroles, 1-*o*-, 1-*p*-, 2-*o*-, and 2-*p*- (PICTET and LONG), A., i, 772.

***p*-Tolylsulphonealkyl alcohols** (KOHLER and REIMER), A., i, 233.

β -*p*-Tolylsulphone-propionic acid and β -phenylpropionic acid (KOHLER and REIMER), A., i, 234.

***p*-Tolylsulphonepyrotartaric acid** (KOHLER and REIMER), A., i, 234.

***p*-Tolyltaurine** and its salts (WOLFBAUER), A., i, 869.

Tolylthiocarbamide, amino- (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 869.

Tolylurethanes, *m*- and *p*-, bromohydroxy- and hydroxy-derivatives (UPSON), A., i, 735.

γ -Tolyvaleric acid (EIJKMAN), A., i, 669.

Tonometric formulæ (ARIÈS), A., ii, 707.

Tourmaline from Östergötland (HAMBERG), A., ii, 744.

refraction of (SORET), A., ii, 572.

Toxicity of benzene and its homologues (CHASSEVANT and GARNIER), A., ii, 66.

See also *Physiological action*.

Toxins and antitoxins from the physico-chemical point of view (KÖPPE), A., ii, 650.

application of the laws of chemical equilibrium to mixtures of (NERNST), A., ii, 578.

and enzymes, action of fluorescent substances on (v. TAPPEINER), A., i, 131.

Transference number. See **Electrochemistry.**

Transformation and solidification, phenomena of, in the systems, $\text{NH}_4\text{NO}_3 \cdot \text{AgNO}_3$, and $\text{KNO}_3 \cdot \text{AgNO}_3$ (ROOZEBOOM), A., ii, 112.

velocity of. See **Affinity.**

Transition temperature. See under **Thermochemistry.**

Transpiration in green leaves when the upper or under surfaces are exposed to light (GRIFFON), A., ii, 70.

See also **Respiration.**

Trees, influence of manganese on (LOEW and HONDA), A., ii, 766.

Triacetic- δ -lactone and its derivatives (DIECKMANN and BREEST), A., i, 846.

Trianilinoanthraquinone (FARBENFABRIKEN VORM. F. BAYER & Co.), A., i, 814.

1:3:5 Trianilinobenzene, 2-chloro-4:6-dinitro-, and its additive compounds (JACKSON and CARLTON), A., i, 485.

Triarylbutadienedicarboxylic acids (STORBE, K. and P. KOHLMANN, and NAOUM), A., i, 672.

Triarylphosphine oxides (SAUVAGE), A., i, 1072.

Triazens (WOLFF and LINDENHAYN), A., i, 701.

Triazines (WOLFF and LINDENHAYN), A., i, 197.

1:2:3-Triazole, 1-amino-, derivatives of (WOLFF and HALL), A., i, 120.

Triazolidine-4-acetic acid, 1:2-dihydroxy-, ethyl ester, and its metallic derivatives (H. and A. v. EULER), A., i, 197.

Triazoline-4-acetic acid, 1-hydroxy-, and its barium derivative (H. and A. v. EULER), A., i, 197.

Tribenzoylhydrazine (STOLLÉ), A., i, 453; (STOLLÉ and BENRATH), A., i, 935.

Tribenzylacetone, tri-*p*-nitro-, and its diecarboxylic acid, ethyl ester (FICHTER and WORTSMANN), A., i, 592.

Tribenzylcarbinol (KLAGES and HEILMANN), A., i, 488.

Tribenzyldecacyclene, synthesis of (DZIEWONSKI and DOTTA), A., i, 803.

Tribenzylstannic chloride (PFEIFFER and SCHNURMANN), A., i, 232.

Tribenzythiolquinol (POSNER and LIPSKI), A., i, 1031.

Tribenzyltrinaphthylbenzene. See **Tribenzyldecacyclene.**

$\beta\beta\epsilon$ -Tribenzyltrisulphonehexane (POSNER), A., i, 324.

$\beta\delta\delta$ -Tribenzyltrisulphonepentane (POSNER), A., i, 323.

Tricarballylic acid, β -bromo-, methyl ester (BERTRAM), A., i, 12.

β -chloro-, methyl ester, action of, on ethyl sodiomalonate and ethyl sodioacetoacetate (BERTRAM), A., i, 12.

Tridecanal (BLAISE), A., i, 370.

dicycloTridecane (*dodecahydrodiphenylmethane*) (ELJKMAN), A., i, 26.

Tridymite, formation of, in a roofing slate struck by lightning (SCHWANTKE), A., ii, 269.

Triethylamine, *tetrafluoro-* (SWARTS), A., i, 977.

Triethyltriaminotrinaphthylmethane (NOELTING), A., i, 622.

Triethylbetainenitrile and its derivatives (KLAGES and MARGOLINSKY), A., i, 145.

Triethylpropionobetaine and its aurochloride (KLAGES and MARGOLINSKY), A., i, 145.

Triethylstannic carbonate (PFEIFFER and SCHNURMANN), A., i, 232.

Triethyltrimethylenetriamine and its abnormal salt-formation (EINHORN and PRETTNER), A., i, 978.

$\beta\beta\epsilon$ -Triethyltrisulphonehexane (POSNER), A., i, 324.

$\beta\delta\delta$ -Triethyltrisulphonepentane (POSNER), A., i, 323.

Triglycerides, isolation of, from crude fats (KRAFT), A., i, 137.

Triglycylglycine and its ethyl ester and benzoyl derivative (FISCHER), A., i, 653.

1:3:4-Triketo-2-methyltetrahydroisoquinoline and its mono-oxime (FREUND and BECK), A., i, 618.

2:4:6 Trimethoxyacetylacetophenone (JOCHUM and v. KOSTANECKI), A., i, 608.

2:4:6 Trimethoxybenzaldehyde and its acetyl derivatives and oxime (HERZIG, WENZEL, KERÉNYI, and GEHRINGER), A., i, 251.

2:4:6 Trimethoxybenzoic acid and its ethyl ester (HERZIG, WENZEL, and GEHRINGER), A., i, 252.

2:4:5 Trimethoxybenzylidene diethyl ether (THOMS and BECKSTROEM), A., i, 409.

2:4:6 Trimethoxybenzylideneacetone (HERZIG, WENZEL, and GEHRINGER), A., i, 252.

2:4:5 Trimethoxybenzylidene-acetone and *-methyl nonyl ketone* and their oximes (THOMS and BECKSTROEM), A., i, 409.

2:3:4'-Trimethoxychalkone, 2'-hydroxy-, and its acetyl derivative (COHEN and v. KOSTANECKI), A., i, 683.

3:3':4'-Trimethoxychalkone, 2'-hydroxy-, and its acetyl derivative (v. KOSTANECKI and SCHLEIFENBAUM), A., i, 683.

4:4':6'-Trimethoxychalkone, 2'-hydroxy-, and its acetyl derivative (v. KOSTANECKI and TAMBOR), A., i, 426.

2:4:6-Trimethoxycinnamic acid and its methyl ester (HERZIG, WENZEL, and GEHRINGER), A., i, 252.

5:7:4'-Trimethoxy-flavanone and *iso*-nitroso-, and *-flavonol* and its acetate (v. KOSTANECKI, LAMPE, and TAMBOR), A., i, 607.

6:8:3'-Trimethoxy-flavanone and *iso*-nitroso-, and *-flavonol* and its acetyl derivative (v. KOSTANECKI and KUGLER), A., i, 440.

7:8:2'-Trimethoxy-flavanone and *iso*-nitroso-, and *-flavonol* and its acetyl derivative (COHEN and v. KOSTANECKI), A., i, 683.

7:8:3'-Trimethoxy-flavanone and *iso*-nitroso-, and *-flavonol* and its acetyl derivative (v. KOSTANECKI and SCHLEIFENBAUM), A., i, 684.

Trimethoxyphenanthrenecarboxylic acid (PSCHORR and MASSACIU), A., i, 768.

Tri-*p*-methoxyphenylcyanidine (FRANCIS and DAVIS), T., 261, 1535; P., 22, 204.

Trimethoxyvinylphenanthrene and its picrate (PSCHORR and MASSACIU), A., i, 768.

Trimethylamine, compound of, with cuproso-cupric cyanide (LITTERSCHEID), A., i, 301.

cyano- (HENRY), A., i, 854.

1:3:5-Trimethylaminobenzene, 2:4-*di*-nitro- (BLANKSMA), A., i, 566.

δ Trimethylamino-propylmalonic acid, and *-valeric acid*, ethyl esters, hydrobromides of (WILLSTÄTTER and KAHN), A., i, 560.

β,3δ Trimethylamylene αδ-glycol and its diacetate, and oxide (MOSSLER), A., i, 3.

1:2:3-Trimethylbenzene, 4:6-*dihydroxy*, and its dibenzoate (SIMON), A., i, 406.

Trimethyl-benzimidazoles and *-benzimidazolols*, nitro- (FISCHER and HESS), A., i, 195.

2:4:6-Trimethylbenzoic acid, benzylamine salt of (SUDBROUGH and ROBERTS), T., 240.

Trimethylboraylammonium hydroxide (FORSTER and ATTWELL), T., 1195.

Trimethylbrazilone, isomeride of (HERZIG, POLLAK, and GALITZENSTEIN), A., i, 333.

Trimethylbrazilone, methyl ether (HERZIG, POLLAK, and GALITZENSTEIN), A., i, 908.

ααγ Trimethylbutyric acid, *β*-bromo-*γ*-hydroxy-, and *γ*-hydroxy-, lactones of (PERKIN and SMITH), T., 156; P., 11.

3:7:10 Trimethylidihydroacridine, 8-amino-5-hydroxy- (FOX and HEWITT), T., 532; P., 9.

Trimethylene dibromide, action of water on (RIX), A., i, 465.

glycol, action of sulphuric acid on (RIX), A., i, 465.

Trimethylene-ethylenedipiperidylum bromide and its stereoisomeric (ASCHAN), A., i, 350.

Trimethyleneethylene. See *β*-Methyl butane.

4:4:6-Trimethyl-3-ethyltetrahydro-1:3-oxazine and its salts (KOHN), A., i, 933.

ααγ Trimethylglutaconic acid, *cis*- and *trans*-, and the anhydride of the *cis*-acid (PERKIN and SMITH), T., 155; P., 10.

ααγ Trimethylglutaric acid, *cis*-*β*γ-dibromo- (PERKIN and SMITH), T., 156; P., 10.

β-imino-α-cyano, ethyl ester (BARON, REMFRY, and THORPE), T., 1755.

βδζ Trimethyl-βε-heptadiene, δ-hydroxy (v. FELLENBERG), A., i, 961.

Trimethylheptatriene. See *βζ*-Dimethyl-δ-methylene-βε-heptadiene.

2:6:6-Trimethylcyclohexane-1-carbinol, 4-hydroxy- (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 412.

2:6:6-Trimethylcyclohexane-1-carboxylic acid, 4-hydroxy-, and its lactone and ethyl ester (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 411.

1:4:4-Trimethyl-5-hexanone. See Pulenone.

2:6:6-Trimethylcyclohexane- and -Δ⁴-hexene-4-one-1-carboxylic acids and their ethyl esters (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 412.

2:6:6-Trimethylcyclo-Δ⁴-hexene-1-carboxylic acid and its ethyl ester (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 412.

2:6:6-Trimethylcyclo-Δ²-hexene-4-one-1-carboxylic acid, ethyl ester (FARBWERKE VORM. MEISTER, LUCIUS, & BRÜNING), A., i, 317.

ααε Trimethyl-Δδ-hexenol and its ozonide (HARRIES and WEIL), A., i, 361.

2:3:5-Trimethyl-4-methylene-1:4-benzopyran, 7-hydroxy-, and its salts (BÜLOW and DEIGLMAYR), A., i, 609.

Trimethylnitroaminobenzene, *s*-trinitro- (BLANKSMA), A., i, 566.

$\beta\delta$ -Trimethylpentane, $\alpha\delta$ -dibromo- (MOSSLER), A., i, 2.

Trimethylcyclopentanecarboxylic acid, *i*-3-bromo-, and its ethyl ester, and 1-3-*cis*-hydroxy- (PERKIN and THORPE), T., 144.

Trimethylcyclopentanone and its oxime and semicarbazone (WALLACH and KEMPE), A., i, 74.

1:2:2-Trimethyl-4-isopropylidene-5-pyrrolidone (PAULY and HÜLTENSCHMIDT), A., i, 88.

4:6-Timethyl-2-isopropyltetrahydro-1:3-oxazine and its salts and nitroso-derivative (KOHN), A., i, 933.

2:4:6-Timethylpyridine derivatives (KOENIGS and MENDEL), A., i, 527.

1:2:5-Timethylpyrrole-3-carboxylic acid and its ethyl ester, synthesis of (KORSCHUN; KORSCHUN and TREFFLIEFF), A., i, 264.

Trimethylsuccinic acid, acid esters (BONE, SUDBROUGH, and SPRANKLING), T., 551; P., 64.

4:6-Timethyltetrahydro-1:3-oxazine and its salts and derivatives (KOHN), A., i, 932.

Trimethyltrimethylenetriamine and its abnormal salt formation (EINHORN and PRETTNER), A., i, 978.

δ -Trimethylvalerobetaine and its derivatives (WILLSTÄTTER and KAHN), A., i, 560.

3:7:8-Timethylxanthine. See 8-Methyl-theobromine.

Trinaphthalenesulphohydroxamic acid (ANGELI, ANGELICO, and SCURTI), A., i, 311.

Tri- β -naphtholmethyleneamine and its derivatives (BETTI), A., i, 581.

Trinaphthylbenzene (*decacylene*), tribromo-, nonachloro-, and trinitro- (DZIEWONSKI and DOTTA), A., i, 84.

Trinaphthylmethane series, colouring matters of the (NOELTING), A., i, 621.

Trioxymethylene, action of hydrogen chloride on (LITTERSCHEID and THIMME), A., i, 962.

abnormal condensation of, with aromatic magnesium organic compounds (TIFFENAU and DELANGE), A., i, 48.

2:4:6-Trioxypyridine and its anhydride and salts, and 5-alkyl derivatives and their 3-carboxylic acids, and 3:5-dimethyl derivative (BARON, REMFRY, and THORPE), T., 1742; P., 243.

$\alpha\gamma$ -Triphenyl- α -benzylsulphoneprop-ane- γ -one (POSNER), A., i, 323.

$\alpha\delta$ -Triphenylbutane- $\beta\gamma$ -dicarboxylic acids, *cis*- and *trans*- (STOBBE and V. VIGIER), A., i, 673.

$\alpha\beta\delta$ -Triphenylbutane- γ -one- α -ol, and its acyl derivatives (GOLDSCHMIEDT and SPITZAUER), A., i, 64.

Triphenylcarbinol, formation of, from benzophenone (DELANGE), A., i, 173.

action of hydroxylamine on (MOTHWURF), A., i, 877.

reduction of (ACREE), A., i, 315; (HERZIG), A., i, 582.

acetate (*triphenylmethyl acetate*) (GOMBERG and DAVIS), A., i, 32.

homologues, reduction of, to the corresponding triphenylmethanes (ACREE), A., i, 315.

colourless salts of (LAMBRECHT and WEIL), A., i, 877.

Triphenylcarbinol, *o*-amino-, and its chloride, salts, and acetate (v. BAEYER and VILLIGER), A., i, 898.

di-p-amino-, and its diacetyl derivative and methyl ether, and *tri*amino-, methyl ether (v. BAEYER and VILLIGER), A., i, 786.

p-hydroxy-, and its isomeride and diethyl ether (BISTRZYCKI and HERBST), A., i, 44.

3:4-dihydroxy (SACHS and THONET), A., i, 878.

tri-nitro-, dimorphism of (E. and O. FISCHER), A., i, 864.

tri-*p*-nitro-, and its chloride (GOMBERG and CONE), A., i, 490.

Triphenylcarbinol-*o*-sulphon-ethyl- and -methyl-amides and their derivatives (SACHS, v. WOLFF, and LUDWIG), A., i, 877.

Triphenylchloroamidine (STEINDORFF), A., i, 452.

Triphenylchloromethane, *p*-bromo-, *p*-chloro-, and *p*-iodo-, and their peroxides (GOMBERG and LYNN), A., i, 489.

tri-*p*-chloro- (GOMBERG and CONE), A., i, 490.

Triphenylcrotolactones, isomeric, and their reactions (JAPP and MAITLAND), T., 1498; P., 206.

Triphenylcyanidine, preparation of (FRANCIS and DAVIS), T., 260; P., 21.

9:9-10-Triphenyldihydroanthracene and 10-hydroxy-, and its methyl and ethyl ethers (HALLER and GUYOT), A., i, 660.

2:5:5-Triphenyl-4:5-dihydro-1:2:4-oxadiazole, 4-benzoyl derivative (STOLLÉ), A., i, 102.

Triphenyl-ethane and -ethylene (KLAGES and HEILMANN), A., i, 488.

abb-Triphenylethylcarbamide (BUSCH), A., i, 664.

iso-Triphenylethylcarbamide and its platinichloride (STEINDORFF), A., i, 452.

$\alpha\beta\gamma$ -Triphenyl- α -ethylsulphonepropane- γ -one (POSNER), A., i, 323.

2:5:6-Triphenylcyclo- Δ^2 -hexene-1-one and its isomeride (WIELAND), A., i, 432.

Triphenylmethane derivatives (E. and O. FISCHER), A., i, 863.

and their oxidation products from tetramethylidiaminobenzhydrol and *m*-ethoxybenzoic acid and its amide, methylamide, and dimethylamide (FRITSCH), A., i, 58.

Triphenylmethane, *o*-amino-, and its salts, and acetyl derivative (v. BAEYER and VILLIGER), A., i, 898.

p-amino- and *p*-nitro-, and their derivatives (v. BAEYER and VILLIGER), A., i, 308, 786.

di-p-amino-, diacetyl derivative (v. BAEYER and VILLIGER), A., i, 786.

and its di- and tetra-acetyl derivatives (VONGERICHTEN and WEILINGER), A., i, 687.

ω-bromo-, pentabromide (GOMBERG and CONE), A., i, 988.

di-p-bromo- (GOLDTHWAITE), A., i, 151.

Triphenylmethane colouring matters. See Colouring matters.

Triphenylmethane series, reactions in the (VONGERICHTEN and WEILINGER), A., i, 687.

Triphenylmethane-*o*-carboxylic acid, methyl ester (HALLER and GUYOT), A., i, 660.

Triphenylmethyl (GOMBERG and CONE), A., i, 658, 988.

substances analogous to (GOMBERG), A., i, 32.

substituted (GOMBERG), A., i, 489.

sulphate (GOMBERG and CONE), A., i, 988.

β -Triphenylmethylhydroxylamine and its hydrochloride and acetyl derivative (MOTHWURF), A., i, 878.

Triphenylmethylphenylsulphone, *p*-nitro- (v. BAEYER and VILLIGER), A., i, 309.

1:2:3-Triphenyl-4:2- α -naphtha*iso*oxazine (MAYER), A., i, 785.

Triphenylparaleucaniline (v. BAEYER and VILLIGER), A., i, 787.

Triphenylpiperidone (MAYER), A., i, 832.

Triphenylpropenol, benzoyl derivative (KOHLER), A., i, 596.

$\alpha\beta\gamma$ -Triphenyl- α -thiol-benzyl- and -ethyl-propane- γ -ones (POSNER), A., i, 323.

2:3:6-Triphenylthiol-quinol and its diacetyl derivative and -quinone (POSNER), A., i, 1030.

Triphenyl-*p*-tolylmethane, *p*-hydroxy-, and its acetyl derivative (BISTRZYCKI and GYR), A., i, 315.

Triplete from Östergötland (HAMBERG), A., ii, 744.

Trisazo-dyes from 2:4-diaminoacetanilide (FARBENFAKRIKEN VORM. F. BAYER & CO.), A., i, 700.

Trithioacetaldehydes, α -, β -, and γ - (DRUGMAN and STOCKINGS), P., 116.

Trithioformaldehyde (DRUGMAN and STOCKINGS), P., 116.

Tri-*p*-tolylacetonitrile (MOTHWURF), A., i, 879.

Tri-*p*-tolylcarbinol and its nitro-derivatives, acetate, and salts (MOTHWURF), A., i, 879.

*tri*amino-, methyl ether (v. BAEYER and VILLIGER), A., i, 787.

Tri-*p*-tolylchloromethane aluminium chloride (MOTHWURF), A., i, 879.

Tritylcyanidine (FRANCIS and DAVIS), T., 260; P., 21.

Tri-*p*-tolylmethane and *hexanitro*- and -sulphonic acid, sodium salt (MOTHWURF), A., i, 879.

Tri-*p*-tolylmethyl peroxide (GOMBERG), A., i, 489.

Tri-*p*-tolylmethyl-amine, -aniline, and ethyl ether (MOTHWURF), A., i, 879.

β -Tri-*p*-tolylmethylhydroxylamine and its acetyl derivative (MOTHWURF), A., i, 879.

Tropaeolin, reactions of (SCHUMACHER-KOPP), A., ii, 101.

Truxillic acids, α - and γ -, bromo- and chloro-derivatives, and their esters (KRAUSS), A., i, 248.

Trypsin, protective value of proteids and their decomposition products on (VERNON), A., ii, 626.

Tryptophan, formula of (ELLINGER), A., i, 640.

Tubercular sputum, albumoses in (SIMON), A., ii, 64.

Tuberculins (BÉRANECK), A., ii, 195.

Tubularia, influence of hydroxyl and hydrogen ions on the regeneration and growth of (LOEB), A., ii, 273.

Tumours, inorganic constituents of (BEEBE), A., ii, 755.

Tungsten, atomic weight of (SMITH and EXNER), A., ii, 822.

Tungsten compounds (SCHAEFER), A., ii, 178.

Tungstic acid and manganous acid, complex double salt of (JUST), A., ii, 38.

complex compounds of, with organic acids (GROSSMANN and KRÄMER), A., i, 850.

Tungstates, ammoniacal double (BRIGGS), T., 672; P., 89.

Tungsten, colour reaction for (FRABOT), A., ii, 844.

estimation of (DESVERGNES), A., ii, 783.

rapid estimation of iron and, in commercial tin (L. and G. CAMPREDON), A., ii, 295.

estimation of, and its separation from mercury (JANNASCH and BETTGES), A., ii, 517.

Tungsten bronzes (ENGELS), A., ii, 129.

Tungsten steels, constitution and properties of (GUILLET), A., ii, 739.

estimation of, volumetrically (KUKLIN), A., ii, 294.

Tungstic acid. See under **Tungsten**.

Turgite ores in Russia (SAMOILOFF), A., ii, 133.

Turpentine, Austrian. See *Pinus Laricio*, Poiret.

Turpentine oil, and aqueous alcohol, reciprocal solubility of (VÈZES and MOULINE), A., ii, 709.

effect of, on the changes in the proteids in plants (LESCHTSCH), A., ii, 282.

iodine absorption of (WORSTALL), A., ii, 370; (HARVEY), A., ii, 456.

Turtle, African, localisation of iodine in the (DOYON and CHENU), A., ii, 627.

Tyrosinase of *Lucilia Caesar* (GESSARD), A., ii, 831.

Tyrosine, occurrence of, in elderberries (SACK and TOLLENS), A., ii, 836.

purification of, A., i, 476.

action of tyrosinase on (GESSARD), A., i, 539.

U.

U-tube, new form (NOWICKI), A., ii, 555.

Ultramarine, constitution of (ROHLAND), A., ii, 487.

Umbellularia californica, essential oil of (POWER and LEES), T., 629; P., 88.

Umbellulone and its reactions with hydroxylamine and semicarbazide (POWER and LEES), T., 634; P., 88.

Umbellulone and its bromo-derivatives (LEES), T., 639; P., 88.

Undecaldehyde and its polymeride (BLAISE and GUÉRIN), A., i, 142.

Undecyl alcohol (BLAISE and GUÉRIN), A., i, 142.

Undecyl phenylurethane (BLOCH), A., i, 152.

Undecylamine and its *N*-acetyl derivative (BLAISE and GUÉRIN), A., i, 143.

Unsaturated compounds (HINRICHSEN), A., i, 1012.

additive compounds of hydrogen cyanide with (KNOEVENAGEL), A., i, 1028.

addition of alkali hydrogen sulphites and of sulphurous acid to (KNOEVENAGEL), A., i, 1024.

action of potassium cyanide on the additive compounds of alkali hydrogen sulphites and (KNOEVENAGEL and LANGE), A., i, 1027.

reaction between organic magnesium compounds and (KOHLER), A., i, 595.

Uracil, 4-*mono*- and 4:5-*di*-amino-2-thio- (TRAUBE), A., i, 632.

Uralitisation, new theory of (DUPARC and HORNUNG), A., ii, 621.

Uramil and its acetyl derivative and their salts (PILOTY and FINCKH), A., i, 820, 824.

Uranium, ratio of, to radium in some minerals (BOLTWOOD), A., ii, 666.

Uranium salts, spontaneous emission of light by (BECQUEREL), A., ii, 221.

Uranium carbonate and oxides (OECHSNER DE CONINCK), A., ii, 566.

Uranous salts, reactions of (OECHSNER DE CONINCK), A., ii, 566.

Uranyl double salts, solubility and decomposition of, in water (RIMBACH, BÜRGER, and GREWE), A., ii, 264.

double nitrates (MEYER and WENDEL), A., ii, 130.

Uranium organic compounds of quadrivalent uranium (ORLOFF), A., i, 368.

Uranium, estimation of (GIOLITTI), A., ii, 783.

estimation of, iodometrically, in uranyl compounds (GLASMANN), A., ii, 214.

Urazole series, reactions in the (ACREE), A., i, 270.

transformations in the (BUSCH and OFFERMANN), A., i, 630.

Urea, formation and elimination of, in man (LABBÉ and MORCHOISNE), A., ii, 575.

Urea, amount of, in the tissues and blood of Vertebrates (GRÉHANT), A., ii, 60.
of human urine (MOOR), A., ii, 192, 274; (GIES), A., ii, 192; (HASKINS), A., ii, 754.
nascent sodium hypobromite does not liberate all the nitrogen of (GARNIER), A., ii, 300.
See also Carbamide.

Ureideaminoazine and **Ureidehydroxyoxazole** and its barium derivative (PILOTY and FINCKH), A., i, 822.

Ureine (MOOR), A., ii, 192, 274; (GIES), A., ii, 192; (HASKINS), A., ii, 754.

Urethane, $C_{12}H_{17}O_4N_3$, from benzoyl-glycylaminoacetylazoiimide (CURTIUS and WÜSTENFELD), A., i, 833.

Uric acid, influence of diet, muscular exertion, and loss of sleep on the formation of, in man (SHERMAN), A., ii, 62.
formation in tissue extracts (SCHITTENHELM), A., ii, 752.
oxidation of (BEHRENDT), A., i, 950.
derivatives, related to murexide, constitution of (PILOTY and FINCKH), A., i, 820.
and its sodium salt, absorption of (VAN LOGHEM), A., ii, 751.
behaviour of, in urine, and the effect of alkalis on its solubility in urine (McCRUDDEN), A., ii, 358.
endogenous, elimination of (ROCKWOOD), A., ii, 673.
relation between the excretion of, and white corpuscles (WILLIAMSON), A., ii, 62.
excretion of, administered in various ways to rabbits (BENDIX and SCHITTENHELM), A., ii, 753.
effect of alcohol on the excretion of, in man (BEEBE), A., ii, 673.
influence of diet on the excretion of (PFEIL), A., ii, 192.
influence of diet on the excretion of, in urine, in gout and in uric acid arthritis (SOETBEER), A., ii, 192.
increase of the excretion of, in cats after administration of that substance by the mouth (KANGER), A., ii, 193.

γ-Uric acid and its potassium salt (PILOTY and FINCKH), A., i, 825.

Uric acid bacterium (ULPIANI), A., ii, 138; (CINGOLANI), A., ii, 139.

Urinary indican and **indoxyl**. See Indican and Indoxyl.

Urine, the physical factors in the formation of (HATCHER), A., ii, 191.
electrical conductivity of, in relation to its constitution (LONG), A., ii, 274.

Urine, freezing point and conductivity of, in pharmacological experiments (DRESER), A., ii, 752.
calorimetry of (FARKAS and KORBULY), A., ii, 753.
lipolytic power of icteric (GARNIER), A., ii, 62.
behaviour of uric acid in, and the effect of alkalis on its solubility in (McCRUDDEN), A., ii, 358.
absence of neutral sulphur in normal (MONFET), A., ii, 62.
new toxin of (MARINO-ZUCO), A., ii, 754.
nitrogenous excretion in, in phosphorus poisoning (v. JAKSCH), A., ii, 192.
excretion of phloridzin in (YOKOTA), A., ii, 358.
excretion of potassium in (MAUREL), A., ii, 62.
elimination of sugar and compounds of glycuronic acid under the influence of traumatism, and injections of sugar into the blood (CADÉAC and MAIGNON), A., ii, 192.
excretion of uric acid in, influence of diet on the (PFEIL), A., ii, 192.
excretion of uric acid in, in gout and in uric acid arthritis, influence of diet on the (SOETBEER), A., ii, 192.
increase of the excretion of uric acid in cats after administration of that substance by the mouth (KANGER), A., ii, 193.
albumin soluble in acetic acid in (PATEIN), A., ii, 599.
amino-acids in (ABDERHALDEN and BARKER), A., ii, 753.
amino-acids in, especially in cases of gout (ICNATOWSKI), A., ii, 674.
chromogen in, due to subcutaneous injection of seatole (PORCHER and HERVIEUX), A., ii, 577.
creatinine and creatinine in (FOLIN), A., ii, 375.
proteids in (OSWALD), A., ii, 358; (MÖRNER), A., ii, 754.
amount of thiocyanate in (MAYER), A., ii, 423.
human, urea of (MOOR), A., ii, 192, 274; (GIES), A., ii, 192; (HASKINS), A., ii, 754.
in beri-beri (DURHAM), A., ii, 194.
of Herbivora (SALKOWSKI), A., ii, 753.

Urine, analytical processes relating to:—
analysis of (BEHRENDT), A., ii, 218; (ALLEN and TANKARD), A., ii, 596.
rapid methods for the physico-chemical analysis of (GUYE and BOGDAN), A., ii, 391.

Urine, analytical processes relating to:—
 Ehrlich's diazo-reaction in (MONFET), A., ii, 63, 194; (MAILLARD), A., ii, 194.
 reaction of, with resorcinol (R. and O. ADLER), A., ii, 372, 754; (ROSIN), A., ii, 595.
 detection of acetone in (ALBERDA VAN EKENSTEIN and BLANKSMA), A., i, 99; (VOURNASOS), A., ii, 300.
 detection of albumins in (DE REY PAILHADE), A., i, 837; (DUFAU), A., ii, 103, 152; (RENAULT), A., ii, 599; (BELLOCQ), A., ii, 796.
 sensitive test for bile pigments in (JOLLES), A., ii, 303.
 detection of mercury in (JOLLES), A., ii, 212.
 detection of sugar in (BUCHNER and MITSCHERLICH), A., ii, 834.
 detection of urobilin in (SCHLESINGER), A., ii, 103; (GRIMBERT), A., ii, 460.
 estimation of albumin in (BELLOCQ), A., ii, 796.
 estimation of ammonia in (DEMON; FOLIN), A., ii, 83.
 estimation of bile salts in (GRÜNBAAUM), A., ii, 103, 460.
 estimation of chlorides in (VILLE and DERRIEN), A., ii, 513.
 estimation of cryogenine in (COURAUD), A., ii, 360.
 estimation of dextrose in (BEHRENDT), A., ii, 96; (HEGLAND), A., ii, 372.
 estimation of glycerol in (HERRMANN), A., ii, 595.
 estimation of indican in (BOUMA; MONFET), A., ii, 102; (ELLINGER), A., ii, 303; (MAILLARD), A., ii, 500.
 estimation of phosphoric acid in (LE CLERC and DUBOIS), A., ii, 774.
 estimation of proteids in (OSWALD), A., ii, 795.
 estimation of sugar in (OERUM), A., ii, 787.
 estimation of sulphuric acid in (V. LENGYEL), A., ii, 774.
 See also Albuminuria, Albunosuria, Alcaptonuria, *l*-Arabinosuria, Cystinuria, Diabetes, Diuresis, Diuretic action, Diuretics, Hæmatoporphyrinuria, Indoxyluria, and Pentosuria.
Urobilin, detection of, in blood, faeces, and urine (SCHLESINGER), A., ii, 103.
 detection of, in urine (GRIMBERT), A., ii, 460.
Uroxyanic acid (SUNDVIK), A., i, 478; (BEHREND), A., i, 950.

V.

Vaccinium oxycoccus, L. See Moss berry.
Vacua, high, production of, without the use of mercury pumps or liquid air (KRAFFT), A., ii, 164.
 production of, for chemical distillation (ERDMANN), A., ii, 20.
Vacuum pumps, apparatus for regulating the action of (MEUNIER), A., ii, 327.
Valacteneprponic acid and its salts (FITTIG, SALOMON, and WERNHER), A., i, 746.
Valactenesuccinic acid, salts and anhydride of (FITTIG, SALOMON, and WERNHER), A., i, 746.
Valency, chemical (BILLITZER), A., ii, 720.
 and the periodic system (ABEGG), A., ii, 475.
 hypotheses of, and the course of chemical reactions (MICHAEL), A., ii, 164.
n-Valeraldehyde and its oxime (BLAISE), A., i, 370.
iso-Valeraldehyde, synthesis of, and its condensation products (CIHLAR), A., i, 370.
Valeric acid, uranyl potassium salt (RIMBACH, BÜRGER, and GREWE), A., ii, 265.
**Valeric acid, $\gamma\delta$ -diamino-, and its ethyl ester, platinichlorides of (EGOROFF), A., i, 217.
 α -dihydroxy-, salts (FITTIG and LEPÈRE), A., i, 967.
 β -imino- α -cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1747.
 See also $\alpha\alpha$ -Dimethylpropionic acid.
ac-Valeric acid, asymmetric synthesis of (MARCKWALD), A., i, 221, 470; (COHEN and PATTERSON), A., i, 366.
iso-Valeric acid and its oxime and nitrile (CIHLAR), A., i, 370.
Valerolactones, hydroxy-, isomeric (FITTIG and LEPÈRE), A., i, 967.
i-Valerophenone, *p*-hydroxy- (AUWERS), A., i, 66.
Valeryl chloride, $\alpha\delta$ -dibromo- (FISCHER and SUZUKI), A., i, 771.
iso-Valerylacetic acid, ethyl ester, homologues of (LOCQUIN), A., i, 552.
Valerylalanine, $\alpha\delta$ -dibromo- (FISCHER and SUZUKI), A., i, 771.
iso-Valerylhydrazides, conversion of, into heterocyclic compounds (STOLLÉ and HILLE), A., i, 695.
iso-Valerylmesitylene (KLAGES and STAMM), A., i, 303.**

Valve, new glass (STEINLEN), A., ii, 722, 811.

Vanadic acid. See under Vanadium.

Vanadinite, refractive index of (BOWMAN), A., ii, 133.

Vanadium in New South Wales rocks, coals, clays, &c. (MINGAYE), A., ii, 420.

extraction of, from natural lead vanadate, and preparation of some of its alloys (HERRENSCHMIDT), A., ii, 823.

and its alloys, electrolytic preparation of (GIN), A., ii, 41.

electromotive behaviour of (MARINO), A., ii, 412.

Vanadium salts, electrolytic preparation of tervalent (BÜLTEMANN), A., ii, 266.

Vanadium fluorine compounds (MELIKOFF and KASANEZKY), A., ii, 346.

Vanadic acid, action of the halogen acids on (GOOCH and CURTIS), A., ii, 267.

action of, on micro-organisms (BOKORN), A., ii, 579.

colour reactions of (MATIGNON), A., ii, 214.

Vanadium organic compounds of quadrivalent vanadium (KOPPEL and GOLDMANN), A., i, 7.

cyano-derivatives (PETERSEN), A., i, 302.

Vanadium, estimation of chromium and, volumetrically, in the same solution (CAMPAGNE), A., ii, 684.

separation of (KOPPEL and GOLDMANN), A., i, 7.

separation of, from aluminium and iron (GLASMANN), A., ii, 450.

separation of, from chromium (NICKARDOT), A., ii, 369; (CAMPAGNE), A., ii, 684.

Vanadium ores, formation of, in nature (DITTE), A., ii, 568.

Vanadium steels, constitution and properties of (GUILLET), A., ii, 266, 664.

Vanadyl trichloride, electrical conductivity of solutions of, in water (AGAFONOFF), A., ii, 156.

Vanillideneaminobenzoic acid (v. PALEWSKI), A., i, 317.

Vanillin, preparation of (FROGER-DELA-PIERRE), A., i, 808.

action of a peroxidase on (BOURQUELOT and MARCHADIER), A., i, 552.

oxidation of, by the oxydase of mushrooms (LERAT), A., i, 360.

Vanillin, *m*-nitro- (HAYDUCK), A., i, 63.

Vaporisation neutral curve, slope of the (TREVOR), A., ii, 538.

Vapour density, determination of, at high temperatures (EMICH), A., ii, 14.

determination of, from increase of pressure and the accuracy of this method as compared with that of known methods (HAUPT), A., ii, 646.

question of the accurate determination of molecular weight from the (REINGANUM), A., ii, 645.

of hydrofluosilicic acid (BAUR and GLAESSNER), A., ii, 119; (BAUR), A., ii, 608.

of hydrazine hydrate (SCOTT), T., 913; P., 84.

See also Density.

Vapour pressure of acetic acid in solution, influence of non-electrolytes on the (BOGDAN), A., ii, 109.

of liquid mixtures in cases where a partially dissociated compound is formed (VAN LAAR), A., ii, 311.

of liquid mixtures of restricted mutual solubility (MARSHALL), P., 142.

of liquid oxygen on the scale of the constant volume oxygen thermometer filled at different initial pressures (TRAVERS and FOX), A., ii, 13.

course of the decrease of, for aqueous solutions (SMITS), A., ii, 383.

and composition of solutions in aqueous alcohols (KABLUKOFF, SOLOMONOFF, and GALINE), A., ii, 238.

of solid solutions (SPERANSKY), A., ii, 237.

of sulphuric acid solutions (BURT), T., 1339; P., 182.

in the system, benzene, carbon tetrachloride, and ethyl alcohol (SCHREINEMAKERS), A., ii, 311, 538.

determination of, by the method of air-bubbling (CARVETH and FOWLER), A., ii, 541.

Vapours, ionisation of, by polonium rays (BÖHM-WENDT), A., ii, 694.

Vapour tension. See Vapour pressure.

Vegetable fibres containing lignin, action of sodium peroxide on (DÜSCHETSCHKIN), A., ii, 373.

matter, successive conditions of (CHARABOT and HÉBERT), A., ii, 837.

organisms, production and decomposition of glycogen by (HEINZE), A., ii, 504.

substances, estimation of the alkalis in (NEUBAUER), A., ii, 209.

Vegetation, influence of the carbon dioxide of the soil on (DEMOUSSY), A., ii, 286.

Velocity of reactions. See under Affinity.

Venom. See Poison.

Veratraldehyde, 6-bromo- (DECKER and GIRARD), A., i, 1045.

Veratrine (*cycladine*) and its acyl derivatives and salts (FREUND and SPEYER), A., i, 613.

influence of, on muscular contraction (GREGOR), A., ii, 273.

Veratroylformic acid and its salts, and reduction (VANZETTI), A., i, 249.

Veratryl alcohol and its bromide and chloride (DECKER and PSCHORR), A., i, 927.

Veratryldimethylcarbinol (BÉHAL and TIFFENEAU), A., i, 742.

Verbena, pigment of (GRIFFITHS), A., i, 179.

Vesuvianite, connection between the optical characters and the chemical composition of (KLEIN), A., ii, 668.

Vetches in cereal meal and in human food (SCALA), A., ii, 365.

influence of lime and marl on the yield of (ULBRICHT), A., ii, 509.

Vibrios, agglutination of (CRENDIPOULO and AMOS), A., ii, 363.

Vinyl alcohol, colour reactions of (MATIGNON), A., ii, 214.

cyano-, and its sodium salt and anilide, and compound with benzene diazonium chloride (CLAISEN), A., i, 14.

Vinylanisoles, *o*-, *m*-, and *p*- (KLAGES and EPPESHEIM), A., i, 45.

Vinylcatechol methylene ether (KLAGES and EPPESHEIM), A., i, 46.

***p*-Vinylphenetole** (KLAGES and EPPESHEIM), A., i, 46.

Vinylsulphonic acid, arylamides of, and their acetyl derivatives (AUTENRIETH and KOBURGER), A., i, 34.

Violaceæ, occurrence of salicylic acid in plants of the (DESMOULIÈRES), A., ii, 282.

Violets, oil of (v. SODEN), A., i, 515.

Viscosimeter. See Chronostiliscope.

Viscosity, studies in (FAWSITT), A., ii, 323, 469; (REDORF), A., ii, 607.

relative, standard of; "negative viscosity" (TAYLOR), A., ii, 539.

relation between, and the "gold-number" as determined by Zsigmondy (MÜLLER), A., ii, 160.

of hydrogen, oxygen, and chemically pure and atmospheric nitrogen, and the change of these with the temperature (MARKOWSKI), A., ii, 652.

Viscosity, relative, of liquids (BECK), A., ii, 646.

of liquid mixtures (DUNSTAN), T., 817; P., 117, 248; A., ii, 805.

of mixtures of phenol and water (SCARPA), A., i, 492.

of solutions (WAGNER and MÜHLENBEIN), A., ii, 239.

of solutions in relation to the constitution of the dissolved substance (BLANCHARD), A., ii, 805.

of aqueous solutions of bromides, chlorides, and iodides (TAYLOR and RANKEN), A., ii, 539.

of colloidal solutions (LEVITES), A., ii, 471.

Volatile matters, apparatus for removing, by a current of steam (POZZI-ESCOR), A., ii, 554.

Volcanic ash from Mont Pelée, Martinique (COLONNA), A., ii, 53; (GRIFFITHS), A., ii, 135.

Voltmeter solutions, iron salts in (BELL), A., ii, 155.

Volume, metric standard of (RICHARDS), A., ii, 384.

of atoms and molecules (TRAUBE), A., ii, 384.

atomic, of the rare earths, and their significance for the periodic classification (BENEDICKS), A., ii, 384.

molecular, of solid compounds, and the relation of the osmotic pressure to the depression of the freezing point and the raising of the boiling point of solutions (VÄUBEL), A., ii, 606.

W.

Waals's ψ -surface, van der. See under Equilibrium.

Wall-papers, estimation of arsenic in (KLASON and KÖHLER), A., ii, 208; (KÖHLER), A., ii, 508.

Wappelerite (DE SCHULTEN), A., ii, 134.

Wash-bottle, new (KOB), A., ii, 611; (STEINLEN), A., ii, 722.

Wash and absorption bottle, triple acting (GLATZEL), A., ii, 20.

Water, purification of, by continuous fractional distillation (BOUSFIELD), P., 49.

effect of Becquerel rays on (KOHLRAUSCH), A., ii, 692.

action of sources of n -rays on (MEYER), A., ii, 532.

history of the electrolysis of (NEUBURGER), A., ii, 11.

electrolysis of (lecture experiment) (TECLU), A., ii, 477.

Water produced by concentrated solutions of certain electrolytes, molecular lowering of the freezing point of (JONES and GETMAN), A., ii, 235.

velocity of diffusion of, through a semi-permeable membrane (ŠEBOR), A., ii, 540.

action of silicon on, at about 100° (MOISSAN and SIEMENS), A., ii, 398.

action of sodium and potassium amalgams on the rate of liberation of hydrogen from (FERNEKES), A., ii, 163.

NATURAL WATERS :—

estimation of carbon dioxide in (WINKLER), A., ii, 215; (McGILL), A., ii, 367.

estimation of phosphates in (LINCOLN and BARKER), A., ii, 680.

Waters from the oolites, salinity of (FISHER), A., ii, 269.

Iodo-saline water of Castel S. Pietro dell' Emilia (GARELLI and GORNI), A., ii, 572.

Streams, the automatic purification of (RAPP), A., ii, 68.

Spring and Mineral waters, radioactivity of (STRUTT), A., ii, 306. radioactive substances from the deposits from (NASINI), A., ii, 399, 461.

calculation of the amounts of free and combined carbonic acid and hydrogen sulphide in (AUERBACH), A., ii, 723.

in the north of Madagascar (G. and P. LEMOINE), A., ii, 671.

thermal, radioactivity of the gases evolved from the waters of (CURIE and LABORDE), A., ii, 461.

Potable or drinking water, sterilisation of, by bromine and chlorine (BALLNER), A., ii, 68.

destruction of bacteria in, by aération and by hydrogen peroxide (KÜSTER), A., ii, 632.

estimation of the amount of sodium carbonate necessary to precipitate lime and magnesia in the chemical purification of (VIGNON), A., ii, 292.

Sea water, solubility of atmospheric oxygen in (CLOWES and BIGGS), A., ii, 392.

estimation of dissolved gases in (RUPPIN), A., ii, 214.

Service water, occurrence of iron and manganese in (v. RAUMER), A., ii, 90.

NATURAL WATERS :—

Well waters, occurrence of *Crenothrix polyspora* in (BEYTHIEN, HEMPEL, and KRAFT), A., ii, 279.

Unpolluted water, absence of *Bacillus coli* in (HOUSTON), A., ii, 633.

Water analysis :—

portable outfit for testing (FORBES), A., ii, 517.

detection of *Bacillus enteritidis sporogenes* in (HEWLETT), A., ii, 633.

estimation and separation of iron and phosphoric acid in (CAUSSE), A., ii, 93.

estimation of hardness in (AUERBACH; BASCH), A., ii, 151.

estimation of manganese in (BAUMERT and HOLDEFLEISS), A., ii, 782.

estimation of nitrates in (DESFOURNEAUX; ROBIN), A., ii, 367.

estimation of organic matter in (LENORMAND), A., ii, 215.

Water-gas, unearburetted, defects of, as fuel for laboratory use (CHIKASHIGE and MATSUMOTO), A., ii, 254.

Weights, molecular, apparatus for the determination of, by raising the boiling point (EIJKMAN), A., ii, 158.

microscopic method of determining (BARGER), T., 286; P., 8.

question of the accurate determination of, from the vapour density (REINGANUM), A., ii, 645.

determinations, freezing point and boiling point experiments in connection with (BECKMANN), A., ii, 235.

and physiological action of the higher fatty acids, relation between the (MEYER), A., ii, 275.

of the permanent gases, new method for the exact determination of the (GUYE), A., ii, 475.

of liquids (SPEYERS), A., ii, 540.

Well sediments, radioactivity of (ELSTER and GEITEL), A., ii, 695.

Whale meal, nutritive value of (KAOLI and HALS), A., ii, 437.

Wheat, development of (SCHULZE), A., ii, 765.

Wheat bran, nature of the principal phosphorus compound in (PATTEN and HART), A., ii, 509.

Wheat flour, polariscope estimation of gliadin in (SNYDER), A., ii, 524.

Wheat gluten, proteids of (KÖNIG and RINTELEN), A., i, 1066.

Wheats, relation between the amounts of gluten and total nitrogen in different (FLEURENT), A., ii, 200.

(*o*-*Xylene*, *Me* : *Me* = 1 : 2 ; *m*-*xylene*, *Me* : *Me* = 1 : 3 ; *p*-*xylene*, *Me* : *Me* = 1 : 4.)

Wine, decrease of acid in, and the process of fermentation involved (SEIFERT), A., ii, 579.

enzymes of "harsh" or "turned" (LABORDE), A., ii, 278.

formaldehyde in (MALLMANN), A., ii, 521.

lecithin in (ROSENSTIEBL), A., ii, 688.

nitrates in (SEIFERT and KASERER), A., ii, 510.

sulphurous acid in (KERP), A., ii, 636.

currant, fermentation of citric acid as a cause of disease in (SEIFERT), A., ii, 138.

grape, chemical characters of, from vines attacked by mildew (MANCEAU), A., ii, 144.

of the Etna district, behaviour of, when testing for salicylic acid in (SPICA), A., ii, 299.

estimation of lecithin in (WEIRICH and ORTLIEB), A., ii, 304.

detection of abietol in (GABUTTI), A., ii, 787.

detection of salicylic acid in (SPICA), A., ii, 299.

estimation of volatile acidity in (ROBIN), A., ii, 521.

estimation of alcohol in (MARTIN), A., ii, 520.

estimation of aldehydes in (MATHIEU), A., ii, 521.

estimation of fluorine in (TREADWELL and KOCH), A., ii, 841.

estimation of glycerol in (ZEISEL and FANTO), A., ii, 95 ; (GUGLIELMETTI and COPPETTI), A., ii, 216.

Wolchonskoite from Russia (KROTOV), A., ii, 420.

Wolframite from the Black Hills, South Dakota (IRVING), A., ii, 418.

Wollastonite from Mexico (COLLINS), A., ii, 134.

Wood, behaviour of sulphites towards (BUCHERER), A., ii, 724.

products of the distillation of, estimation of methyl alcohol in the (STRITAR and ZEIDLER), A., ii, 686.

Wood fibre, estimation of, in paper (TECLU), A., ii, 97.

Wool fibre, behaviour of, to certain acid dyes (KNECHT), A., i, 909.

Worts to which hops have not been added, amount of tannin in (REICHARD), A., ii, 585.

X.

Xanthanic acid, constitution of (HANTZSCH and WOLVEKAMP), A., i, 719.

Xanthen, 2,3-dihydroxy-, and its diacetyl derivative (LIEBERMANN and LINDENBAUM), A., i, 765.

Xanthine bases, synthesis of, from cyanoacetic acid (TRAUBE), A., i, 632.

of meat extract (MICKO), A., ii, 101, 793.

in yeast extract (MICKO), A., ii, 459, 793.

derivatives, preparation of (BOEHRINGER & SÖHNE), A., i, 340, 686, 949.

homologues, chlorination of (BOEHRINGER & SÖHNE), A., i, 340.

8-Xanthinecarboxylic acids, preparation of (BOEHRINGER & SÖHNE), A., i, 949.

Xanthone, dihydroxy-, and its diacetyl derivative (LIEBERMANN and LINDENBAUM), A., i, 765.

Xanthonium compounds and thio- (BÜNZLY and DECKER), A., i, 912.

Xenon, spectra of (BALY), A., ii, 3.

Xylamine salts (ROUX), A., i, 291.

***o*-Xylene**, chlorobromo-, chlorobromo-nitro-, and chloronitro-derivatives, formation of (CROSSLEY), T., 266 ; P., 21.

3,5-dihydroxy-, and its dibenzoate, keto-bromide, and diazo-compound (SIMON), A., i, 406.

***m*-Xylene**, 5-chloro-2:4:6-trinitro- (JACKSON and SMITH), A., i, 803.

2:4- and 4:6-dinitro-, and 2:4- and 6:4-nitroamino-, and their acyl derivatives (ERRERA and MALTESE), A., i, 307.

***p*-Xylene**, ω -hexabromo- (THIELE and BALHORN), A., i, 491.

2-iodo- (ULMANN), A., i, 726.

ω -nitro-, nitration of (KONOWALOFF and SENTSCHIKOVSKY), A., i, 657.

Xylenes, *o*- and *p*-, bromo-, action of dilute nitric acid on (KONOWALOFF), A., i, 657.

***m*-5-Xylenol**, 2:4:6-trinitro-, and its potassium salt (KNECHT and HIBBERT), A., i, 871.

***m*-5 Xylenolsulphonic acid**, dinitro-potassium salt (KNECHT and HIBBERT), A., i, 871.

Xylenyldimethylcarbamide, nitro- (FISCHER and HESS), A., i, 196.

as-Xylydine, oxalyl derivative (TAUSSIG), A., i, 663.

4-*o*-Xylydine, 3:5-dichloro- (CROSSLEY), T., 278.

as-*m*-Xylydine, phosphorus compounds (LEMOULT), A., i, 380.

(*o*-*Xylene*, *Me* : *Me* = 1 : 2; *m*-*xylene*, *Me* : *Me* = 1 : 3; *p*-*xylene*, *Me* : *Me* = 1 : 4.)

as-m-Xylydine hydrobromide, *perbromide*, bromo- (*FRIES*), A., i, 571.

m-Xylydinesulphonic acid, diazotised, action of bleaching powder on (*MAUË*), A., i, 458.

m-Xylydinoacetonitrile (*KNOEVENAGEL* and *KLUCKE*), A., i, 989.

Xyloquinone, dihydroxy- (*FICHTER* and *WILLMANN*), A., i, 678.

Xylosephenylmethylhydrazone and its melting point (*MÜTHER* and *TOLLENS*), A., i, 224.

4-m-Xylylaminobenzoic acid, 2-amino- and 2-nitro- (*DELÉTRA* and *ULLMANN*), A., i, 271.

3,4-m-Xylylaziminobenzoic acid (*DELÉTRA* and *ULLMANN*), A., i, 271.

m-Xylylene-dianiline and *o*- and *p*-*ditoluidines*, *tribromo-p-hydroxy*-, acetyl derivatives of (*AUWERS* and *BONDY*), A., i, 1052.

Xylylenedianilines, *o*- and *m*-, *tri-bromohydroxy*-, *O*- and *N*-monoacetyl derivatives of (*AUWERS*, *ANSELMINO*, and *RICHTER*), A., i, 738.

m-Xylylindigotin, bromo-derivatives (*BADISCHE ANILIN- & SODA-FABRIK*), A., i, 1020.

Y.

Yeast (*VAN HEST*), A., ii, 278.

from the cane sugar of Nicaragua (*Pozzi-Escot*), A., ii, 580.

poor in glycogen, preparation of (*BUCHNER* and *MITSCHERLICH*), A., ii, 834.

some constituents of (*HINSBERG* and *Roos*), A., ii, 760.

catalase from (*WENDER*), A., i, 542; (*ISSAEW*), A., i, 959.

oxydase from (*ISSAEW*), A., i, 959.

behaviour of cultures of some races of, at different temperatures in reference to activity of the enzymes, length of life, resisting power, and death (*HENNEBERG*), A., ii, 634.

action of alkali salts on (*PAULESCO*), A., ii, 580.

action of the salts of the alkaline earths on (*PAULESCO*), A., ii, 633.

influence of carbohydrates on the relations of the gas-exchange in (*KOLLEGORSKY* and *ZASSOUCHINE*), A., ii, 68.

mode of utilisation of ternary carbon by (*MAZË*), A., ii, 581.

action of sodium fluoride on (*ARTHUS* and *GAVELLE*), A., ii, 279.

Yeast, formation of hydrogen sulphide by (*Pozzi-Escot*), A., i, 130; (*ÅBELOUS* and *RIBAUT*), A., i, 704.

dried, length of life of (*WILL*), A., ii, 581.

press, detection of beer yeast in, and the introduction of a definite type of yeast in the manufacture of (*LINDNER*), A., ii, 581.

top-fermentation, fermentation experiments with (*HARDEN* and *YOUNG*), A., i, 543.

estimation of starch in (*WENDER*), A., ii, 97.

Yeast extract, detection of, in meat extract (*WINTGEN*), A., ii, 848.

estimation of the xanthine bases of (*MICKO*), A., ii, 458, 793.

Yeast ferments (*SHIGA*), A., i, 1071.

Yeast invertase and **reductases**. See Invertase and Reductases.

Yohimbine and its relationship to yohimbic acid, and esters of the acid (*SPIEGEL* and *AUERBACH*), A., i, 521.

two colour reactions of (*MEILLÈRE*), A., ii, 101.

Yttrium, preparation of metallic, and its alloys (*SIEMENS & HALSKE*, *AKTIEN-GESELLSCHAFT*), A., ii, 40.

Z.

Zeophyllite from Gross-Priesen, Bohemia (*PELIKAN*), A., ii, 349.

Zinc, deposition of, from zinc chloride dissolved in acetone (*PATTEN*), A., ii, 732.

spectrum of (*HAMY*), A., ii, 377.

complex ions of (v. *EULER*), A., ii, 11.

action of dry hydrogen chloride dissolved in anhydrous benzene on dry (*FALK* and *WATERS*), A., ii, 403.

action of certain solutions on (*SMITH*), A., ii, 486.

action of, on the sodium tungstates (*HALLOPEAU*), A., ii, 663.

Zinc alloys with aluminium (*PÉCHEUX*), A., ii, 404.

with copper (*SHEPHERD*), A., ii, 662.

with magnesium (*BOUDOUARD*), A., ii, 732.

Zinc-ammonia hydroxide, complex (*BONSDORFF*), A., ii, 733.

Zinc salts, complex (*KUNSCHERT*), A., ii, 817.

Zinc chloride, preparation and electrolysis of pure molten (GRÜNAUER), A., ii, 562.
 specific gravity of (BAXTER and LAMB), A., ii, 257.
 the system, ammonium chloride, water, and (MEERBURG), A., ii, 112.
 chromates (GRÖGER), A., ii, 659.
 chromium fluoride (HIGLEY), A., ii, 566.
 bismuth nitrate (URBAIN and LACOMBE), A., ii, 43.
 oxide, action of canal rays on (SCHMIDT), A., ii, 307; (TAFEL) A., ii, 463.
 peroxide (KURILOFF), A., ii, 36; (DE FORCRAND), A., ii, 172.
 electrolytic preparation of (HINZ), A., ii, 562.
 sulphide, phosphorescent (HOFFMANN and DUCCA), A., ii, 690; (GRÜNE), A., ii, 732; (JORISSEN and RINGER), A., ii, 817.
 hexagonal (*Sidot's blonde*), glowing of, under the influence of ozone (SCHENCK and MÜHR), A., ii, 732.
Zinc ferrocyanides, changes in the composition of, after precipitation (MILLER and FALK), A., i, 794.
Zinc, detection of, in cases of poisoning (VITALI), A., ii, 88.
 estimation of, volumetrically (WÄRING), A., ii, 211.
 estimation of, in zinc dust (WOHL and EICKMANN), A., ii, 211.
 commercial, estimation of silver in (FRIEDRICH), A., ii, 843.
 separation of, from indium (RENZ), A., ii, 149.
Zinc, separation of, electrolytically, from iron (HOLLARD and BERTIAUX), A., ii, 682.
 separation of, from manganese (SCHOLL), A., ii, 89.
 separation of nickel and, by electrolysis (HOLLARD and BERTIAUX), A., ii, 92, 682, 683.
Zinc ores of North Arkansas (BRANNER), ii, 416.
Zirconium, crystallised, preparation of, in the electric furnace (WEDEKIND), ii, 489.
 iron, m, and the rare earth metals, behaviour of, towards organic bases (HATWELL), A., ii, 89.
Zirconium potassium fluoride, analysis of (AL), A., ii, 825.
Zirconium compounds and salts (MANDL), A., i, 135.
Zirconium *triaiodide* (STÄHLER and DENZ), A., ii, 345.
 sulphate, basic (HAUSER), A., ii, 568.
Zirconium organic compounds (MANDL), A., i, 135.
Zirconium, Rivot's quantitative estimation of iron in presence of (GUTBIER and TRENKNER), A., ii, 90; (DANIEL), A., ii, 149; (GUTBIER), A., ii, 449.
 separation of, from iron (V. KNORRE), A., ii, 518.
Zymase (BAU), A., i, 464.
 and alcoholic fermentation (MAZE), A., ii, 634.
 isolation of, from animal and vegetable tissues (MAZÉ), A., i, 1072.
 activity of, in dead yeast cells under varying conditions (GROMOFF and GRIGORIEFF), A., i, 960.